รายการอ้างอิง

ภาษาไทย

- จารุณี เหลืองเพชรงาม. <u>การศึกษาระบบการควบคุมคุณภาพสำหรับอุตสาหกรรมคอนกรีต</u> ผสมเสร็จ แบบหลายโรงผสม. วิทยานิพนธ์ปริญญามหาบัณฑิต จุฬาลงกรณ์ มหาวิทยาลัย. 2536.
- ณรงค์ ชอนตะวัน, เสวก ผาสุข, สุภาพ สุขเกื้อ และ พานิชผล มงคลเจริญ. ค<u>ู่มือซ่อมเครื่องใช้</u> ไฟฟ้า. (ม.ป.ท., ม.ป.ป.)
- พิชิต สุขเจริญพงษ์. <u>การควบคุมคุณภาพเชิงวิศวกรรม</u>. กรุงเทพมหานคร: บริษัทซีเอ็ดยูเคชั่น จำกัด. (ม.ป.ป.)
- สันติ วิลาสศักดานนท์. การควบคุมคุณภาพเพื่อลดต้นทุนการผลิตในอุตสาหกรรมผลิตเสื้อผ้า สำเร็จรูป. วิทยานิพนธ์ปริญญามหาบัณฑิต จุฬาลงกรณ์มหาวิทยาลัย, 2528.
- สมชาย วิศววีรศักดิ์. การพัฒนาระบบควบคุมคุณภาพของอุตสาหกรรมเครื่องใช้ประจำโต๊ะ อาหาร. วิทยานิพนธ์ปริญญามหาบัณฑิต จุฬาลงกรณ์มหาวิทยาลัย, 2533.
- เสรี ยูนิพันธ์, จรูญ มหิทธาฟองกุล, และ ดำรงค์ ทวีแสงสกุลไทย. <u>เทคนิคการควบคุมคุณภาพ.</u> กรุงเทพมหานคร: ภาควิชาวิศวกรรมอุตสาหกรรม คณะวิศวกรรมศาสตร์ จุฬาลงกรณ์ มหาวิทยาลัย, 2528.

ภาษาอังกฤษ

- ACME INDUSTRY Co., Ltd. Company's Profile. Bangkok: ACME INDUSTRY Co., Ltd., (n.d.).
- Ma Jeng Ming. <u>QC System Presentation Cal Comp Electronocs (Thailand) Co.,Ltd.</u> Bangkok: Cal Comp Electronocs (Thailand) Co.,Ltd, 1992.
- Imarflex Mfg Co.,Ltd. <u>Servise Manual Microwave Oven MO-0927BVG-SP.</u> Osaka, Japan : Imarflex Mfg Co.,Ltd, (n.d.).
- Imarflex Mfg Co.,Ltd. Specification of Product Inspection Microwave Oven. Osaka, Japan : Imarflex Mfg Co.,Ltd, (n.d.).
- Quelle Institut fur Warenprufung. Quelle Quality Standard QQN 2000. Furth / Bayern : Quelle Institut fur Warenprufung, 1977.
- Wicha, T. <u>Quality Cost Model for Microporous Rubber Separator in a Battery Manufacturing.</u>

 Master's Thesis, Department Industrial Engineering, Asian Institute of Technology, 1977.



ภาคผนวก ก.

K	_		, tr	SERI	1															nies	BOX															
ITEM CHECK	TRELLIBLE	/3	ju iuos	AL No.																E E	BRAND															1
¥	30	มาแพาที	HESISTAN	10MD<															8	skninef	8															
	and and	การไหล	HESISTANCE WITHSTAND	1MIN															คราจสอบความถูกค้องเรียบร้อย IDENTIFICATION	#คึกเกอร์ โรงงาน	MANUFACTUMED LABEL															
	-	MICRO	AD COMBUNETON	N ±15%															ามถูกค้องเร็		D SERIAL LABEL															
-	PER	MICROWAVE OVEN	OURRENT	¥15%	_														ยบร้อย ID	สลิกเกอร์	RATING											-				
WEGGETA	PERFORMANCE	\neg	NT CONSUMETION	*01∓ °°				-	-		-								ENTIFICA	_	FUSE	-														
			mow CURRENT	* #10%						-	-			-		-			rion		LABE	-							_			_	-		-	_
	-		ENT CONSUMPTION	% ±15%	_			-	-	-	-					-		-			WARNING				-				-		-	-	-		-	
		GRILL + MWO	TION CURRENT	* #15%							-									7.	ā								-	-		ļ.	-		1	
-	1	บริเวณประตู	NT AROUND DOOR	6 0.6mW>		-										-		_		สลิกเกอร์	INSTRUCTION											-				-
	RF LEAKAGE	ะดู ช้างและหลัง	D SHDE & MEAN VENTHATION	> 0.05mW>				_		-									ลูปกรณ์สา	effedye																_
	ARN IGE	in air	R BOTTOM WENTHATION	> 0.05mW>				-											ถุปกรณ์ส่วนประกอบ ACCESSORY		WARRANTY	2														
	- Bru	มาการสอบ ไมโครสวิท		A											-				CCESSOR	chunco		1														_
	Bulme 180m INTERLOCK	หรืา กลสอบประเ	K START TEST				-												 -	renuel and	DOON															
VENDER	REVOLUTION OF FAN	บอะหลา	INTERLOCK START TEST OF TAWATABLE	1/2 - 1/2						1									[A3,	RAMARI	FIXING	LEAD WITES														•
	NOF FAN	NO LOAD	ANCHIB AT NO LOAD							T			T					T	โครงสร้าง CONSTRUCTION	ความเรียน	FLATMESS	0.5m/m>			ľ	T	T		T	T	T	T		1	1	,
		นทีกเนคาอน	MAGNETRON	20kg-cm<		T	T	1			T				Ī		Ī	T	STRUCTIO	NOR		+-	T			1			1	\dagger	1	T	T	1	1	
JUDGEMENT		Normor	1	10kg-cm<			1	1			1				1	-			$\ \ $	ougeto	SCREW TI	× COCK	1			T	1	+			1	1				
_		nieudes enrillent	THANSFORMEN	30kg-cm< 10kg-cm< 10kg-cm< 30kg-cm<			T		1		1		1	+	1	1	t		Orsônes vlastis emercem Expanse	7	TIMER KNOB DOOR TO	EY BOARD		\mid	\dagger	\dagger	\dagger	+	1			1	<u> </u>		1	
>	การอีดคิดแน่นของขึ้นส่วน FASTENING OF EACH PART	i jewigumu		Okg-cm<	+		1	-	1	+	1	\dagger	†	T			1	+	BINESCO	da:th	A OT HOO	PANEL			t	+	+		1	1	+	\dagger	+	+		
W CHARGE	Bağudən FACH PART	ด้ายีคลวิทธ์	+-	Okg-cm<		+	1	1	\dagger	1	1		1	T	1		1	\dagger	CADANCE	กริเวณ	AROUND L	DOOR	\dagger	l	l	\dagger	\dagger	+	1	1	1	1	1			
ARGE		บาหพับ	BOOO	_		1	1	\dagger			T			1	+	\dagger	+			7. 24	LEAKAGE LEAKAGE	URPENT	T	\dagger	1	1	+	+	1		1	1		1		
		LBC18R	+	2,*50.		T	1		1	1	1	1	1	1	1			1		_	_	PLUCTUATION	1	T	+	1	1	1	1	1	1	\dagger	+			
		UGBSCER	APPEARANCE																	13966	รัพกรกษาตร	EARTH														

ตารางที่ ก.2 ข้อมูลของผลิตภัณฑ์ที่ตรวจสอบ

MOGEL WORL-2429 VG-SP (S-1.3) BKUWN	(S-1.3) BRUWN	Serial No.			Date.		. ,
คราจอินเคยว์ลิยค Interlock check				หาน	ผ่าน Accept	ไม่ผ่าน Reject	
ครวจสายคิน Continuity check		•		หาน	ผ่าน Accept	ไม่ผ่าน Reject	
ตราจความนขึ้งแรงของฉนาน Dielectric srength test				หาน	ม่าน Accept	ไม่ผ่าน Reject	
คราวจานหมน Turn Table Check				หาน	ผ่าน Accept	ไม่ผ่าน Reject	
ดรางสอบการร้วดลื้นมาก Max. RF Leakage check		mW/cm²		mW/cm²	mW/cm²	n² mW/cm²	
คราจตอบอีกครั้ง Revised check		mW/cm²		mW/cm²	mW/cm²	n² mW/cm²	
ตรวงการปิด - เปิดประตู Door open/close check	,						· ·
	GR	GRILL + M.W.O	FUNCTION				
Power consumption		× ×	Input			Α	
M Power consumption	Input current	nt	Water temp	temp	Defros	Defrost Power consumption	
3 0		4			٥	Α	
คราจสลาก Labels check				หาน	ผ่าน Accept	ไม่ผ่าน Reject	
Repair (Fill in details)					1	ผู้ทำ	Г
		4	ะเก				
2.		3	นใน				
			,				

ตารางที่ ก.3 ผลการทดสอบอายุการใช้งานและความคงทนของตู้อบไมโครเวฟ

HARTTWARADUDTURTIÉVTULRZRYTHRAYNLUL...
TEST RESULTS OF MICROWAVE OVEN LIFE AND ENDURANCE TEST
DOOR OPENCLOSE 100

TEST DOOR OPEN/CLOSE 2,000 CYCLES เปิด-ปิดประชู 2,000 ห.: DOOR OPEN/CLOSE 100,000 CYCLES เปิด-ปิดประชู 100,000 ครั้ง ระดับการทดตอบอายุการใช้งาน CLASIFICATION LIPE TEST

GHECK HER T. Menna CHECK HON BEHORE T. DATE Tui MM138 CHECK NÃ4 hou BEPORE T. DATE THE Hi CHARGE (mrs) HÃ4 FTER T. Am138 CHECK nou BEFORE T. DATE THE GHARGE n13 Andu JUDGEMENT Mason CHECK HÃ4 MA178 CHECK nou BEFORE T. DATE THE Ani CHARGE nnskadu JUDGEMENT Am170 CHECK HER T. GHECK CHECK HON HON BEFORE T. GMI in MODEL ท่างนให้ปกติ NO CHANGE OF OPERATION BY DUST ท่างนให้ปกติ NO CHANGE OF OPERATION BY DUST Sun's 1 suome Cours was on the Institut value escala 14 see the Institut escal 2000 of feloutions; 1 and 2000 of feloutions; 1 and 100 CVC SELESS TIAAL IMW (CO. COC CVC SELESS TIAAL IMW 2000 of CVC SELESS TIAAL IMW 2000 of CVC SELESS TIAAN IMW IMM (SELES TIAAN IMW 2000 of CVC SELESS TIAAN IMW IMM (SELES TIAAN IMW AND AND SELES TIAAN IMW (SELES TIAAN IMW OF SELES TIAAN IMW (SELES TIAAN IMW OF SELES TIAAN IMW OF SELES TIAAN IMP OF S Author a security with a second secon ANDALIS SOR WORKING VALUE
OVER SOR OF THE BITTAL VALUE
NATION SOR OF THE BITTAL VALUE
NATION SOR SOR OF THE BITTAL VALUE
OVER SOR OF THE BITTAL VALUE UNDATI SOR YOUNGTHAN VALUE
UNDATE SOR, OF THE INITIAL VALUE
UNDATE SOR, OF THE INITIAL VALUE
UNDATE SOR, OF THE INITIAL VALUE
OVER SOR, OF THE INITIAL VALUE UNDER SON OF THE INITIAL VALUE
UNDER SON OF THE INITIAL VALUE
UNDER SON OF THE INITIAL VALUE
UNDER SON OF THE INITIAL VALUE
OVER SON OF THE INITIAL VALUE UNDATA 90% WOAKTHIN OVER 90% OF THE INITIAL VALUE OVER 90% OF THE INITIAL VALUE PAGESHALL MELT IMMEDATTELY AND IT SHALL NOT BE OFFRATED 2,000 CYCLES BEFORE TEST 2,000 CYCLES BEFORE TEST การทำงานคือสปังาไปคนมาพางาน Stall BE OFERATED WITHOUT ANY PROBLEMS PER STANDARDS GVER 10 MG

OVER 10 MG

OVER 10 MG

OVER 10 MG

SECONISS

SINCEL BE NO PROBLER AT 1 750V 1mA FOR 1 SECONISS THOUSE SMOOTHLY IN STATE OF ST จะค้องปิด เปิด.ปิด ใต้อย่างน้มนาล Noon'i LESS THAN 3m WAm' Noon'ii LESS THAN 0.05m WAm' SHALL NOT OSCILLATES LESS THAN 0.6m WARM LESS THAN 3m WARM 0vER 30-35 kg/cm GANTI 10 kg/cm OVER 10 kg-cm GAN'I 20 kg/cm ÖVER 20 kg·cm RATING # 10% RATING # 15% DEFECT 5 07 Medicanity

Inside of the BOTOM PATH

Inside OTTAINUETE OF TERROCK

OTTAINUETE OF TERROCK

MORPHOD TER Jatorioeğu Arcumo knobs İdet'inwattı i Batesi Wagin Pribariy Switch Short Circuit POWER CONSUMPTION (GRILL + M.W.O) บอละกรหรากยาร CHECK ITEMS ński luhi so Power consumetron (m.w.o) śrzzum swoański luhibonaz HIGH FREGUENCY OUTPUT mateunnavitee lan VOLTAGE FLACTIATION TEST find-witemilia find-witemilia find-witemilia land land Malwingen PUTTING OF EACH LABEL POWER CONSUMPTION (GRELL) nthanniburatu Bislation resistance nthunnatur hib Dielettik strencth ntitybentrie VENTILATION HOLES WORST CASE TEST **คำแนะนำ** COMMENT

10

11

ภาคผนวก ข.

Specifications of Product Inspection

Microwave Ovens

1. Applicable range

These specifications shall be applied to the microwave ovens model # which are manufacturerd by IMARFLEX MFG. CO., LTD. and sold by

2. Relation to standard of product

The common matters of the inspections and tests will be performed on the basis of the standard, specifications and character of products.

Enactment and abolishment

The enactment and abolishment will be executed by IMARFLEX MFG. CO., LTD. or by IMARFLEX MFG. CO., LTD. after negotiations according to the proposal of Co. Ltd.

4. Lot classification and sampling method

The lots will basically be divided by production date and the complete products packed will be picked up for inspection at random.

Judgement

The lots shall be judged according to AQL.

(Special matters may not be applied)

Standard of inspection and sampling table

1201 ~ 3200

The standard of inspection II AQL-1.0 of MIL-STD-105D will be applied.

				(0000 0
		I I		Representative figure of AQL)
Sampling Table of moderate	LOT SIZE	Sample Letter	Sample Size	0.00 1.0 4.0 Ac Re Ac Re
inspection	2~ 8	A	2 :	
	9~ :15	В	3	
	16~ 25	. C	5	
	26~ . 50	D	8	
	51~ 90	Ε	13	0 1 1 2
·	91~ 150	F	20 .	2 3
*	151~ 280	G	32	3 4
	· 281 ~ 500	Н.	50	1 2 5 . 6
	501~1200	J	80	2 3 7 8

125

K

	7		(Use	ed tow	ard t	he arr	ow)	
Lot		I	Repr	esenta	ative	figur	e of	AOL')
Size	Sample Letter	Sample Size		.00 Re		1.0 Re		.0 Re
2~ 8	.A	2		7		\neg		7
9~ 15	В	2					0	1
16~ 25	С	2					7	7
26~ 50	D	3			7	7	7	=
51~ 90	E	5			0	1	0	. 2
91~ 150	F	8			Г	T	1 .	3
151 ~ 280	G	-13			1		1	4
281 ~ 500	Н	20		1.	.0	2	2	5
501~1200	· J	32	2	1	1.	3	3 .	6
1201 ~ 3200	K	50	0	1	1	4	5	8

Sampling table of severe inspection

			- 1	(U:	sed	towa	ard 1	he arr	ow)	
	1347	I	I	, Re	epre	sent	ati	re figu	re of	ÀQL.
Lot Size		Sample Letter	Sample Size	Ac	0.00	Re	Ac	1.0 Re	Ac	1.0 Re
: 2~	. 8	: A	. 2				7.			
9~	15	В	3			- 1			7	احر
16~	25	С	- 5						0	. 1
26~	50	D ·	8						4	7
51~	90	E	13				-	7	A	,
91~	150	F	20				0	1	1	2
151~	280	G ·	32						2	3
281~	500	H	50				<	7	3	4
501~1	200	J .	80	. <		5	1	2	5	6
1201 ~ 3	200	K	125	0		1	2	3	8	9

7. Adjustment of inspection severity

The initial lot will be performed by moderate inspection and then severity will be adjusted in accordance with the following order.

- (1) From moderate inspection to severe inspection If 2 lots among a series of 5 lots are rejected in performing moderate inspection, the next inspection will be performed by severe inspection.
- (2) From severe inspection to moderate inspection If series of 5 lots is passed in performing severe inspection, the next inspection will be performed by moderate inspection.
- (3) From moderate inspection to rough inspection
 If the following conditions are satisfied by moderate inspection,
 the next inspection will be performed by rough inspection.
 - a) passed a series of 10 lots
 - b) the total quantity of defective among the above 10 lots become less than limited quantity shown in the table IV.
 - c) production is stable
 - d) the responsible person of IMARFLEX MFG. CO., LTD. has acknowledged that the rough inspection is appropriate.
- (4) From rough inspection to moderate inspection
 Even if one of the following conditions is happened in performing, the next inspection will be performed by moderate inspection.
 - a) rejected even one lot
 - b) passed even one lot with the condition. * means the quantity between more than numbers passed and less than ones rejected using sampling table of rough inspection.
 - c) production is irregular or delayed.
 - d) when thought that changing from rough inspection to moderate inspection is needed.


(5) Stop of inspection

If 10 lots are performed by severe inspection, which is not returned to moderate inspection, the inspection under this standard will be stopped until the procedure of quality improvement is taken. Please refer to the table of page 4.

Number of sampling unit from late 10 lots	Approved qualit	y level	AQL 4.0(Minor)
20 – 29	*	14:	*
30 – 49	4.6	*	*
50 79	*	*	0
80 - 129	*	*	0
130 - 199	×	*	2
200 - 319	*	0	4
320 – 499	*	0	8
500 - 799	*	2	14
800 - 1249	* .	4	24
1250 – 1999	*	7	40
2000- 3149	*	14	68
10000 .or over	0	68	181

Note) Inspection adjustment should be less than the quantity described in the table.

Table of adjustment of inspection severity



8. Procedure of lots rejected

Lots rejected shall be immediately reported to the relative department and the appropriate procedure shall be taken in accordance with the following order.

Order

(1) Classification procedure of lots rejected

(2) Issuing re-inspection to production department and report to the QC department of IMARFLEX, MFG. CO., LTD.

(3) Re-inspection and confirming instructions of re-inspection reported

(4) Re-inspection of lots rejected for delivery.

(5) Instructions of re-inspection and the result of re-inspection are to be submitted to the QC dept. of IMARFLEX MFG. CO., LTD. after re-inspection of lots rejected for delivery.

y. Number or sampling inspection for special matters

As to * marked matters, the same quantity as the sampling one will be inspected when the sampling quantity is less than 5 units, and 5 units will be inspected when the sampling quantity is more than 5 units.

10. Report of data

The production factory is to make and keep the following data, and if requeste data will be immediately submitted to IMARFLEX. MFG. CO., LTD.

- (a) Results of 'outgoing inspection per lot.
- (b) One time per month details of process defects, process capacity and control chart
- (c) One time per 6 months control test results
- (d) Others process change, design change, etc. as needed

11. Division of defects

Defects	Description	Examples
Critical AQL 0.00%	(1) Giving damage to human body, house, things, etc. due to defective products.(2) Against the relative law.	Insulation resistance, dielectric strength, etc. Insulation distance, power consumption, etc. Forgotten to attach provided label to be indicated.
Major AQL 1.0%	 Possibility to change to critical in the future. Not satisfying the important performance as microwave ovens in daily use at present Not worth as goods in respect of appearance and feeling 	Torque tightening main parts Insulation distance
Minor AQL 4.0%	(1) Possibility to change to major in the future.(2) Having minor defective as microwave ovens in daily use at present	Appearance, etc. . No application of screwlock and grease
	(3) No so good as commercial value as to appearance and function.	

12. Record, storage, report

(1) Record

The record of the inspection must indicate the following items.

- (a) Product name, construction and performance
- (b) Date and place of inspection
- (c) Name of inspector
- (d) Quantity of products inspected
- (e) Method of inspection
- (f) Results of inspection
- (g) Serial No. of product inspected
- (h) Serial No. of objective lot

(2) Storage

The record of inspection must be kept for 3 years after the inspection date.

(3) Report

The results of inspections must be reported to the responsible person of the section. When defective products are found by the sampling inspection, the report regarding measures against abnormality will be issued to the department in charge of measures. The department will report to the QC department of IMARFLEX.—MFG. CO., LTD. with details of measures.

- (4) Items to be recorded and stored by the production department
 - (a) Date of production, number of units assembled, and model No.
 - (b) All serial Nos.
 - (c) Measured figures of input and output wattages
 - (d) Measured figures of RF leakage.
 - (e) All magnetron tube Nos.
 - (f) Destination and date for delivery
 - (g) Record of insulation resistance and withstand voltage tests
 - (h) Record of all interlock function tests
 - (i) Signature of responsible person
- (5) Calibration record of RF leakage tester to be stored at the factory.
 - (a) Daily calibration test record
 - (b) Record of monthly calibration test
 - (c) Monthly record of microwave survey meter checked by calibration comparison system.
 - (e) Record of 2 db limit for checking monthly calibration test



Y - Process inspection

Item	Inspection item	Criteria	Method	Defect	Division
	 Uneven color, running, pinholes, etc. with outside painting as specified. 	Within limit	Visual	Minor	М.Р
	2. Rusting of plated parts like exterior	No rust	Visual	Major	M . P
	3. Scratches, bruises, etc. on exterior, doors.	Within limit	Visual	Minor	М. Р
Appearance	4. Uneven molding, scratches, burr, crack, choking of plastic parts	No defect	Visual.	Major	M . P
Appea	5. Defective print, scratches, bruises, loosening of indication panel, etc.	Within limit	Visual	Minor	M . P
	Color of each part of resin molding, and color tone	Within sample color tone made by material maker	Visual	Minor	М. Р
	7. Color tone of painted parts	Within limit	Visual	Minor	М
	8. Color difference regard- ing destination of plastic parts and painted color	No difference	Visual	Major	М.Р
	1. Carton band or stapling	Packing as specified	Visual	Minor	М.Р
18	2. Confirming Model No. on carton	Name plate must match the product	Visual	Major	М.Р
Packing	 Appropriate packing included pats, protectiv plastics, etc. 	Packing as e specified	Visual	Major	М.Р

- Y Process inspection
- C Control test

					y
Item	Inspection item	Criteria	Method	Defect	Division
	4. Owner's manual, guarantee card, cooking book, registration card, etc.	They must match the model packed	Visual	Major	М.Р
	5. Carton design and model name	They must match the model as per drawing	Visual Manual	Major	M . P
	6. Accessories such as tray	Correct accessories must be packed w/oven as per spec.	Visual	Major	М. Р
Packing	7. Special protection packing	Insert plastic film between door and main	1	Major	M . P
Pack		body. After cleaning, cover main body by polybag.			
	8. Stain and fingerprint	No stain or fingerprint on the case and product	Visual	Minor	М.Р
	9. Damage given to the box during handling	No damage of holes or edges or defect due to moisture	Visual	Major	М.Р
	10. Loose metal or dust	No loose metal or dust in the box	Visual	Minor	М.Р
	l. Each assembly and fitting clearance			•	
Construction	(1) Body and cavity	Less than 1mm	Thick- ness gauge	Minor	М.Р
3					

Item	Inspection item	Criteria ·	Method	Defect	Division
			÷1.		
	(2) Door and cavity (Choke surface)	Less than 0.5 mm	Thick- ness gauge	Major	M . P
	(3) Off-set of timer knob	Knob clearance	Visual	Minor	M . P
	(4) Off-set of defront timer knob	Clearance of switch panel must be flat	Visual	Minor	М.Р
	(5) Door and panel	Clearance exceeding lmm must be hardlequal	Manual	Minor	М.Р
	2. Door opening/closing	Door must open pulling by 3 kg max. and must be smooth in operation	Tension balance	Minor	M . P
Construction	3. Door hinge	Door hinge must be fitted firmly	Manual Visual	Major	М.Р
Cons	4. Timer knob and scale position	Switch must turn off with O indicated	Manual	Major	М.Р
		V 4		× =	
	Deflection of printed indication on switch panel	Within the range of play for timer	Manual Visual	Minor	М. Р
				•	

Tiphection

Item	Inspection item ·	Criteria	Method	Defect	Division
	6. Lead wire arrangement				2
	(1) Fear of touching movable parts	There must be no fear	Visual	Major	M . P
	(2) Fear that primary lead wire may touch high voltage lead wire and high voltage parts	There must be no fear	Visual	Major	M . P
	7. Flatness of main body				
	* Clearance between surface plate and leg	Max. is less than 0.5 mm	Manual Thicknes gauge	Minor	М.Р
	8. Application of grease to moving parts	Properly applied	Visual	Minor	M . P
c	(1) Open mechanical parts (2) Door hinges upper &				
Construction	(3) Start button				
tru	(4) Door hook support				
Cons	10. Screw-lock application to screw & nut	Properly applied	Visual .	Minor	М.Р
	(1) Door hinge upper & lower			3.4	
	(2) Magnetron setscrews W/o SUFFIX B (05 FAMILY)				38.5
	(3) Stirrer shaft lock nut (only oven w/stirrer)		1.7	>	98
	11. Torque tightening parts	No loosening of screws	Manual Visual	Major	М.Р
	(1) Fan motor setscrew	10 kg-cm or over	Torque driver	Major	М.Р
	(2) Transformer fitting	30 kg-cm or over	Torque driver	Major	М. Р
	(3) Capacitor holder setscrew	10 kg-cm or over	Torque driver	Major	М.Р

- Y Process inspection
- C Control test

Item	Inspection item	Criteria	Method	Defect	Division
	(4) Cavity and bottom plate setscrew		Torque driver	Major	M . P
	(5) Body setscrew	10 kg-cm or over	Torque driver	Major	М.Р
	(6) Door hinge upper & lower setscrews	30 kg-cm or over	Torque driver	Major	м.Р
	(7) Magnetron setscrews	20 kg-cm or		Critical	М.Р
	(8) Stirrer lock nut (only nus w/stirrer)	7 kg-cm or over	Torque driver	Major	М.Р
	(9)—1 Panel setscrews	8 kg-cm or over	Torquedriver	Major	М.Р
	(9)-2-Panel bottom setscrews	8 kg-cm or over	Torque driver	Major	М. Р
tion	(10) Magnetron and thermostat setscrews	5 kg-cm or over	Torque driver	Major	М. Р
Construction	(11) Switch bracket and cavity setscrews	20 kg-cm or over	Torque driver	Major	М.Р
) 	12. Indication label must be attached on the position specified	It must be in the specified position and easy to read	Visual	Major	М.Р
	·	Back of main body		Critical	
		bottom of from of cavity		Critical	
	. MO-05.100 series	Side of panel		•	
		Side of cavity top lamp		Major	
		Inside of body		Major	

- r rrocess inspection
- C Control test

Item	Inspection item	Criteria	Method	Defect	Division
	(5) Fuse label	Right side of cavity near fuse	V.	Critical	
	(6) Warning label	Right side of cavity	- 3	Major	
	(7) Switch label	Right side of cavity	* C *,	Major	- 1
	(8) Missing of label	•	- 2		
	. Labels regulated	No missing		Critical	
	. Other labels	No missing		Major	
	13. Production date label and serial No. label	30		¥	
	(1) Production date label Ex. JANUARY 1985 DECEMBER	No mis-spellin and easy to read		Critical	,
Construction	(2) Serial label	Easy to read as specified	<u>.</u>	Critical	
Cons	14. Sharp edges that might come in touch with the hand				
	(1) Sharp edges	No fear of cutting the hand	Touching	Major	М.Р
	(2) Burr	п	11	Major	М. Р
	(3) Weld spatter, etc.	11 ,	,	Major	M . P
	15. Inclination and tipover of main body			•	
	(1) Angle at which main body does not topple with door opened or closed.	It must not topple less than 15 degree (JIS less than 10 degree)	Manual Visual	Major	М.Р

Item	Inspection item .	Criteria	Method	Defect	Division
	16. Insulation distance				
	(1) Primary side (complete product)				
	. Between live parts different in polarity	3 mm or over	Visual	Critical	М.Р
	. Between live part and non-live metal part (2) Primary side wiring	2.5 mm or over	Scale		
	. Between live parts different in polarity	4 mm or over	Visual:	Critical	М.Р
	. Between live part and non-live metal part	4 mm or over	Scale		
	(3) Secondary side (complete product)	1 2			
uc	. Between live parts different in polarity	13 mm or over	Visual	Critical	M . P
Construction	. Between live part and non-live metal part	13 mm or over			
Const	17. Connecting terminal fastening strength		pel .		
	(1) Strength of #187 series inserted into wiring section	when pulled with 2 kg or	Tension balance	Major	М. Р
	(2) Strength of #250 series inserted into wiring section .	when pulled with 3 kg or		21	
	(3) Strength of lead wire fastened to each terminal	No loosening when pulled with 4 kg	•	•.	
Function	1. With door closed, it must push each interlock switch	It must push the switch	Manual Visual Power on	Critical	M . P

Troccas Tushacrtou

Item	Toen	ection item		T.		T		1
TLEIL			,	Crit	eria	Method	Defect	Division
	op le:	2. Power off with door opened and RF leakage from door section just before			ist liately off.	Manual Visual Tester	Critical	М.Р
	stop			ge less				
				than	0.5mWcm ²			
	3. Secondary switch must not work even pushing start button at ON.OFF			It sh work	ould not	Manual	Critical	М.Р
	doc	location of timer with door opened.						
	4. At working condition			C		m .		
-	wh pr	en door is open imary switch, s	ėd, econda	Switches must Test turn off in etc.			Critical	М. Р
	=I	y switch, and movitch should turn order.	onitor	order				т ий ј
	5. The following table show each working of interloc			the t	nown! in	Tester	Critial	M . P
	Ope.	tch under each Confirmation	m.SW	P.SW	S.SW			
1	1	Door opened	0	X	Х Х			
Function	2	Door closed						
五十		·-	Х	0	Х			
	3	Opening door	0	Χ	Х			
	(Remar M.SW							
	P.SW	Monitor switch Primary switch						
	S.SW	Secondary switch Circuit closed.	h		, -			
	× Ope.	Circuit opened Operation			- ·			
		· ·		÷				
	•						*	
	•							•

- P Process inspection
- C Control test

Item	Inspection item	Criteria	Method	Defect	Division
ч	6. Revolution of turntable	5½-6½RPM in rated voltage for 1 minute	Visual Stop watch	Major	М.Р
Function	7. No-load arcing				
स्र	Arcing during power on with only with glass tray	No arcing in the initial	Visual	Major	М.Р
		2 minutes	:		
	1. Dielectric strength	No abnormality with 1200Vper minute	Product standard	Critical	М.Р
	2. Insulation resistance	1M OHM or over	Product standard	Critial	М.Р
	3. Power consumption and line current	Rating <u>+</u> 15%	Measure- ment	Major	М
	4. High frequency output	Rating +15% -10%	Product standard	Major	М
	5. Strength of RF leakage (load: 275+15ml)	0.5 mW/cm ² or less	Product standard	Critical	М.Р
	1.Front(Door,Panel)	Less than 0.5mW/cm ²	Product standard	Critical	М.Р
ance	<pre>2.Air vent(right, left, bottom,rear)</pre>	Less than 0.05mW/cm ²	Product standard	Critical	M . P
Performan	3.Inside(Around magnetron welded parts)	Less than 0.1mW/cm ²	Product standard	Critical	М.Р
Pe	6. Heating characteristics	Temperature distribution Deviation: less than 50%	Product standarď	Major	P
	7. Voltage fluctuation Abnormality with +10% of rated voltage	Not abnormal	Product standard	Major	P

- r rrocess inspection
- C Control test

Item	Inspection item	Criteria	Method	Defect	Division
	8. Door opening/closing test (based on UL standard)			Critical	М.С
Performance	RF leakage after 2000 times of continuous opening and closing in testing 1 unit per 300 units	3 mW/cm ² or less	UL standard	Critical	М. С
Perfor	. RF leakage after 100,000 times of continuous opening and closing in testing 1 unit per 3 months	3 mW/cm ² or less	UL standard	Critical	М . С
	9. Grounding circuit	Conductivity	Tester	Major	м. с
		between metal parts such as cavity and body bottom plate			
	b				
-	-			***************************************	
				•	
er .					

		L 1	
Item	Test item	Standard	Method
Control tests	1. Package test (a) Drop test It should be based on the IMARFLEX's standard. (b) Vibration test (1) Input measurement	The appearance, structure and basic performance shall be free of abnormality. No change or abnormalit	Tester
	(2) RF leakage(3) Insulation resistance(4) Dielectric strength	compared with those before test regarding items (1) - (6).	forward and backward right and left up and down each 30 min. 1
	(5) Inside check(6) Appearance		
	(c) Hexagonal drum test (1) Input measurement (2) RF leakage (3) Insulation resistance (4) Dielectric strength (5) Inside check (6) Appearance . High frequency output	No change or abnormality compared with those before test regarding items (1) - (6).	Tester Type 10 rotary hexagonal drum
ξ.	C9250 5.3 8.2.4) Voltage fluctuation characteristic test	It should be 90%-115% of rated high frequency output No abnormality shoud be found in +10% fluctuation of rating.	Based on JIS- C9250 5.3 8.2.6 Based on JIS- C9250 5.1 8.2.2

Item	Test item		2	
	rest Item		Standard	Method
	4. Withstand volt test (Based on JIS- 5.5 8.2.6)		No abnormality after test	JIS-C9250 5.5 8.2.6
	(a) Transformer	2 *		
	5. Normal tempera		Each temperature should be within	JIS-C9250
	(Based on JIS- 5.8 8.2.9)	·C9250	JIS standard.	5.8 8.2.9
	Measuring positions	Temp.	:	
4	(1) Ambient temperature	30°C		
	(2) Fan motor coil	115°C		
2	(3) Diode surface	135°C		
	(4) Branch point	90°C	*	
	(5) Stirrer top (cavity)	100°C		
	(6) Switch knob	75°C		
	(7) Timer knob	75°C		
	(8) Door knob	70°C		
	(9) Switch button	75°C		
	(10) Outer surface (Transformer)	85°C		
	(11) Wooden base surface center	75°C		
	(12) Wooden base and leg contact	,75°C		

			,	*
Item	И	Test item	Standard	Method
		6. Abnormal temperature test (Based on JIS-C9250 5.9 8.2.10)	Wooden base should not burn and insulation resistance should be more than 0.1 M OHM	JIS-C9250 5.9 8.2.10
	ā	7. High frequency heating charactéristic test (Based on JIS-C9250 5.14)	It should conform with JIS.	JIS-C9250
		8. Shorting and opening	Each part should	JIS-C9250
		tests of electronic parts (Based on JIS-C9250 5.15 8.2.16)	work in normal conditions without burning	5.15 8.2.16
		(1) Diode		
		(2) Magnetron		
		(3) Transformer		,
	,	1 1 1 1 1	,	i i
	•			
	-			
,			2000	
			•	
			•	
		1 1		
	T			
	+			

	Tests	based on UL
Item	Frequency	Test method
Grounding circuit	100%	Check conductivity between earth pin of plug and main body (cavity and bottom plate, etc.) by tester.
Withstand voltage test	100%	Test with each switch turned on. Apply the voltage between live and non-liveparts as follows:
		1000V for 1 min. or 1200V for 1 sec.
RF leakage	100%	Measure at a speed of 1 inch/sec. with water load of 275 cc. \pm 15 m litre The measuring standard should be as follows:
		(1) :RF leakage during normal operation should be less than 1 mW.
		(2) When door is opened by door release button during normal operation, the maximum leakage until stop of power supply should be less than 1 mW.
		(3) After the operation of (2), power should not turn even with door closed.
		(4) With door opened, the start button should not work when pressed.
Intérlock mechanism check	100%	Check the circuit operation of each microswitch by test * Make an exclusive machine with lamps, etc.
Door opening/ closing test	l unit per 300 units	RF leakage after 2000 times of door opening and closing should be less than 3mW/cm ² .
* 1	1 unit per 3 months	
		*The test method is specified in the separate sheet.



	High frequency output measurement standard
l. Applicable range	This standard shall be applied to the measurement of high frequency output in the sampling inspection of microwave oven.
2. Test condition	s 1) Test equipments
	(1) AC voltmeter 0 - 150V
	(2) AC ammeter 0 - 20A
	(3) AC wattmeter 0 - 2000W
	(4) Variable transformer 120V 20A
¥	(5) 1/10°C thermometer 0 - 100°C digital thermometer capable of measuring 1/10°C
' N	(6) .1000 mm litre Pyrex beaker
	(7) 1000 mm litre measuring cylinder
	(8) Tap water 18°C+1°C
*	(9) Stop watch
	2) Conditions
*	(1) Measurement shall be started in cold conditions everytime.
*	(2) Product shall be set in maximum output.
3. Test method	1) Take 1000 mm litre water at 18°C+1°C into the Pyrex beaker, stir it with a paddler and again check the temperature stays in 18°C+1°C.
	2) Place the beaker of 3-1) at the center of glass tray and put it in the product.
	3) Supply power for 2 minutes at the rated voltage.
	4) After power on, quickly take 3-1) out together with the glass transfer and stir it, then measure the water temperature.
	5) After the measurement, calculate the output value from the formulaelow. (Temp. after heating —initial water temp.) x 35 = Output figure()

3. Test method	the output fig	ests of 2-2), 3-1) - 3 gures and the average. he high frequency outp	The average	should be
4. Items to be recorded		ems should be checked f electric current, po		
	2) Room temperatu	are and humidity.		
	(4)			3
	2			
				N. S.
	•••			
	1			
		V		
				×
		-		
,				

	Heating characteristic measurement standard	
l. Applicable range	This standard shall be applied to the measurement of heating characteristics in the sampling inspection of microwave ovens MO-083 & 084 series.	
2. Test	1) Test equipments	
Conditions	(1) AC voltmeter 0 - 150V	
	(2) AC ammeter 0 - 20A	
	(3) AC wattmeter 0 - 200W	
	(4) Variable transformer 120V 20A	
	(5) 1/10°C thermometer	
	(6) 100 mm litre . TOP #501. 5 pcs	
	(7) Measuring cylinder (capable to measure 100mm litre accuracy	
	(8) Stop watch	
	(9) Tap water 20°C+5°C	
7	2) Conditions	
	(1) Measurement should be started in cold conditions everytime.	
	(2) Proudct should be set in maximum output.	
3. Test method	1) Measure 100 mm litre water and put it into 100 mm litre beaker. Prepare 5 beakers each of which contains 100 mm litre water.	
	2) Place the beaker on the glass tray in the specified position (see Fig. 3-1). Stir the water and record the initial water temperature in each beaker.	
	3) Set 3-2) at the center of the product and operate it for 60 se	c.
	4) With power on, read and record the line current and output wit 15 sec.	hin
1	5)-l After 60 sec. power on, stir the water in each beaker, and record the final water temperature in each beaker.	

	Heating Characteristic measurement standard
Test-method	5)-2 For the temperature measurement of each beaker, first measure i numerical order of 1-2-3-4-5 as in Fig. 3-1 and then reversely measure. Calculate the average after temperature rise of each beaker. It should be regarded as the figure after temperature rise of each beaker. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
	Square tray Round tray
	Formula $ \frac{\text{Dev}}{(\%)} = \frac{2\triangle \text{Tmax} - \triangle \text{Tmin}_{22}}{\triangle \text{Tave}} \times 100 $
	Dev Deviation factor of temp. distribution AT Average water temp. after heating minus initial water temp. ATmax : Highest AT figure among 5 beakers ATmin : Lowest AT figure among 5 beakers ATave : Average of 5 AT figures
	6)-2 Record the data calculated by the formula below together with data
	POWER: Value calculated by RF output measuring method
	I line = A . I line: Line current of initial figure P line = W . P line: Input of initial figure
	$Eff = \frac{Power}{P \text{ line}} \times 100$ $Eff : Oven efficiency$
符号記事△	△ △ △ 作成 決裁
年・月・日 · 訂 正 者	
107 11 2-(1	



ประวัติผู้เขียน

นาย สมควร เทสาภิรัติ เกิดเมื่อวันที่ 02 พฤษภาคม พ.ศ. 2505 ที่ อำเภอ คลองสาน จังหวัด ธนบุรี จบการศึกษาขั้นมัธยมปลาย สายวิทยาศาสตร์ จากโรงเรียน สวนกุหลาบวิทยา ลัย ในปี พ.ศ.2525 และได้เข้าศึกษาต่อที่ คณะวิทยาศาสตร์ สาขาพีสิกส์ประยุกต์ สถาบัน เทคโนโลยีพระจอมเกล้า ธนบุรี ในปีนั้น จนสำเร็จการศึกษาได้ ปริญญาวิทยาศาสตร์บัณฑิต สาขา พีสิกส์ประยุกต์ ในเดือนเมษายน พ.ศ. 2529 หลังจากสำเร็จการศึกษา ได้เริ่มต้นเข้า ทำงานที่ บริษัท ซีเกท เทคโนโลยี (ประเทศไทย) จำกัด ในตำแหน่ง Senior OA Supervisors จน ถึง เดือนกุมภาพันธ์ พ.ศ. 2532 จึงได้เปลี่ยนงานไปทำที่ บริษัท เควลเล่ ประเทศไทย จำกัด ใน ตำแหน่ง PRODUCT MANGER / HARDWARE AND ELECTRONICS จนถึงเดือน สิงหาคม พ.ศ. 2538 ได้เปลี่ยนงานอีกครั้ง ไปทำงานที่ GENERAL MOTOR (THAILAND) LIMITED ในตำแหน่ง SUPPLIER DEVELOPMENT ENGINEER จนถึงปัจจุบัน.