

REFERENCES

1. Alter MJ. Epidemiology of hepatitis C. Hepatology 1997;26:62S-65S.
2. Cohen J. The scientific challenge of hepatitis C. Science 1999;285:26-30.
3. Rehermann B. Interaction between the hepatitis C virus and the immune system. Semin Liver Dis 2000;20:127-141.
4. Simmonds P. Viral heterogeneity of the hepatitis C virus. J Hepatol 1999;31 (suppl1) :54-60.
5. Bartenschlager R, Lohmann V. Replication of hepatitis C virus. J Gen Virol 2000;81:1631-1648.
6. Cerny A, Chisari FV. Pathogenesis of chronic hepatitis C : Immunological features of hepatic injury and viral persistence. Hepatology 1999;30:595-601.
7. Ohba JI, Mizokami M, Ohno T, Suzuki K, Orito E, Ina Y, Lau JY, Gojobori T. Classification of hepatitis C virus into major types and subtypes based on molecular evolutionary analysis. Virus Res 1995;36:201-214.
8. Okamoto H, Sugiyama Y, Okada S, Kurai K, Akahane Y, Sugai Y, Tanaka T, Sato K, Tsuda F, Miyakawa Y. Typing of hepatitis C virus by polymerase chain reaction with type-specific primers:application to clinical surveys and tracing infectious sources. J Gen Virol 1992;73:673-679.
9. Stuyver L, Rossau R, Wyseur A, Duhamel M, Vanderborgh B, Van Heuverswyn H, Maertens Typing of hepatitis C virus isolates and characterization of new subtypes using a line probe assay. J Gen Virol 1993;74:1093 -1102.
10. Theamboonlers A, Kaew-in N, Poovorawan Y. Determination of the genotypes of hepatitis C virus in Thailand, from restriction fragment length polymorphisms. Ann Trop Med Parasitol 2000;94:525-527.
11. Nakao T, Enomoto N, Takada N, Takada A, Date T. Typing of hepatitis C virus genomes by restriction fragment length polymorphism. J Gen Virol 1991;72:2105-2112.

12. Davidson F, Simmonds P, Ferguson J, Jarvis LM, Dow BC, Follett EA, Seed CR, Krusius T, Lin C, Medgyesi GA. Survey of major genotypes and subtypes of hepatitis C virus using RFLP of sequences amplified from the 5' non-coding region. *J Gen Virol* 1995;76:1197- 1204.
13. Mellor J, Walsh EA, Prescott LE, Jarvis LM, Davidson F, Yap PL, Simmonds P. Survey of type 6 group variants of hepatitis C virus in Southeast Asia by using a core-based genotyping assay. *J Clin Microbiol* 1996;34:417-423.
14. Buoro S, Pizzighella S, Boschetto R, Pellizzari L, Cusan M, Bonaguro R, Mengoli C, Caudai C, Padula M, Egisto Valensin P, Palu G. Typing of hepatitis C virus by a new method based on restriction fragment length polymorphism. *Intervirology* 1999;42:1-8.
15. Simmonds P, Holmes EC, Cha TA, Chan SW, McOmish F, Irvine B, Beall E, Yap PL, Kolberg J, Urdea MS. Classification of hepatitis C virus into 6 major genotypes and a series of subtypes by phylogenetic analysis of NS-5 region. *J Gen Virol* 1993;74:2391-2399.
16. Ferrari C, Urbani S, Penna A, Cavalli A, Valli A, Lamonaca V, Bertoni R, Boni C, Barbieri K, Uggeri J, Fiaccadori F. Immunopathogenesis of hepatitis C virus infection. *J Hepatol* 1999;31(suppl1):31-38.
17. Abrignani S, Houghton M, Hsu HH. Perspectives for a vaccine against hepatitis C virus. *J Hepatol* 1999;31(suppl1):259-263.
18. Choo QL, Richman KH, Han JH, Berger K, Lee G, Dong C, Gallegos C, Coit D, Medina-Selby A, Barr PJ, Weiner AJ, Bradley DW, Kuo G, Houghton M. Genetic organization and diversity of the hepatitis C virus. *Proc Natl Acad Sci USA* 1991;88:2451-2455.
19. Kanistanton D, Neelamek M, Dharakul T, Songsivilai S. Genotypic distribution of hepatitis C virus in different regions of Thailand. *J Clin Micro* 1997;35:1772-1776.
20. Cerny A, McHutchison JG, Pasquinelli C. Cytotoxic T lymphocyte response to hepatitis C virus-derived peptides containing the HLA-A2.1 binding motif. *J Clin Invest* 1995;95:521-530.

21. Doherty PC. The numbers game for virus-specific CD8⁺ T cells. *Science* 1998;280:227.
22. Gruner NH, Gerlach TJ, Jung MC. Association of hepatitis C virus-specific CD8⁺ T cells with viral clearance in acute hepatitis C. *J Infect Dis* 2000;181:1528-1536.
23. Alter HJ, Holland PV, Morrow AG, Purcell RH, Felnstone SM, Moritsugu Y. Clinical and serological analysis of transfusion-associated hepatitis. *Lancet* 1975;2:838-841.
24. Prince AM, Brotman B, Grady GF, Kuhns WJ, Hazzi C, Levine RW, Millian SJ. Long-incubation post-transfusion hepatitis without serological evidence of exposure to hepatitis B virus. *Lancet* 1974;2:241-246.
25. Alter HJ, Purcell RH, Holland PV, Popper H. Transmissible agent in non-A non-B hepatitis. *Lancet* 1978;1:459-463.
26. Hollinger FB, Gitnick G, Aach RD, Szmuness W, Mosley JW, Stevens CE, Peters RL, Weiner JM, Werch JB, Lander JJ. Non-A non-B hepatitis transmission in chimpanzees : A project of the transfusion-transmitted viruses study group. *Intervirology* 1978;10:60-68.
27. Bradley DW, McCaustland KA, Cook EH, Schable CA, Ebert JW, Maynard JE. Posttransfusion non-A non-B hepatitis in chimpanzees : Physicochemical evidence that the tubule-forming agent is a small enveloped virus. *Gastroenterology* 1985;88:773-779.
28. Bradley DW, Maynard JE, Popper H, Cook EH, Ebert JW, McCaustland KA, Schable CA, Fields HA. Posttransfusion non-A non-B hepatitis : Physicochemical properties of two distinct agents. *J Infect Dis* 1983;148:254-265.
29. Choo QL, Kuo G, Weiner AJ, Overby LR, Bradley DW, Houghton M. Isolation of a cDNA clone derived from a blood-borne non-A non-B viral hepatitis genome. *Science* 1989;244:359-362.
30. Miller RH, Purcell RH. Hepatitis C virus shares amino acid sequence similarity with pestiviruses and flaviviruses as well as members of two plant virus supergroups. *Proc Natl Acad Sci USA* 1990;87:2057-2061.

31. Francki RIB, Fauquet CM, Knudson DL, Brown F. Classification and nomenclature of viruses : Fifth report of the international committee on taxonomy of viruses. *Arch Virol* 1991;Suppl 2:223.
32. Major M, Feinstone SM. The molecular biology of hepatitis C. *Hepatology* 1997;25:1527-1538.
33. Hoofnagle JH. Course and outcome of hepatitis C. *Hepatology* 2002;36:S21-S29.
34. Han JH, Shyamala V, Richman KH, Brauer MJ, Irvine B, Urdea MS, Tekamp Olson P, Kuo G, Choo QL, Houghton M. Characterization of the terminal regions of hepatitis C viral RNA : identification of conserved sequences in the 5' untranslated region and poly (A) tails at the 3' end. *Proc Natl Acad Sci USA* 1991;88:1711-1715.
35. Francesco RD. Molecular virology of the hepatitis C virus. *J Hepatol* 1999;31:Suppl 1:47-53.
36. Smith DB, Mellor J, Jarvis LM, Davidson F, Kolberg J, Urdea M, Yap PL, Simmonds P. The International HCV Collaborative Study Group. Variation of the hepatitis C virus 5' non-coding region : implications for secondary structure, virus detection and typing. *J Gen Virol* 1995;76:1749-1761.
37. Clarke B. Molecular virology of hepatitis C virus. *J Gen Virol* 1997;78:2397-2410.
38. Pileri P, Uematsu Y, Campagnoli S, Galli-G, Falugi F, Petracca R, Weiner AJ, Houghton M, Rosa D, Grandi G, Abrignani S. Binding of hepatitis C virus to CD81. *Science* 1998;282:938-941.
39. Martell M, Esteban JI, Quer J, Genesca J, Weiner A, Esteban R, Guardia J. Hepatitis C virus (HCV) circulates as a population of different but closely related genomes : quasispecies nature of HCV genome distribution. *J Virol* 1992;66:3225-3229.
40. Bukh J, Miller RH, Purcell RH. Genetic heterogeneity of hepatitis C virus : quasispecies and genotypes. *Semin Liver Dis* 1995;15:41-63.

41. Lau JY, Davis GL, Prescott LE, Maertens G, Lindsay KL, Qian K, Mizokami M. Distribution of hepatitis C virus genotypes determined by line probe assay in patients with chronic hepatitis C seen at tertiary referral centers in the United States. Hepatitis Interventional Therapy Group. *Ann Intern Med* 1996;124:868-876.
42. Chan SW, McOmish F, Holmes EC, Dow B, Peutherer JF, Follett E, Yap PL, Simmonds P. Analysis of a new hepatitis C virus type and its phylogenetic relationship to existing variants. *J Gen Virol* 1992;73:1131-1141.
43. Chen Y, Maguire T, Hileman RE, Fromm JR, Esko JD, Linhardt RJ, Marks RM. Dengue virus infectivity depends on envelope protein binding to target cell heparan sulfate. *Nature Med* 1997;3:866-871.
44. Garson JA, Lubach D, Passas J, Whitby K, Grant PR. Suramin blocks hepatitis C binding to human cells in vitro. *J Med Virol* 1999;57:238-242.
45. Flint M, Maidens C, Loomis-Price LD, Shotton C, Dubuisson J, Monk P, Higginbottom A, Levy S, McKeating JA. Characterization of hepatitis C virus E2 glycoprotein interaction with a putative cellular receptor, CD81. *J Gen Virol* 1999;73:6235-6244.
46. Schneider-Schaulies J. Cellular receptors for viruses : links to tropism and pathogenesis. *J Gen Virol* 2000;81:1413-1429.
47. Agnello V, Abel G, Elfahal M, Knight GB, Zhang Q. Hepatitis C virus and other Flaviviridae viruses enter cells via low density lipoprotein receptor. *Proc Natl Acad Sci USA* 1999;96:12766-12771.
48. Inoue Y, Miyazaki M, Ohashi R, Tsuji T, Fukaya K, Kouchi H, Uemura T, Mihara K, Namba M. Ubiquitous presence of cellular proteins that specifically bind to the 3' terminal region of hepatitis C virus. *Biochem Biophys Res Com* 1998;245:198-203.
49. Pawlotsky JM. Use and interpretation of virological tests for hepatitis C. *Hepatology* 2002;36:S65-S73.
50. Nguyen TT, Sedghi-Vaziri A, Wilkes LB, Mondala T, Pockros PJ, Lindsay KL, McHutchison JG. Fluctuations in viral load (HCV RNA) are relatively

- insignificant in untreated patients with chronic HCV infection. J Viral Hepat 1996;3:75-78.
51. Neumann AU, Lam NP, Dahari H, Gretch DR, Wiley TE, Layden TJ, Perelson AS. Hepatitis C viral dynamics in vivo and the antiviral efficacy of interferon-alpha therapy. Science 1998;282:103-107.
52. Chazouilleres O, Kim M, Combs C, Ferrell L, Bacchetti P, Roberts J, Ascher NL, Neuwald P, Wilber J, Urdea M. Quantitative of hepatitis C virus RNA in liver transplant recipients. Gastroenterology 1994;106:994-999.
53. Duvoux C, Pawlotsky JM, Bastie A, Cherqui D, Soussy CJ, Dhumeaux D. Low HCV replication levels in end-stage hepatitis C virus-related liver disease. J Hepatol 1999;31:593-597.
54. Reed KE, Rice CM. Overview of hepatitis C virus genome structure, polyprotein processing, and protein properties. Curr Top Microbiol Immunol 2000;242:55-84.
55. Bouvier-Alias M, Patel K, Dahari H, Beaucourt S, Larderie P, Blatt L, Hezode C, Picchio G, Dhumeaux D, Neumann AU, McHutchison JG, Pawlotsky JM. Clinical utility of total hepatitis C virus (HCV) core antigen quantification, a new indirect marker of HCV replication. Hepatology 2002;36:211-218.
56. Courouce AM, Le Marrec N, Bouchardeau F, Razer A, Maniez M, Laperche S, Simon N. Efficacy of HCV core antigen detection during the preseroconversion period. Transfusion 2000;40:1198-1202.
57. Lee SR, Peterson J, Niven P, Bahl C, Page E, DeLeys R, Giordano-Schmidt D, Baggett D, Green G. Efficacy of hepatitis C virus core antigen enzyme-linked immunosorbent assay for the identification of "window-phase" blood donations. Vox Sang 2001;80:19- 23.
58. Farci P, Alter HJ, Wong D, Miller RH, Shih JW, Jett B, Purcell RH. A long-term study of hepatitis C virus replication in non-A, non-B hepatitis. N Engl J Med 1991;325:98-104.

59. Puoti M, Zonaro A, Ravaggi A, Marin MG, Castelnuovo F, Cariani E. Hepatitis C virus RNA and antibody response in the clinical course of acute hepatitis C virus infection. *Hepatology* 1992;16:877-881.
60. Hino K, Sainokami S, Shimoda K, Niwa H, Lino S. Clinical course of acute hepatitis C and changes in HCV markers. *Dig Dis Sci* 1994;39:19-27.
61. National Institutes of Health Consensus Development Conference Panel statement : management of hepatitis C. *Hepatology* 1997;26:2S-10S.
62. Lefrere JJ, Guiramand S, Lefrere F, Mariotti M, Aumont P, Lerable J, Petit JC, Girot R, Morand-Joubert L. Full or partial seroreversion in patients infected by hepatitis C virus. *J Infect Dis* 1997;175:316-322.
63. Chien DY, Choo QL, Tabrizi A, Kuo C, McFarland J, Berger K, Lee C, Shuster JR, Nguyen T, Moyer DL, Tong M, Furuta S, Omata M, Tegtmeier G, Alter H, Schiff E, Jeffers L, Houghton M, Kuo G. Diagnostic of hepatitis C virus (HCV) infection using an immunodominant chimeric polyprotein to capture antibodies : Reevaluation of the role of HCV in liver disease. *Proc Natl Acad Sci USA* 1992;89:10011-10015.
64. Arichi T, Major M, Wedemeyer H. A vigorous HCV-helicase specific T helper response dominates in the liver of a chimpanzee during acute, self-limited hepatitis C. *Hepatology* 1999;30:453A.
65. Rosa D, Campagnoli S, Moretto C, Guenzi E, Cousens L, Chin M, Dong C, Weiner AJ, Lau JY, Choo QL, Chien D, Pileri P, Houghton M, Abrignani S. A quantitative test to estimate neutralizing antibodies to the hepatitis C virus : cytofluorimetric assessment of envelope glycoprotein 2 binding to target cells. *Proc Natl Acad Sci USA* 1996;93:1759-1763.
66. Marcellin P. Hepatitis C : the clinical spectrum of the disease. *J Hepatol* 1999;31:9-16.
67. Barcy S, Wettendorff M, Leo O, Urbain J, Kruger M, Ceuppens JL, de Boer M. FcR cross-linking on monocytes results in impaired T cell stimulatory capacity. *Int Immunol* 1995;7:179-189.

68. Ferrari C, Valli A, Galati L, Penna A, Scaccaglia P, Giuberti T, Schianchi C, Missale G, Marin MG, Fiaccadori F. T-cell response to structural and nonstructural hepatitis C virus antigens in persistent and self-limited hepatitis C virus infections. *Hepatology* 1994;19:286-295.
69. Diepolder HM, Zachoval R, Hoffmann RM, Wierenga EA, Santantonio T, Jung MC, Eichenlaub D, Pape GR. Possible mechanism involving T lymphocyte response to non- structural protein 3 in viral clearance in acute hepatitis C virus infection. *Lancet* 1995;346:1006-1007.
70. Diepolder HM, Gerlach JT, Zachoval R, Hoffmann RM, Jung MC, Wierenga EA, Scholz S, Santantonio T, Houghton M, Southwood S, Sette A, Pape GR. Immunodominant CD4⁺ T-cell epitope within nonstructural protein 3 in acute hepatitis C virus infection. *J Virol* 1997;71:6011-6019.
71. Missale G, Bertoni R, Lamonaca V, Valli A, Massari M, Mori C, Rumi MG, Houghton M, Fiaccadori F, Ferrari C. Different clinical behaviors of acute hepatitis C virus infection are associated with different vigor of the anti-viral cell-mediated immune response. *J Clin Invest* 1996;98:706-714.
72. Lamonaca V, Missale G, Urbani S, Pilli M, Boni C, Mori C, Sette A, Massari M, Southwood S, Bertoni R, Valli A, Fiaccadori F, Ferrari C. Conserved hepatitis C virus sequences are highly immunogenic for CD4(+) T cells : Implications for vaccine development. *Hepatology* 1999;30:1088-1098.
73. Gerlach JT, Diepolder HM, Jung MC, Gruener NH, Schraut WW, Zachoval R, Hoffmann R, Schirren CA, Santantonio T, Pape GR. Recurrence of hepatitis C virus after loss of virus-specific CD4(+) T-cell response in acute hepatitis C. *Gastroenterology* 1999;117:933-941.
74. Hickling J. Measuring human T-lymphocyte function. *Exp Rev Mol Med* 1998 ;13 October, <http://www-ermm.cbcu.cam.ac.uk/jhc/tx001jhc.htm>
75. Mosmann TR, Sad S. The expanding universe of T cell subsets : Th1, Th2 and more. *Immunol Today* 1996;17:138-146.

76. Hoffmann RM, Diepolder HM, Zachoval R, Zwiebel FM, Jung MC, Scholz S, Nitschko H, Riethmuller G, Pape GR. Mapping of immunodominant CD4⁺ T lymphocyte epitopes of hepatitis C virus antigens and their relevance during the course of chronic infection. *Hepatology* 1995;21:632-638.
77. Leroux-Roels G, Esquivel CA, De Leys R, Stuyver L, Elewaut A, Philippe J, Desombere I, Paradijs J, Maertens G. Lymphoproliferative responses to hepatitis C virus core, E1, E2, and NS3 in patients with chronic hepatitis C infection treated with interferon alfa. *Hepatology* 1996;23:8-16.
78. Tsai SL, Liaw YF, Chen MH, Huang CY, Kuo GC. Detection of type 2-like T-helper cells in hepatitis C virus infection : implications for hepatitis C chronicity. *Hepatology* 1997;25:449-458.
79. Diepolder HM, Zachoval R, Hoffmann RM, Jung MC, Gerlach T, Pape GR. The role of hepatitis C virus specific CD4+ T lymphocytes in acute and chronic hepatitis C. *J Mol Med* 1996;74:583-588.
80. Chang KM, Gruener NH, Southwood S, Sidney J, Pape GR, Chisari FV, Sette A. Identification of HLA-A3 and -B7-restricted CTL response to hepatitis C virus in patients with acute and chronic hepatitis C. *J Immunol* 1999;162:1156-1164.
81. Koziel MJ, Dudley D, Wong JT, Dienstag J, Houghton M, Ralston R, Walker BD. Intrahepatic cytotoxic T lymphocytes specific for hepatitis C virus in persons with chronic hepatitis. *J Immunol* 1992;149:3339-3344.
82. Koziel MJ, Dudley D, Afdhal N, Choo QL, Houghton M, Ralston R, Walker BD. Hepatitis C virus (HCV)-specific cytotoxic T lymphocytes recognize epitopes in the core and envelope proteins of HCV. *J Virol* 1993;67:7522-7532.
83. Cerny A, McHutchison JG, Pasquinelli C, Brown ME, Brothers MA, Grabscheid B, Fowler P, Houghton M, Chisari FV. Cytotoxic T lymphocyte response to hepatitis C virus-derived peptides containing the HLA A2.1 binding motif. *J Clin Invest* 1995;95:521- 530.

84. Battegay M, Fikes J, Di Bisceglie AM, Wentworth PA, Sette A, Celis E, Ching WM, Grakoui A, Rice CM, Kurokohchi K. Patients with chronic hepatitis C have circulating cytotoxic T cells which recognize hepatitis C virus-encoded peptides binding to HLA-A2.1 molecules. *J Virol* 1995;69:2462-2470.
85. Kita H, Hiroishi K, Moriyama T, Okamoto H, Kaneko T, Ohnishi S, Yazaki Y, Imai M. A minimal and optimal cytotoxic T cell epitope within hepatitis C virus nucleoprotein. *J Gen Virol* 1995;76:3189-3193.
86. Wentworth PA, Sette A, Celis E, Sidney J, Southwood S, Crimi C, Stitely S, Keogh E, Wong NC, Livingston B, Alazard D, Vitiello A, Grey HM, Chisari FV, Chesnut RW, Fikes J. Identification of A2-restricted hepatitis C virus-specific cytotoxic T lymphocyte epitopes from conserved regions of the viral genome. *Int Immunol* 1996;8:651-659.
87. Kaneko T, Nakamura I, Kita H, Hiroishi K, Moriyama T, Imai M. Three new cytotoxic T cell epitopes identified within the hepatitis C virus nucleoprotein. *J Gen Virol* 1996;77:1305-1309.
88. Chang KM, Rehermann B, McHutchison JG, Pasquinelli C, Southwood S, Sette A, Chisari FV. Immunological significance of cytotoxic T lymphocyte epitope variants in patients chronically infected by the hepatitis C virus. *J Clin Invest* 1997;100:2376-2385.
89. Koziel MJ, Walker BD. Characteristics of the intrahepatic cytotoxic T lymphocyte response in chronic hepatitis C virus infection. *Springer Semin Immunopathol* 1997;19:69-83.
90. Wong DK, Dudley DD, Afdhal NH, Dienstag J, Rice CM, Wang L, Houghton M. Liver-derived CTL in hepatitis C virus infection : breadth and specificity of responses in a cohort of persons with chronic infection. *J Immunol* 1998;160:1479-1488.
91. Erickson AL, Houghton M, Choo QL, Weiner AJ, Ralston R, Muchmore E, Walker CM. Hepatitis C virus-specific CTL responses in the liver of chimpanzees with acute and chronic hepatitis C. *J Immunol* 1993;151:4189-4199.

92. He XS, Rehermann B, Lopez-Labrador FX, Boisvert J, Cheung R, Mumm J, Wedemeyer H, Berenguer M, Wright TL, Davis MM, Greenberg HB. Quantitative analysis of hepatitis C virus-specific CD8(+) T cells in peripheral blood and liver using peptide-MHC tetramers. *Proc Natl Acad Sci USA* 1999;96:5692-5697.
93. Rehermann B, Chang KM, McHutchinson J, Kokka R, Houghton M, Rice CM, Chisari FV. Differential cytotoxic T-lymphocyte responsiveness to the hepatitis B and C viruses in chronically infected patients. *J Virol* 1996;70:7092-7102.
94. Rehermann B, Chang KM, McHutchison JG, Kokka R, Houghton M, Chisari FV. Quantitative analysis of the peripheral blood cytotoxic T lymphocyte response in patients with chronic hepatitis C virus infection. *J Clin Invest* 1996;98:1432-1440.
95. Hiroishi K, Kita H, Kojima M, Okamoto H, Moriyama T, Kaneko T, Ishikawa T, Ohnishi S, Aikawa T, Tanaka N, Yazaki Y, Mitamura K, Imai M. Cytotoxic T lymphocyte response and viral load in hepatitis C virus infection. *Hepatology* 1997;25:705-712.
96. Nelson DR, Marousis CG, Davis GL, Rice CM, Wong J, Houghton M, Lau JY. The role of hepatitis C virus-specific cytotoxic T lymphocytes in chronic hepatitis C. *J Immunol* 1997;158:1473-1481.
97. Bassett SE, Brasky KM, Lanford RE. Analysis of hepatitis C virus-inoculated chimpanzees reveals unexpected clinical profiles. *J Virol* 1998;72:2589-2599.
98. Wedemeyer H, Rehermann B. Cellular immune responses in hepatitis C virus infection. 10th International Symposium on Viral Hepatitis and Liver Disease.
99. Lechner F, Wong DKH, Dunbar PR, Chapman R, Chung RT, Dohrenwend P, Robbins G, Phillips R, Kleinerman P, Walker BD. Analysis of successful immune responses in persons infected with hepatitis C virus. *J Exp Med* 2000;191:1499-1512.

100. Botarelli P, Brunetto MR, Minutello MA, Calvo P, Unutmaz D, Weiner AJ, Choo QL, Shuster JR, Kuo G, Bonino F. T-lymphocyte response to hepatitis C virus in different clinical courses of infection. *Gastroenterology* 1993;104:580-587.
101. Koskinas J, McFarlane BM, Nouri-Aria KT, Tibbs CJ, Mizokami M, Donaldson PT, McFarlane IG, Williams R. Cellular and humoral immune reactions against autoantigens and hepatitis C viral antigens in chronic hepatitis C. *Gastroenterology* 1994;107:1436-1442.
102. Iwata K, Wakita T, Okumura A, Yoshioka K, Takayanagi M, Wands JR, Kakumu S. Interferon gamma production by peripheral blood lymphocytes to hepatitis C virus core protein in chronic hepatitis C infection. *Hepatology* 1995;22:1057-1064.
103. Lechmann M, Ihlenfeldt HG, Braunschweiger I, Giers G, Jung G, Matz B, Kaiser R, Sauerbruch T, Spengler U. T- and B-cell responses to different hepatitis C virus antigens in patients with chronic hepatitis C infection and in healthy anti-hepatitis C virus--positive blood donors without viremia. *Hepatology* 1996;24:790-795.
104. Hiramatsu N, Hayashi N, Katayama K, Mochizuki K, Kawanishi Y, Kasahara A, Fusamoto H, Kamada T. Immunohistochemical detection of Fas antigen in liver tissue of patients with chronic hepatitis C. *Hepatology* 1994;19:1354-1359.
105. Mita E, Hayashi N, Iio S, Takehara T, Hijioka T, Kasahara A, Fusamoto H, Kamada T. Role of Fas ligand in apoptosis induced by hepatitis C virus infection. *Biochem Biophys Res Commun* 1994;204:468-474.
106. Lohman BL, Razvi ES, Welsh RM. T-lymphocyte downregulation after acute viral infection is not dependent on CD95 (Fas) receptor-ligand interactions. *J Virol* 1996;70:8199-8203.
107. Vassalli P. The pathophysiology of tumor necrosis factors. *Annu Rev Immunol* 1992;10:411-452.
108. Koziel MJ, Dudley D, Afdhal N, Grakoui A, Rice CM, Choo QL, Houghton M, Walker BD. HLA class I-restricted cytotoxic T lymphocytes specific for

- hepatitis C virus. Identification of multiple epitopes and characterization of patterns of cytokine release. J Clin Invest 1995;96:2311-2321.
109. Kinkhabwala M, Sehajpal P, Skolnik E, Smith D, Sharma VK, Vlassara H, Cerami A, Suthanthiran M. A novel addition to the T cell repertory : Cell surface expression of tumor necrosis factor/cachectin by activated normal human T cells. J Exp Med 1990;171:941-946.
110. Ando K, Hiroishi K, Kaneko T, Moriyama T, Muto Y, Kayagaki N, Yagita H, Okumura K, Imai M. Perforin, fas/fas ligand, and TNF-alpha pathways as specific and bystander killing mechanisms of hepatitis C virus-specific human CTL. J Immunol 1997;158:5283-5291.
111. Zhang Z, Brunner T, Carter L, Dutton RW, Rogers P, Bradley L, Sato T, Reed JC, Green D, Swain SL. Unequal death in T helper cell (Th)1 and Th2 effectors : Th1, but not Th2, effectors undergo rapid Fas/FasL-mediated apoptosis. J Exp Med 1997;185:1837-1849.
112. Nuti S, Rosa D, Valiante NM, Saletti G, Caratozzolo M, Dellabona P, Barnaba V, Abrignani S. Dynamics of intra-hepatic lymphocytes in chronic hepatitis C : Enrichment for V alpha24+ T cells and rapid elimination of effector cells by apoptosis. Eur J Immunol 1998;28:3448-3455.
113. Rehermann B, Chisari FV. Cell mediated immune response to the hepatitis C virus. In : Current Topics in Microbiology and Immunology : The hepatitis C virus. Eds. Hagedorn CH, Rice CM. Springer 2000,299-325.
114. Davis GL, Balart LA, Schiff ER, Lindsay K, Bodenheimer HC Jr, Perrillo RP, Carey W, Jacobson IM, Payne J, Dienstag JL. Treatment of chronic hepatitis C with recombinant interferon alpha. A multicenter randomized controlled study. N Engl J Med 1989;321:1501-1506.
115. Di Bisceglie AM, Martin P, Kassianides C, Lisker-Melman M, Murray L, Waggoner J, Goodman Z, Banks SM, Hoofnagle JH. Recombinant interferon alfa therapy for chronic hepatitis C. A randomized, double-blind, placebo-controlled trial. N Engl J Med 1989;321:1506-1510.

116. Tine F, Magrin S, Craxi A, Pagliaro L. Interferon for non-A, non-B chronic hepatitis hepatitis. A meta-analysis of randomised clinical trials. *J Hepatol* 1991 Sep;13(2):192-199.
117. Poynard T, Leroy V, Cohard M, Thevenot T, Mathurin P, Opolon P, Zarski JP. Meta-analysis of interferon randomized trials in the treatment of viral hepatitis C: effects of dose and duration. *Hepatology* 1996;24:778-789.
118. McHutchison JG, Gordon SC, Schiff ER, Shiffman ML, Lee WM, Rustgi VK, Goodman ZD, Ling MH, Cort S, Albrecht JK. Interferon alfa-2b alone or in combination with ribavirin as initial treatment for chronic hepatitis C. Hepatitis Interventional Therapy Group. *N Engl J Med* 1998 Nov 19;339 :1485-1492.
119. Poynard T, Bedossa P, Chevallier M, Mathurin P, Lemonnier C, Trepo C, Couzigou P, Payen JL, Sajus M, Costa JM. A comparison of three interferon alfa-2b regimens for the long-term treatment of chronic non-A, non-B hepatitis. Multicenter Study Group. *N Engl J Med* 1995 Jun 1;332 :1457-1462.
120. Lin R, Roach E, Zimmerman M, Strasser S, Farrell GC. Interferon alfa-2b for chronic hepatitis C: effects of dose increment and duration of treatment on response rates. Results of the first multicentre Australian trial. Australia Hepatitis C Study Group. *J Hepatol* 1995 ;23:487-496.
121. Carithers RL, Emerson SS. Therapy of hepatitis C:meta-analysis of interferon alfa-2b trials. *Hepatology* 1997;26:83S-88S.
122. Patterson JL, Fernandez-Larsson R. Molecular mechanisms of action of ribavirin. *Rev Infect Dis* 1990;12:1139-46.
123. Dusheiko G, Main J, Thomas H, Reichard O, Lee C, Dhillon A, Rassam S, Fryden A, Reesink H, Bassendine M, Norkrans G, Cuypers T, Lelie N, Telfer P, Watson J, Weegink C, Sillikens P, Weiland O. Ribavirin treatment for patients with chronic hepatitis C: results of a placebo-controlled study. *J Hepatol* 1996;25:591-598.

124. Di Bisceglie AM, Shindo M, Fong TL, Fried MW, Swain MG, Bergasa NV, Axiotis CA, Waggoner JG, Park Y, Hoofnagle JH. A pilot study of ribavirin therapy for chronic hepatitis C. *Hepatology* 1992;16:649-654.
125. Bodenheimer HC Jr, Lindsay KL, Davis GL, Lewis JH, Thung SN, Seeff LB. Tolerance and efficacy of oral ribavirin treatment of chronic hepatitis C: a multicenter trial. *Hepatology* 1997;26:473-477.
126. Reichard O, Norkrans G, Fryden A, Braconier JH, Sonnerborg A, Weiland O. Randomised, double-blind, placebo-controlled trial of interferon alpha-2b with and without ribavirin for chronic hepatitis C. The Swedish Study Group. *Lancet* 1998;351:83-87.
127. Chemello L, Cavalletto L, Bernardinello E, Guido M, Pontisso P, Alberti A. The effect of interferon alfa and ribavirin combination therapy in naive patients with chronic hepatitis C. *J Hepatol* 1995;23:8-12
128. Kiyosawa K, Sodeyama T, Tanaka E, Gibo Y, Yoshizawa K, Nakano Y, Furuta S, Akahane Y, Nishioka K, Purcell RH. Interrelationship of blood transfusion, non-A, non-B hepatitis and hepatocellular carcinoma : Analysis by detection of antibody to hepatitis C virus. *Hepatology* 1990;12:671-675.
129. Choo QL, Kuo G, Ralston R, Weiner A, Chien D, Van Nest G, Han J, Berger K, Thudium K, Kuo C, Kansopon J, McFarland J, Tabrizi A, Ching K, Moss B, Cummins LB, Houghton M, Muchmore E. Vaccination of chimpanzees against infection by the hepatitis C virus. *Proc Natl Acad Sci USA* 1994;91:1294-1298.
130. Shirai M, Okada H, Nishioka M, Akatsuka T, Wychowski C, Houghten R, Pendleton D, Feinstone SM, Berzofsky JA. An epitope in hepatitis C virus core region recognized by cytotoxic T cells in mice and humans. *J Virol* 1994;68:3334-3342.
131. Farci P, Alter HJ, Govindarajan S, Wong DC, Engle R, Lesniewski RR, Mushahwar IK, Desai SM, Miller RH, Ogata N. Lack of protective immunity against reinfection with hepatitis C virus. *Science* 1992;258:135-140.

132. McDonnel WM, Askari FK. DNA vaccines. *N Engl J Med* 1996;334:42-45.
133. Houghton M. Strategies and prospects for vaccination against the hepatitis C virus. In : *Current Topics in Microbiology and Immunology* : The hepatitis C virus. Eds. Hagedorn CH, Rice CM. Springer 2000,327-339.
134. Kaufman RJ. Vectors used for expression in mammalian cells. *Methods Enzymol* 1990;185:487-495.
135. Germeraad WTV, Asami N, Fujimoto S, Mazda O, Katsura Y. Effective gene transduction into murine hematopoietic stem cells and long-lasting expression using a transwell coculture system. *Blood* 1994;84:780-788.
136. Mazda O, Satoh E, Yasutomi K, Imanishi J. Extremely efficient gene transfection into lympho-hematopoietic cell lines by Epstein-Barr virus-based vectors. *J Immunol Methods* 1997;204:143-151.
137. Sugden B, Marsh K, Yates J. A vector that replicates as a plasmid and can be efficiently selected in B-lymphoblasts transformed by Epstein-Barr virus. *Mol Cell Biol* 1985;5:410-413.
138. Yates JL, Warren N, Sugden B. Stable replication of plasmids derived from Epstein-Barr virus in various mammalian cells. *Nature* 1985;313:812-815.
139. Rawlins DR, Milman G, Hayward SD, Hayward GS. Sequence-specific DNA binding of the Epstein-Barr virus nuclear antigen (EBNA-1) to clustered sites in the plasmid maintenance region. *Cell* 1985;42:859-868.
140. Middleton T, Sugden B. Retention of plasmid DNA in mammalian cells is enhanced by binding of the Epstein-Barr virus replication protein EBNA-1. *J Virol* 1994;68:4067- 4071.
141. Gahn TA, Sugden B. An EBNA-1-dependent enhancer acts from a distance of 10 kilobase pairs to increase expression of the Epstein-Barr virus LMP gene. *J Virol* 1995;69:2633-2636.
142. Kirchmaier AL, Sugden B. Plasmid maintenance of derivatives of oriP of Epstein-Barr virus. *J Virol* 1995;69:1280-1283.

143. Kaufman RJ. Selection and coamplification of heterologous genes in mammalian cells. Methods Enzymol 1990;185:537-566.
144. Sambrook J, Fritsch EF, Maniatis T. Molecular cloning : A laboratory Manual. 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor
145. Kingston RE. Stable transfer of genes into mammalian cells. In: Coligan JE, Kruisbeek AM, Margulies DH, Shevach EM, Strober W(Eds), Current Protocols in Immunology. Wiley, New York, pp 10.17.1-10.17.7.
146. Chomczynski P, Sacchi N. Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. Analytical Biochem 1987;162:156-159.
147. Teshigawara K, Katsura Y. A simple and efficient mammalian gene expression system using an EBV-based vector transfected by electroporation in G2/M phase. Nucleic Acids Res 1992;20:2607.
148. Theamboonlers A, Chinchai T, Bedi K, Jantarasamee P, Sripong M, Poovorawan Y. Molecular Characterization of HCV core region in infected Thai blood donor. Acta Virologica 2002;46:169-173.
149. Lau GK, Fang JW, Wu PC, Davis GL, Lau JY. Detection of hepatitis C virus genome in formalin-fixed paraffin-embedded liver tissue by in situ reverse transcription polymerase chain reaction. Med Virol 1994;44:406-409.
150. McOmisch F, Yap PL, Dow BC, Follett EA, Seed C, Keller AJ, Cobain TJ, Krusius T, Kolho E, Naukkarinen R. Geographical distribution of hepatitis C virus genotypes in blood donors: an international collaborative survey. J Clin Microbiol 1994;32, 884-892.
151. Bukh J, Miller RH, Kew MC, Purcell RH. Hepatitis C virus RNA in southern African blacks with hepatocellular carcinoma. Proc Natl Acad Sci USA 1993;90:1848-1851.
152. Murphy D, Willems B, Delage G. Use of the 5' noncoding region for genotyping hepatitis C virus. J Infect Dis 1994;169: 473-475
153. Okamoto H, Tokita H, Sakamoto M, Horikita M, Kojima M, Iizuka H, Mishiro S. Characterization of the genomic sequence of type V (or 3a) hepatitis C

- virus isolates and PCR primers for specific detection. J Gen Virol 1993;74: 2385-2390.
154. Chinchai T, Labout J, Noppornpanth S, Theamboonlers A, Haagmanns BL, Osterhaus A.D.M.E., Poovorawan Y. Comparative study of different methods to genotype hepatitis C virus type 6 variants. J Virol Methods 2003;109:195-201.
155. Behrens SE, Tomei L, De Francesco R. Identification and properties of the RNA- dependent RNA polymerase of hepatitis C virus. EMBO J 1996;15:12-22.
156. Maertens G, Stuyver L. Typing of hepatitis C virus isolates. In: Rizzetto M, Purcell RH, Gerin JL, Verme G. (Eds), *Viral Hepatitis and Liver Disease*. Edizioni Minerva Medica, Turin, pp181-186.
157. Botarelli P, Brunetto MR, Minutello MA, Calvo P, Unutmaz D, Weiner AJ, Choo QL, Shuster JR, Kuo G, Bonino F, Houghton M, Abrignani S. T-lymphocyte response to hepatitis C virus in different clinical courses of infection. Gastroenterology 1993;104:580-587.
158. Chang KM, Thimme R, Melpolder JJ, Oldach D, Pemberton J, Moorhead-Loudis J, McHutchison JG, Alter HJ, Chisari FV. Differential CD4⁺ and CD8⁺T-cell sponsiveness in hepatitis C virus infection. Hepatology 2001;33:267-276.
159. Schirren CA, Jung MC, Gerlach JT, Worzfeld T, Baretton G, Mamin M, Gruener NH, Houghton M, Pape GR. Liver-derived hepatitis C virus (HCV)-specific CD4⁺ T cells recognize multiple HCV epitopes and produce interferon gamma. Hepatology 2000;32:597-603.
160. Osterborg A, Yi Q, Bergenbrant S, Holm G, Lefvert AK, Mellstedt H. Idiotype-specific T cells in multiple myeloma stage I : an evaluation by four different functional tests. Br J Haematol 1995;89:110-116.
161. Surcel HM, Troye Blomberg M, Paulie S, Andersson G, Moreno C, Pasvol G, Ivanyi J. Th1/Th2 profiles in tuberculosis, based on the proliferation and cytokine response of blood lymphocytes to mycobacterial antigens. Immunology 1994;81:171-176.

162. Lazdina U, Hultgren C, Frelin L, Chen M, Lodin K, Weiland O, Leroux- Roels G, Quiroga JA, Peterson DL, Milich DR, Sallberg M. Humoral and CD4 (+) T helper (Th) cell responses to the hepatitis C virus non-structural 3 (NS3) protein: NS3 primes Th1-like responses more effectively as a DNA-based immunogen than as a recombinant protein. *J Gen Virol* 2001;82:1299-1308.
163. Guidotti LG, Chisari FV. To kill or to cure : options in host defense against viral infection. *Curr Opin Immunol* 1996;8:478-483.
164. Cavanaugh VJ, Guidotti LG, Chisari FV. Inhibition of hepatitis B virus replication during adenovirus and cytomegalovirus infections in transgenic mice. *J Virol* 1998;72:2630-2637.
165. Guidotti LG, Borrow P, Brown A, McClary H, Koch R, Chisari FV. Non-cytopathic clearance of lymphocytic choriomeningitis virus from the hepatocyte. *J Exp Med* 1999;189:1555-1564.
166. Guidotti LG, Rochford R, Chung J, Shapiro M, Purcell R, Chisari FV. Viral clearance without destruction of infected cells during acute HBV infection. *Science* 1999;284:825-829.
167. Chang KM, Thimme R, Melpolder JJ, Oldach D, Pemberton J, Moorhead-Loudis J, McHutchison JG, Alter HJ, Chisari FV. 2001. Differential CD4⁺ and CD8⁺ T-cell responsiveness in hepatitis C virus infection. *Hepatology* 33: 267- 276.
168. Sugimoto K, Stadanlick J, Ikeda F, Brensinger C, Furth EE, Alter HJ, Chang KM. Influence of ethnicity in the outcome of hepatitis C virus infection and cellular immune response. *Hepatology* 2003;37:590-599.
169. Schirren CA, Jung MC, Worzfeld T, Mamin M, Baretton G, Gerlach JT, Gruener NH, Zachoval R, Houghton M, Rau HG, Pape GR. Hepatitis C virus-specific CD4⁺ T cell response after liver transplantation occurs early, is multispecific, compartmentalizes to the liver, and does not correlate with recurrent disease. *J Infect Dis* 2001;183:1187-1194.
170. Moss B. Vaccinia virus : a tool for research and vaccine development. *Science* 1991;152:1162-1167.

171. Urbani S, Uggeri J, Matsuura Y, Miyamura T, Penna A, Boni C, Ferrari C. Identification of immunodominant hepatitis C virus (HCV)-specific cytotoxic T-cell epitopes by stimulation with endogenously synthesized HCV antigens. *Hepatology* 2001;33:1533-1543.
172. Wong DK, Dudley DD, Dohrenwend PB, Lauer GM, Chung RT, Thomas DL, Walker BD. Detection of diverse hepatitis C virus (HCV)-specific cytotoxic T lymphocytes in peripheral blood of infected persons by screening for responses to all translated proteins of HCV. *J Virol* 2001;75:1229-1235.
173. Muller HM, Pfaff E, Goeser T, Kallinowski B, Solbach C, Theilmann L. Peripheral blood leukocytes serve as a possible extrahepatic site for hepatitis C virus replication. *J Gen Virol* 1993;74:669-676.
174. Sugawara Y, Makuuchi M, Kato N, Shimotohno K, Takada K. Enhancement of hepatitis C virus replication by Epstein-Barr virus-encoded nuclear antigen 1. *EMBO* 1999;18:5755-5760.

ศูนย์วิทยทรรพยากร
จุฬาลงกรณ์มหาวิทยาลัย



APPENDICES

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX A

MOLECULAR TECHNIQUES AND REAGENT

I. Molecular Techniques

1. Small-scale preparation of plasmid

- 1.1 Transfer a single bacteria colony in to 2 ml. of LB medium containing the appropriate antibiotic in a loosely capped 15 ml. tube. Incubate the culture overnight at 37 °C with vigorous shaking.
- 1.2 Pour 1.5 ml of the culture into a microcentrifuge tube. Centrifuge at 12,000g for 30 seconds at 4 °C. Store the remainder of the culture at 4°C.
- 1.3 Remove the medium by aspiration, leaving the bacteria pellet as dry as possible.
- 1.4 Resuspend the bacteria pellet in 100 µl of ice-cold Solution I by vigorous vortexing.

Solution I

50 mM glucose

25 mM Tris-Cl (pH 8.0)

10 mM EDTA (pH 8.0)

Solution I can be prepared in batches of approximately 100 ml., autoclaved for 15 minutes at 10 lb/sq. on liquid cycle, and stored at 4 °C

- 1.5 Add 200 ul of freshly prepared Solution II

Solution II

0.2 N NaOH (fresh diluted from a 10 N stock)

1% SDS

Close the tube tightly, and mix the contents by inverting the tube rapidly five times. Make sure that the entire surface of the tube comes in contact with Solution II. Do not vortex. Store the tube on ice.

1.6 Add 150 µl of ice-cold Solution III

Solution III

5 M potassium acetate 60 ml.

glacial acetic acid 11.5 ml.

H₂O 28.5 ml.

Close the tube and mix gently in an inverted position for 10 seconds to disperse Solution III through the viscous bacterial lysate. Store the tube on ice for 3-5 minutes

1.7 Centrifuge at 12,000 g for 5 minutes at 4 °C in a microcentrifuge.

Transfer the supernatant to a fresh tube.

1.8 Precipitate the double-stranded DNA with 2 volumes of ethanol at room temperature. Mix by vortexing. Allow the mixture to stand at –20 °C for 1 hour.

1.9 Centrifuge at 12,000 g for 15 minutes at 4 °C in a microcentrifuge

1.10 Remove the supernatant by gentle aspiration. Stand the tube in an inverted position on a paper towel to allow all of the fluid to drain away. Remove any drops of fluid adhering to the walls of the tubes.

1.11 Rinse the pellet of double-stranded DNA with 1 ml. of 70% ethanol at 4 °C. Remove the supernatant as described in step 1.9 and 1.10, and allow the pellet of nucleic acid to dry in the air for 10 minutes.

1.12 Redissolve the nucleic acids in 50 µl of TE (pH8.0) containing DNAase-free pancreatic RNase (20 µg/ml). Vortex briefly, stored the DNA at –20 °C.

2. Rapid disruption of bacterial colonies to test the size of plasmids

2.1 Grow bacteria colonies on rich agar medium (LB or SOB) containing the appropriate antibiotic until they are approximately 1 mm in diameter.

2.2 Using a sterile toothpick or disposable loop, transfer a small segment of a bacterial colony to a streak or patch on a master agar plate containing the appropriate antibiotic. When all of the colonies have been replicated in this fashion, incubate the master place for several

- hours at 37 °C and then store it at 4 °C until it is needed to recover the appropriate colonies.
- 2.3 Transfer the remainder of each colony from the original plate to a sterile microcentrifuge tube containing LB medium (about 800 µl) and incubate the culture 6 hours at 37 °C with vigorous shaking.
 - 2.4 Pour 300 µl of the culture into a microcentrifuge tube. Centrifuge at 12,000g for 30 seconds at 4 °C. Store the remainder of the culture at 4°C.
 - 2.5 Remove the medium by aspiration, leaving the bacteria pellet as dry as possible.
 - 2.6 Resuspend the bacteria pellet in 50 µl of a sterile solution of 10 mM EDTA (pH 8.0).
 - 2.7 Add 50 µl of a freshly made solution of 0.2 N NaOH, 0.5% NaOH, 0.5% SDS, 20% sucrose. Vortex the mixture for 30 seconds.
 - 2.8 Incubate the mixture for 5 minutes at 70 °C, and then allow it to cool to room temperature.
 - 2.9 Add 1.5 µl of a solution of 4 M KCl and 0.5 µl of a solution containing 0.4% bromophenol blue. Vortex the mixture for 30 seconds.
 - 2.10 Incubate the mixture for 5 minutes on ice.
 - 2.11 Remove bacterial debris by centrifugation at 12,000g for 3 minutes at 4 °C in a microcentrifuge.
 - 2.12 Load 50 µl of the supernatant into a slot case in a 0.8% agarose gel.
 - 2.13 After the dye has migrated two thirds to three fourths the length of the gel, stain the gel by soaking it for 10-15 minutes in a solution of ethidium bromide (0.5 µg/ml in water) at room temperature.
3. Fill-in and dephosphorylation of linearized plasmid DNA
 - 3.1 Digest closed circular plasmid DNA (10-20 µg) with a two- to threefold excess of the desired restriction enzyme for 1 hour. Remove an aliquot (0.3 µg), and analyzed the extent of digestion by electrophoresis through a 0.8% agarose gel, using undigested plasmid DNA as a

marker. If digestions incomplete, add more restriction enzyme and continue the incubation.

- 3.2 When digestion is complete, extract the sample with phenol:chloroform and precipitate the DNA with 2 volumes of ethanol for 15 minutes at -20 °C. Recover the DNA by centrifugation at 12,000 g for 15 minutes at 4 °C in a microcentrifuge, and redissolve it in 90 µl of 10 mM Tris-HCl (pH 8.3). Remove an aliquot of the DNA (200 ng) and store it at -20 °C.
- 3.3 To fill in sticky ends of digested DNA, adding Klenow polymerase enzyme and incubate at room temperature for 10 minutes.

Digested DNA	1 µg
Klenow 5x buffer	10 µl
1 mg/ml acetylated BSA	1 µl
2 mM dNTP	1 µl
Klenow polymerase	1-5 U
Sterile H ₂ O to a final volume of 50 µl	

After incubation, extract DNA once with phenol and once with phenol:chloroform. Add 0.1 volume of 3 M sodium acetate (pH 7.0). Mix well, and add 2 volumes of ethanol. Mix well, and store at -20 °C for 15 minutes. Recover the DNA by centrifugation at 12,000 g for 10 minutes at 4 °C in a microcentrifuge. Wash the pellet with 70% ethanol at 4 °C and recentrifuge. Redissolve the precipitated DNA in 50 µl TE buffer (pH 8.0).

- 3.4 To the filling in of the DNA, add 10 µl of 10x CIP (Calf intestinal alkaline phosphatase) dephosphorylation buffer and the appropriate amount of CIP and incubate under the appropriate conditions.

10X CIP dephosphorylation buffer
10 mM ZnCl ₂
10 mM MgCl ₂
100 mM tris-HCl (pH 8.3)

- Amount of CIP required 1 unit / 2 pmoles of 5'-terminal phosphate residues DNA and incubate 15 minutes at 37 °C. Then add another aliquot of CIP and continue incubation for a further 45 minutes at 55 °C. (2 µg of a linearized plasmid DNA 5 kb in length contains approximately 1.2 pmoles of 5'-terminal phosphate residues)
- 3.5 At the end of the incubation period, add SDS and EDTA (pH 8.0) to final concentrations of 0.5% and 5 mM, respectively. Mix well, and add proteinase K to a final concentration of 100 µg/ml. Incubation for 30 minutes at 56 °C.
 - 3.6 Cool the reaction to room temperature, and extract once with phenol and once with phenol:chloroform. Precipitate DNA as described in 3.3. Redissolve the precipitated DNA in TE (pH 7.6) at a concentration of 100 µg/ml. Store in aliquots at -20 °C.

II. Reagents and buffer

1. 1X Tris boric EDTA (TBE) Buffer

150 mM NaCl

20 mM Tris HCl pH 7.4

2. 6X loading dye

Bromphenol blue	0.25	g
-----------------	------	---

Xylenecyanol	0.25	g
--------------	------	---

Glycerol	50	ml
----------	----	----

1 M Tris (pH 8.0)	1	ml
-------------------	---	----

Distilled water until	100	ml
-----------------------	-----	----

Mixed and stored at 4 °C

3. Buffer for ELISPOT

3.1 Carbonate buffer (coating buffer) :

1.6 g Na₂CO₃ (15 mM)

2.9 g NaHCO₃ (35 mM)

0.2 g NaN₃ (3.1 mM)

Distilled water to 1 liter and adjust to pH 9.5

3.2 Washing buffer :

PBS

0.05 % Tween 20

4. K-PBS buffer for electroporation :

0.175 g NaCl (30 mM)

0.895 g KCl (120 mM)

0.053 g Na₂HPO₄ (3 mM)

0.02 g KH₂PO₄ (1.5 mM)

0.102 g MgCl₂ (5 mM)

Distilled water to 100 ml

5. Staining buffer for FACS analysis :

PBS

10% normal human pooled serum

6. R10F complete medium :

2 mM L-Glutamine

100 µg/ml Streptomycin

100 U/ml Penicillin

10% Fetal Bovine Serum , heat-inactivated 1 hr at 56 °C

RPMI 1640

7. R10H blocking medium :

2 mM L-Glutamine

100 µg/ml Streptomycin

100 U/ml Penicillin

10% Pooled Human Serum , heat-inactivated 1 hr at 56 °C, filtrated

RPMI 1640

8. Freezing medium :

80% Fetal Bovine Serum , heat-inactivated 1 hr at 56 °C

10% DMSO

10% RPMI 1640

9. GTC

12.5 g GTC

16.08 ml Rnase free water

0.33 ml 2 M sodium acetate

0.44 ml 30% Sodium-N-Lauroyl-sarcosinate

incubated in 65 °C waterbath for 1 hour and at room temperature for 20 minutes, keep in refrigerator.

10. GTC-2 ME

9 ml GTC

70 μ l 2 ME



APPENDIX B

General description of 100 anti-HCV positive blood donors used in this study.

Number	Code	PCR	Genotype		Accession Number
			RFLP	Sequencing	
1	09723	Positive	1a	1a	AF484973
2	14633	Positive	1b	1a	AF484969
3	15473	Positive	1b	1a	AF484972
4	15465	Positive	1b	1a	AF484971
5	09955	Positive	1a	1a	AF484970
6	11085	Positive	1a	1a	AY089766
7	12333	Positive	1a	1a	AY089761
8	08166	Positive	1a	1a	AY089760
9	10333	Positive	1a	1a	AY089762
10	11882	Positive	1a	1a	AY089765
11	14292	Positive	1b	1a	AF528323
12	00879	Positive	1a	1a	AF525884
13	11352	Positive	1a	1a	AF525885
14	13481	Positive	1b	1a	AF525886
15	07265	Positive	1a	1a	AF525883
16	07965	Positive	1b	1a	AF484978
17	09612	Positive	1b	1b	AF484974
18	09896	Positive	1b	1b	AY089749
19	95263	Positive	1b	1b	AY089750
20	08035	Positive	1b	1b	AY089751
21	09152	Positive	1b	1b	AY089747
22	06804	Positive	1b	1b	AY089748
23	13333	Positive	1b	1b	AF525889
24	10335	Positive	1b	1b	AF525890
25	15467	Positive	1b	1b	AF525891
26	00654	Positive	1b	1b	AF525892
27	09172	Positive	1b	1b	AF525893

Number	Code	PCR	Genotype		Accession Number
			RFLP	Sequencing	
28	10298	Positive	1b	1b	AF525894
29	88283	Positive	1a	1b	AF525887
30	87190	Positive	1b	1b	AF525888
31	05927	Positive	1a	3b	AF484981
32	07941	Positive	3a	3a	AF484982
33	09555	Positive	3a	3a	AF484983
34	11025	Positive	3a	3b	AY089772
35	08782	Positive	3a	3a	AF484985
36	10912	Positive	3a	3a	AF484986
37	12001	Positive	3a	3a	AF484987
38	09715	Positive	6v	3a	AF484988
39	11224	Positive	3a	3a	AF484989
40	15251	Positive	1b	3a	AF484990
41	92597	Positive	3a	3a	AY089777
42	07893	Positive	3a	3a	AY089778
43	97197	Positive	3a	3a	AY089779
44	11445	Positive	3a	3a	AY089780
45	13590	Positive	3a	3a	AY089781
46	11671	Positive	3a	3a	AY089782
47	06799	Positive	3a	3a	AY089773
48	08720	Positive	3a	3a	AY089774
49	08629	Positive	3a	3a	AY089775
50	15201	Positive	3a	3a	AY089776
51	12208	Positive	3a	3a	AF525895
52	95188	Positive	1b	3a	AF525896
53	11988	Positive	1b	3a	AF525897
54	19688	Positive	3a	3a	AF525898
55	31631	Positive	3a	3a	AF525899
56	16079	Positive	3a	3a	AF525900
57	11614	Positive	6v	3a	AF525901
58	04537	Positive	3a	3b	AF528324
59	81769	Positive	1a	3a	AF525902

Number	Code	PCR	Genotype		Accession Number
			RFLP	Sequencing	
60	12381	Positive	3a	3b	AF525903
61	13066	Positive	3a	3a	AF525904
62	06165	Positive	3a	3b	AF525905
63	16800	Positive	3a	3a	AF525907
64	14304	Positive	3a	3a	AF525908
65	69465	Positive	6v	6a	AF484976
66	11885	Positive	3a	6a	AF484979
67	08756	Positive	6a	6a	AF484980
68	14400	Positive	6a	6a	AF484977
69	02234	Positive	6a	6a	AY089754
70	70646	Positive	6a	6a	AY089755
71	92855	Positive	6a	6a	AY089756
72	05458	Positive	6a	6a	AY089757
73	08795	Positive	6a	6a	AY089758
74	10442	Positive	6a	6a	AY089759
75	74822	Positive	6a	6a	AY089763
76	14850	Positive	6a	6a	AF528325
77	21777	Positive	6a	6a	AF528326
78	09272	Positive	3a	N.D.	
79	69821	Positive	1b	N.D.	
80	12707	Positive	1b	N.D.	
81	12187	Positive	3a	N.D.	
82	20033	Positive	3a	N.D.	
83	20446	Positive	1a	N.D.	
84	19988	Positive	3a	N.D.	
85	92707	Positive	6a	N.D.	
86	29664	Positive	1a	N.D.	
87	12865	Positive	3a	N.D.	
88	68058	Positive	1a	N.D.	
89	31524	Positive	1a	N.D.	
90	31303	Positive	3a	N.D.	
91	07172	Negative			

Number	Code	PCR	Genotype	Accession Number
			RFLP	
92	10391	Negative		
93	08087	Negative		
94	08931	Negative		
95	95311	Negative		
96	69144	Negative		
97	02120	Negative		
98	09461	Negative		
99	14090	Negative		
100	13182	Negative		

Note : The bold letter indicated 41 selected HCV RNA positive blood used for HCV specific response study

ศูนย์วิทยพรพยากร
จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX C

SUBMITTED HCV CORE SEQUENCES

LOCUS AF484969 **360 bp** **RNA** linear VRL 27-MAR-2002
DEFINITION Hepatitis C virus strain bb146331a polyprotein gene, partial
 cds.
ACCESSION AF484969
VERSION AF484969.1 GI:19744423
KEYWORDS .
SOURCE Hepatitis C virus
ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
REFERENCE 1 (bases 1 to 360)
AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
JOURNAL Unpublished
REFERENCE 2 (bases 1 to 360)
AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
TITLE Direct Submission
JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
FEATURES Location/Qualifiers
source 1..360
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb146331a"
 /db_xref="taxon:11103"
 /note="genotype: 1a"
CDS <1..>360
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96485.1"
 /db_xref="GI:19744424"

*/translation=PQRKTQNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSHPRGRQQPIPKARRPEGRTWAQPGYPWPLYGNECGWAGWLSPRGSRPSWG
 PTDPRRRSRNGLGVIDTL"*
BASE COUNT 67 a 111 c 117 g 65 t
ORIGIN
 1 cctcaaagaa aaacccaaaca aaacaccaac cgtcgcccc ac aggacgttaa gttcccggtt
 61 ggcggtcaga tcgttggtgg agtttacttg ttgcgcgcga gggggccctag attgggtgt
 121 cgcgcgacga gaaagacttc cgagcggctcg caccctcgag gttagacgtca gcctatcccc
 181 aaggcgcgtc ggcccggagg caggacctgg gctcagcccg ggtacccttg gcccccttat
 241 ggcaatgagg gctgcgggtg ggcgggatgg ctccctgtccc cccgtggctc tcggcctac
 301 tggggcccta cggacccccc gcgttaggtcg cgcaatttgg gtaaggtcat cgatacccta
 //

LOCUS AF484970 363 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain bb099551a polyprotein gene, partial cds.
 ACCESSION AF484970
 VERSION AF484970.1 GI:19744425
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn University and Hospital, Rama4, Pratumwan, Bangkok 10330, Thailand
 FEATURES source Location/Qualifiers
 source 1..363
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb099551a"
 /db_xref="taxon:11103"
 /note="genotype: 1a"
 <1..>363
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96486.1"
 /db_xref="GI:19744426"
CDS
 /translation="PQRKTQNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTTERSQPRGRQQPIP KARRPEGRTWAQPGYPWPLYGNEGCGWAGWLSPRGSRPNWG
 PTDPGRGRSRNLGKAIDTLT"
 BASE COUNT 71 a 112 c 117 g 63 t
 ORIGIN
 1 cctcaaagaa aaaccaaaca aaacaccaac cgtcgccac aggacgttaa gttcccgggt
 61 ggcggtcaga tcgttggtgg agtttacttg ttgccgcga gggccctag attgggtgtg
 121 cgcgcgacga ggaagacttc cgagcgtcg caacctcgag gtagacgtca gcctatcccc
 181 aaggcgcgtc ggcccggaggg caggacctgg gctcaaccccg ggtacccttg gcccctctat
 241 ggcaatgagg gctgcgggtg ggcgggatgg ctctgtccc cccgtggctc tcggcctaacc
 301 tggggcccta cagacccccc gggcaggtcg cgcaatctgg gtaaggccat cgataacctta
 361 acg
 //

LOCUS AF484971 360 bp RNA linear VRL 27-MAR-2002
 DEFINITION Hepatitis C virus strain bb154651a polyprotein gene, partial
 cds.
 ACCESSION AF484971
 VERSION AF484971.1 GI:19744427
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 360)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 360)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..360
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb154651a"
 /db_xref="taxon:11103"
 /note="genotype: 1a"
 CDS <1..>360
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96487.1"
 /db_xref="GI:19744428"

 /translation="PQRKTQNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPKARRPEGRTWAQPGYPWPLYGNEGCGWAGWLLSPRGSRPSWG
 PTDPRRRSRNGLGVIDTL"
 BASE COUNT 68 a 109 c 117 g 66 t
 ORIGIN
 1 cctcaaagaa aaaccaaaca aaacaccaac cgtcgcccac aggacgtcaa gttccgggt
 61 ggcggtcaga tcgttggtgg agtttacttg ttgccgcgca gggccctag attgggtgtg
 121 cgcgcgacga ggaagacttc cgagcggctcg caacctcgag gttagacgtca gcctatcccc
 181 aaggcgcgtc ggcggaggg caggacctgg gctcagccc ggtacccttg gcctcttat
 241 ggcaatgagg gctgcgggtg ggcggatgg ctccctgtctc cccgtggctc tcggcctagt
 301 tggggcccca cagacccccc gctgttagtgc cgcaatttgg gtaaggtcat cgataacctta
 //

LOCUS AF484972 360 bp RNA linear VRL 27-MAR-2002
 DEFINITION Hepatitis C virus strain bb154731a polyprotein gene, partial
 cds.
 ACCESSION AF484972
 VERSION AF484972.1 GI:19744429
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 360)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 360)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..360
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb154731a"
 /db_xref="taxon:11103"
 /note="genotype: 1a"
 CDS <1..>360
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96488.1"
 /db_xref="GI:19744430"

 /translation="PQRKTKQNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPKARRPEGRTWAQPGYPWPLYNEGCGWAGWLSPRGSRPSWG
 PTDPRRRSRNLLGKVIDTL"
 BASE COUNT 69 a 111 c 116 g 64 t
 ORIGIN
 1 cctcaaagaa aaacccaaaca aaacaccaac cgtcggccac aggacgttaa gttcccgccc
 61 ggcggcgtcaga tcgttgggtgg agtttacttg ttgcccgcga gggggccctag attgggtgtg
 121 cgcgcgacga ggaagacttc cgagcggctcg caacctcgag gtagacgtca gcctatcccc
 181 aaggcgcgtc gccccgaggg caggacctgg gtcagcccg ggtacccttg gcccctctat
 241 ggcaatgagg gctgcgggtg ggcaggatgg ctcttgtccc cccgtggctc tcggccttagc
 301 tggggcccca cagacccccc gcgttaggtcg cgcaatttgg gtaaggtcat cgataacctta
 //

LOCUS AF484973 363 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain bb097231a polyprotein gene, partial
 cds.
 ACCESSION AF484973
 VERSION AF484973.1 GI:19744431
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; epacivirus.
 REFERENCE 1 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..363
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb097231a"
 /db_xref="taxon:11103"
 /note="genotype: 1a"
CDS <1..>363
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96489.1"
 /db_xref="GI:19744432"

 /translation="PQRKTKONTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPKDRRSEGRTWAQPREPWPLYGNEGSGRPTCLLSPRGSRPTWG
 PNDPRRRSRNLGVIDTLT"
 BASE COUNT 76 a 114 c 111 g 62 t
 ORIGIN
 1 cctcaaagaa aaaccaaaca aaacaccaac cgtcgcccac aggacgttaa gttcccggtt
 61 ggcggtcaga tcgttggtgg agtttacttg ttgccgcga gggccctag attgggtgtg
 121 cgcgcgacga ggaagacttc cgagcggctcg caacctcgag gtagacgaca gcctatcccc
 181 aaagatcggc gctccgaggg caggacactgg gctcagcccc gggAACCTG gcccctctat
 241 ggcaatgagg gcagcgggag gccgacatgc cttttgtccc cccgtggctc tcggcctact
 301 tggggcccca atgacccccc gcgttaggtcg cgcaacttgg gtaaggtcat cgataacccta
 361 acg
 //

LOCUS AF484974 357 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain bb96121b polyprotein gene, partial
 cds.
 ACCESSION AF484974
 VERSION AF484974.1 GI:19744433
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..357
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb96121b"
 /db_xref="taxon:11103"
 /note="genotype: 1b"
 <1..>357
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96490.1"
 /db_xref="GI:19744434"

 /translation="PLIKTKRNTNRRPQDVKFPGGGHIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPKARRPEGRAWAQPGYPWPLYGDEGMGWAGWLSPRGSRPSWG
 PNDPRRRSRNWKVIDT"
 BASE COUNT 63 a 118 c 116 g 60 t
 ORIGIN
 1 cctctcataa aaaccaaaca taacaccaac cgccgccccac aggacgtcaa gttccgggc
 61 ggccggccata tcgttgttgg agtttacctg ttgccgcgca gggggccccc gttgggtgtg
 121 cgcgccacta ggaagacttc cgagcggtcg caacctcgcg gaaggcgaca acctatcccc
 181 aaggctcgcc ggcccgaggg cagggcctgg gctcagcccg ggtacccttg gcccctctat
 241 ggcgatgagg gcatgggtg ggcaggatgg ctccctgtccc cccgcggctc tcggcctagt
 301 tggggccccca atgacccccc gcgttaggtcg cgaaattggg ttaaggtcat cgataacc
 //"

LOCUS AY089766 351 bp RNA linear VRL 13-APR-2002
 DEFINITION Hepatitis C virus strain 110851a polyprotein gene, partial cds.
 ACCESSION AY089766
 VERSION AY089766.1 GI:20146991
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 351)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 351)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn University and Hospital, Rama4, Pratumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..351
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="110851a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
CDS
 <1..>351
 /note="core region"
 /codon_start=2
 /product="polyprotein"
 /protein_id="AAM09926.1"
 /db_xref="GI:20146992"

 /translation="KTKRNTNRRPQDVFKPGGGQIVGGVYLLPRRGPRLGVRATRKTS
 ERSQPRGRQQPIPKARRPEGRTWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWGPTD
 PRRRSRNLLGKVIDT"
 BASE COUNT 63 a 106 c 116 g 66 t
 ORIGIN
 1 aaaaacccaa cgtaacacca accgtcgccc acaggacgtt aagttcccggttggcggtca
 61 gatcggttgggt ggagttaact ttgtgcgcgcg cagggggccct agattgggttgcgcgcgcac
 121 gaggaagact tccgagcggt cgcaacctcg aggttagacgt cagcctatcc ccaaggcgcc
 181 tcggccccgag ggcaggacct gggctcagcc cgggtaccct tggccctct atggcaatga
 241 gggctgcggg tggcaggat ggctcctgtc ccccccgtggc tctccgccta gctggggccc
 301 tacagacccc cggcgtaggt cgccaaattt gggtaagggtc atcgataactt t
 //

LOCUS AF484976 345 bp RNA linear VRL 27-MAR-2002
 DEFINITION Hepatitis C virus strain bb694656a polyprotein gene, partial
 cds.
 ACCESSION AF484976
 VERSION AF484976.1 GI:19744437
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..345
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb694656a"
 /db_xref="taxon:11103"
 /note="genotype: 6a"
 <1..>345
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96492.1"
 /db_xref="GI:19744438"
CDS
 /translation="KRNTNRRPMVKFPGGQIVGGVYLLPRRGPRLGVRATRKTSER
 SQPRGRQQPIPKARQPTGRHWAQPGYPWPLYGNEGCGWAGWLSPRGSRPNWGPNDPR
 RRSRNLLGKVIDTL"
 BASE COUNT 67 a 105 c 109 g 64 t
 ORIGIN
 1 aaaagaaaaca ccaaccgtcg tccaatggat gttaagttcc cgggcggcgg tcagatcgaa
 61 ggtggagtct acttattgcc gcgcaggggc ccacgtttgg gtgtgcgcgc gacgaggaag
 121 acttctgaac ggtcccagcc cagaggcagg cgtcagccca taccaaaggc ggcgcagcca
 181 acgggcccggc actgggctca gcctggttac ctttggcccc ttatggaa tgagggtgc
 241 ggatgggcgg gatggctcct gtcccccgc gttcccgcc ctaattgggg ccccaatgac
 301 ccccgagac gatcgcgcaa ttggtaaa gtcatacgata ccctt
 //

LOCUS AF484977 345 bp RNA linear VRL 27-MAR-2002
 DEFINITION Hepatitis C virus strain bb144006a polyprotein gene, partial
 cds.
 ACCESSION AF484977
 VERSION AF484977.1 GI:19744439
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..345
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb144006a"
 /db_xref="taxon:11103"
 /note="genotype: 6a"
 CDS <1..>345
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96493.1"
 /db_xref="GI:19744440"

 /translation="KRNTNRWAKDVKFPGRGQIVGGVYLLPRRGPRLGVRATRKTSER
 SQPRGRQQPIPKARQPTGRHWAQPGYPWPLYGNEGCGWAGWLSPRGSRPNWGPNDPR
 RRTRNLGKVIDTL"
 BASE COUNT 70 a 107 c 107 g 61 t
 ORIGIN
 1 aaaagaaaaca ccaaccgttg ggcaaaggat gttaagttcc cggggcgccg tcagatcgaa
 61 ggtggagtct acttattgcc ggcgcaggccc ccacgtttgg gtgtgcgcgc gacgaggaa
 121 acttctgaac gatcccagcc cagaggcagg cgccagccca taccaaaggc gccgcagcca
 181 acgggccccg actgggctca gcctggttac cttggcccc tttatggaaa tgagggctgc
 241 ggatggcccg gatggctct gtccccccgc ggctcccgcc ctaattgggg ccccaatgac
 301 ccccgccgac gaacccgcaa ttggtaaa gtcatcgata ccctt
 //
 98180885%2005

LOCUS AF484978 357 bp RNA linear VRL 27-MAR-2002
 DEFINITION Hepatitis C virus strain bb79651b polyprotein gene, partial
 cds.
 ACCESSION AF484978
 VERSION AF484978.1 GI:19744441
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..357
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb79651b"
 /db_xref="taxon:11103"
 /note="genotype: 1b"
 CDS <1..>357
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96494.1"
 /db_xref="GI:19744442"

 /translation="PQRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPKARRPEGRTWAQPGYPWPLYGNEGLGWAGWLLSPRGSRPSWG
 PTDPRRRSRNLGVIDT"
 BASE COUNT 64 a 111 c 119 g 63 t
 ORIGIN
 1 cctcaaagaa aaacccaaacg taacaccaac cgtcgcccac aggacgttaa gttcccggt
 61 ggcggtcaga tcgttggtgg agtttacttg ttgccgcga gggggcccaag gttgggtgt
 121 cgcgcgacga ggaagacttc cgagcggctcg caacctcgag gtagacgcca gcctatcccc
 181 aaggcgcgtc ggccccgaggg caggacctgg gctcagcccc ggtacccttg gccccttat
 241 ggcaatgagg gcttgggtg ggcgggatgg ctccctgtccc cccgtggctc tcggccttagc
 301 tggggcccta cagacccccc gcgttaggtcg cgcaatttgg gtaaggtcat cgataacc
 //

LOCUS AF484979 345 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain bb118856a polyprotein gene, partial
 cds.
 ACCESSION AF484979
 VERSION AF484979.1 GI:19744443
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..345
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb118856a"
 /db_xref="taxon:11103"
 /note="genotype: 6a"
 <1..>345
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96495.1"
 /db_xref="GI:19744444"

 /translation="KRNTNRRPMDIKFPGGQIVGGVYLLPRRGPRLGVRATRKTSER
 SQPRGRQQPIPKARPPTGRYWGQPGYPWPLYGNEGCGWAGGLLSPRGSRPNWGPNDPR
 RRSRNNLGKVIDTL"
 BASE COUNT 69 a 110 c 112 g 54 t
 ORIGIN
 1 aaaagaaaaca ctaaccgtcg ccctatggac atcaagttcc cggggggcgg ccagatcgtt
 61 ggtggagtct acttgtgcc gcgcaggccc cccgagattgg gtgtgcgcgc gacgagaaag
 121 acctcagaac ggtcccagcc cagaggtagg cgccagccca taccaaaggc gcccggccca
 181 acggggccgt actggggtca acccggtac ccctggcccc tgtacggaaa cgagggttgc
 241 ggtggggcag gggggctcct gtccccccgc ggctctcgtc caaattgggg ccccaatgac
 301 ccccgccaa ggtcacgcaa tttgggtaag gtcatcgata ccctt
 //"

LOCUS AF484980 345 bp RNA linear VRL 27-MAR-2002
 DEFINITION Hepatitis C virus strain bb87566a polyprotein gene, partial
 cds.
 ACCESSION AF484980
 VERSION AF484980.1 GI:19744445
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..345
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb87566a"
 /db_xref="taxon:11103"
 /note="genotype: 6a"
 CDS <1..>345
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96496.1"
 /db_xref="GI:19744446"

 /translation="KRNTNRRPQDVKFPGGGIVGGVYLLPRRGPRLGVRATRKTSER
 SQPRGRQRQPIP KARHQTGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPHWGPNDPR
 RRSRN LGKVI DTL"
 BASE COUNT 70 a 114 c 107 g 54 t
 ORIGIN
 1 aaaagaaaaca ccaaccgccc cccacaggac gtcaagttcc cgggcgggtgg tcagatcg
 61 ggtggagtat acttgctgcc gcgcaggggc cctcggttgg gtgtgcgcgc aacaaggaa
 121 acttcagaac gatccccagcc cagaggtagg cgccaaaccaa tacccaaaggc ggcacc
 181 acggggccgtt cctgggctca gcctgggtac ccatggcctc tatatggaa tgagggtgc
 241 ggctgggcag gatggctctt gtccccccgc ggctctcgcc cacactgggg ccccaatg
 301 ccccgccgaa ggtcccgcaa ctggtaag gtcatacgata ccctt
 //"

LOCUS AF484981 366 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain bb59273a polyprotein gene, partial
 cds.
 ACCESSION AF484981
 VERSION AF484981.1 GI:19744447
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb59273a"
 /db_xref="taxon:11103"
 /note="genotype: 3a"
 <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96497.1"
 /db_xref="GI:19744448"

 /translation="PKPQRKTKRNTIRRQDVKFPGGVFIVGGVYVLPRRGPRLGVR
 VRKTSERSQPRGRRQPIPKARQSEGRCWAQPGHPWPLYGN
 EGCGWAGRLLSPRGSRPS
 WGPNDP
 RRSSRN
 NLGKV
 IDTL"
 BASE COUNT 70 a 116 c 115 g 65 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgttaaggtc
 61 ccgggcggcg ttttatcgt tggtgagta tatgtgctgc cgcgcagggg cccgcgattg
 121 ggtgtgcgcg cagtgcgtaa gacttccgag cggtcgcaac ctgcggacg ggcacagcct
 181 atccccaaagg cgccgtcagag cgagggccgg tgctggctc agcctggca cccttggccc
 241 ctctacggta acgaggggctg tgggtggca ggccggctcc tgtccccacg cggctcccg
 301 ccatcttggg gcccaaatga ccccccgg aggtcccgca atttggtaa agtcatcgat
 361 accctt
 //

LOCUS AF484982 366 bp RNA linear VRL 27-MAR-2002
 DEFINITION Hepatitis C virus strain bb079413a polyprotein gene, partial
 cds.
 ACCESSION AF484982
 VERSION AF484982.1 GI:19744449
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb079413a"
 /db_xref="taxon:11103"
 /note="genotype: 3a"
 CDS <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96498.1"
 /db_xref="GI:19744450"

 /translation="PKPQRKTKRNTIRRQDVKFPGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRQQPIPKARRSEGRSWAQPQYPWPLYGNEGCGWAGWLSPRGSRPSWGPNDPDRRSRNLGKVIDTL"
 BASE COUNT 78 a 116 c 111 g 61 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaaggtc
 61 ccgggtggcg gacagatcggt tggtggagta tacgtgttgc cgccgcaggccc cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggcacagc ctcgcggacgc acgacagcct
 181 atccccaaagg cacgtcgaag cgaaggccgg tcctgggctc agcctggta ccctggccc
 241 ctctatggta acgagggtcg cgggtggca gggtggctcc tgtccccacg cggctcccg
 301 ccatcttggg gcccaaacga ccccccggcgg aggtccccacg atttggtaa agtcatcgat
 361 accctt
 //

LOCUS AF484983 366 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain bb95553a polyprotein gene, partial
 cds.
 ACCESSION AF484983
 VERSION AF484983.1 GI:19744451
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb95553a"
 /db_xref="taxon:11103"
 /note="genotype: 3a"
 <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96499.1"
 /db_xref="GI:19744452"

 /translation="PKPQRKTKRNTIRRPQDVKFPGGGQIVGGVYVLPRRGPRLGVRA
 TLNTSERSQPRRRRQAIPKARPSEGRSWAQPGYPWPLYGNEGCGWAGWLSPRDSRPS
 WGPNDPDRRSRNLLGKVIDTL"
 BASE COUNT 77 a 115 c 110 g 64 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaaggtc
 61 ccgggtggcg gacagatcgt tggtgagta tacgtgttgc cgccgaggcc cccacgattg
 121 ggtgtgcgcg cgacgctta tacttctgaa cggtcacagc cccgcagacg acgacaggct
 181 atccccaaagg cacgccccgag cgagggccgg tcctgggctc agcctggta cccttggccc
 241 ctctacgta atgagggctg tgggtggca ggatggctcc tgtccccccg cgattctcgc
 301 cctagttggg gcccaaata ccccccggg aggtcccgca atttggta agtcatcgat
 361 accctt
 //

LOCUS AF484985 366 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain bb87823a polyprotein gene, partial
 cds.
 ACCESSION AF484985
 VERSION AF484985.1 GI:19744455
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb87823a"
 /db_xref="taxon:11103"
 /note="genotype: 3a"
 <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96501.1"
 /db_xref="GI:19744456"
CDS
 /translation="PKPQRKTKRNTIRRPQDVKIPGGQIVGGVYVLPRRGPRLGERA
 TRKTPERSQPRGRRQPIPKARPSEGRSWAQPGYPWPLYGNEGCGWAGWLSPRDSRPS
 WGPNDPDRRSRNLLGKVIDTL"
 BASE COUNT 82 a 118 c 110 g 56 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaagaaac accatccgtc gcccacagga cgtcaagatc
 61 ccgggcggcg gacagatcgt tggtgaggta tacgtgctgc cgccgcagggg cccacgattg
 121 ggagagcgcg caacgcgtaa aactccagaa cggtcacagc ctgcggacg acgacagacct
 181 atcccccaagg cacccccgag cgagggccgg tcctgggctc agcctggta cccttggccc
 241 ctctacggtt atgaggggctg tgggtggca ggtatggctcc tgcccccccg cgattctcgc
 301 cctagttggg gcccaaata gccccggcgg aggtcccgca atttgggtaa agtcatcgat
 361 accctt
 //

LOCUS AF484986 366 bp RNA linear VRL 27-MAR-2002
 DEFINITION Hepatitis C virus strain bb109123a polyprotein gene, partial
 cds.
 ACCESSION AF484986
 VERSION AF484986.1 GI:19744457
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn University and Hospital, Rama4, Pratumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb109123a"
 /db_xref="taxon:11103"
 /note="genotype: 3a"
 <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96502.1"
 /db_xref="GI:19744458"

 /translation="PKPQRKTKRNTIIRPQDVKFPGGGQIVGGVYVLPRRGPRLGVR
 VRKTSERSQPRGRQQPIPKARQSEGRSCFQPGYPWPLYNEGCGWAGWLLSPRGSRPS
 WGPNDPDRRSRNLLGKVIDTL"
 BASE COUNT 76 a 115 c 111 g 64 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaaggtc
 61 ccgggtggcg gacagatcgt tggtggagta tacgtgctgc cgccgcagggg cccacgattg
 121 ggtgtgcgcg cggcgtctaa aacttctgaa cggcacacgc ctgcggacg acgacagcct
 181 atccccaaagg cgcgtcagag cgaaggccgg tcctgttttc agcctgggta cccttggccc
 241 ctctatgtta acgagggtctg cgggtggca gggtggctcc tgtccccacg cggctccgt
 301 ccatcttggg gcccaaacga ccccccggcgg agtccccaca atttggtaa agtcatcgat
 361 accctt
 //

LOCUS AF484987 366 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain bb120013a polyprotein gene, partial
 cds.
 ACCESSION AF484987
 VERSION AF484987.1 GI:19744459
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb120013a"
 /db_xref="taxon:11103"
 /note="genotype: 3a"
 <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96503.1"
 /db_xref="GI:19744460"

 /translation="PKPQRKTKRNTIRRQDVKFPGGGQIVGGVYVLPRRGPRLGVRATRKT
 TRKSERSQPRGRQQPIPKARRSGRSWAQPGYPWPLYGN
 EGCGWAGWLSPRGSRPSWGPNDP
 RRRSRNLGKVIDTL"
 BASE COUNT 75 a 115 c 113 g 63 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtaaggtc
 61 ccgggtggcg gtcagatcg tggtgagta tacgtgttgc cgcgcagggg cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggtcgcagc ctgcggacg acgacacgct
 181 atccccaaagg cacgtcgag cggaaagccgg tcctgggctc agcctggta cccttggccc
 241 ctctatggta acgagggtcg cgggtggca gggtggtcc tgtccccacg cggctccgt
 301 ccatcttggg gcccaaacga cccccggcgg aggtcccaca atttggtaa agtcatcgat
 361 accctt
 //

LOCUS AF484988 366 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain bb971533a polyprotein gene, partial
 cds.
 ACCESSION AF484988
 VERSION AF484988.1 GI:19744461
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb971533a"
 /db_xref="taxon:11103"
 /note="genotype: 3a"
 <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96504.1"
 /db_xref="GI:19744462"

 /translation="PKPQRKTKRNTIRRQDVKFPGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRRQAI
 PKARPSEGRSWAQPQPGYPWPLYGNEGCGWAGWLSPRDSRPSWGPNDP
 RRRSRNLGKVIDTL"
 BASE COUNT 77 a 114 c 113 g 62 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaaggtc
 61 ccgggcggcg gacagatcgt tggtgagta tacgttgtc cgcgcagggg cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacatctgaa cggtcgcagc ctcgcggacg acgacaggct
 181 atccctaagg cacccccgag cgagggccgg tcctgggctc agcctggta cccttggccc
 241 ctctacggta atgagggctg tgggtggca ggatggctcc tgtccccccg cgattctcgc
 301 cctagtggg gcccaaataa ccccccggcgg aggtccccca atttggtaa agtcatcgat
 361 accctt
 //

LOCUS AF484989 366 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain bb112243a polyprotein gene, partial
 cds.
 ACCESSION AF484989
 VERSION AF484989.1 GI:19744463
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb112243a"
 /db_xref="taxon:11103"
 /note="genotype: 3a"
 <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96505.1"
 /db_xref="GI:19744464"

 /translation="PKPQRKTKRNTIRRPQDVKFPGGQIVGGVYVLPRRGPRLGVRATRKT
 TRKTSERSQPRGRRQPIPKARQSEGRSWAQPQWPPLYGN
 EGSGWAGRLLSPRGSRPSWGPNDP
 RRRSRNLGKVIDTL"
 BASE COUNT 76 a 119 c 112 g 59 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaaggta
 61 ccgggcggcg gacagatcg tggtgagta tacgttgtc cgccgcagggg cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacttctgag cggtcgcagc ctcgcggacg acgacagcct
 181 atcccccaagg cgcgtcagag cgaaggccgg tcctgggctc agcctggta cccttggccc
 241 ctctatggta acgaggggctc agggtgggca ggccggctcc tgtccccacg cggctcccgat
 301 ccatcttggg gcccaaacga ccccccggcgg aggtcccgca atttggtaa agtcatcgat
 361 accctt
 //

LOCUS AF484990 366 bp RNA linear VRL 27-MAR-2002
 DEFINITION Hepatitis C virus strain bb152513a polyprotein gene, partial
 cds.
 ACCESSION AF484990
 VERSION AF484990.1 GI:19744465
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and
 Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (20-FEB-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /virion
 /mol_type="genomic RNA"
 /strain="bb152513a"
 /db_xref="taxon:11103"
 /note="genotype: 3a"
 CDS <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAL96506.1"
 /db_xref="GI:19744466"

 /translation="PKPQRKTKRNTIRRQDVKFPGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRQQPIPKARQSEGRSCSQPGYPWPLYGNEGCGWAGWLSPRGSRPSWGPNDPDRRSRNLLGKVIDTL"
 BASE COUNT 76 a 119 c 110 g 61 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaaggtc
 61 ccgggtggcg gacagatcgt tggtggagta tacgtgctgc cgccgcagggg cccacgcgg
 121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggtcacagc ctgcggacg acgacagcc
 181 atcccccaagg cgcgtcagag cgaaggccgg tcctgttctc agcccccggta cccttggccc
 241 ctctatggta acgaggggctg cgggtggcga gggtggtcc tgtccccacg cggctcccg
 301 ccatcttggg gcccaaaccga ccccccggcg aggtcccgca atttggtaa agtcatcgat
 361 accctt
 //

LOCUS AY089747 357 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 091521b polyprotein gene, partial cds.
 ACCESSION AY089747
 VERSION AY089747.1 GI:20146953
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..357
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="091521b"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>357
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09907.1"
 /db_xref="GI:20146954"

 /translation="PHRKTHRNTNRRPQDVKFPGGQIVGGVYLLPRRGPRLGARATR
 KTSERTQPRGRRQPIP KARQPEGNAWAGPRVTQPLYGNEGMGWAGWLSPRGSRPNWG...
 PTDPDRRSRN LGKVIDT"
 BASE COUNT 72 a 120 c 110 g 55 t
 ORIGIN
 1 cctcatagaa aaaccacccg taacaccaac cgccggccac aggacgtcaa gttcccgggc
 61 ggtggtcaga tcgttggtg agtttacctg ttgccgcga gggggccca gttgggtgcg
 121 cgcgcgacta ggaagacttc cgagcggaca caacctcgta gaaggcgaca acctatcccc
 181 aaggctcgcc aacccgaggg caacgcctgg gcaggcccc gagtcaccca gccccttat
 241 ggcaatgagg gcatgggtg ggcaggatgg ctccgtcac cccgcggctc ccggcctaatt
 301 tggggcccca cagacccccc gcgttaggtcg cgtaatttgg gtaaggtcat cgatacc
 //"

LOCUS AY089748 357 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 068041b polyprotein gene, partial cds.
 ACCESSION AY089748
 VERSION AY089748.1 GI:20146955
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..357
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="068041b"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>357
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09908.1"
 /db_xref="GI:20146956"

 /translation="PHRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQPIPQKARQPEGRVWAQPGYPWPLYGNEMGWAGWLSPRGSRPNWG
 PTDPRRRSRNGLGVIDT"
 BASE COUNT 70 a 112 c 113 g 62 t
 ORIGIN
 1 cctcatagaa aaaccaaactt taacaccaac cgtcgcccac aggacgttaa gttccgggc
 61 ggtggcaga tcgttgtgg agttacctg ttgccgcga gggggcccg gttgggtgtg
 121 cgcgcgacta ggaagacttc cgagcgtcg caacctcgta gaaggcgaca acctatcccc
 181 aaggctcgcc aacccgaggg cagggtctgg gctcagcccg gataacccttg gcccctctat
 241 ggcaatgggg gcatgggtgg ggcaggatgg ctccgtcac cccgcggctc ccggcctaatt
 301 tggggcccca cagacccccc gctgttagtgc cgtaattttgg gtaaggcat cgataacc
 //

LOCUS AY089749 354 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 098961b polyprotein gene, partial cds.
 ACCESSION AY089749
 VERSION AY089749.1 GI:20146957
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 354)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 354)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..354
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="098961b"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>354
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09909.1"
 /db_xref="GI:20146958"

 /translation="QRKTKRNTNRRPQDVKFPGGQIVGGVYLLPHRPPTLGLRATRK
 TSERSQPRGRRQPIP KARQPEGRAWAQPGYPWPLYGNEGMGWAGWLLSPRGSRPSWGP
 NDPRRRSRNLGKVIDT"
 BASE COUNT 69 a 112 c 111 g 62 t
 ORIGIN
 1 caaagaaaaaa ccaaacctaa caccaaccgt cgccccacagg acgtcaagtt cccggccggt
 61 ggtcagatcg ttgggtggagt ttacctgttg ccgcacacagac cccgcacgtt gggtctgcgc
 121 gcgacttagga agacttccga gcggtcgcaa cctcgtggaa ggcgacaacc tatcccccaag
 181 gctcgccagc ccgaggggca ggcctgggt cagcccggtt acccttggcc cctctatggc
 241 aatgaggggca tgggggtgggc aggatggctc ctgtcccccc gtggctctcg gccttagttgg
 301 ggccccaatg accccccggcg taggtcgcgt aatttggta aggtcatcga tacc
 //

LOCUS AY089750 354 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 952631b polyprotein gene, partial cds.
 ACCESSION AY089750
 VERSION AY089750.1 GI:20146959
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 354)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 354)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..354
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="952631b"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>354
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09910.1"
 /db_xref="GI:20146960"

 /translation="QRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATRK
 TSERSQPRGRRQPIPKARQPEGRAWAQPGYPWPLYGNEGMGWAGWLLSPRGSRPSWGP
 NDPRRRSRNLGKVIDT"
 BASE COUNT 66 a 112 c 116 g 60 t
 ORIGIN
 1 caaagaaaaa ccaaacgtaa caccaaccgc cgccccacagg acgtcaagtt cccggggcggt
 61 ggccagatcg ttggtgagggt ttacctgttg ccgccgcaggg gcccccggtt gggtgtgcgc
 121 gcgacttagga agacttccga gcggtcgcaa cctcgtggaa ggcgacaacc tatcccccaag
 181 gctcgccagc ccgaggggcag ggcctgggt cagcccggtt acccttggcc cctctatggc
 241 aatgaggggca tggggtgggc aggatggctc ctgtcccccc gtggctctcg gccttagttgg
 301 ggcccccaatg acccccggcg taggtcgcgt aatttggta aggtcatcga tacc
 //

LOCUS AY089751 354 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 080351b polyprotein gene, partial cds.
 ACCESSION AY089751
 VERSION AY089751.1 GI:20146961
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 354)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 354)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..354
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="080351b"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>354
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09911.1"
 /db_xref="GI:20146962"

 /translation="QRKTKRNTNRRPQDVKFPGGQIVGGVYLLPRRGPRLGVRATRK
 TSERSQPRGRRQPIPARKARQPEGRVWAQPGYPWPLYGNEMGMWAGWLSPRGSRPSWGP
 TDPRRRSRNLLGKVIDT"
 BASE COUNT 70 a 111 c 114 g 59 t
 ORIGIN
 1 caaagaaaaa ccaaacctaa caccaaccgt cgccccacagg acgtcaagtt cccggggcggt
 61 ggtcagatcg ttgggtggagt ttacctgttg ccgcgcaggg gccccaggtt gggtgtgcgc
 121 gcgacttagga agacttccga gcgggtcgaa cctcgtggaa ggcgacaacc tatccccaaag
 181 gctcgccaac ccgagggtag ggtctgggt cagccccgat accccctggcc cctctatggc
 241 aatgagggca tgggtgggc aggatggctc ctgtcacccc gcggctcccg gcctagtgg
 301 ggccccacag acccccggcg caggtcgcgt aatttgggtta aggtcatcga tacc
 //

LOCUS AY089754 345 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 22346a polyprotein gene, partial cds.
 ACCESSION AY089754
 VERSION AY089754.1 GI:20146967
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae;Hepacivirus.
 REFERENCE 1 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..345
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="22346a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>345
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09914.1"
 /db_xref="GI:20146968"

 /translation="KRNTNRRPMDVKFPGGQIVGGVYLLPRRGPRLGVRATRKTSER
 SQPRGRQQPIPKARQPTGRHWAQPGYPWPLYGNEGCGWAGWLSPRGSRPNWGPNDPR
 RRSRNLLGKVIDTL"
 BASE COUNT 68 a 105 c 109 g 63 t
 ORIGIN
 1 aaaagaaaaca ccaaccgtcg tccaatggat gttaaagtcc cgccgcgg tcagatcgaa
 61 ggtggagtct acttattgcc gcgcaggggc ccacggttgg gtgtgcgcgc gacgaggaag
 121 acttctgaac gatcccagcc cagaggcagg cgtcagccca taccaaaggc gcgcaggcca
 181 acggggccggc actgggctca gcctggttac ccttggcccc tttatggaa tgagggtcgc
 241 ggatggggcg gatggctctt gtccccccgc ggttcccgtc ctaattgggg ccccaatgac
 301 ccccgccgac gatcgccaa tttgggtaaa gtcatcgata cccta
 //"

LOCUS AY089755 345 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 706466a polyprotein gene, partial cds.
 ACCESSION AY089755
 VERSION AY089755.1 GI:20146969
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..345
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="706466a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>345
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09915.1"
 /db_xref="GI:20146970"

 /translation="KSHTNRRPMDVKFPGGQIVGGVYLLPRRGPRLGVRATRKTSER
 SQPRGRQQPIPKARQPTGRHWAQPGYPWPLYGNEGCGWPGWLSPRGSRPHWGPNDPR
 RRSRNGLKVIDTL"
 BASE COUNT 66 a 112 c 106 g 61 t
 ORIGIN
 1 aaaagccaca ccaaccgtcg tccaaatggat gtcaaattcc cgggcggcgg tcagatcgtt
 61 ggtggagtct acttattgcc gcgcaggggc ccacgtttgg gtgtgcgcgc gacgaggaag
 121 acttctgaac gatcccagcc cagaggcagg cgtcagccca taccaaaggc gccgcagcca
 181 acggggccggc actgggctca gcctggttac cttggcccc tttatggaa tgagggctgc
 241 ggatggccag gtggctcct gtccccccgc ggctcccgcc cacactgggg ccccaatgac
 301 ccccgccgtc gatcgcgcaa ttggtaaa gtcatcgata cccta
 //

LOCUS AY089756 345 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 928556a polyprotein gene, partial cds.
 ACCESSION AY089756
 VERSION AY089756.1 GI:20146971
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..345
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="928556a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>345
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09916.1"
 /db_xref="GI:20146972"

 /translation="KRNTNRRPMDVKFPGGQIVGGVYLLPRRGPRLGVRATRKTSER
 SQPRGRQQPIPKARQPTGRSWGQPGYPWPLYGNEGCGWAGWLSPRGSRPSWGPNPDR
 QVSRNLGKVIDTL"
 BASE COUNT 72 a 103 c 110 g 60 t
 ORIGIN
 1 aaaagaaaaca ctaaccgtcg ccctatggac gtcaaggttcc cgggcggcgg ccagatcggt
 61 ggtggagtct acttgttgcc gcgcaggggc ccgagattgg gtgtgcgcgc gacgagaaag
 121 acctcagaac ggctctcagcc cagaggttagg cggcagccca taccaaaggc gcccagcca
 181 acgggccgtta gctggggtca acccggtcac cttggcccc ttatggaaa tgagggttgc
 241 gggtgtggcag gatggctctt gtcggccgc gttctcgtc caagttgggg cccaaatgac
 301 ccccggaag tatcgcaaa tttgggtaaa gtcatcgata cccta
 //"

LOCUS AY089757 345 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 054586a polyprotein gene, partial cds.
 ACCESSION AY089757
 VERSION AY089757.1 GI:20146973
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..345
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="054586a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>345
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09917.1"
 /db_xref="GI:20146974"

 /translation="KSNTNRRPMVKFPGGQIVGGVYLLPRRGPRLGVRATRKTSER
 SQPRGRQRQPIPKARQPTGRHWAQPGYPWPLYGNEGCGWAGWLSPRGSRPNWGPNDPR
 RRSRNLGKVIDTL"
 BASE COUNT 67 a 106 c 108 g 64 t
 ORIGIN
 1 aaaagcaaca ccaaccgtcg tccaaatggat gttaaagtcc cgggcggcgg tcagatcggt
 61 ggtggagtct acttattgcc gcgcaggggc ccacgtttgg gtgtgcgcgc gacgaggaag
 121 acttctgaac gatcccagcc cagaggcagg cgtcagccca taccaaaggc ggcgcagcca
 181 acgggccccgc actgggctca gcctggttac cttggcccc ttatggaa tgagggctgc
 241 ggatggcgg gatggctct gtctccccgc gttcccgcc ctaattgggg ccccaatgac
 301 ccccgccgac gatcgcgcaa ttgggtaaa gtcatcgata cccta
 //

LOCUS AY089758 345 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 087956a polyprotein gene, partial cds.
 ACCESSION AY089758
 VERSION AY089758.1 GI:20146975
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae;Hepacivirus.
 REFERENCE 1 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..345
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="087956a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 <1..>345
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09918.1"
 /db_xref="GI:20146976"

 /translation="KRNTNRRPMDVKFPGGQIVGGVYLLPRRGPRLGVRATSKTSER
 SQPRGRQRQPIPQGAQPTGRSWGQPGYPWPLYGNEGCGWAGWLSPRGSRPKWGPNDPR
 RRSRNLVKVINTL"
 BASE COUNT 71 a 107 c 111 g 56 t
 ORIGIN
 1 aaaagaaaaca ctaaccgtcg ccctatggac gtcaaggttcc cgggcggcgg ccagatcgtt
 61 ggtggagtct acttgttgcc gcgcaggggc ccgagattgg gtgtgcgcgc gacgagtaag
 121 acctcagaac ggtcccagcc cagaggttagg cggcagccca taccaaaggcg cgcgcagcca
 181 acggggccgta gctggggta acccggtac cttggccttc tgtacggaaa cgagggttgc
 241 gggtggcag gatggctct gtcccccgca ggttcccgta cggaaatgggg cccaaatgac
 301 ccccgccaa ggtcccgcaaa ttggtaaag gtcataataa ccctc
 //"

LOCUS AY089759 345 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 104426a polyprotein gene, partial cds.
 ACCESSION AY089759
 VERSION AY089759.1 GI:20146977
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..345
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="104426a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>345
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09919.1"
 /db_xref="GI:20146978"

 /translation="KRNTNRRPMMDVKFPGGQIVGGVYLLPRRGPRLGVRATRKTSER
 SQPRGRQQPIPRSAQPTGRHWAQPGYPWPLYGNEGCGWAGWLSPRGSRPNWGPNDPR
 RRSRNGLKVIDTL"
 BASE COUNT 66 a 106 c 109 g 64 t
 ORIGIN
 1 aaaagaaaca ccaaccgtcg tccaatggat gttaagttcc cgggcggcgg tcagatcgaa
 61 ggtggagtct acttattgcc gcgcaggggc ccacggttgg gtgtgcgcgc gacgaggaaag
 121 acttctgaac gatcccagcc cagaggcagg cgtcagccca taccaaggtc cgccgcagcca
 181 acggggccggc actgggctca gcctggttac ctttgcccccc tttatggaa tgagggtctgc
 241 ggatgggcgg gatggctct gtctccccgc ggttcccgcc ctaattgggg ccccaatgac
 301 ccccgccgac gatcgcgcaa tttggtaaa gtcatcgata ccctc
 //"

LOCUS AY089760 363 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 081661a polyprotein gene, partial cds.
 ACCESSION AY089760
 VERSION AY089760.1 GI:20146979
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..363
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="081661a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>363
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09920.1"
 /db_xref="GI:20146980"

 /translation="PQRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIP KARRSEGR TWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWG
 PTDPRRRSRN LGKVIDTLT"
 BASE COUNT 68 a 111 c 118 g 66 t
 ORIGIN
 1 cctcaaagaa aaacccaaacg taacaccaac cgtcgcccac aggacgtcaa gttcccggtt
 61 ggcggtcaga tcgttggtgg agtttacttg ttgccgcga gggccctag attgggtgtg
 121 cgcgacga ggaagacttc cgagcggctcg caacctcgag gtagacgtca gcctatcccc
 181 aaggcacgtc ggtccgaggg caggacctgg gctcagcccg ggtacccttg gcccctctat
 241 ggcaatgagg gctgcgggtg ggcgggatgg ctccctgtctc cccgtggctc tcggcctagc
 301 tggggcccca cagacccccc gcgttaggtcg cgcaatttgg gtaaggtcat cgataacctta
 361 acg
 //

LOCUS AY089761 363 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain a361a polyprotein gene, partial cds.
 ACCESSION AY089761
 VERSION AY089761.1 GI:20146981
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae;Hepacivirus.
 REFERENCE 1 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..363
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="a361a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>363
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09921.1"
 /db_xref="GI:20146982"

/translation="PQRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATRKTSERSQPRGRQQPIPKARRPEGRTWAQPGYPWPLYGNEGCGWAACLLSPRGSRPNWGPSDPRRRRSRNGLGVIDTLT"
 BASE COUNT 68 a 112 c 115 g 68 t
 ORIGIN
 1 cctcaaagaa aaaccaaaca cgtcgcccac aggacgttaa gttcccggtt
 61 ggccgtcaga tcgttggtgg agtttacttg ttgccgcgca gggcccttag attgggtgtg
 121 cgcgcgacga ggaagacttc cgagcggctcg caacctcgag gtagacgtca gcctatcccc
 181 aaggcgcgtc gccccgaggg caggacctgg gtcagcccg ggtatccttg gcccctctat
 241 ggcaatgagg gctgcgggtg ggcagcatgc ctccctgtccc cccgtggctc tcggcctaacc
 301 tggggccctt cagacccccc gcgtaggtcg cgcaattttgg gtaaggtcat cgataaccca
 361 acg
 //

LOCUS AY089762 363 bp RNA linear VRL 13-APR-2002
 DEFINITION Hepatitis C virus strain 103331a polyprotein gene, partial cds.
 ACCESSION AY089762
 VERSION AY089762.1 GI:20146983
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn University and Hospital, Rama4, Pratumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..363
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="103331a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>363
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09922.1"
 /db_xref="GI:20146984"
 /translation="PQRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIP~~KARRPEGRTWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWG~~
 PTDPRRRSRNLGKVIDTLK"
 BASE COUNT 69 a 111 c 118 g 65 t
 ORIGIN
 1 cctcaaagaa aaaccaaaca taacaccaac cgtcgcccac aggacgttaa gttcccggtt
 61 ggcggtcaga tcgttgttg agtttacttg ttgccgcga gggcccttag attgggtgtg
 121 cgcgcgacga ggaagacttc cgagcgtcg caacctcgag gttagacgcca gcctatcccc
 181 aaggcgcgtc ggcccgaggg caggacctgg gctcagcccc ggtacccttg gcccccttat
 241 ggcaatgagg gctgcgggtg ggcgggatgg ctccctgtccc cccgtggctc tcggccttagc
 301 tggggcccta cagacccccc gcgttaggtcg cgcaatttgg gtaaggtcat cgataaccta
 361 aaa
 //

LOCUS AY089763 345 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 748226a polyprotein gene, partial cds.
 ACCESSION AY089763
 VERSION AY089763.1 GI:20146985
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae;Hepacivirus.
 REFERENCE 1 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 345)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..345
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="748226a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>345
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09923.1"
 /db_xref="GI:20146986"

 /translation="KRNTTHRRPMVDVKFPGGGQIVGGVYLLPRRGPRLGVRATRKTSER
 SQPRGRQQPIPKARQPTGRHWAQPGYPWPLYGNEGCGWAGWLSPRGSRPNWGPNDPR
 RRSRNNLGKVIDTL"--
 BASE COUNT 67 a 105 c 108 g 65 t
 ORIGIN
 1 aaaagaaaaca cccaccgtcg tccaatggat gttaagttcc cgggcggcgg tcagatcgaa
 61 ggtggagtct acttattgccc gcgcaggccc ccacgtttgg gtgtgcgcgc gacgaggaag
 121 acttctgaac gatcccagcc cagaggcagg cgtcagccca taccaaaggc gcccagcca
 181 acgggccccgc actgggctca gcctggttac cttggccccc ttatggaa tgagggtcgc
 241 ggatggcgg gatggctcct gtctccccgc gttcccgcc ctaattgggg ccccaatgac
 301 ccccgccgac gatcgcccaa tttggtaaa gtcatcgata cctta
 //"

LOCUS AY089765 363 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 118821a polyprotein gene, partial cds.
 ACCESSION AY089765
 VERSION AY089765.1 GI:20146989
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..363
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="118821a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 <1..>363
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09925.1"
 /db_xref="GI:20146990"
CDS
 /translation="PQRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPDKARRPEGRTWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWG
 PTDPDRRSRNGLKVIDTLT"
 BASE COUNT 70 a 111 c 116 g 66 t
 ORIGIN
 1 cctcaaagaa aaacccaaacg taacaccaac cgtcggccac aggacgtcaa gttcccgagg
 61 ggccgtcaga tcgttgggtgg agtttacttg ttgcgcgcga gggggccctag attgggtgtg
 121 cgcgcgacga ggaagacttc cgagcggctcg caacctcgag gtagacgtca gcctatcccc
 181 aaggcacgtc ggcccggaggg caggacctgg gtcagcccg ggtacccttg gcctctctat
 241 ggcaatgagg gctgcggatg ggccggatgg ctccctgtccc cccgtggctc tcggccctagt
 301 tggggcccca cagaccccg gcgtaggtca cgcaatttgg gtaaggtcat cgataaccta
 361 acg
 //

LOCUS AY089772 342 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 110253a polyprotein gene, partial cds.
 ACCESSION AY089772
 VERSION AY089772.1 GI:20147003
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 342)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 342)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..342
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="110253a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>342
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09932.1"
 /db_xref="GI:20147004"

 /translation="PKPQRKTKRNTPRRPQNVKFPGGGQIVGGVYVLPRRGPRLGVR
 VRKTSERSQPRGRQPIP KARPIEGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPS
 WGPNDPRRSRN"
 BASE COUNT 66 a 109 c 108 g 59 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaagaaat acacctcgcc gcccacagaa cgtaaggttc
 61 ccgggcggcg ggcaatcgat ttgtggat tatgtgctgc cggcggggg cccgcatttgc
 121 ggtgtcgccg cagtgcgtaa gacttccgag cggtcgcaac ctcgcggacg gcgtcagcc
 181 atccccaaagg cacccccgtat cggggccgg tcctgggctc agcctgggta cccttggccc
 241 ctctacgtat gagggctgt tggtggca ggtggcttc tgtccccccg cggttctcg
 301 ccttagttggg gcccaaatga ccccccggcgt agatccccgca ac
 //

LOCUS AY089773 342 bp RNA linear VRL 13-APR-
 2002
 DEFINITION Hepatitis C virus strain 067993a polyprotein gene, partial cds.
 ACCESSION AY089773
 VERSION AY089773.1 GI:20147005
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 342)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 342)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn University and Hospital, Rama4, Pratumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..342
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="067993a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>342
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09933.1"
 /db_xref="GI:20147006"

 /translation="PKPQRKTKRKTIRRQDFKFPGGQIVGGVYVLPRRGPRGERA
 TRKTTERSQTRRRRQPIPKARQSGGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPS
 WGPNDPDRRSRN"
 BASE COUNT 72 a 108 c 108 g 54 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaggaaa accatccgtc gcccacagga cttcaagttc
 61 ccgggtggcg gacagatcgt tggtgagta tacgttgtc cgccgagggg cccacgattt
 121 ggtgagcgcg cgacgcgtaa aacttctgaa cggtcacaga ctgcgcagacg acgacagcct
 181 atcccccaagg cgcgtcagag cggaggccgg tcctgggctc agcccccgtt cccttggccc
 241 ctctatggta atgagggctg cgggtggcga gggtgtggctcc tgtcccccgcg cggctcccgat
 301 ccatcttggg gcccaaatga ccccccggcg agtcccgca at
 //

LOCUS AY089774 342 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 087203a polyprotein gene, partial cds.
 ACCESSION AY089774
 VERSION AY089774.1 GI:20147007
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 342)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 342)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..342
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="087203a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>342
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09934.1"
 /db_xref="GI:20147008"
 /translation="PKPQRKTKRNTIIRPQDVKFPGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRRQPIP
 KARQSEGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWGPNDPRRRSRN"
 BASE COUNT 70 a 112 c 108 g 52 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaacccatccgtc gcccacagga cgttaagttc
 61 ccgggtggcg gacagatcg tggtgagta tacgttgtgc cgccgcagggg cccacgcttgc
 121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggtcacagc ctcgtggacg acgacagccc
 181 atccccaaagg cgcgtcagag cgaaggccgg tcctgggctc agcccggttca cccgtggccc
 241 ctctatggta acgagggtcg cgggtggca gggtggctcc tgtccccacg cggctcccgat
 301 ccatcttggg gcccaaacga ccccccgggg aggtccccgca at
 //

LOCUS AY089775 342 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 086293a polyprotein gene, partial cds.
 ACCESSION AY089775
 VERSION AY089775.1 GI:20147009
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 342)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 342)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..342
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="086293a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>342
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09935.1"
 /db_xref="GI:20147010"

/translation="PKPQRKTKRNTIRRPHDVKFPGGQIVGGVYVLPRRGPLGVRA
 TRKTTERSQPRGRQQPIPKARQSEGRSWAQPQYPWPLYGNEGCGWAGWLSPRGSRPS
 WGPNDPDRRSRN"

BASE COUNT 71 a 112 c 105 g 54 t

ORIGIN

```

1 cctaaaccac aaagaaaaac caaaaagaaac accatccgtc gcccacatga cgtcaaggtc
61 ccgggtggcg gacagatcg tggtgagta tacgtgttgc cgccgcagggg cccacgattg
121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggtcacagc ctcgcggacg acggcagcct
181 atccccaaagg cacgtcagag cgaaggccgg tcctgggccc agcctggta ccctggccc
241 ctctatggta acgagggtctg cgggtggca gggtgttcc tgtccccacg cggctcccg
301 ccatcttggg gcccaaattga ccccccggcga cggtcccgcg at
  
```

//

LOCUS AY089776 342 bp RNA linear VRL 13-APR-
 2002
 DEFINITION Hepatitis C virus strain 152013a polyprotein gene, partial cds.
 ACCESSION AY089776
 VERSION AY089776.1 GI:20147011
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 342)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 342)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn University and Hospital, Rama4, Pratumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..342
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="152013a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>342
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09936.1"
 /db_xref="GI:20147012"

 /translation="PKPQRKTKRGPACGPQDVVKSPAGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRQQPIPKARQSEGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWGPNDPDRRSRN"
 BASE COUNT 67 a 110 c 112 g 53 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaagggt cctgcgtgtg gcccacaaga cgtcaagtcc
 61 ccggctggcg gacagatcgt tggtgagta tacgtttgc cgccgcagggg cccacgatttgc
 121 ggtgtgcgcg cgacgcgtaa aacttcagag cggtcacagc ctcgcggacg ggcacagcc
 181 atcccccaagg cgcgtcagag cgaaggccgg tcctgggctc aaccgggta cccttggccc
 241 ctctatggta acgaggggctg cgggtgggca gggtgtggctcc tgtccccgcg cggctcccg
 301 ccatcttggg gcccaaatga ccccccggcg aggtcccgca at
 //
 158 181 2005

LOCUS AY089777 366 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 925973a polyprotein gene, partial cds.
 ACCESSION AY089777
 VERSION AY089777.1 GI:20147013
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn University and Hospital, Rama4, Pratumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="925973a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09937.1"
 /db_xref="GI:20147014"

/translation="PKPQRKTKRNTIRRPQDVKFPGGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRQPIP KARQSEGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWGPNDPRRRSRNLGKVIDTL"

BASE COUNT 76 a 119 c 112 g 59 t

ORIGIN

```

1 cctaaaccac aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaagttc
61 ccgggtggcg gacagatcg tgggtggacta tacgtgctgc cgccgcagggg cccacgccttgc
121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggcacagc ctcgcggacg aegacagccct
181 atccccaaagg cgcgtcagag cgaaggccgg tcctgggctc agccccggta cccttggccc
241 ctctatggta acgagggtcg cgggtggcga ggggtggctcc tgccccacg cggctcccgt
301 ccataatgggg gccccaaacgca ccccccggcgg aggtccccgca atttgggtaa agtcatcgat
361 accctt
  
```

//

LOCUS AY089778 366 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 078933a polyprotein gene, partial cds.
 ACCESSION AY089778
 VERSION AY089778.1 GI:20147015
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="078933a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09938.1"
 /db_xref="GI:20147016"

 /translation="PKPQRKTKRNTIIRRQDVFPGGQIVGGVYVLPHMGPRLGVRATRKTSERSQPRGRRQPIPKARQSEGRSWAQPGYPWPLYGNEGCGCAGWLSPHGSRTSWGPNDPDRRSRNLGKVIDTL"
 BASE COUNT 79 a 120 c 107 g 60 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaagaaac accatccgtc gcccacagga cgtcaaggc
 61 ccgggtggcg gacagatcgt tggtggagta tacgtgctgc cgcacatggg cccacgcttg
 121 ggtgtgcgcg caacgcgtaa aacttctgaa cggtcacagc ctcgcggacg acggcagcc
 181 atcccccaagg cgcgtcagag cgaaggccgg tcctgggctc agccccggta cccttggccc
 241 ctctatggta acgaggggctg cgggtgcgca ggctggctcc tgtccccaca cggctcccgat
 301 acatcttggg gcccaaacga ccccccggcgg aggtcccgca atttgggtaa agtcatcgat
 361 accctt
 //

LOCUS AY089779 366 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 971973a polyprotein gene, partial cds.
 ACCESSION AY089779
 VERSION AY089779.1 GI:20147017
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="971973a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09939.1"
 /db_xref="GI:20147018"

 /translation="PKPQRKTKRNTIIRPQDVFKFPGGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRQPIPKARQSERRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWGPNDPRRRSRNLGKVIDTL"
 BASE COUNT 75 a 118 c 112 g 61 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaagaaac accatccgtc gcccacagga cgtcaagttc
 61 ccgggtggcg gacagatcgta tggtggagta tacgtgttgc cgccgagggg cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacttcagag cggtcacagc ctcgcggacg gcgacagcct
 181 atccccaaagg cgcttcagag cgaacgccgc tcctgggctc agcccgcta cccttggccc
 241 ctctatgta atgagggctg cgggtggca gggtggtcc tggcccgcg cggctcccg
 301 ccatcttggg gcccaaatga ccccccggcg aggccccgca atttggtaa agtcatcgat
 361 accctt
 //

LOCUS AY089780 366 bp RNA linear VRL 13-APR-
 2002
 DEFINITION Hepatitis C virus strain 114453a polyprotein gene, partial cds.
 ACCESSION AY089780
 VERSION AY089780.1 GI:20147019
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn University and Hospital, Rama4, Pratumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="114453a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09940.1"
 /db_xref="GI:20147020"

 /translation="PKPQRKTKRNTIRRQDVKFPGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRRQPIPKARQSEGRSWAQPQGPWPLYGNEGCGWAGWLSPRGSRPSWGPNDPDRRSRNLGKVIDTL"
 BASE COUNT 77 a 115 c 112 g 62 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaaagaaac accatccgtc gcccacagga tgtcaaggtc
 61 ccgggtggcg gacagatcg tggtgagta tacgtttgc cgccgagggg cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggtcacagc atcgccggacg acgacagacct
 181 atcccccaagg cgcgtcagag cgaaggccgg tcctgggctc agcctggta cccttggccc
 241 ctctatggta acgaggggctg cgggtggca gggtggctcc tgtccccacg cggctcccgat
 301 ccatcttggg gcccaaacga ccccccggcg aggtccccgca atttggtaa agtcatcgat
 361 accctt
 //

LOCUS AY089781 366 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 135903a polyprotein gene, partial cds.
 ACCESSION AY089781
 VERSION AY089781.1 GI:20147021
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="135903a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09941.1"
 /db_xref="GI:20147022"

 /translation="PKPQRKTKRNTIHRPQDVKFPGGGQIVGGVYVLPRRGPRLGVRATRKT
 TRKT
 TSERSQPRGRQQPIPKARRSEGRSWAQPQYPWPLYGN
 EGCGWAGWLSPRGSRPS
 WGPNDP
 RRRSRNLGKV
 IDTL"
 BASE COUNT 76 a 116 c 111 g 63 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaagaaaac accatccatc gcccacagga cgtaaggtc
 61 ccgggtggtg gacagatcg ttggtagtacgtttgc cgcgcaggccc
 121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggtctcagc ctcgcggacg acgacagc
 181 atcccccaagg cacgtcggag cgaaggccgg tcctgggctc agcctggta cccttggccc
 241 ctctatggca acgagggtcg cgggtggca gggtgtggctcc tgtcccccg
 301 ccatcttggg gcccaaacga ccccccggcga cgggtcccgc
 361 accctt
 //

LOCUS AY089782 366 bp RNA linear VRL 11-JUN-2002
 DEFINITION Hepatitis C virus strain 116713a polyprotein gene, partial cds.
 ACCESSION AY089782
 VERSION AY089782.1 GI:20147023
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Hepatitis C virus genotyping by RFLP and direct sequencing in
 Thailand
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 366)
 AUTHORS Theamboonlers,A., Bedi,K., Scotraj,N., Sriponthong,M.,
 Chinchai,T.and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAR-2002) Hepatitis Research Unit, Chulalongkorn
 University and Hospital, Rama4, Pratumwan, Bangkok 10330,
 Thailand
 FEATURES Location/Qualifiers
 source 1..366
 /organism="Hepatitis C virus"
 /proviral
 /mol_type="genomic RNA"
 /strain="116713a"
 /db_xref="taxon:11103"
 /note="utilized in HCV genotyping"
 CDS <1..>366
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAM09942.1"
 /db_xref="GI:20147024"

 /translation="PKPQRKTKRNTIIRRQDVKFPGGQIVGGVYVLPRRGPLGVRA
 TRKTTSERSQPRGRQPIPKARRIEGRSWAQPQGPWPLYGNEGCGWAGWLSPRGSRPS
 WGPNDPDRRSRNLGKVIDTL"
 BASE COUNT 77 a 117 c 110 g 62 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaagaaac accatccgtc gcccacagga cgtcaaggta
 61 ccaggtggcg gacagatcgt tggtgaggta tacgtgctgc cgccgcagggg cccacgattg
 121 ggtgtgcgcg caacgcgtaa aacttctgaa cggtcacagc ctcgcggacg cccacagcct
 181 atcccccaagg cgcgtcggat cgaaggccgg tcctgggctc agcctggta cccttggccc
 241 ctctatggta acgagggtcg cgggtggca ggggtggctcc tgtccccacg cggctcccg
 301 ccatcttggg gcccaaatac ccccccggcgg aggtctcgca acttgggtaa agtcatcgat
 361 accctt
 //

LOCUS AF528323 356 bp RNA linear VRL 06-AUG-2002
 DEFINITION Hepatitis C virus isolate 142921a core protein gene, partial
 cds.
 ACCESSION AF528323
 VERSION AF528323.1 GI:22135565
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 356)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 356)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (12-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..356
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="142921a"
 /db_xref="taxon:11103"
 CDS <1..>356
 /codon_start=1
 /product="core protein"
 /protein_id="AAM93263.1"
 /db_xref="GI:22135566"

 /translation="PQRKTKRNTNRRPQDVVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPDKARRPEGRTWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWG
 PTDPRRRSRNLGKVIDP"
 BASE COUNT 64 a 111 c 118 g 63 t
 ORIGIN
 1 cctcaaagaa aaaccaaacg taacaccaac cgtcgcccac aggacgttaa gttcccggtt
 61 ggccgtcaga tcgttggtgg agtttacttg ttgcgcgcga gggcccttag attgggtgtg
 121 cgcgcgacga ggaagacttc cgagcggctg caacctcgag gtagacgtca gcctatcccc
 181 aaggcgcgtc ggcccgaggg caggacctgg gcccagcccg ggtacccttg gccccttat
 241 ggcaatgagg gctgtgggtg ggcgggatgg ctccctgtccc cccgtggctc tcggccttagc
 301 tggggccccca cagacccccc gctgtaggtcg cgcaatttgg gtaaggtcat cgatcc
 //

LOCUS AF528324 359 bp RNA linear VRL 06-AUG-2002
 DEFINITION Hepatitis C virus isolate 045373a core protein gene, partial
 cds.
 ACCESSION AF528324
 VERSION AF528324.1 GI:22135567
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (12-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="045373a"
 /db_xref="taxon:11103"
 CDS <1..>359
 /codon_start=1
 /product="core protein"
 /protein_id="AAM93264.1"
 /db_xref="GI:22135568"

 /translation="PKPQRKTKRNTPRRPQNVKFPGGGQIVGGVYVLPRRGPRLGVR
 VRKTTSRSQPRGRQQPIPKARPREGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPS
 WGPNDPDRRSRNLVKSS"
 BASE COUNT 71 a 121 c 111 g 56 t
 ORIGIN
 1 cctaaacctc aaagaaaaac caaaaagaaac acaccccgta gcccacagaa cgttaagttc
 61 ccgggcggcg ggcagatcgt tggtgaggta tatgtgctgc cgccgcagggg cccacgattg
 121 ggtgtgcgcg cagtacgtaa gacttccgag cggtcgcaac ctgcggacg gcccgcgcct
 181 atcccccaagg cacgcccacg cgagggccgg tcctgggctc agcctggta cccctggccc
 241 ctctacggga atgagggctg cggttggca gggtggctt tgtccccccg cggctccgc
 301 cctagttggg gcccaaacga ccccccgcgt agatccgcga acctggtaaa gtcatcgat
 //"

LOCUS AF528325 358 bp RNA linear VRL 06-AUG-2002
 DEFINITION Hepatitis C virus isolate 148506a core protein gene, partial
 cds.
 ACCESSION AF528325
 VERSION AF528325.1 GI:22135569
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 358)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 358)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (12-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..358
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="148506a"
 /db_xref="taxon:11103"
 CDS <1..>358
 /codon_start=2
 /product="core protein"
 /protein_id="AAM93265.1"
 /db_xref="GI:22135570"

 /translation="KPQRKTKRNTNRRPMEVKFPGGQIVGGVYLLPRRGPRLGVRAT
 RKTTSERSQPRGRRQPIPKARQPTGRHWAQPGYPWPLYGNEGCGWAGWLSPRGSRPNW
 GPNDPRRRSRNLGKVID"
 BASE COUNT 79 a 109 c 109 g 61 t
 ORIGIN
 1 aaaaccccaa agaaaaacca aaagaaaacac caaccgtcgt ccaatggaaag ttaagttccc
 61 gggcgccggt cagatcggtt gttggagtcta cttattgccg cgccaggggcc cacgtttggg
 121 tgtgcgcgcg acgaggaaga cttctgaacg atcccagccc agaggcaggc gtcagcccat
 181 accaaaggcg cgccagccaa cgggccccca ctgggctcag cctggttacc cttggccct
 241 ttatggaat gagggtcgat gatggggggg atggctcctg tctccccgcg gttcccgccc
 301 taactggggc cccaatgacc cccggcgacg atcgcgcaat ttggtaaag tcatcgat
 //"

LOCUS AF528326 358 bp RNA linear VRL 06-AUG-2002
 DEFINITION Hepatitis C virus isolate 217776a core protein gene, partial
 cds.
 ACCESSION AF528326
 VERSION AF528326.1 GI:22135571
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 358)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 358)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (12-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..358
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="217776a"
 /db_xref="taxon:11103"
 CDS <1..>358
 /codon_start=2
 /product="core protein"
 /protein_id="AAM93266.1"
 /db_xref="GI:22135572"

 /translation="KPSRKTQRTTNRRPMDVKFPGGGQIVGGVYLLPRRGPRLGVRAT
 RKTTSERSQPRGRQPIPKARQPTGRHWAQPGYPWPLYGNEGCGWAGWLSPRGSRPNW
 GPNDPRRRSRNGLKVID"
 BASE COUNT 73 a 111 c 111 g 63 t
 ORIGIN
 1 aaaaccctca agaaaaaccc aacgaaccac caaccgtcgt ccaatggatg taaagttccc
 61 gggcgccggt cagatcgttt gtggagtcta cttattgccg cgccaggggcc cacgtttggg
 121 tgtgcgcgcg acgaggaaga cttctgaacg atcccagccc agaggcaggc gtcagcccat
 181 accaaaggcg cgccagccga cgggccccga ctgggctcag cctggttacc cttggccctc
 241 ttatggaat gagggctcgat gatgggggg atggctctt ttcctcccg gctcccgccc
 301 taattgggc cccaatgacc cccggcgacg atcgcgcaat ttgggttaagg tcatcgat
 //

LOCUS AF525883 354 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 072651 polyprotein gene, partial cds.
 ACCESSION AF525883
 VERSION AF525883.1 GI:23268498
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 354)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 354)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..354
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="072651"
 /db_xref="taxon:11103"
 <1..>354
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16406.1"
 /db_xref="GI:23268499"
CDS

```
/translation="PQRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
KTSERSQPRGRRQPIPKARRPEGRTWAQPGYPWPLYGNEGCGWAGWLLSPRGSRPSWG
PTDPRRRSRNLGKVID"
```

 BASE COUNT 65 a 108 c 117 g 64 t
 ORIGIN
 1 cctcaaagaa aaacccaaacg taacaccaac cgtcgcccac aggacgttaa gttcccggtt
 61 ggccgtcaga tcgttgtgg agttacttg ttgccgcga gggccctag attgggtgt
 121 cgccgcacga ggaagacttc cgagcggta caacctcgag gtagacgtca gcctatcccc
 181 aaggcgcgtc ggcccgaggg caggacctgg gctcagcccg ggtacccttg gccctctat
 241 ggcaatgagg gctgcgggtg ggcgggatgg ctccctgtccc cccgtggctc tcggcctagt
 301 tggggcccca cagacccccc gctgttaggtcg cgcaatttgg gtaaggtcat cgat
 //

LOCUS AF525884 357 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 008791a polyprotein gene, partial
 cds.
 ACCESSION AF525884
 VERSION AF525884.1 GI:23268500
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae;Hepacivirus.
 REFERENCE 1 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..357
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="008791a"
 /db_xref="taxon:11103"
 CDS <1..>357
 /note="core region"
 /codon_start=2
 /product="polyprotein"
 /protein_id="AAN16407.1"
 /db_xref="GI:23268501"

 /translation="YLKETNGNTNRRPQDVKFPGGGQIVGGVYLLPRRGPLGVRATR
 KTTERSQPRGRQQPIPKARRPEGRTWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWG
 PTDPRRRSRNGLGVIDT"
 BASE COUNT 63 a 109 c 120 g 65 t
 ORIGIN
 1 ctacctcaaa gaaacccaacg gtaacaccaa ccgtcgccca caggacgtt a gttcccccggg
 61 tggcggccag atcggttgggt gagtttactt gttgcgcgc agggccccca ggttgggtgt
 121 gcgcgacg agaaagactt ccgagcggtc gcaacctcga ggttagacgtc agcctatccc
 181 caaggccgt cgccccgagg gcaggacctg ggctcagccc ggttaccctt ggccccctcta
 241 tggcaatgag ggctgtgggt gggcgggatg gtcctgtcc cccccgtggct ctcggcctag
 301 ttggggccct acagacccccc ggcgttaggtc ggcgaatttg ggttaaggta tagatac
 //

LOCUS AF525885 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 113521a polyprotein gene, partial
 cds.
 ACCESSION AF525885
 VERSION AF525885.1 GI:23268502
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae;Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="113521a"
 /db_xref="taxon:11103"
 CDS <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16408.1"
 /db_xref="GI:23268503"

 /translation="LPQRKTTRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRAT
 RKTSERSQPRGRRQPIPKARRPEGRTWAQPGYPWPLYGNECGWAGWLLSPRGSRPSW
 GPTDPRRRSRNLGKVIDT"
 BASE COUNT 65 a 113 c 118 g 63 t
 ORIGIN
 1 ctacctcaaa gaaaaaccac acgtaacacc aaccgtcgcc cacaggacgt caagttcccg
 61 ggtggcggtc agatcggttgc tgtagtttac ttgttgccgc gcaggggcc tagattgggt
 121 gtgcgcgcga cgaggaagac ttccgagcgg tcgcaacctc gagtttagac tcagcctatc
 181 cccaaaggcgc gtcggccccga gggcaggacc tgggtcgtc cccgggtaccc ttggccctc
 241 tatggcaatg agggctgcgg gtggccggga tggctcctgt cccccctgtgg ctctcgccct
 301 agctggggcc ccacagaccc ccggcgttagg tcgcgcaatt tggtaaggt catcgatac
 //"

LOCUS AF525886 356 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 134811a polyprotein gene, partial
 cds.
 ACCESSION AF525886
 VERSION AF525886.1 GI:23268504
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 356)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 356)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..356
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="134811a"
 /db_xref="taxon:11103"
 CDS <1..>356
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16409.1"
 /db_xref="GI:23268505"

 /translation="PQRKTKRNTNRRPQDVKFPGGQIVGGVYLLPRRGPRLGVRATR
 KTTERSQPRGRQQPIP KARRPEGRTWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWG
 PTDPRRRSRNLGKVIKP"
 BASE COUNT 67 a 108 c 116 g 65 t
 ORIGIN
 1 cctcaaagaa aaaccaaacg taacaccaac cgtcggccac aggacgttaa gttcccggtt
 61 ggcggtcaga tcgttgtgg agtttacttg ttgccgcga gggggccctag attgggtgtg
 121 cgcgcgacga ggaagacttc cgagcggctg caacctcgag gttagacgtca gcctatcccc
 181 aaggcgcgtc gggccgaggg caggacctgg gtcagcccg ggtacccttg gcctcttat
 241 ggcaatgagg gtcgcgggtg ggcgggatgg ctccatatctc cccgtggctc tcggcctagt
 301 tggggcccca cagacccccc gcgtaggtcg cgcaatttgg gtaaggtcat caaacc
 //

LOCUS AF525887 357 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 882831b polyprotein gene, partial
 cds.
 ACCESSION AF525887
 VERSION AF525887.1 GI:23268506
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 357)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..357
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="882831b"
 /db_xref="taxon:11103"
 CDS <1..>357
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16410.1"
 /db_xref="GI:23268507"

 /translation="PHRKTHRNTNRRPQDVKFPGGQIVGGVYLLPRRGPRLGARATR
 KTsertQPRGRRQPIP KARQPEGNAWAGPRVTQPLYGNEMGWAGWLSPRGSRPNWG
 PTDPRRSRN LGKVIDT"
 BASE COUNT 72 a 120 c 110 g 55 t
 ORIGIN
 1 cctcatagaa aaacccaccg taacaccaac cgccgcccac aggacgtcaa gttcccgccgc
 61 ggtggtaaga tcgttgggg agtttacctg ttggccgcga gggggcccccag gttgggtgcg
 121 cgcgcaacta ggaagacttc cgagcggaca caacctcggt gaaggcgaca acctatcccc
 181 aaggctcgcc aacccgaggg caacgcctgg gcaggcccc gagtacacca gcccccttat
 241 ggcaatgagg gcatgggtg ggcaggatgg ctccctgtcac cccgcggctc ccggcctaatt
 301 tggggcccca cagaccccg gcgttaggtcg cgtaatgg gtaaggcat cgatacc
 //

LOCUS AF525888 349 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 871901b polyprotein gene, partial
 cds.
 ACCESSION AF525888
 VERSION AF525888.1 GI:23268508
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 349)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 349)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..349
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="871901b"
 /db_xref="taxon:11103"
 CDS <1..>349
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16411.1"
 /db_xref="GI:23268509"

 /translation="PQRKTKRNTNRRPQDDKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPKA
 SRPKHRHGTPQGPWPLYGNEGLGWAGWLSPRGSRPSWG
 PIDP
 RRRSRNLGKV"
 BASE COUNT 71 a 112 c 108 g 58 t
 ORIGIN
 1 cctcaaagaa aaaccaaacg taacaccaac cgtcggccac aggacgacaa gttcccgccc
 61 ggtggtcaga tcgttgtgg agtttacctg ttgcgcgcga gggggccccag gttgggtgtg
 121 cgcgcgacta ggaagacttc cgagcgtcg caacctcgta gaaggcgaca acctatcccc
 181 aaggcttagcc gggccaagca ccgccacggc acacaaccgg ggtacccttg gccccttat
 241 ggcaatgagg gcttgggtg ggcaggatgg ctccgtcac cccgtggctc cccgcctatg
 301 tggggcccca tagacccccc gctgttagtgc cgtatattgg gtaaggta
 //"

LOCUS AF525889 330 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 133331b polyprotein gene, partial
 cds.
 ACCESSION AF525889
 VERSION AF525889.1 GI:23268510
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 330)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 330)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..330
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="133331b"
 /db_xref="taxon:11103"
 CDS <1..>330
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16412.1"
 /db_xref="GI:23268511"

 /translation="RPQDVKFPGGQIVGGVYLLPRRGPRLGVRATRKTRSERSQPRGR
 RQPIPKARQPEGRVWAQPGYPWPLYGNEGMGWAGWLSPRGSRPSWGPTDPRRRSRNL
 GKVIDTLT"
 BASE COUNT 56 a 103 c 111 g 60 t
 ORIGIN
 1 cgcccacagg acgtcaagtt cccggcggt ggtcagatcg ttgggtggagt ttacctgttg
 61 ccgcgcaggg gccccaggtt gggtgtgcgc gcgacttagga agacttccga gcggtcgcaa
 121 cctcgtggaa ggcgacaacc tatccccaaag gctcgccaac ccgagggcag ggtctgggct
 181 cagcccgat acccttggcc cctctatggc aatgagggca tgggtgggc aggatggctc
 241 ctgtcacccccc gcccgtcccg gcctagttgg ggccccacag acccccgccg taggtcgcgt
 301 aatttggta aggtcatcga tacccttaca
 //

LOCUS AF525890 330 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 103351b polyprotein gene, partial
 cds.
 ACCESSION AF525890
 VERSION AF525890.1 GI:23268512
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 330)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 330)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..330
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="103351b"
 /db_xref="taxon:11103"
 CDS <1..>330
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16413.1"
 /db_xref="GI:23268513"

 /translation="RPQDVKFPGGQIVGGVYLLPRRGPRLGVRATRKTSERSQPRGR
 RQPIPQARQPEGRVWAQPGYPWPLYGNEGMGWAGWLSPRGSRPSWGPTDPRRSRNL
 RKVIDTLT"
 BASE COUNT 56 a 106 c 110 g 58 t
 ORIGIN
 1 cgcccacagg acgtcaagtt cccggcggt ggtcagatcg ttacctgttg
 61 ccgcgcaggg gcccccaggtt gggtgtgcgc gcgacttagga agacttccga gcggtcgcaa
 121 cctcgtggaa ggcgacaacc tatccccaaag gctcgccaac ccgagggcag ggtctgggct
 181 cagccccggat acccttggcc cctctatggc aatgaggcca tggggtgggc aggatggctc
 241 ctgtcacccc gcggctcccg gcctagttgg gcctccacag acccccggcg taggtcgcgt
 301 aatttgcgca aggtcatcga taccctcaca
 //

LOCUS AF525891 363 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 154671b polyprotein gene, partial
 cds.
 ACCESSION AF525891
 VERSION AF525891.1 GI:23268514
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..363
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="154671b"
 /db_xref="taxon:11103"
CDS
 <1..>363
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16414.1"
 /db_xref="GI:23268515"

/translation="PQRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPKARRPEGRTWAQPGYPWPLYGNEGMGWAGWLSPRGSRPSWG
 PTDPRRRSRNLGKVIDTLT"

BASE COUNT 70 a 118 c 116 g 59 t

ORIGIN

```

1 cctcaaagaa aaaccaaacc taacaccaac cgccgcccac aggacgtcaa gttcccgccc
61 ggtggtcaga tcgtcggtgg agtttacctg ttgccgcgca gggggccccag gttgggttgt
121 cgcgcgacta ggaagacttc cgagcggctg caacctcgta gaaggcgaca acctatcccc
181 aaggctcgcc gggccgaggg caggacctgg gctcagcccg ggtacccctg gcccccttat
241 ggcaatgagg gcatgggtg ggcagatgg ctccctgtcac cccgcggctc tcggcctagt
301 tggggcccca cagacccccc gcgttaggtcg cgtaatttgg gtaaggtcat cgataaccctc
361 aca
  
```

//

LOCUS AF525892 363 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 006541b polyprotein gene, partial
 cds.
 ACCESSION AF525892
 VERSION AF525892.1 GI:23268516
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..363
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="006541b"
 /db_xref="taxon:11103"
CDS
 <1..>363
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16415.1"
 /db_xref="GI:23268517"

 /translation="PQRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPQKARQPEGRAWAQPGYPWPLYGNEGMGWAGWLLSPRGSRPSWG
 PNDPDRRSRNGLKVIDTLT"
 BASE COUNT 68 a 118 c 116 g 61 t
 ORIGIN
 1 cctcaaagaa aaaccaaacg taacaccaac cgccgcccac aggacgtcaa gttccccggc
 61 ggtggccaga tcgttggtgg agtttacctg ttgccgcgca gggggccccc gttgggttg
 121 cgcgcgacta ggaagacttc cgagcggtcg caacctcggt gaaggcgaca acctatcccc
 181 aaggctcgcc agcccgaggg cagggcctgg gctcagcccg ggtacccttg gcccccttat
 241 ggcaatgagg gcatgggtg ggcaggatgg ctccctgtccc cccgcggctc tcggcctagt
 301 tggggcccca atgacccccc gcgttaggtcg cgtaatttgg gtaaggtcat cgataaccctc
 361 aca
 //

LOCUS AF525893 363 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 091721b polyprotein gene, partial
 cds.
 ACCESSION AF525893
 VERSION AF525893.1 GI:23268518
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..363
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="091721b"
 /db_xref="taxon:11103"
 CDS <1..>363
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16416.1"
 /db_xref="GI:23268519"

 /translation="PQRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPKARQPEGRAWAQPGYPWPLYGNEGGMGWAGWLSPRGSRPNWG
 PNDPDRRSRNGLKVIDTLT"
 BASE COUNT 70 a 116 c 115 g 62 t
 ORIGIN
 1 cctcaaagaa aaacccaaacg taacaccaac cgccgcccac aggacgtcaa gttcccgggc
 61 ggtggccaga tcgttggtgg agtttacctg ttgcgcgcga gggccctcg gttgggtgtg
 121 cgcgcgacta ggaagacttc cgagcggtcg caacctcgta gaaggcgaca acctatcccc
 181 aaggctcgcc agccccgaggg cagggcctgg gtcagcccc ggtacccttg gcccctctat
 241 ggcaatgagg gcatgggtg ggcaggatgg ctccctgtccc cccgcggctc tcggcctaatt
 301 tggggccccca atgacccccc gcgttaggtcg cgtaatttgg gtaaggtcat cgataacccta
 361 aca
 //

LOCUS AF525894 363 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 102981b polyprotein gene, partial
 cds.
 ACCESSION AF525894
 VERSION AF525894.1 GI:23268520
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 363)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..363
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="102981b"
 /db_xref="taxon:11103"
CDS
 <1..>363
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16417.1"
 /db_xref="GI:23268521"

 /translation="PQRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPKARQPEGRAWAQPGYPWPLYGNEGMGWAGWLSPRGSRPSWG
 PNDPRRRSRNWVKVIDTLT"
 BASE COUNT 73 a 113 c 115 g 62 t
 ORIGIN
 1 cctcaaagaa aaacccaaacg taacaccaac cgtcggccac aggacgtcaa gttcccgccc
 61 ggcggtcaga tcgttgggtgg agtttacctg ttgccgcga ggggccccag gttgggtgt
 121 cgcgcgacta ggaagacttc cgagcggctcg caacacctcgta gaaggcgaca acctatcccc
 181 aaggctcgcc aaccccgaggg cagggccctgg gtcagcccc ggtacccttg gcccctctat
 241 ggcaatgagg gcatgggtg ggcaggatgg ctccctgtcac ctcgtggctc tcggcctagt
 301 tggggcccca acgacccccc gcgttaggtcg cgcaattggg taaaggtcat cgatacccta
 361 aca
 //

LOCUS AF525895 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 122083a polyprotein gene, partial
 cds.
 ACCESSION AF525895
 VERSION AF525895.1 GI:23268522
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="122083a"
 /db_xref="taxon:11103"
 CDS <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16418.1"
 /db_xref="GI:23268523"

/translation="PKPQRKTQRNTIRRQDVKFPGGQIVGGVYVLPRRGPRGVRA
 TRKTTSERSQPRGRRQPIP KARRSEGRSWA QPGYPWPLYGN EGCGWAGWLSPRGSRPS
 WGPNDP RRRSRNLVKSS"

BASE COUNT 76 a 114 c 109 g 60 t

ORIGIN

```

1 cctaaaccac aaagaaaaac ccaaagaaaac accatccgtc gcccacagga cgttaagttc
61 ccgggtggcg gacagatcg tggtggagta tacgtgctgc cgccgcagggg cccacgattg
121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggtcacagc ctcgcggacg acgacagcct
181 atccccaaagg cacgtcgagg cgaaggccgg tcctgggctc agcctggta cccttggcc
241 ctctatggta acgagggttg cgggtggca ggatggctcc tgtccccacg cggttcccg
301 ccatcttggg gcccaaacga cccccggcga cggtcccgcg atctggtaaa gtcatcgat
//"
  
```

LOCUS AF525896 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 951883a polyprotein gene, partial
 cds.
 ACCESSION AF525896
 VERSION AF525896.1 GI:23268524
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="951883a"
 /db_xref="taxon:11103"
 <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16419.1"
 /db_xref="GI:23268525"

 /translation="PKPQRKTKRNTIIRRQDVKFPGGGQIVGGVYVLPRRGPLGVRA
 ARKTTSERSQPRGRQPIP KARRSDGRSWAQP GYPWPLYGNEGCGWAGWLSPRGSRPS
 WGPNDP RRRSRNLVKSS"
 BASE COUNT 70 a 118 c 115 g 56 t
 ORIGIN
 1 cctaaaccac aaagaaaaac caaaagaaac accatccgtc gcccacagga cgtcaaggtc
 61 ccgggtggcg gacagatcgt tggtgagta tacgtgctgc cgccgcagggg cccacgcctt
 121 ggtgtgcgcg cggcgcgtaa aacttctgaa cggcacagc ctcgcggacg acggcagcct
 181 atccccaaagg cgcgtcggag cgacgccgg tcctgggctc agcccggtt cccttggccc
 241 ctctatggta acgagggtcg cgggtggca gggtggctcc tgtcccccg cggctcccg
 301 ccatcttggg gcccaaacga ccccccggcgg aggtccccga acttggtaaa gtcatcgat
 //"

LOCUS AF525897 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 119883a polyprotein gene, partial
 cds.
 ACCESSION AF525897
 VERSION AF525897.1 GI:23268526
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="119883a"
 /db_xref="taxon:11103"
CDS <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16420.1"
 /db_xref="GI:23268527"

/translation="PKPQRKTKRNTIRRPQDVKFPGGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRQQPIPKARRSEGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWGPNDPRRRSRNLVKSS"

BASE COUNT 72 a 116 c 113 g 58 t
 ORIGIN

```

    1 cctaaacctc aaagaaaaac caaaagaaaac accatccgtc gcccacagga cgtcaaggtc
    61 ccgggtggcg gacagatcgt tggtgaggta tacgtgctgc cgccgcagggg cccacgcctg
   121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggtcacagc ctcgcggacg acgacagcct
   181 atcccccaagg cgcgtcgag cgaaggccgg tcctgggctc agccccggta cccttggccc
   241 ctctatggta acgaggggctg cgggtggca gggtggtcc tgtcccccg cggctcccg
   301 ccatcttggg gcccaaacga cccccggcgg aggtcccga atttggtaaa gtcatcgat
  //
```

LOCUS AF525898 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 196883a polyprotein gene, partial
 cds.
 ACCESSION AF525898
 VERSION AF525898.1 GI:23268528
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="196883a"
 /db_xref="taxon:11103"
 CDS <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16421.1"
 /db_xref="GI:23268529"

 /translation="PKPQRKTKRNTIRRPQDVKFPGGGQIVGGVYVLPRRGPLGVRA
 TRKTTERSQPRGRQQPIPKARRSEGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPS
 WGPNDPDRRSRNLVKSS"
 BASE COUNT 76 a 115 c 109 g 59 t
 ORIGIN
 1 cctaaacctc aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaaggta
 61 ccgggtggcg gacagatcgt tggtgagta tacgttgc cgccgagggg cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggtcacagc ctgcggacg acgacagcct
 181 atccccaaagg cacgtcgag cgaaggccgg tcctgggctc agcctggta cccctggccc
 241 ctctatggta acgagggtcg cgggtggca ggatggctcc tgtccccacg cggctcccgat
 301 ccatcttggg gccccaaacga ccccccggcga cggtcccgca atttggtaaa gtcatacgat
 //

LOCUS AF525899 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 316313a polyprotein gene, partial
 cds.
 ACCESSION AF525899
 VERSION AF525899.1 GI:23268530
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="316313a"
 /db_xref="taxon:11103"
CDS
 <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16422.1"
 /db_xref="GI:23268531"

 /translation="PKPQRKTKRNTIIRRQDVKFPGGQIVGGVYVLPRRGRLGVRA
 TRKTTSRSQPRGRQQPIPKARRSEGRSWAQPQYPWPLYGNEGCGWAGWLSPRGSRPS
 WGPNDPRRRSRNLVKSS"
 BASE COUNT 75 a 112 c 110 g 62 t
 ORIGIN
 1 cctaaacctc aaagaaaaac caaaagaaaac accatccgtc gcccacagga cgtaaggtc
 61 ccgggtggcg gacagatcgt tggtggagta tacgtttgc cgcgttaggg cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggcacagc ctgcggacg acgacagcct
 181 attcccaagg cacgtcgag cgaaggccgg tcctgggctc agcctggta cccttggccc
 241 ctctacggta acgagggtcg cgggtggca gggtggctcc tgtccccacg cggctcccgat
 301 ccatcttggg gcccaaacga ccccccggcga cggtcccgca atttgtaaa gtcatcgat
 //"

LOCUS AF525900 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 160793a polyprotein gene, partial
 cds.
 ACCESSION AF525900
 VERSION AF525900.1 GI:23268532
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="160793a"
 /db_xref="taxon:11103"
 <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16423.1"
 /db_xref="GI:23268533"
CDS
 /translation="PKPQRKTKRNTIIRRQDVKFPGGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRQQPIPKARRSEGRSWAQPQYPWPLYGNEGCGWAGWLSPRGSRPSWGPNDPDRRSRNLVKSS"
 BASE COUNT 76 a 114 c 109 g 60 t
 ORIGIN
 1 cctaaacctc aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaaggtc
 61 ccgggtggcg gacagatcgt tggtgaggta tacgtttac cgccgagggg cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggcacagc ctcgcggacg acgacagcct
 181 atcccccaagg cacgtcgag cgaaggccgg tcctgggctc agcctggta cccttggccc
 241 ctctatggta acgaggggctg cgggtgggca gggtggctcc tgtccccacg cggctcccgat
 301 ccatcttggg gcccaaacga cccccggcga cggtcccgca atttggtaaa gtcatcgat
 //

LOCUS AF525901 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 116143a polyprotein gene, partial
 cds.
 ACCESSION AF525901
 VERSION AF525901.1 GI:23268534
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="116143a"
 /db_xref="taxon:11103"
CDS
 <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16424.1"
 /db_xref="GI:23268535"

 /translation="PKPQRKTKRNTIIRRQDVKFPGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRQPIPKARRSEGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWGPNDPRRRSRNLVKSS"
 BASE COUNT 72 a 114 c 111 g 62 t
 ORIGIN
 1 cctaaacctc aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaagttc
 61 ccgggtggcg gacagatcg ttggtagtacgtgttgc cgccgcagggg cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacttcttag cggtcgacgc ctgcggacg acgacagcct
 181 atccccaaagg cacgtcgagg cgaaggccgg tcctgggctc agcctgggta cccttgccc
 241 ctctatggta acgagggtcg cgggtggca gggtggctcc tgtccctcg tggctccgt
 301 ccatcttggg gcccaaacga ccccccgcga cgttcccgca atctggtaaa gtcatcgat
 //"

LOCUS AF525902 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 817693a polyprotein gene, partial
 cds.
 ACCESSION AF525902
 VERSION AF525902.1 GI:23268536
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="817693a"
 /db_xref="taxon:11103"
CDS
 <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16425.1"
 /db_xref="GI:23268537"

 /translation="PKPQRKTKRNTIIRRQDVKFPGGQIVGGVYVLPRRGPRLGVRATRKTSERSQPRGRQQPIPKARRSEGRSWAQPGYPWPLYGNEGCGWAGWLLSPRGSRPTWGPNDPDRRSRNLVKSS"
 BASE COUNT 73 a 113 c 115 g 58 t
 ORIGIN
 1 cctaaacctc aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaagttc
 61 ccgggtggcg gacagatcgt tggtgagta tacgttgtgc cgccgagggg cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacttcagag cggtcacagc ctgcggacg ggcacagcct
 181 atccccaaagg cgctcgagg cgaaggccgg tcctgggctc agccccggta cccttggccc
 241 ctctatggta acgaggggctg cgggtggca gggtggtcc tggcccgccg cggctctcg
 301 ccaacttggg gcccaaacga ccccccgggg aggtcccgca atttggtaaa gtcatcgat
 //

LOCUS AF525903 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 123813a polyprotein gene, partial
 cds.
 ACCESSION AF525903
 VERSION AF525903.1 GI:23268538
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="123813a"
 /db_xref="taxon:11103"
CDS <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16426.1"
 /db_xref="GI:23268539"

 /translation="PKPQRKTKRNTPRRPPNVKFPGGGQIVGGVYVLPRRGPRLGVR
 VRKTSERSQPRGRQQPIPKARSSEGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPS
 WGPNDPRRTSRNLVRSS"
 BASE COUNT 69 a 115 c 113 g 62 t
 ORIGIN
 1 cctaaacctc aaagaaaaac caaaaagaaac acaccccgtc gcccaccgaa cgtcaaggttc
 61 ccgggcggcg ggcagatcgt tggtgagta tatgtgctgc cgccgagggg cccacgattt
 121 ggtgtgcgcg cagtagttaa gacttccgag cggtcgcaac ctgcggacg ggcgcagcc
 181 atccccaaagg cgcgctcgag cgagggccgg tcctgggctc agcctggta cccttggccc
 241 ctctatggga atgagggtctg tgggtggca ggatggcttc tgtccccccg cggttctcgc
 301 cctagttggg gcccaaata gccccggcgt acatcccgca acttggtaag gtcatcgat
 //

LOCUS AF525904 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 130663a polyprotein gene, partial
 cds.
 ACCESSION AF525904
 VERSION AF525904.1 GI:23268540
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 REFERENCES Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae;Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="130663a"
 /db_xref="taxon:11103"
 CDS <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16427.1"
 /db_xref="GI:23268541"

 /translation="PKPQRKTKRNTIRRPQDVKFPGGGQIVGGVYVLPRRGPRLGVRATRKT
 SERSQPRGRQQPIPKARRSEGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPS
 WGPNDPRRSRNLRVSS"
 BASE COUNT 74 a 113 c 111 g 61 t
 ORIGIN
 1 cctaaacctc aaagaaaaac caaaaagaaac accatccgtc gcccacagga cgtcaaggtc
 61 ccgggtggcg gacagatcg tgggtggata tacgtgttgc cgccgagggg cccacgattg
 121 ggtgtgcgcg cgacgcgtaa aacttctgaa cggtcacagc ctcgcggacg acgacagcct
 181 atccccaaagg cacgtcgagg cgaaggccgg tcctgggctc agcctggta cccttgccc
 241 cttaacggta acgagggtctg cgggtggca gggtggctcc tgcccccccg cggctccgt
 301 ccatttgggg gcccaaata gccccggcga aggtccccca atttggtaag gtcatcgat
 //"

LOCUS AF525905 359 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 061653a polyprotein gene, partial
 cds.
 ACCESSION AF525905
 VERSION AF525905.1 GI:23268542
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 359)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..359
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="061653a"
 /db_xref="taxon:11103"
 CDS <1..>359
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16428.1"
 /db_xref="GI:23268543"
 /translation="PKPQRKTKRNTPQQPQDVKFPGGGQIVGGVYVLPRRGPRLGVR
 VRKTTSERSQPRGRQPIP KARPSEGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPS
 WGPNDPRRRSRNLVKSS"
 BASE COUNT 69 a 113 c 115 g 62 t
 ORIGIN
 1 cctaaacctc aaagaaaaac caaaaagaaac acaccccgtc gcccacagga cgtaatgg
 61 ccggggcgccg ggcagatcg ttgtggagta tatgtgctgc cgccgagggg cccacgcttgc
 121 ggtgtgcgcg cactacgtaa gacttccgag cggtcgcaac ctcgcggacg gcgtcagcc
 181 atcccccaagg cacgcccggag cgaggggccgg tcctgggctc agcctggta cccctggccc
 241 ctctatggga atgagggttg tgggtggca ggatggcttc tgcccccgcg cggctcccg
 301 ccatcttggg gcccaaatga ccccccggag aggtccccca atttggtaaa gtcatcgat
 //

LOCUS AF525907 353 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 168003a polyprotein gene, partial
 cds.
 ACCESSION AF525907
 VERSION AF525907.1 GI:23268546
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 353)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 353)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..353
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="168003a"
 /db_xref="taxon:11103"
CDS
 <1..>353
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16430.1"
 /db_xref="GI:23268547"

/translation="PQRKTKRNTIIRRQDVKFPGGGQIVGGVYVLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPKARRSRSAQPGYPWPLYGKQGSRWAGWLSPRGSRPSWG
 PNDPRRRSRNLVKSS"

BASE COUNT 73 a 112 c 108 g 60 t
 ORIGIN

```

  1 cctcaaagaa aaacccaaaag aaacaccatc cgtcgcccac aggacgtcaa gttcccggt
  61 ggcggacaga tcgttggtg agtatacgtg ttgccgcga gggggccacg attgggtgtg
  121 cgcgcgacgc gtaaaaacttc tgaacggta cagcctcgcg gacgacgaca gcctatcccc
  181 aaggcacgtc ggagccgaag ccggctctgg gtcagcctg gatacccttgc cccctctat
  241 ggtaaacagg gctcgcggtg ggcagggtgg ctccgtccc cgccggctc ccgtccatct
  301 tggggcccaa atgacccccc gcgagggtcc cgcaatttgg taaagtcatc gat
  //
```

LOCUS AF525908 353 bp RNA linear VRL 23-SEP-2002
 DEFINITION Hepatitis C virus isolate 2143043a polyprotein gene, partial
 cds.
 ACCESSION AF525908
 VERSION AF525908.1 GI:23268548
 KEYWORDS .
 SOURCE Hepatitis C virus
 ORGANISM Hepatitis C virus
 Viruses; ssRNA positive-strand viruses, no DNA stage;
 Flaviviridae; Hepacivirus.
 REFERENCE 1 (bases 1 to 353)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Molecular characterization of HCV core region of HCV infection
 in Thai blood donor
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 353)
 AUTHORS Theamboonlers,A., Bedi,K., Chinchai,T., Sriponthong,M.,
 Chantarasamee,P. and Poovorawan,Y.
 TITLE Direct Submission
 JOURNAL Submitted (02-JUL-2002) Pediatric, Chulalongkorn University,
 RamaIV, Patumwan, Bangkok 10330, Thailand
 FEATURES Location/Qualifiers
 source 1..353
 /organism="Hepatitis C virus"
 /mol_type="genomic RNA"
 /isolate="2143043a"
 /db_xref="taxon:11103"
 CDS <1..>353
 /note="core region"
 /codon_start=1
 /product="polyprotein"
 /protein_id="AAN16431.1"
 /db_xref="GI:23268549"

/translation="PQRKTKRNTVRRPQHVVKFPGGQIVGGVYVLPRRGPRLGVRATR
 KTSERSQPRGRQQPIPKARRNEGRSWAQPGYPWPLYGNEGCGWAGWLSPRGSRPSWG
 PNDPRRRSRNLVKSS"

BASE COUNT 73 a 109 c 111 g 60 t
 ORIGIN

```

1 ccacaaagaa aaaccaagag aaacaccgtc cgtcgcccac agcacgtcaa gttcccggtt
61 ggcggacaga tcgttggtgg agtatacgtg ttgccgcga gggggccacg attgggtgtg
121 cgcgcgacgc gtaaaacttc tgaacggta cagcctcgca gacgacgaca gcctatcccc
181 aaggcacgtc ggaacgaagg ccggccttgg gctcagcctg gatacccttg gccacttat
241 ggtaatgagg gctgcgggtg ggcagggtgg ctccctgtccc cgcgcggctc ccgtccatct
301 tggggcccaa atgacccccc gcgaggtcc cgcaatttgg taaagtcatc gat
  //
```

BIOGRAPHY

Mrs. Teeraporn Chinchai was born on September 8, 1965 in Bangkok, Thailand. She received her Bachelor degree of Science (Medical Technology) in 1987 from Faculty of Medical Technology, Chiangmai University and Master degree of Science (Microbiology) in 1990 from Faculty of Science, Mahidol University. She has enrolled in the Royal Golden Jubilee Scholar (TRF) in graduate program for the Degree of Doctor of Philosophy in Medical Microbiology, Inter-Department of Medical Microbiology, Faculty of Graduate School, Chulalongkorn University since 1999. She has published 3 international scientific articles in Infection (2001), Acta Virologica (2002) and J Virol Methods (2003) during her Ph.D. study. She is an Assistant Professor in Department of Microbiology, Faculty of Medicine, Srinakharinwirot University.