

## REFERENCES

- [1] Chalmers, J. M.; and Griffiths, P. R. (Eds). Handbook of Vibrational Spectroscopy. Volume 2, UK: John Wiley & Sons, 2002.
- [2] Wang, Y.; Cheng, R.; Liang, L.; and Wang, Y. Study on the Preparation and Characterization of Ultra-high Molecular Weight Polyethylene-Carbon Nanotubes Composite Fiber. Compos. Sci. Technol. 65 (2005): 793-797.
- [3] Chen, Q.; Xu, R.; and Yu, D. Multiwalled Carbon Nanotube/Polybenzoxazine Nanocomposites: Preparation, Characterization and Properties. Polym. 47 (2006): 7711-7719.
- [4] Ghose, S.; Watson, K. A.; Delozier, D. C.; Woeking, D. C.; Siochi, E. J.; and Connell, J. W. Incorporation of Multi-walled Carbon Nanotubes into High Temperature Resin Using Dry Mixing Techniques. Compos. Part A-appl. S. 37 (2006): 465-475.
- [5] Ou, R.; Gerhardt, R. A.; Marrett, C.; Moulart, A.; and Colton, J. S. Assessment of Percolation and Homogeneity in ABS/Carbon Black Composites by Electrical Measurements. Compos. Part B-Eng. 34 (2003): 607-614.
- [6] Quercia, L.; Loffredo, F.; and Di Francia, G. Influence of Filler Dispersion on Thin Film Composites Sensing Properties. Sensor Actuat. B-Chem. 109 (2005): 153-158.
- [7] Agag, T.; and Takeichi, T. Polybenzoxazine-Montmorillonite Hybrid Nanocomposites: Synthesis and Characterization. Polym. 41 (2000): 7083-7090.
- [8] Lu, H.; and Zheng, S. Miscibility and Phase Behavior in Thermosetting Blends of Polybenzoxazine and Poly(ethylene oxide). Polym. 44 (2003): 4689-4698.
- [9] Ishida, H.; and Sanders, D. P. Regioselectivity and Network Structure of Difunctional Alky-substituted Aromatic Amine-based Polybenzoxazine. Macromol. 33 (2000): 8149-8157.
- [10] Takeichi, T.; Kano, T.; and Agag, T. Synthesis and Thermal Cure of High Molecular Weight Polybenzoxazine Precursors and the Properties of the Thermosets. Polym. 46 (2005): 12172-12180.

- [11] Ignjatovic, N.; Savic, V.; Najman, S.; Plavsic, M.; and Uskokociv, D. A. Study of HAp/PLA Composites as a Substitute for Bone Powder, Using FT-IR Spectroscopy. Biomaterials. 22 (2001): 571-575.
- [12] Kunze, C.; Freier, T.; Helwig, E.; Sandner, B.; Reif, D.; Wutzler, A.; and Radusch, H. J. Surface Modification of Tricalcium Phosphate for Improvement of the Interfacial Compatibility with Biodegradable Polymers. Biomaterials. 24 (2003): 967-974.
- [13] Wang, M.; Berry, C.; Braden, M.; and Bonfield, W. Young's and Shear Moduli of Ceramic Particle Filled Polyethylene. J. Mater. Sci. M. 9 (1998): 621-624.
- [14] Cheang, P.; and Khor, K. A. Effect of Particulate Morphology on the Tensile Behavior of Polymer-Hydroxyapatite Composites. Mater. Sci. Eng. A 345 (2003): 47-54.
- [15] He, J. P.; Li, H. M.; Wang, X. Y.; and Gao, Y. In Situ Preparation of Poly(ethylene terephthalate)-SiO<sub>2</sub> Nanocomposites. Eur. Polym. J. 42 (2006): 1128-1143.
- [16] Lin, J. C.; Chang, L. C.; Nien, M. H.; and Ho, H. L. Mechanical Behavior of Various Nanoparticle Filled Composites at Low-velocity Impact. Compos. Struct. 74 (2006): 30-36.
- [17] Mathieu, L. M.; Bourban, P. -E.; and Manson, J. -A. E. Processing of Homogeneous Ceramic/Polymer Blends for Bioresorbable Composites. Compos. Sci. Technol. 66 (2006): 1606-1614.
- [18] Lin, J. C.; Nein, M. H.; and Yu, F. M. Morphological Structure, Processing and Properties of Propylene Polymer Matrix Nanocomposites. Compos. Struct. 71 (2005): 78-82.
- [19] Bengtsson, M.; and Oksman, K. The Use of Silane Technology in Crosslinking Polyethylene/Wood Flour Composites. Compos. Part A-appl S. 37 (2006): 752-765.
- [20] Mills, S. L.; Lees, G. C.; Liauw, C. M.; and Lynch, S. Dispersion Assessment of Flame Retardant Filler/Polymer Systems Using a Combination of X-ray Mapping and Multifractal Analysis. Polym. Test. 21 (2002): 941-948.
- [21] Liu, X.; and Piotter, V. Mapping Micro-Mechanical Properties of Carbon-Filled Polymer Composites by TPM. Precis. Eng. (2006).

- [22] Moghaddam, L.; Rintoul, L.; Halley, P. J.; and Fredericks, P. M. Infrared Microspectroscopic Mapping of the Homogeneity of Extruded Blends: Application to Starch/Polyester Blends. Polym. Test. 25 (2006): 16-21.
- [23] Kazarian, S. G; and Chan, K. L. A. Application of ATR-FTIR Spectroscopic Imaging to Biomedical Samples. BBA. 1758 (2006): 858-867.
- [24] Schexnaydre, J. R.; and Mitchell, S. B. Synchrotron Infrared Microspectroscopy Characterization of Heterogeneities in Solid-state Blended Polymer. Mater. Lett. (2006).
- [25] Ellis, G.; Marco, C.; Gomez, A. M.; Collar, E. P.; and Garcia-Martinez, M. J. The Study of Heterogeneous Polymer Systems by Synchrotron Infrared Microscopy. J. Macromol. Sci. B. B43 (2004): 253-266.
- [26] Keen, I.; Rintoul, L.; and Fredericks, P. M. Raman Microspectroscopic Mapping: A Tool for the Characterisation of Polymer Surfaces. Macromol. Symp. 184 (2002): 287-298.
- [27] Sommer, A. J.; Lewis, L. L. Attenuated Total Internal Reflection Infrared Mapping Microspectroscopy of Soft Materials. Appl. Spectrosc. 54 (2000): 324-330.
- [28] Preghenella, M.; Pegoretti, A.; and Migliaresi, C. Atomic Force Acoustic Microscopy Analysis of Epoxy-silica Nanocomposites. Polym. Test. 25 (2006): 443-451.
- [29] Zeng, R.; Wang, Y.; Wang, S.; and Shen, P. K. Homogeneous Synthesis of PFSI/Silica Composite Membranes for PEMFC Operating at Low Humidity. Electrochim. Acta. 2006.
- [30] Urban, M. W. Attenuated Total Reflectance Spectroscopy of Polymer: Theory and Practice. Washington: American Chemical Society, 1996.
- [31] Humecki, H. J.; Practical Guide to Infrared Microspectroscopy. New York: Marcel Dekker, 1995.
- [32] Coleman, P. B. Practical Sampling Techniques for Infrared Analysis. London: CRC press, 1993.
- [33] Koenig, J. L. Spectroscopy of Polymer. New York, USA: Elsevier Science, 1999.
- [34] Do, T. T.; Celina, M.; and Fredericks, P. Attenuated Total Reflectance Infrared Microspectroscopy of Aged Carbon-filled Rubbers. Polym. Degrad. Stab. 77 (2002): 417-422.

- [35] Ekgasit, S.; and Thongnopkun, P. Novel Attenuated Total Reflection Fourier Transform Infrared Microscopy Using a Gem Quality Diamond as an Internal Reflection Element. Appl. Spectrosc. 59 (2005): 1-6.
- [36] Ekgasit, S.; and Thongnopkun, P. Transflectance Spectra of Faceted Diamonds Acquired by Infrared Microscopy. Appl. Spectrosc. 59 (2005): 108-113.
- [37] Appel, R.; Zerda, T. W.; and Waddell, W. H. Raman Microimaging of Polymer Blend. Appl. Spectrosc. 54 (2000): 1559-1566.
- [38] Kressler, J., Schafer, R.; and Thomann, R. Imaging of Semicrystalline Polymers and Polymer Blends by FT-IR Microspectroscopy. Appl. Spectrosc. 52 (1998): 1269-1273.
- [39] Socrates, G., Infrared and Raman Characteristic Group Frequencies. England: John Wiley & Sons, 2001.

## **APPENDIX**

## APPENDIX

### 1. Polybenzoxazine




Figure 1. Benzoxazine resin (bisphenol A based benzoxazine, Ba-35x) [8].

### 2. Diamond




Figure 2. A Schematic of a round brilliant cut diamond.

## CURRICULUM VITAE

Miss Duangta Tongsakul

- 1983      Born            : May, 2<sup>nd</sup>, in Karnjanaburi  
            Father        : Mr. Karoun Tongsakul  
            Mother        : Mrs. La-or Tongsakul
- 1995      Primary School (Darasamut School, Phuket)
- 2000      High School (Sateepuket School, Phuket and Phuketwittayalai  
            School, Phuket)
- 2004      Bachelor of Engineering (Petrochemicals and Polymeric  
            Materials), Silpakorn University, Nakornpathom, Thailand
- 2006      Master of Science (Petrochemistry and Polymer Science),  
            Chulalongkorn University, Bangkok, Thailand