

References

1. Gibson, R. F., Principles of Composite Material Mechanics. Singapore:McGraw-Hill, 1994.
2. U.S. Composites Shipments to Slow in 1996. Modern Plastics International. 26(March 1996): 14.
3. Nielson, L.E. and Landel, R.F. Mechanical Properties of Polymers and Composites. 2nd ed. New York:Marcel Dekker, 1994.
4. Reinhart, T. J., and Clements, L. L. Engineered Materials Handbook. Ohio:ASM International, 1989: 27-34.
5. Hillig, W. B. Composite Materials. Encyclopedia of Chemical Technology 6(1981): 683-699.
6. Rubin, I.I., ed. Rigid Poly(vinyl chloride). Handbook of Plastic Materials and Technology. 1 (1990): 549-563.
7. Owen, E. D. Degradation and Stabilisation of PVC. London:Elsevier Applied Science, 1984.
8. Manson, J. A. PVC blends, blocks, grafts and interpenetrating polymer networks. Encyclopedia of PVC. 1(1986): 555-595.
9. Reithel, F. J. Styrene-acrylonitrile copolymer. Handbook of Plastic Materials and Technology. 1(1990): 601-615.
10. Gittsupab, P. TPI's new product. Petrochemical Industry Publication No.12 (1994): 10-11
11. Schweizer, R.A, and Winterman, A.W. Reinforcing Fibers and Fillers. International Encyclopedia of Composites. 4(1990): 419-433.

12. Godlewski, R.E., and Heggs, R.P. Coupling agents. International Encyclopedia of Composites. 1(1990): 1-18.
13. Plueddemann, E. P. Silane coupling agents. 2nd ed. New York; Plenum Press., 1982.
14. Witucki, G. C. A Silane Primer: Chemistry and Application of Alkoxy Silanes. Journal of Coating Technology 65 (1993): 57-60.
15. Rahrig, D. B. Glass Fiber Reinforced Vinyl Chloride Polymer Products and Process for Their Preparation. U.S.Patent 4,536,360 (20 Apr,1985).
16. Kim, J. H., Barlow, J. W. and Paul, D. R. Phase Behavior of Blends of Poly(vinyl chloride) with Alpha-methyl Styrene / Acrylonitrile Copolymer. Polymer Engineering and Science 29 (mid-May 1989): 581-585.
17. Eckstein, Y. and Berger, E.J. Effect of Silane on Glass/Resin Adhesion Strength. Adhesion 13(1990): 139-162.
18. Kinson, P. L. and Fober, E. M. Improving Tensile Strength and Heat Distortion Temperature with Glass Fiber Reinforced Poly(vinyl chloride) Blend. U.S.Patent 5,008,145 (16 Apr, 1991).
19. Kelnar, I. and Schatz, M. Silane Cross-linking of PVC. Journal of Polymer Science. 48, (1993): 657-668.
20. Otaigke, J. U. Effect of Coupling Agent and Absorbed Moisture on the Tensile Properties of a Thermoplastic RRIM Composite. Journal of Applied Polymer Science. 45 (1992): 1213-1221.
21. Morrel, S. H. A Review of the Effects of Surface Treatments on Polymer-filler Interaction. Plastics and Rubber Processing and Applications 1(1987): 179-182.
22. Manson, J. A., and Sperling, L.H. Polymer Blends and Composites. New York: Plenum Press, 1978.



VITA

Mr. Suwit Alongkornchotikul was born on May 11, 1970, in Bangkok. He received the Bachelor's Degree in Chemistry from the Faculty of Science, Srinakharinwirot University in 1993, and he has been a graduate student in the Multidisciplinary Program of Petrochemistry-Polymer, Polymer Science Division, Graduate School, Chulalongkorn University since 1993.