

REFERENCES

- Agawal, K., Bali, A. and Gupta, C.M. Influence of the phospholipid structure on the stability of liposomes in serum. *Biochim. Biophys. Acta.* 856(1986):36-40.
- Allen, T.M. and Cleland, L.G. Serum-induced leakage of liposome contents. *Biochim. Biophys. Acta.* 597(1980):418-426.
- Bach, D. Calorimetric studies of model and natural biomembranes. In D. Chapman (ed.), *Biomembrane structure and function.* pp. 15-17. Florida:Verlag Chemie GmbH. 1984.
- Bally, M.B., et al. Dopamine accumulation in large unilamellar vesicle system induced by transmembrane ion gradients. *Chem. Phys. Lipids.* 47(1988):97-107.
- Bangham, D.A. Properties and uses of lipid vesicles:An overview. *Ann. New York Acad. Sci.* 308(1978):2-7.
- Boman, N.L., Mayer, L.D. and Cullis, P.R. Optimization of the retention properties of vincristine in liposomal systems. *Biochim. Biophys. Acta.* 1152(1993):253-258.
- Blok, M.C., Van Der Neut-Kok, E.C.M., Van Deenen, L.L.M. and De Gier, J. The effect of chain length and lipid phase transitions on the selective permeability properties of liposomes. *Biochim. Biophys. Acta.* 406(1975):187-196.
- Bourges, M., Small, D.M. and Dervichain, D.G. Biophysics of lipidic associations : II. The ternary systems cholesterol-lecithin-water. *Biochim. Biophys. Acta.* 137(1967):157-167.
- Cevc, G. and Marsh, D. *Phospholipid bilayers:physical principles and models.* A Wiley-Interscience Publication:John Wiley & Sons, Inc, 1987.

- Chabanain, J.V., Tall, A.R. and Brecher, P.I. Interaction between unilamellar egg yolk lecithin vesicles and human high density lipoprotein. *Biochemistry*. 18(1979):180-187.
- Chakrabarti, A.C. and Deamer, D.W. Permeability of lipid bilayers to amino acid and phosphate. *Biochim. Biophys. Acta*. 1111(1992):171-177.
- Chauhan, A., Chauhan, V.P.S. and Brockerhoff, H. Effect of cholesterol on Ca^{2+} -induced aggregation of liposomes and calcium diphosphatidate membrane traversal. *Biochemistry*. 285(1986):1569-1573.
- Cullis, P.R., Bally, M.B., Madden, T.D. and Mayer, L.D. pH gradients and membranes transport in liposomal systems. *Tibtech*. 9(1991):268-272.
- De Gier, J., Mandrslout, G.J. and Van Deenen, M.L.L. Lipid composition and permeability of liposomes. *Biochim. Biophys. Acta*. 150(1968):666-675.
- _____. The role of cholesterol in lipid membranes. *Biochim. Biophys. Acta*. 173(1969):143-145.
- _____. , et al. Relations between liposomes and biomembranes. *Ann. New York Acad. Sci.* 138(1978):85-99.
- Deamer, D.W. and Bramhall, J. Permeability of lipid bilayers to water and ionic solutes. *Chem. Phys. Lipids*. 40(1986):167-188.
- _____. and Nichols, J.W. Proton-hydroxide permeability of liposomes. *Proc. natl. Acad. Sci. U.S.A.* 80(1983):165-168.
- Demel, A.W. and Kruyff, D.E.B. The function of sterols in membranes. *Biochim. Biophys. Acta*. 457(1976):109-132.
- Duzgunes, N., et al. Physicochemical characterization of large unilamellar phospholipid vesicles prepared by reverse-phase evaporation. *Biochim. Biophys. Acta*. 732(1983):289-299.
- Eytan, G.D., Mary, T., Broza, R. and Shalitin, Y. Cationic amphiphiles induce fusion of acidic liposomes. *Biochim. Biophys. Acta*. 778(1984):38-48.

- Glagasigij, U., Sato, Y. and Suzuki, Y. Characterization of immunoliposome membrane: ESR spectroscopic analysis of the effect of cholesterol derivatives in membrane. *Chem. Pharm. Bull.* 36(1988):1589-1592.
- _____. Alteration of immunolysis reaction on liposome membrane by various cholesterol analogues. *Chem. Pharm. Bull.* 36(1988):4192-4198.
- Goodrich, P.R., Handel, M.T. and Baldeschwieler, D.J. Modification of lipid phase behavior with membrane-bound cryoprotectants. *Biochim. Biophys. Acta.* 938(1988):143-154.
- Gregoriadis, G. *Liposome technology. 2nd ed. Vol.1: Liposome preparation and related techniques.* London: CRC Press, 1993.
- Guo, L.S.S., Hamilton, R.L., Goerke, J., Weinstein, J.N. and Havel, R.J. Interaction of unilamellar liposomes with serum lipoproteins and apolipoproteins. *J. Lipid. Res.* 21(1980):993-1003.
- Haran, G., Cohen, R., Bar, L.K. and Barenholz, Y. Transmembrane ammonium sulfate gradients in liposomes produce efficient and stable entrapment of amphipathic weak bases. *Biochim. Biophys. Acta.* 1151(1993): 201-215.
- Harrigan, P.R., Wong, K.F., Redelmeier, T.E., Wheeler, J.J. and Cullis, P.R. Accumulation of doxorubicin and other lipophilic amines into large unilamellar vesicles in response to transmembrane pH gradients. *Biochim. Biophys. Acta.* 1149(1993):329-338.
- Hauser, H. and Grains, N. Spontaneous vesiculation of phospholipids: A simple and quick method of forming unilamellar vesicles. *Proc. Natl. Acad. Sci. U.S.A.* 79(1982):1683-1687.
- Hope, M.J., Bally, M.B., Mayer, L.D., Janoff, A.S. and Cullis, P.R. Generation of multilamellar and unilamellar phospholipid vesicles. *Chem. Phys. Lipids.* 40(1986):89-107.

- _____. and Cullis, P.R. Lipid asymmetry induced by transmembrane pH gradients in large unilamellar vesicles. *J. Biol. Chem.* 262(1987):4360-4366.
- _____, Redelmeier, T.E., Wong, K.F., Rodriguez, W and Cullis, P.R. Phospholipid asymmetry in large unilamellar vesicles induced by transmembrane pH gradients. *Biochemistry.* 28(1989):4181-4187.
- Inoue, K. Permeability properties of liposomes prepared from dipalmitoyllecithin, dimyristoyllecithin, egg lecithin, rat liver lecithin and beef brain sphingomyelin. *Biochim. Biophys. Acta.* 339(1974):390-402.
- Jizomoto, S., Kanaoka, E. and Hirano, K. Encapsulation of drugs by lyophilized, empty dipalmitoylphosphatidylcholine liposome. *Chem. Pharm. Bull.* 37(1989):1895-1898.
- Johnson, S.M. The effect of charge and cholesterol on the size and thickness of sonicated phospholipid vesicles. *Biochim. Biophys. Acta.* 307(1973):27-41.
- Kirby, C., Clarke, J. and Gregoriadis, G. Effect of the cholesterol content of small unilamellar liposomes on their stability *in vivo* and *in vitro*. *Biochem. J.* 186(1980):591-598.
- Ladbrooke, D.B., Williams, M.R. and Chapman, D. Studies on lecithin-cholesterol-water interactions by differential scanning calorimetry and X-ray diffraction. *Biochim. Biophys. Acta.* 150(1968):333-340.
- Lasic, D. Liposomes: synthetic lipid microspheres serve as multipurpose vehicles for the delivery of drugs, genetic material and cosmetics. *American. Scientis.* 180(1992):20-31.
- Lentz, B.R., Barrow, D.A. and Hoechli, M. Cholesterol-phosphatidylcholine interactions in multilamellar vesicles. *Biochemistry.* 19(1980):1943-1954.

- Lichtenberg, D. and Barenholz, Y. Liposomes: preparation, characterization, and preservation. *Methods. Biochem. Anal.* 33(1988):337-462.
- Lin, B.Z. and Hauser, H. The effect of positive and negative pH-gradients on the stability of small unilamellar vesicles of negatively charged phospholipid. *Biochim. Biophys. Acta.* 1147(1993):237-244.
- Madden, T.D., et. al. The accumulation of drugs within large unilamellar vesicles exhibiting a proton gradient: a survey. *Chem. Phys. Lipids.* 53(1990):37-46.
- Marsh, D. and Smith, I.C.P. An interacting spin label study of the fluidizing and condensing effects of cholesterol on lecithin bilayers. *Biochim. Biophys. Acta.* 298(1973):133-144.
- Massari, S., Folena, E., Ambrosin, V., Schiavo, G. and Colonna, R. pH-dependent lipid packing, membrane permeability and fusion in phosphatidylcholine vesicles. *Biochim. Biophys. Acta.* 1067(1991): 131-138.
- Mayer, L.D. Characterization of liposomal systems containing doxorubicin entrapped in response to pH gradients. *Biochim. Biophys. Acta.* 1025(1990):143-151.
- _____. Uptake of antineoplastic agent into large unilamellar vesicles in response to a membrane potential. *Biochim. Biophys. Acta.* 816(1983):294-302.
- _____. Uptake of dibucaine into large unilamellar vesicles in response to a membrane potential. *Biochim. Biophys. Acta.* 260(1985):802-808.
- _____. Techniques for encapsulating bioactive agents into liposomes. *Chem. Phys. Lipids.* 40(1986):333-345. (a)
- _____. Uptake of adriamycin into large unilamellar vesicles in response to a pH gradient. *Biochim. Biophys. Acta.* 857(1986):123-126. (b)

- _____, et al. Influence of ion gradients on the transbilayer distribution of dibucaine in large unilamellar vesicles. *Biochemistry*. 27(1988):2053-2060.
- McIntosh, J.T. The effect of cholesterol on the structure of phosphatidylcholine bilayer. *Biochim. Biophys. Acta*. 513(1978):43-58.
- New, R.R.C. *Liposome: a practical approach*. Oxford: IRL Press. 1989.
- Nichols, A.V., Gong, E.L., Forte, T.M. and Blanche, P.J. Interaction of plasma high density lipoprotein HDL₂₆(d1.063-1.100 g/ml) with single-bilayer liposomes of dimyristoylphosphatidylcholine. *Lipids*. 13(1978): 943-950.
- Nichols, J.W. and Deamer, D.W. Catecholamine uptake and concentration by liposomes maintaining pH gradients. *Biochim. Biophys. Acta*. 455(1976):269-271.
- _____. Net proton-hydroxyl permeability of large unilamellar liposomes measured by an acid-base titration technique. *Proc. Natl. Acad. Sci. U.S.A.* 77(1980):2038-2042.
- Papahadjopoulos, D. Liposomes as drug carriers. *Ann. Reports. in Med. Chem.* 14(1979):250-260.
- Parker, S.P. *McGraw-Hill Encyclopedia of chemistry*. 2nd ed. McGraw-Hill Inc. United States of America, 1993.
- Pascher, I., Lundmark, M., Nyholm, P.G. and Sundell, S. Crystal structures of membrane lipids. *Biochim. Biophys. Acta*. 1113(1992):339-373.
- Patel, R.K., Schuh, J.R., Li, P.M. and Baldeschwieler, D.J. Modification of vesicle surfaces with amphiphilic sterols. Effect on permeability and *in vivo* tissue distribution. *Biochim. Biophys. Acta*. 814(1985):256-264.
- _____. The pharmacological efficacy of a rigid non-phospholipid liposome drug delivery system. *Biochim. Biophys. Acta*. 797(1984):20-26.

- Redelmeier, T.E., Mayer, L.D., Wong, K.F., Bally, M.B. and Cullis, P.R. Proton flux in large unilamellar vesicles in response to membrane potentials and pH gradients. *Biophys. J.* 56(1989):385-393.
- Scherphof, G., Roerdink, F., Waite, M. and Parks, J. Disintegration of phosphatidylcholine liposome in plasma as a result of interaction with high-density lipoproteins. *Biochim. Biophys. Acta.* 542(1978):296-307.
- Senior, J. and Gregoriadis, G. Stability of small unilamellar liposome in serum and clearance from the circulation: the effect of the phospholipid and cholesterol components. *Life. Sci.* 30(1982):2133-2136.
- Slott, J.P., Jungner, M., Vilcheze, C. and Bittman, R. Effect of sterol side chain structure on sterol-phosphatidylcholine interactions in monolayers and small unilamellar vesicles. *Biochim. Biophys. Acta.* 1190(1994): 435-443.
- Veiro, J.A. and Cullis, P.R. A novel method for the efficient entrapment of calcium in large unilamellar phospholipid vesicles. *Biochim. Biophys. Acta.* 1025(1990):109-115.
- Woodle, M.C. and Lasic, D.D. Sterically stabilized liposomes. *Biochim. Biophys. Acta.* 1113(1992):171-199.
- Zuidam, N.J. and Crommelin, D.J.A. Chemical hydrolysis of phospholipids. *J. Pharm. Sci.* 84(1995):1113-1119.



VITA

Miss Wattanaporn Suprungruang was born in Nakornsrihummarach, on October, 1969. She was graduated from Faculty of Pharmaceutical Science, Chulalongkorn University, Bangkok, in 1993 with Bachelor Degree of Science in Pharmacy and have been continued her study in Department of Pharmaceutical Chemistry, Graduate School, Chulalongkorn University. After receiving Master Degree of Science in Pharmacy, she works as one of teaching staffs in Department of Pharmaceutical Chemistry, Faculty of Pharmacy, Naresuan University, Pitsanulok, Thailand.