

REFERENCES

- [1]. Oshinsky, M.L., and J. Luo. 2006. Neurochemistry of trigeminal activation in an animal model of migraine. Headache 46[Suppl 1]: S39-S44.
- [2]. Brenner, G.J., R.R. Ji, S. Shaffer, and C.J. Woolf. 2004. Peripheral noxious stimulation induces phosphorylation of the NMDA receptor NR1 subunit at the PKC-dependent site, serine-896, in spinal cord dorsal horn neurons. Eur J Neurosci 20: 375-384.
- [3]. Scott, D.B., T.A. Blanpied, and M.D. Ehlers. 2003. Coordinated PKA and PKC phosphorylation suppresses RXR-mediated ER retention and regulates the surface delivery of NMDA receptors. Neuropharmacology 45: 755-767.
- [4]. Sicuteri, F., M. Poggioni, and A. Panconesi. 1990. Upregulation of pain transmission from deficient serotonergic analgesia in migraine. In R. Paoletti, P.M. Vanhoutte, N. Brunello, and F.M. Maggi (eds.), Serotonin: From cell biology to pharmacology and therapeutics, pp. 391-404. Dordrecht: Kluwer Academic.
- [5]. Sicuteri, F. 1972. Headache as possible expression of deficiency of brain 5-hydroxytryptamine (central denervation of supersensitivity). Headache 12: 69-72.
- [6]. Srikiatkachorn, A. 2002. Chronic daily headache: A scientist's perspective. Headache 42: 532-537.
- [7]. Burstein, R. 2001. Deconstructing migraine headache into peripheral and central sensitization. Pain 89: 107-110.
- [8]. Silberstein, S.D. 2004. Migraine. Lancet 363: 381-391.
- [9]. Moskowitz, M.A., and R. Macfarlane. 1993. Neurovascular and molecular mechanisms in migraine headaches. Cerebrovasc Brain Metab Rev 5: 159-177.
- [10]. Bolay, H., U. Reuter, A.K. Dunn, Z. Huang, D.A. Boas, and M.A. Moskowitz. 2002. Intrinsic brain activity triggers trigeminal meningeal afferents in migraine model. Nat Med 8: 136-142.
- [11]. Strassman, A.M., S.A. Raymond, and R. Burstein. 1996. Sensitization of meningeal sensory neurons and the origin of headaches. Nature 384: 560-564.
- [12]. Levy, D., and A.M. Strassman. 2002. Mechanical response properties of A and C primary afferent neurons innervating the rat intracranial dura. J Neurophysiol 88: 3021-3031.
- [13]. Burstein, R., H. Yamamura, A. Malick, and A.M. Strassman. 1998. Chemical stimulation of the intracranial dura induces enhanced responses to facial stimulation in brain stem trigeminal neurons. J Neurophysiol 79: 964-982.
- [14]. Burstein, R., D. Yarnitsky, I. Goor-Aryeh, B.J. Ransil, and Z.H. Bajwa. 2000. An association between migraine and cutaneous allodynia. Ann Neurol 47: 614-624.
- [15]. Haimart, M., A. Pradalier, J.M. Launay, C. Dreux, and J. Dry. 1987. Whole blood and plasma histamine in common migraine. Cephalalgia 7: 39-42.
- [16]. Selmaj, K. 1984. Histamine release from leucocytes during migraine attack. Cephalalgia 4: 97-100.
- [17]. Anthony, M., and J.W. Lance. 1971. Histamine and serotonin in cluster headache. Arch. Neurol. 25: 225-231.

- [18]. Lambracht-Hall, M., V. Dimitriadou, and T.C. Theoharides. 1990. Migration of mast cells in the developing rat brain. Dev. Brain Res 56: 151- 159.
- [19]. Tani, E., E. Senba, S. Kokumai, K. Masuyama, T. Ishikawa, and M. Tohyama. 1990. Histamine application to the nasal mucosa induces release of calcitonin gene-related peptide and substance P from peripheral terminals of trigeminal ganglion: a morphological study in the guinea pig. Neurosci Lett. 112: 1-6.
- [20]. Sharma, H.S., J. Cervos-Navarro, and P.K. Dey. 1991. Increased blood-brain barrier permeability following acute short-term swimming exercise in conscious normotensive young rats. Neurosci Res. 10: 211 -221.
- [21]. Buzzi, M.G., V. Dimitriadou, T.C. Theoharides, and M.A. Moskowitz. 1992. 5-Hydroxytryptamine receptor agonists for the abortive treatment of vascular headaches block mast cell, endothelial and platelet activation within the rat dura mater after trigeminal stimulation. Brain Res 583: 137-149.
- [22]. Frazer, A., and J.G. Hensler. 1998. Serotonin. In G.J. Siegel, B.W. Agranoff, R.W. Albers, S.K. Fisher, and M.D. Uhler (eds.), Basic neurochemistry: Molecular, cellular, and medical aspects, pp. 263-292. Philadelphia: Lippincott-Raven Publisher.
- [23]. Hoyer, D., J.P. Hannon, and G.R. Martin. 2002. Molecular, pharmacological and functional diversity of 5-HT receptors. Pharmacol Biochem Behav 71: 533 -554.
- [24]. Villalon, C.M., P. De Vries, and P.R. Saxena. 1997. Serotonin receptors as cardiovascular targets. Drug Discovery Today 2: 294 - 300.
- [25]. Goadsby, P.J. 2000. The pharmacology of headache. Prog Neurobiol 62: 509-525.
- [26]. Kalkman, H.O. 1994. Is migraine prophylactic activity caused by 5-HT_{2B} or 5-HT_{2C} receptor blockade? Life Sci 54: 641-644.
- [27]. Taiwo, Y.O., P.H. Heller, and J.D. Levine. 1992. Serotonin is a directly-acting hyperalgesic agent in the rat. Neuroscience 48: 485-490.
- [28]. Parsons, A.A., and P.J.L.M. Strijbos. 2003. The neuronal versus vascular hypothesis of migraine and cortical spreading depression. Curr Opin Pharmacol 3: 73-77.
- [29]. Srikiatkachorn, A., C. Suwattanasophon, U. Ruangpattanatawee, and P. Phansuwan-Pujito. 2002. 5-HT_{2A} receptor activation and nitric oxide synthesis: A possible mechanism determining migraine attacks. Headache 42: 566-574.
- [30]. Saria, A., F. Javorsky, C. Humpel, and R. Gamse. 1990. 5-HT₃ receptor antagonists inhibit sensory neuropeptide release from the rat spinal cord. NeuroReport 1: 104-106.
- [31]. Pierce, P.A., G.X. Xie, J.D. Levine, and S.J. Peroutka. 1996. 5-Hydroxytryptamine receptor subtypes messenger RNAs in rat peripheral sensory and sympathetic ganglia: a polymerase chain reaction study. Neuroscience 70: 553-559.
- [32]. Regoli, D., S. Nsa Allogho, A. Rizzi, and F.J. Gobeil. 1998. Bradykinin receptors and their antagonists. Eur J Pharmacol 348: 1-10.
- [33]. Regoli, D., A. Rizzi, S.I. Perron, and F.J. Gobeil. 2001. Classification of kinin receptors. Biol Chem 382: 31-35.
- [34]. Couture, R., M. Harrisson, R.M. Vianna, and F. Cloutier. 2001. Kinin receptors in pain and inflammation. Eur J Pharmacol 429: 161-176.

- [35]. Diener, H.C. 1999. Efficacy and safety of intravenous acetylsalicylic acid lysinate compared to subcutaneous sumatriptan and parenteral placebo in the acute treatment of migraine: A double-blind, double-dummy, randomized, multicenter, parallel group study; The ASASUMAMIG Study Group. Cephalalgia 19: 581-588.
- [36]. Nattero, G., G. Allais, C. De Lorenzo, C. Benedetto, M. Zonca, E. Melzi, et al. 1989. Relevance of prostaglandins in true menstrual migraine. Headache 29: 233-238.
- [37]. Carlson, L.A., L.G. Ekelund, and L. Oro. 1968. Clinical and metabolic effects of different doses of prostaglandin E1 in man: Prostaglandin and related factors. Acta Med Scand 183: 423-430.
- [38]. Rich, G., E.J. Yoder, and S.A. Moore. 1998. Regulation of prostaglandin H synthase-2 expression in cerebrovascular smooth muscle by serum and epidermal growth factor. J Cell Physiol 176: 495-505.
- [39]. Ebersberger, A., B. Averbeck, K. Messlinger, and P.W. Reeh. 1999. Release of substance P, calcitonin gene-related peptide and prostaglandin E₂ from rat dura mater encephali following electrical and chemical stimulation *in vitro*. Neuroscience 89: 901-907.
- [40]. Williamson, D.J., R.J. Hargreaves, R.G. Hill, and S.L. Shephard. 1997. Sumatriptan inhibits neurogenic vasodilation of dural blood vessels in the anaesthetized rat - intravital microscope studies. Cephalalgia 17: 525-531.
- [41]. Jenkins, D.W., W. Feniuk, and P.P. Humphrey. 2001. Characterization of the prostanoid receptor types involved in mediating calcitonin gene-related peptide release from cultured rat trigeminal neurones. Br J Pharmacol 134: 1296-1302.
- [42]. Davis, R.J., C.E. Murdoch, M. Ali, S. Purbrick, R. Ravid, G.S. Baxter, et al. 2004. EP4 prostanoid receptor-mediated vasodilatation of human middle cerebral arteries. Br J Pharmacol 141: 580-585.
- [43]. Hou, M., R. Uddman, J. Tajti, M. Kanje, and L. Edvinsson. 2002. Capsaicin receptor immunoreactivity in the human trigeminal ganglion. Neurosci Lett 330: 223-226.
- [44]. Akerman, S., H. Kaube, and P.J. Goadsby. 2003. Vanilloid type 1 receptors (vr1) on trigeminal sensory nerve fibres play a minor role in neurogenic dural vasodilatation, and are involved in capsaicin-induced dural dilation. Br J Pharmacol 140: 718-724.
- [45]. Tominaga, M., and D. Julius. 2000. Capsaicin receptor in the pain pathway. Jpn J Pharmacol 83: 20-24.
- [46]. Tominaga, M., M.J. Caterina, A.B. Malmberg, T.A. Rosen, H. Gilbert, K. Skinner, et al. 1998. The cloned capsaicin receptor integrates multiple pain-producing stimuli. Neuron 21: 531-543.
- [47]. Caterina, M.J., A. Leffler, A.B. Malmberg, W.J. Martin, J. Trafton, K.R. Petersen-Zeit, et al. 2000. Impaired nociception and pain sensation in mice lacking the capsaicin receptor. Science 288: 306-313.
- [48]. Davis, J.B., J. Gray, M.J. Gunthorpe, J.P. Hatcher, P.T. Davey, P. Overend, et al. 2000. Vanilloid receptor-1 is essential for inflammatory thermal hyperalgesia. Nature 405: 183-187.
- [49]. Moskowitz, M.A., K. Nozaki, and R.P. Kraig. 1993. Neocortical spreading depression provokes the expression of c-fos protein-like immunoreactivity within trigeminal nucleus caudalis via trigeminovascular mechanisms. J Neurosci 13: 1167-1177.

- [50]. Menetrey, D., and A.I. Basbaum. 1987. The distribution of substance P-, enkephalin- and dynorphin-immunoreactive neurons in the medulla of the rat and their contribution to bulbospinal pathways. *Neuroscience* 23: 173-187.
- [51]. Jansen-Olesen, I., A. Mortensen, and L. Edvinsson. 1996. Calcitonin gene related peptide is released from capsaicin-sensitive nerve fibres and induces vasodilation of human cerebral arteries concomitant with activation of adenylyl cyclase. *Cephalalgia* 16: 310-316.
- [52]. Dimitriadou, V., M.G. Buzzi, M.A. Moskowitz, and T.C. Theoharides. 1991. Trigeminal sensory fiber stimulation induces morphological changes reflecting secretion in rat dura mater mast cells. *Neuroscience* 44: 97-112.
- [53]. Bereiter, D.A., and A.P. Benetti. 1996. Excitatory amino release within spinal trigeminal nucleus after mustard oil injection into the temporomandibular joint region of the rat. *Pain* 67: 451-459.
- [54]. Strassman, A.M., S.A. Raymond, and R. Burstein. 1996. Sensitization of meningeal sensory neurons and the origin of headaches. *Nature* 384: S60-S64.
- [55]. Levy, D., M. Jakubowski, and R. Burstein. 2004. Disruption of communication between peripheral and central trigeminovascular neurons by a 5HT_{1B/1D} receptor agonist: Implications for migraine therapy with triptans. *Proc Natl Acad Sci* 101: 4274-4279.
- [56]. Petrenko, A.B., T. Yamakura, H. Baba, and K. Shimoji. 2003. The role of N-methyl-D-aspartate (NMDA) receptors in pain: A review. *Anesth Analg* 97: 1108-1116.
- [57]. Cull-Candy, S., S. Brickley, and M. Farrant. 2001. NMDA receptor subunits: Diversity, development and disease. *Curr Opin Neurobiol* 11: 327-335.
- [58]. Mori, H., and M. Mishina. 1995. Structure and function of the NMDA receptor channel. *Neuropharmacology* 34: 1219-1237.
- [59]. Hirai, H., J. Kirsch, B. Laube, H. Betz, and J. Kuhse. 1996. The glycine binding site of the N-methyl-D-aspartate receptor subunit NR1: Identification of novel determinants of co-agonist potentiation in the extracellular M3-M4 loop region. *Proc Natl Acad Sci* 93: 6031-6036.
- [60]. Laube, B., H. Hirai, M. Sturgess, H. Betz, and J. Kuhse. 1997. Molecular determinants of agonist discrimination by NMDA receptor subunits: Analysis of the glutamate binding site on the NR2B subunit. *Neuron* 18: 493-503.
- [61]. Yamakura, T., and K. Shimoji. 1999. Subunit- and site-specific pharmacology of the NMDA receptor channel. *Prog Neurobiol* 59: 279-298.
- [62]. Ji, R.R., T. Kohno, K.A. Moore, and C.J. Woolf. 2003. Central sensitization and LTP: Do pain and memory share similar mechanisms? *Trends Neurosci* 26: 696-705.
- [63]. Woolf, C.J., and M.W. Salter. 2000. Neuronal plasticity: Increasing the gain in pain. *Science* 288: 1765-1769.
- [64]. Ren, K., and R. Dubner. 1993. NMDA receptor antagonists attenuate mechanical hyperalgesia in rats with unilateral inflammation of the hindpaw. *Neurosci Lett* 163: 22-26.
- [65]. Woolf, C.J., and S.W. Thompson. 1991. The induction and maintenance of central sensitization is dependent on N-methyl-D-aspartic acid receptor activation: Implications for the treatment of post-injury pain hypersensitivity states. *Pain* 44: 293-299.

- [66]. Suzuki, R., E.A. Matthews, and A.H. Dickenson. 2001. Comparison of the effects of MK-801, ketamine and memantine on responses of spinal dorsal horn neurones in a rat model of mononeuropathy. *Pain* 91: 101-109.
- [67]. Liu, H., P.W. Mantyh, and A.I. Basbaum. 1997. NMDA-receptor regulation of substance P release from primary afferent nociceptors. *Nature* 386: 721-724.
- [68]. Marvizon, J.C., J.A. McRoberts, H.S. Ennes, B. Song, X. Wang, L. Jinton, et al. 2002. Two N-methyl-D-aspartate receptors in rat dorsal root ganglia with different subunit composition and localization. *J Comp Neurol* 446: 325-341.
- [69]. Terayama, R., Y. Guan, R. Dubner, and K. Ren. 2000. Activity-induced plasticity in brain stem pain modulatory circuitry after inflammation. *Neuroreport* 11: 1915-1919.
- [70]. Wei, F., G.D. Wang, G.A. Kerchner, S.J. Kim, H.M. Xu, Z.F. Chen, et al. 2001. Genetic enhancement of inflammatory pain by forebrain NR2B overexpression. *Nat Neurosci* 4: 164-169.
- [71]. Dingledine, R., K. Borges, D. Bowie, and S.F. Traynelis. 1999. The glutamate receptor ion channels. *Pharmacol. Rev.* 51: 7-61.
- [72]. Guo, H., and L.Y. Huang. 2001. Alteration in the voltage dependence of NMDA receptor channels in rat dorsal horn neurones following peripheral inflammation. *J Physiol (Lond)* 537: 115-123.
- [73]. Zou, X., Q. Lin, and W.D. Willis. 2000. Enhanced phosphorylation of NMDA receptor 1 subunits in spinal cord dorsal horn and spinothalamic tract neurons after Intradermal Injection of capsaicin in rats. *J Neurosci* 20: 6989-6997.
- [74]. Chen, L., and L.Y. Huang. 1991. Sustained potentiation of NMDA receptor-mediated glutamate responses through activation of protein kinase C by a mu opioid. *Neuron* 7.
- [75]. Lan, J.Y., V.A. Skeberdis, T. Jover, S.Y. Grooms, Y. Lin, R.C. Araneda, et al. 2001. Protein kinase C modulates NMDA receptor trafficking and gating. *Nat Neurosci* 4: 382-390.
- [76]. Xiong, Z.G., R. Raouf, W.Y. Lu, L.Y. Wang, B.A. Orser, E.M. Dudek, et al. 1998. Regulation of N-methyl-D-aspartate receptor function by constitutively active protein kinase C. *Mol Pharmacol* 54: 1055-1063.
- [77]. Chen, L., and L.Y. Huang. 1992. Protein kinase C reduces Mg²⁺ block of NMDA-receptor channels as a mechanism of modulation. *Nature* 356: 521-523.
- [78]. Yajima, Y., M. Narita, M. Shimamura, M. Narita, C. Kubota, and T. Suzuki. 2003. Differential involvement of spinal protein kinase C and protein kinase A in neuropathic and inflammatory pain in mice. *Brain Res* 992: 288-293.
- [79]. Wang, H., R. Zhang, R. Wang, and J.T. Qiao. 1999. Decreased expression of N-methyl-D-aspartate (NMDA) receptors in rat dorsal root ganglion following complete Freund's adjuvant-induced inflammation: An immunocytochemical study for NMDA NR1 subunit. *Neurosci Lett* 265: 195-198.
- [80]. Miki, K., Q.-Q. Zhou, W. Guo, Y. Guan, R. Terayama, R. Dubner, et al. 2002. Changes in gene expression and neuronal phenotype in brain stem pain modulatory circuitry After inflammation. *J Neurophysiol* 87: 750-760.

- [81]. Hatt, H. 1999. Modification of glutamate receptor channels: molecular mechanisms and functional consequences. *Naturwissenschaften* 86: 177-186.
- [82]. Zou, X., Q. Lin, and W.D. Willis. 2004. Effect of protein kinase C blockade on phosphorylation of NR1 in dorsal horn and spinothalamic tract cells caused by intradermal capsaicin injection in rats. *Brain Res* 1020: 95-105.
- [83]. Caudle, R.M., F.M. Perez, A.Y.D. Valle-Pinero, and M.J. Iadarola. 2005. Spinal cord NR1 serine phosphorylation and NR2B subunit suppression following peripheral inflammation. *Mol Pain* 1: 25-37.
- [84]. Ultenius, A., B. Linderöth, B.A. Meyerson, and J. Wallin. 2006. Spinal NMDA receptor phosphorylation correlates with the presence of neuropathic signs following peripheral nerve injury in the rat. *Neurosci Lett*.
- [85]. Hunt, S.P., A. Pini, and G. Evan. 1987. Induction of c-Fos-like protein in the spinal cord neurons following sensory stimulation. *Nature* 328: 632-634.
- [86]. Mitsikostas, D.D., and M. Sanchez del Rio. 2001. Receptor systems mediating c-Fos expression within trigeminal nucleus caudalis in animal models of migraine. *Brain Res Rev* 35: 20-35.
- [87]. Mitsikostas, D.D., M. Sanchez del Rio, C. Waeber, M.A. Moskowitz, and F.M. Cutrer. 1998. The NMDA receptor antagonist MK-801 reduces capsaicin-induced c-Fos expression within rat trigeminal nucleus caudalis. *Pain* 76: 239-248.
- [88]. Eisenberg, E., B.P. Vos, and A.M. Strassman. 1993. The NMDA antagonist Memantine blocks pain behavior in a rat model of formalin-induced facial pain. *Pain* 54: 301-303.
- [89]. Zhang, R., H. Wang, M. Ruda, M.J. Iadarola, and J.T. Qiao. 1998. c-Fos expression in NMDA receptor-contained neurons in spinal cord in a rat model of inflammation: A double immunocytochemical study. *Brain Res* 795: 282-286.
- [90]. Molliver, M.E. 1987. Serotonergic neuronal systems: What their anatomic organization tells us about function. *J Clin Psychopharmacol* 7: 3s-23s.
- [91]. Beitz, A.J. 1982. The nuclei of origin of brainstem serotonergic projections to the rodent spinal trigeminal nucleus. *Neurosci Lett* 32: 223-228.
- [92]. Kirifides, M.L., K.L. Simpson, R.C.S. Lin, and B.D. Waterhouse. 2001. Topographic organization and neurochemical identity of dorsal raphe neurons that project to the trigeminal somatosensory pathway in the rat. *J Comp Neurol* 435: 325-340.
- [93]. Björklund, A., and G. Skagerberg. 1982. Descending monoaminergic projections to the spinal cord. In B. Sjölund, and A. Björklund (eds.), *Brain stem control of spinal mechanisms*, pp. 55-88. Amsterdam: Elsevier.
- [94]. Mason, P. 1999. Central mechanisms of pain modulation. *Curr Opin Neurobiol* 9: 436-441.
- [95]. Ruda, M.A., G.J. Bennett, and R. Dubner. 1986. Neurochemistry and neural circuitry in the dorsal horn. *Prog Brain Res* 66: 219-268.
- [96]. Millan, M.J. 1997. The role of descending noradrenergic and serotonergic pathways in the modulation of nociception: Focus on receptor multiplicity. In A. Dickenson, and J.M. Besson (eds.), *The pharmacology of pain: Handbook of experimental pharmacology*, pp. 385-446. Berlin: Springer.
- [97]. Cesselin, F., A.M. Laporte, M.C. Miquel, S. Bourgoin, and M. Hamon. 1994. Serotonergic mechanisms of pain control. *Pain Res Manag* 2: 669-695.

- [98]. Hamon, M., and S. Bourgoin. 1999. Serotonin and its receptors in pain control. In J. Sawynok, and A. Cowan (eds.), Novel aspects of pain management: Opioids and beyond. New York: Wiley.
- [99]. Tsuchiya, M., H. Yamazaki, and Y. Hori. 1999. Enkephalinergic neurons express 5-HT₃ receptors in the spinal cord dorsal horn: Single cell RT-PCR analysis. Neuroreport 10: 2749-2753.
- [100]. Sawynok, J., and A. Reid. 1996. Interactions of descending serotonergic systems with other neurotransmitters in the modulation of nociception. Behav Brain Res 73: 63-68.
- [101]. Alhaider, A.A., M. Hamon, and G.L. Wilcox. 1993. Intrathecal 5-methoxy-N,N-dimethyltryptamine in mice modulates 5-HT₁ and 5-HT₃ receptors. Eur J Pharmacol 249: 151-160.
- [102]. Wilcox, G., and A.A. Alhaider. 1990. Nociceptive and antinociceptive action of serotonergic agonists administered intrathecally. In J.M. Besson (ed.), Serotonin and pain, pp. 205-218. Amsterdam: Elsevier.
- [103]. Srikiatkachorn, A., T. Anuntasathakul, S. Maneesri, P. Phansuwan-Pujito, S. Patumraj, and V. Kasantikul. 2000. Hyposerotonin-induced nitric oxide supersensitivity in the cerebral microcirculation. Headache 40: 267-275.
- [104]. Anthony, M., H. Hinterberger, and J.W. Lance. 1969. The possible relationship of serotonin to the migraine syndrome. Res Clin Stud Headache 2: 29-59.
- [105]. Ferrari, M.D., J. Odink, C. Tapparelli, G.M. van Kempen, E.J. Pennings, and G.W. Bruyn. 1989. Serotonin metabolism in migraine. Neurology 39: 1239-1242.
- [106]. Sicuteri, F. 1971. Pain syndrome in man following treatment with p-chlorophenylalanine. Pharmacol Res Commun 3: 401-407.
- [107]. Panconesi, A., and R. Sicuteri. 1997. Headache induced by serotonergic agonists: A key to the interpretation of migraine pathogenesis? Cephalalgia 17: 3-14.
- [108]. Fozard, J.R. 1995. The 5-hydroxytryptamine-nitric oxide connection: The key link in the initiation of migraine? Arch Int Pharmacodyn 329: 111-119.
- [109]. Drummond, P.D. 2005 Effect of tryptophan depletion on symptoms of motion sickness in migraineurs. Neurology 65: 620-622.
- [110]. Drummond, P.D. 2006. Tryptophan depletion increases nausea, headache and photophobia in migraine sufferers. Cephalalgia 26: 1225-1233.
- [111]. Supornsilpchai, W., S. Sanguanrangsirikul, S. Maneesri, and A. Srikiatkachorn. 2006 Serotonin depletion, cortical spreading depression, and trigeminal nociception. Headache 46: 34-39.
- [112]. Srikiatkachorn, A., and M. Anthony. 1996. Platelet serotonin in patients with analgesic-induced headache. Cephalalgia 16: 423-426.
- [113]. Srikiatkachorn, A., S. Maneesri, P. Govitrapong, and V. Kasantikul. 1998. Derangement of serotonin system in migrainous patients with analgesic abuse headache: Clue from platelets. Headache 38: 43-49.
- [114]. Eide, P.K., and K. Hole. 1991. Interactions between serotonin and substance P in the spinal regulation of nociception. Brain Res 550: 225-230.
- [115]. Curzon, G., and A.R. Green. 1970. Rapid method for the determination of 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in small regions of rat brain. Br J Pharmacol 39: 653-655.
- [116]. Steen, K.H., A.E. Steen, and P.W. Reeh. 1995. A dominant role of acid pH in inflammatory excitation and sensitization of nociceptors in rat skin, in vitro. J Neurosci 15: 3982-3989.

- [117]. Jakubowski, M., D. Levy, I. Goor-Aryeh, B. Collins, Z. Bajwa, and R. Burstein. 2005. Terminating migraine with allodynia and ongoing central sensitization using parenteral administration of COX1/COX2 inhibitors. *Headache* 45: 850-861.
- [118]. Malick, A., M. Jakubowski, J.K. Elmquist, C.B. Saper, and R. Burstein. 2001. A neurohistochemical blueprint for pain-induced loss of appetite. *PNAS* 98: 9930-9935.
- [119]. Strassman, A.M., Y. Mineta, and B.P. Vos. 1994. Distribution of Fos-like immunoreactivity in the medullary and upper cervical dorsal horn produced by stimulation of dural blood vessels in the rat. *J Neurosci* 14: 3725-3735.
- [120]. Zou, X., Q. Lin, and W.D. Willis. 2002. Role of protein kinase A in phosphorylation of NMDA receptor 1 subunits in dorsal horn and spinothalamic tract neurons after intradermal injection of capsaicin in rats. *Neurosci* 115: 775-786.
- [121]. Gauntz, C., A. Schuttler, C. Gillen, and C. Allgaier. 2002. Formalin-induced changes of NMDA receptor subunit expression in the spinal cord of the rat. *Amino Acids* 23: 177-182.
- [122]. Caudle, R.M., F.M. Perez, C. King, C.G. Yu, and R.P. Yeziarski. 2003. N-methyl-D-aspartate receptor subunit expression and phosphorylation following excitotoxic spinal cord injury in rats. *Neurosci Lett* 349: 37-40.
- [123]. Wilson, J.A., E.M. Garrya, H.A. Andersona, R. Rosiea, L.A. Colvinb, R. Mitchellc, et al. 2005. NMDA receptor antagonist treatment at the time of nerve injury prevents injury-induced changes in spinal NR1 and NR2B subunit expression and increases the sensitivity of residual pain behaviours to subsequently administered NMDA receptor antagonists. *Pain* 117: 421-432.
- [124]. Baranauskas, G., and A. Nistri. 1998. Sensitization of pain pathways in the spinal cord: cellular mechanisms. *Prog. Neurobiol.* 54: 349-365.
- [125]. Liao, G.Y., D.A. Wagner, M.H. Hsu, and J.P. Leonard. 2001. Evidence for direct protein kinase-C mediated modulation of N-methyl-D-aspartate receptor current. *Mol. Pharmacol.* 59: 960-964.
- [126]. Ho, H.J., and A.I. Basbaum. 1991. GABAergic circuitry in the rostral ventral medulla of the rat and its relationship to descending antinociceptive controls. *J Comp Neurol* 303: 316-328.
- [127]. Basbaum, A.I., and H.L. Fields. 1984. Endogenous pain control systems: Brainstem spinal pathways and endorphin circuitry. *Annu Rev Neurosci* 7: 309-338.
- [128]. Ito, A., E. Kumamoto, M. Takeda, M. Takeda, K. Shibata, H. Sagai, et al. 2000. Mechanisms for ovariectomy-induced hyperalgesia and its relief by calcitonin: Participation of 5-HT_{1A}-like receptor on C-afferent terminals in substantia gelatinosa of the rat spinal cord. *J Neurosci* 20: 6302-6308.
- [129]. Hori, Y., K. Endo, and T. Takahashi. 1996. Long-lasting synaptic facilitation induced by serotonin in superficial dorsal horn neurons of the rat spinal cord. *J Physiol* 492: 867-876.
- [130]. Millan, M.J. 2002. Descending control of pain. *Prog Neurobiol* 66: 355-474.
- [131]. Berman, N.E.J., V. Puri, S. Chandrala, S. Puri, R. Macgregor, C.S. Liverman, et al. 2006. Serotonin in trigeminal ganglia of female rodents: Relevance to menstrual migraine. *Headache* 46: 1230-1245.

- [132]. Marlier, L., J.R. Teihac, C. Cerruti, and A. Privat. 1991. Autoradiographic mapping of 5-HT₁, 5-HT_{1A}, 5-HT_{1B} and 5-HT₂ receptors in the rat spinal cord. *Brain Res* 550: 15-23.
- [133]. Pini, L.A., M. Sandrini, and G. Vitale. 1996. The antinociceptive action of paracetamol is associated with changes in the serotonergic system in the rat brain. *Eur J Pharmacol* 308: 31-40.
- [134]. Dickenson, A.H., J.P. Rivot, A. Chaouch, J.M. Besson, and D. Le Bars. 1981. Diffuse noxious inhibitory controls (DNIC) in the rat with or without pCPA pretreatment. *Brain Res.* 216: 313-321.
- [135]. Larkman, P.M., J.S. Kelly, and T. Takahashi. 1995. Adenosine 3':5'-cyclic monophosphate mediates a 5-hydroxytryptamine-induced responses in neonatal rat motoneurons. *Pflugers Arch* 430.
- [136]. Fog-Moller, F., B. Bryndum, F. Dalsgaard-Nielsen, G.I. Kemp, and G. Nattero. 1976. Therapeutic effect of reserpine on migraine syndrome: Relationship to blood amine levels. *Headache* 15: 275-281.

Biography

Mister Montree Maneepak was born on December 15th, 1982, in Bangkok, Thailand. He graduated Bachelor degree of Science (first class honor) from Chulalongkorn University in 2004. He has received DPST. Scholarship (Development and Promotion of Science and Technology Talent Project) since 2000.