

## REFERENCES

- [Anonymous]. [http://www.jelitawan.com/pueraria\\_mirifica.htm](http://www.jelitawan.com/pueraria_mirifica.htm), October, 27, 2006).
- Alley MC, Scudiero DA, Monks A, Hursey ML, Czerwinski MJ, Fine DL, Abbott BJ, Mayo JG, Shoemaker RH and Boyd MR. Feasibility of drug screening with panels of human tumor cell lines using a microculture tetrazolium assay. *Cancer Res.* 1988; 48(3):589-601.
- Barkhem T, Carlsson B, Nilsson Y, Enmark E, Gustafsson JA and Nilsson S. Differential response of estrogen receptor  $\alpha$  and estrogen receptor  $\beta$  to partial estrogen agonist/antagonists. *Mol Pharmacol.* 1998; 54: 105-112.
- Bausero P, Ben-Mahdi M, Mazucattelli J, Bloy C and Perrot-Applanat M. Vascular endothelial growth factor is modulated in vascular muscle cells by estradiol, tamoxifen, and hypoxia. *Am J Physiol Heart Circ Physiol.* 2000; 279(5):H2033-2042.
- Benassayag C, Perrot-Applanat M and Ferre F. Phytoestrogens as modulators of steroid action in target cells. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2002; 777: 233-248.
- Bowen, J. A., G. R. Newton, D. W. Weise, F. W. Bazer, and R. C. Burghardt. Characterization of a polarized porcine uterine epithelial model system. *Biol Reprod.* 1996; 55:613-619.
- Bradbury R.B. and White D.E.. Estrogen and related substance in plants. *Vitam Horm.* 1954; 12: 207-233.
- Carr BR 1998. Disorders of the ovaries and female reproductive tract. In: Wilson, J.D.; Foster, D.W.; Kronenberg, H.M.; Larsen, P.R., editors. *Williams Textbook of Endocrinology*, pp. 751-773. W.B. Saunders, Philadelphia.
- Castro-Rivera E and Safe S. Estrogen- and antiestrogen-responsiveness of HEC1A endometrial adenocarcinoma cells in culture. *J Steroid Biochem Mol Biol.* 1998; 64(5-6):287-295.
- Chansakaow S, Ishikawa T, Sekine K, Okada M, Higuchi Y and Chaichantipyuth C. Isoflavonoids from *Pueraria mirifica* and their estrogenic activity. *Planta Medica.* 2000a; 66: 572-575

- Chansakaow S, Ishikawa T, Seki H, Sekine K, Okada M and Chaichantipyuth C. Identification of deoxymiroestrol as the actual rejuvenating principle of “Kwao Keur”, *Pueraria mirifica*. The known miroestrol may be an artifact. *J Nat Prod.* 2000b; 63: 173-175.
- Cherdshewasart W, Cheewasopit W and Picha P. The differential anti-proliferation effect of white (*Pueraria mirifica*), red (*Butea superba*), and black (*Mucuna collettii*) Kwao Krua plants on the growth of MCF-7 cells. *J Ethnopharmacol.* 2004; 93: 255-260.
- Cherdshewasart W. Toxicity tests of a phytoestrogen-rich herb; *Pueraria mirifica*. *J Sci Res.* 2003; 28: 1-12.
- Cowley SM, Hoare S, Mosselman S and Parker MG. Estrogen receptors alpha and beta form heterodimers on DNA. *J Biol Chem.* 1997; 272(32):19858-19862.
- Critchley HO, Brenner RM, Henderson TA, Williams K, Nayak NR, Slayden OD, Millar MR, and Saunders PT. Estrogen receptor beta, but not estrogen receptor alpha, is present in the vascular endothelium of the human and nonhuman primate endometrium. *J Clin Endocrinol Metab.* 2001; 86(3):1370-1378.
- Critchley HO, Kelly RW, Baird DT, and Brenner RM. Regulation of human endometrial function: mechanisms relevant to uterine bleeding. *Reprod Biol Endocrinol.* 2006; 9;4 Suppl 1:S5.
- Curtis SW, Washburn T, Sewall C, DiAugustine R, Lindzey J, Couse JF, and Korach KS. Physiological coupling of growth factor and steroid receptor signaling pathways: estrogen receptor knockout mice lack estrogen-like response to epidermal growth factor. *Proc Natl Acad Sci U S A.* 1996; 93(22):12626-12630.
- Deachapunya C and O’Grady SM. Regulation of chloride secretion across porcine endometrial epithelial cells by prostaglandin E2. *J Physiol.* 1998; 508.1: 31-47.
- Diel P, Smolnikar K, Schulz T, Laudenschlager U, Michna H and Vollmer G. Phytoestrogens and carcinogenesis—differential effects of genistein in experimental models of normal and malignant rat endometrium. *Eur Soc Hum Reprod Embryol.* 2001; 16: 997-1006.

- Driggers PH and Segars JH. Estrogen action and cytoplasmic signaling pathways. Part II: the role of growth factors and phosphorylation in estrogen signaling. *Trends Endocrinol Metab.* 2002; 13(10):422-427.
- Druege PM, Klein-Hitpass L, Green S, Stack G, Chambon P and Ryffel GU. Introduction of estrogen-responsiveness into mammalian cell lines. *Nucleic Acids Res.* 1986; 14(23):9329-9337.
- Edmunds KM, Holloway AC, Crankshaw DJ, Agarwal SK and Foster WG. The effects of dietary phytoestrogens on aromatase activity in human endometrial stromal cells. *Reprod Nutr Dev.* 2005; 45(6): 709-720.
- Engel JB, Schally AV, Halmos G, Baker B, Nagy A and Keller G. Targeted therapy with a cytotoxic somatostatin analog, AN-238, inhibits growth of human experimental endometrial carcinomas expressing multidrug resistance protein MDR-1. *Cancer.* 2005; 104(6): 1312-1321.
- Enmark E, Peltö-Huikko M, Grandien K, Lagercrantz S, Lagercrantz J, Fried G, Nordenskjöld M and Gustafsson JA. Human estrogen receptor  $\beta$  gene structure, chromosomal localization, and expression pattern. *J Clin Endocrinol Metab.* 1997; 82: 4258-4265.
- Farhat MY, Abi-Younes S and Ramwell PW. Non-genomic effects of estrogen and the vessel wall. *Biochem Pharmacol.* 1996; 51(5):571-576.
- Giudice LC. Application of functional genomics to primate endometrium: insights into biological processes. *Reprod Biol Endocrinol.* 2006; 4 Suppl 1:S4.
- Guseva NV, Knight ST, Whittimore JD and Wyrick PB. Primary cultures of female swine genital epithelial cells in vitro: a new approach for the study of hormonal modulation of Chlamydia infection. *Infect Immun.* 2003; 71(8):4700-4710.
- Gustafsson JA. Estrogen receptor  $\beta$  -a new dimension in estrogen mechanism of action. *J Endocrinol* 1999; 163: 379-383.
- Hall JM and McDonnell DP. The estrogen receptor beta-isoform (ERbeta) of the human estrogen receptor modulates ERalpha transcriptional activity and is a key regulator of the cellular response to estrogens and antiestrogens. *Endocrinol.* 1999; 140: 5566-5578.
- Hsieh CY, Santell RC, Haslam SZ, Helferich WG. Estrogenic effects of genistein on the growth of estrogen receptor-positive human breast cancer (MCF-7) cells in vitro and in vivo. *Cancer Res.* 1998; 58(17): 3833-3838.

- Jeon GC, Park MS, Yoon DY, Shin CH, Sin HS and Um SJ. Antitumor activity of spinasterol isolated from Pueraria roots. *Exp Mol Med.* 2005; 37: 111-120.
- Kayisli UA, Aksu CA, Berkkanoglu M and Arici A. Estrogenicity of isoflavones on human endometrial stromal and glandular cells. *J Clin Endocrinol Metab.* 2002; 87(12):5539-5544.
- Konduri S and Schwarz RE. Estrogen Receptor beta/alpha Ratio Predicts Response of Pancreatic Cancer Cells to Estrogens and Phytoestrogens. *J Surg Res.* 2007; 140(1): 55-66.
- Kuiper G.G., Enmark E., Peltto-Huikko M., Nilsson S. and Gustafsson J.A. . Cloning of a novel receptor expressed in rat prostate and ovary. *Proc Natl Acad Sci U S A.* 1996; 93(12): 5925-5930.
- Kuiper GG and Gustafsson JA. The novel estrogen receptor- $\beta$  subtype: potential role in the cell- and promoter-specific actions of estrogens and anti-estrogens. *FEBS Lett.* 1997; 410: 87-90.
- Kuiper GG, Lemmen JG, Carlsson LB, Corton JC, Safe SH and Saag PT. Interaction of estrogenic chemicals and phytoestrogens with estrogen receptor beta. *Endocrinol.* 1998; 139: 4252-4263.
- Lamartiniere CA, Cotroneo MS, Fritz WA, Wang J, Mentor-Marcel R and Elgavish A. Genistein chemoprevention: timing and mechanisms of action in murine mammary and prostate. *J Nutr.* 2002a; 132(3): 552S-558S.
- Lamartiniere CA, Wang J, Smith-Johnson M and Eltoum I.E. Daidzein: bioavailability, potential for reproductive toxicity, and breast cancer chemoprevention in female rats. *Toxicol Sci.* 2002b; 65(2): 228-38.
- Leblanc K, Sexton E, Parent S, Belanger G, Dery MC, Boucher V and Asselin E. Effects of 4-hydroxytamoxifen, raloxifene and ICI 182 780 on survival of uterine cancer cell lines in the presence and absence of exogenous estrogens. *Int J Oncol.* 2007; 30(2): 477-487.
- Lee HS, Miyauchi K, Nagata Y, Fukuda R, Sasagawa S, Endoh H, Kato S, Horiuchi H, Takagi M and Ohta A. Employment of the human estrogen receptor beta ligand-binding domain and co-activator SRC1 nuclear receptor-binding domain for the construction of a yeast two-hybrid detection system for endocrine disrupters. *J Biochem (Tokyo).* 2002; 131: 399-405.

- Lehmann L., Esch HL, Wagner J., Rohnstock L. and Metzler M. Estrogenic and genotoxic potential of equol and two hydroxylated metabolites of Daidzein in cultured human Ishikawa cells. *Toxicol Lett.* 2005; 158(1): 72-86.
- MacGregor JI AND Jordan VC. Basic Guide to the Mechanisms of Antiestrogen Action. *Pharmacol Rev.* 1998; 50(2): 151-196.
- Makela S, Hyder SM and Stancel GM. Environmental estrogens, in: M. Oettel, E. Schillinger (Eds.), *Estrogens and Antiestrogens II. Handbook Exp Pharm*, vol. 135(II), Springer-Verlag, Berlin, 1999, pp. 613-663.
- Malaivijitnond S, Chansri, K, Kijkuokul P, Urasopon N and Cherdshewasart W. Using vaginal cytology to assess the estrogenic activity of phytoestrogen-rich herb...*J Ethnopharmacol.* 2006; 107(3): 354-360.
- Malaivijitnond S, Kiatthaipipat P, Cherdshewasart W, Watanabe G and Taya K. Different Effects of *Pueraria mirifica*, a Herb Containing Phytoestrogen, on LH and FSH Secretion in Gonadectomized Female and male rats. *J Pharmacol Sci.* 2004; 96: 428-435.
- Matsuzaki S, Fukaya T, Suzuki T, Murakami T, Sasano H and Yajima A. Oestrogen receptor  $\alpha$  and  $\beta$  mRNA expression in human endometrium throughout the menstrual cycle. *Mol Hum Reprod.* 1999; 5(6): 559-564.
- McCarty MF. Isoflavones made simple - genistein's agonist activity for the beta-type estrogen receptor mediates their health benefits. *Med Hypotheses.* 2006; 66(6):1093-1114.
- Miers J. What is miroestrol? *Agro Food Ind Hi Tec.* 2004; 15 (4): 42-43.
- Morito K, Hirose T, Kinjo J, Hirakawa T, Okawa M, Nohara T, Ogawa S, Inoue S. Muramatsu, M., and Masamune, Y. Interaction of phytoestrogens with estrogen receptors alpha and beta. *Biol Pharm Bull.* 2001; 24(4): 351-356.
- Mosselman S, Polman J and Dijkema R. ER beta: identification and characterization of a novel human estrogen receptor. *FEBS Lett.* 1996; 392(1): 49-53.
- Muangman V and Cherdshewasart W. Clinical trial of the phytoestrogen-rich herb, *Pueraria mirifica* as a crude drug in the treatment of symptoms in menopausal women. *Siriraj Hosp Gazette.* 2001; 53: 300-309.
- Murkies AL, Wilcox G and Davis SR. Phytoestrogens. *J Clin Endocrinol Metab.* 1998; 83: 297-303.

- Mutsumura A, Ghosh A, Pope GS and Darbre PD. Comparative study of oestrogenic properties of eight phytoestrogens in MCF7 human breast cancer cells. *J Steroid Biochem Mol Biol.* 2005; 94: 431-443.
- Nadal A, Ropero AB, Laribi O, Maillet M, Fuentes E and Soria B. Nongenomic actions of estrogens and xenoestrogens by binding at a plasma membrane receptor unrelated to estrogen receptor alpha and estrogen receptor beta. *Proc Natl Acad Sci U S A.* 2000; 97(21): 11603-11608.
- Nilsson S, Kuiper GGJM and Gustafsson JA. ER- $\beta$  : a novel estrogen receptor offers the potential for new drug development. *Trends Endocrinol Metab* 1998; 9: 387-395.
- O'Brien EM, Gomes DA, Sehgal S and Nathanson MH. Hormonal regulation of nuclear permeability. *J Biol Chem.* 2007; 282(6):4210-4217.
- Osborne CK, Schiff R, Fuqua SA and Shou J. Estrogen receptor: current understanding of its activation and modulation. *Clin Cancer Res* 2001;7(12 Suppl);4338s-4342s.
- Osborne CK, Schiff R, Fuqua SA, Shou J. Estrogen receptor: current understanding of its activation and modulation. *Clin Cancer Res.* 2001; 4338s-4342s;
- Osborne DJ. AND Hallaway M. Miroestrol, a plant oestrogen, shows no effects on protein metabolism in leaves. *New Physiologist.* 1963; 62(2): 237-240.
- Paech K, Webb P, Kuiper GG, Nilsson S, Gustafsson J, Kushner PJ and Scanlan TS. Differential ligand activation of estrogen receptors ER- $\alpha$  and ER- $\beta$  at AP1 sites. *Science.* 1997; 277: 1508-1510.
- Park EK, Shin J, Bae EA, Lee YC, and Kim DH. Intestinal Bacteria Activate Estrogenic Effect of Main Constituents Puerarin and Daidzin of *Pueraria thunbergiana*. *Biol. Pharm. Bull.* 2006; 29(12): 2432-2435.
- Park KR, Inuoe T, Ueda M, Hirano T, Higuchi T, Konishi I, Fujiwara H and Fujii S. Anti-CD9 monoclonal antibody- stimulated invasion of endometrial cancer cell lines *in vitro*: possible inhibitory effect of CD9 in endometrial cancer invasion. *Mol Hum Reprod.* 2000; 6(8): 719-725.
- Pettersson K and Gustafsson JA. Role of estrogen receptor beta in estrogen action. *Annu. Rev. Physiol.* 2001; 63: 165-192.

- Pettersson K, Grandien K, Kuiper GG and Gustafsson JA. Mouse estrogen receptor beta forms estrogen response element-binding heterodimers with estrogen receptor alpha. *Mol Endocrinol*. 1997; 11(10):1486-1496.
- Platet N, Cathiard AM, Gleizes M and Garcia M. Estrogens and their receptors in breast cancer progression: a dual role in cancer proliferation and invasion. *Crit Rev Oncol Hematol*. 2004; 51(1):55-67.
- Power KA and Thompson LU. Ligand-induced regulation of ER $\alpha$  and ER $\beta$  is indicative of human breast cancer cell proliferation. *Breast Cancer Res Treat*. 2003; Oct;81(3):209-21
- Reed KL, Baginga L, Davis DL, Chung TE, and Simmens RCM. Porcine endometrial glandular epithelial cells *in vitro*: transcriptional activities of the pregnancy-associated genes encoding antileukoproteinase and uteroferrin. *Biol. Reprod*. 1996; 55: 469-477.
- Santell RC, Kieu N and Helferich WG. Genistein inhibits growth of estrogen-independent human breast cancer cells in culture but not in athymic mice. *J Nutr*. 2000; 130(7): 1665-1669.
- Scudiero DA, Shoemaker RH, Paull KD, Monks A, Tierney S, Nofziger TH, Currens MJ, Seniff D, and Boyd MR. Evaluation of a soluble tetrazolium/formazan assay for cell growth and drug sensitivity in culture using human and other tumor cell lines. *Cancer Res*. 1988; 48(17): 4827-4833.
- Segars JH and Driggers PH. Estrogen action and cytoplasmic signaling cascades. Part I: membrane-associated signaling complexes. *Trends Endocrinol Metab*. 2002; 13(8):349-354.
- Smitasiri Y, Yunyatum U, Songjitsawad A, Sripromma P, Trisirsilp S and Anuntalabhochai S. Postcoital antifertility effects of *Pueraria mirifica* in rat. *J Sci Fac CMU*. 1986; 13:19-28.
- Spencer TE and Bazer FW. Conceptus signals for establishment and maintenance of pregnancy. *J. Anim. Sci*. 2004; 82(E. Suppl.):E4-E13.
- Spencer TE, Wiley AA and Bartol FE. Lectin Binding Sites as Markers of Neonatal Porcine Uterine Development. *J Histochem Cytochem*. 1992; 40(12): 1937-1942.
- Sukawattana T. Oestrogenic principle of *Butea superba*, preliminary report. *J Med Assoc Thai*. 1940; 24:183-194.

- Tahara T, Mikashima H, Terasawa M and Maruyama Y. PAF antagonistic activity of some thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4]diazepines. *Chem Pharm Bull (Tokyo)*. 1987; 35(5): 2119-2121.
- Tarleton BJ, Wiley AA, Spencer TE, Moss AG and Bartol FF. Ovary-independent estrogen receptor expression in neonatal porcine endometrium. *Biol Reprod*. 1998; 58(4): 1009-1019.
- Terreaux, C, Polasek, J and Hostettmann, K. Plant constituents with hormonal effects. *Curr Org Chem*. 2003; 7 (12): 1151-1161.
- Trisomboon H, Malaivijitnond S, Cherdshewasart W, Watanabe G and Taya K. Effects of *Pueraria mirifica* on sexual skin coloration of aged menopausal Cynomolgus monkey. *J Prod Dev*. 2006; 52(4): 537-542.
- Trisomboon H, Malaivijitnond S, Watanabe G and Taya K. Estrogenic Effects of *Pueraria mirifica* on the menstrual cycle and hormone-related ovarian functions in cyclic female cynomolgus monkeys. *J Pharmacol Sci*. 2004; 94: 51 – 59.
- Turner RT, Evans GL and Wakley GK. Reduced chondroclast differentiation results in increased cancellous bone volume in estrogen-treated growing rats. *Endocrinology*. 1994; 134(1): 461-466.
- Vadlamudi RK, Balasenthil S, Broaddus RR, Gustafsson JA and Kumar R. Deregulation of estrogen receptor coactivator proline-, glutamic acid-, and leucine-rich protein-1/modulator of nongenomic activity of estrogen receptor in human endometrial tumors. *J Clin Endocrinol Metab*. 2004; 89(12): 6130-6138.
- Vollmer G. Endometrial cancer: experimental models useful for studies on molecular aspects of endometrial cancer and carcinogenesis. *Endocr Relat Cancer*. 2003; 10(1): 23-42.
- Walter P, Green S, Greene G, Krust A, Bornert JM, Jeltsch JM, Staub A, Jensen E, Scrace G, Waterfield M, and Chambon P. Cloning of the human estrogen receptor cDNA. *Proc Natl Acad Sci U S A*. 1985; 82(23): 7889-7893.
- Weihua Z, Saji S, Makinen S, Cheng G, Jensen EV, Warner M and Gustafsson JA. Estrogen receptor (ER) $\beta$ , a modulator of ER- $\alpha$  in the uterus. *Proc Natl Acad Sci USA*. 2000; 97: 5936-5941.



Wise PM, Dubal DB, Wilson ME, Rau SW, Bottner M and Rosewell KL. Estradiol is a protective factor in the adult and aging brain: understanding of mechanisms derived from in vivo and in vitro studies. *Brain Res Brain Res Rev.* 2001; 37(1-3): 313-319.

Zhang Z, Paria BC and Davis DL. Pig endometrial cells in primary culture: morphology, secretion of prostaglandins and proteins, and effects of pregnancy. *J Anim Sci.* 1991; 69(7): 3005-3015.

**BIOGRAPHY**

<b>NAME</b>	Miss Ranida Tuanudom
<b>DATE OF BIRTH</b>	30 October 1979
<b>PLACE OF BIRTH</b>	Pattanee, Thailand
<b>INSTITUTION ATTENDED</b>	Kasetsart University, 1998-2002 Bachelor of Science (Biology)
<b>RESEARCH GRANT</b>	The Office of Commission for Higher Education-CU Graduate Thesis Grant