

REFERENCES

- Anwar A, Hassain, Riad Awad, Peter A, Crooke, Lewis W. Chloramine-T in radiolabelling technique. *Anal Biochem* 1993; 214: 495-499.
- Arora S, Deymann D, Tiwari D, Winterfeldt E. A new chromone from *Cassia siamea*. *Tetrahedron* 1971; 27: 981-984.
- Arunlakshana A. A Pharmacological study of *Cassia siamea* leaves. Siriraj Hosp Gaz, Bangkok 1947.
- Biegon A, Rainbow TC, McEwen BS. Quantitative autoradiography of serotonin receptors in the rat brain. *Brain Res* 1982; 242 197-204.
- Bruck T, Tsai YF, McLellan C, Singhaniyom W, Kung HF, Cohen RM, et al. In vitro binding properties and autoradiographic image of 3 - iodobenzamide [^{125}I] IBZM : a potential imaging ligand for D2 dopamine receptors in SPECT. *Life Sci* 1988; 42: 2097-2104.
- Bycroft BW, Hassanali A, Johnson AW, King TJ. Structure and synthesis of barakol: a novel dioxaphenalene derivative from *Cassia siamea*. *J Chem Soc (C)* 1970; 1686-1689.
- Carlson BX, Mans AM, Hawkins RA, Baghdoyan HA. Pentobarbital-enhanced [^3H] flunitrazepam binding throughout the rat brain : an autoradiographic study. *J Pharmacol Exp Ther* 1992; 263: 1401-1414.

Coulter CL, Happe HK, Bergman DA, Murrin LC. Localization and quantitative of the dopamine transporter: comparison of [³H]WIN 35,428 and [¹²⁵I]RTI-55. Brain Res 1995; 690: 217-224.

David R, Sibley J, Frederik J, Monsma JR. Molecular biology of dopamine receptors. Trends Pharmacol Sci 1992; 13: 61-69.

Dawson TN, Gehlert DR, Yamamura HI, Barnett A, Wamsley JK. D-1 dopamine receptors in the rat brain: autoradiography localization using [³H]SCH 23390. Eur J Pharmacol 1985; 108: 323-325.

Hassanali A, King TJ, Hallwork SC. Barakol, a novel dioxaphenalene derivative from *Cassia siamea*. Chem Comm 1969; 12; 678.

Horsburgh K, Dewar D, Graham DI, McCulloch J. Autoradiographic imaging of [³H] phorbol 12, 13 - dibutyrate binding to protein kinase C in Alzheimer's Disease. J Neurochem 1991; 56: 1121-1129.

Jakeman LB, To ZP, Eglen RM, Wong EHF, Bonhaus DW. Quantitative autoradiography of 5-HT₄ receptors in brains of three species using two structurally distinct radioligands, [³H]GR 113808 and [³H]BIMU-1. Neuropharmacology 1994; 33: 1027-1038.

Jantarayota P. Effect of active ingredient from *Cassia siamea* leaves in central nervous system. A thesis summitted for the degree of Master of Science in Phamacy, Chulalongkorn University, Bangkok 1987.

Kaokeaw K. Iodination reaction of barakol, and active ingredient extracted from the young leaves of *Cassia siamea* Lamk. A thesis submitted for the degree of master of Science, Srinakharinwirot University, Bangkok 1993.

Kittikajorn S. Used of medicinal plants, the traditional medicines. Bangkok: Aksornthai press, 1983.

Kostic V, Przedborski S, Jackson - Lewis V, Cadet JL, Burke RE. Effect of unilateral perinatal hypoxic - ischemic brain injury in the rat on striatal muscarinic cholinergic receptors and high-affinity choline uptake sites: a quantitative autoradiographic study. J Neurochem 1991; 57: 1962-1970.

Kuhar MJ. Autoradiography localization of drug and neurotransmitter receptors in the brain. Trends Neurosci 1981; 4: 60-64.

_____, Quantitative receptor autoradiography: An overview. New Jersey: Alan R. Liss, Inc. 1986: 1-12.

_____, Souza EB, Unnerstall JR. Neurotransmitter receptor mapping by autoradiography and other methods. Ann Rev Neurosci 1986; 9: 27-59.

_____, Unnerstall JR. Quantitative receptor mapping by autoradiography: some current technique problem. Trend Neurosci 1985; 49-53.

Kung HF, Guo YZ, Billings J, Zu JB, Mach RH, Blau M, et al. Preparation and biodistribution of [¹²⁵I]IBZM: a potential CNS D-2 dopamine receptor imaging agent. Nucl Med Biol 1988; 15: 195-201.

Lahti RA, Evans DL, Stratman NC, Figur LM. Dopamine D₄ versus D₂ receptors selectivity of dopamine receptor agonists : possible therapeutic implication. Eur J Pharmacol 1993; 236: 483-486.

Malmberg A, Jackson DM, Erikson A, Mohell N. Unique binding characteristics of antipsychotic agents interacting with human dopamine D_{2A}, D_{2B}, and D₃ receptors. Amer J Pharmacol 1993; 43: 749-754.

Maltzer HY, Nash F. Effect of antipsychotic drugs on serotonin receptors. Amer J Pharmacol 1991; 43: 587-604.

Manaker S, Rainbow TC, Winnokur A. Thyrotropin - releasing hormone (TRH) receptors: localization in rat and human Central Nervous System. Quantitative autoradiography, Alan R. Liss, Inc., 1986, pp. 103-135.

Martres MP, Bouthenet ML, Sokoloff P. Widespread distribution of brain dopamine receptors evidenced with [¹²⁵I]iodosulpride, a highly selective ligand. Science 1985a; 228: 752-755.

_____, Sale N, Bouthenet ML, Schwartz JC. Localization and pharmacological characterization of D-2 dopamine receptors in rat cerebral neocortex

and cerebellum using [¹²⁵I]iodosulpride. Eur J Pharmacol 1985b; 118: 211-219.

Negro M, Fernandez-Lopez A, Calvo P. Autoradiographical study of types 1 and 2 of benzodiazepine receptors in rat brain after chronic ethanol treatment and its withdrawal. Neuropharmacology 1995; 34: 1177-1182.

Palacious JM, Wamsley JK, Kuhar MJ. High affinity GABA receptors-autoradiographic localization. Brain Res 1981; 222: 285-307.

Paxinos G, Watson C. The rat brain in stereotaxic coordinates. New York: Academic Press, 1982.

Penney JB, Pan HS, Young AB, Frey KA, Dauth GW. Quantitative of [³H]muscimol binding in rat brain. Science 1981; 214: 1036-1038.

Pongboonrod S. Maitet Muang Thai. Bangkok : Kasembunakij, 1950 ; 101.

Przedborski S, Kostic V, Jackson - Lewis V, Cadet JL, Burke RE. Effect of unilateral perinatal hypoxic - ischemic brain injury in the rat on dopamine D₁ and D₂ receptor and uptake sites: A quantitative autoradiography study. J Neurochem 1991; 57: 1951-1961.

Sonoda S, Sehlamowitz. Studies of ¹²⁵I-tracer labeling of immunoglobulin G by chloramine-T. Immunohistochem 1970; 7: 885-898.

Staley JK, Basile M, Flynn DD, Mash DC. Visualizing dopamine and serotonin transporter in the human brain with the potent cocaine analogue [¹²⁵I]RTI55 : in vitro binding and autoradiographic characterization. J Neurochem 1994; 62: 549-556.

Unnerstall JR, Kuhar MJ, Niehoff DL, Palacious JM. Benzodiazepine receptors are coupled to a subpopulation of γ -aminobutyric acid (GABA) receptors: evidence from a quantitative autoradiographic study. J Pharmacol Exp Ther 1981; 218: 797- 804.

Wagner H. Chemical constituents of *Cassis siamea* Lamk. 2-methyl-5-acetonyl-7-hydroxychromone. Planta Medica 1978; 33: 258-261.

Young WS, Kuhar MJ. Autoradiographic localization of benzodiazepine receptors in the brains of human and animals. Nature 1979; 280: 393-395.

Yogoyama C, Okamura H, Ibata Y. Dopamine D₂-like receptors labeled by [³H]YM-09151-2 in the rat hippocampus: characterization and autoradiographic distribution. Brain Res 1995; 681: 153-159.

APPENDIX

APPENDIX

Buffer and Reagent

1. 50 mM Tris - HCl (pH 7.4)

HCl 0.1 N	42.5	ml
TRIS 0.2 M	25	ml
H ₂ O	100	ml

2. Phosphate Buffer Saline (pH 7.4)

Na ₂ HPO ₄ 0.2 M	81	ml
NaH ₂ PO ₄ 0.2 M	19	ml
H ₂ O	100	ml

3. Gelatin solution

chromium potassium sulfate	0.3	g
gelatin	3	g
H ₂ O	500	ml

BIOGRAPHY

Miss Saithip Bhengsri was born on December 5, 1970 in Bangkok. She got the Bachelor degree of Nursing from the Thai Redcross Society Collage of Nursing in 1993.

