



REFERENCES

- Aguedach, A., Brosillon, S., Morvan, J., and Lhadi, E.K. (2005) Photocatalytic degradation of azo-dyes reactive black 5 and reactive yellow 145 in water over a newly deposited titanium dioxide, Applied Catalysis B: Environmental, 57, 55-62.
- Anpo, M., Yamashita, H., Ichihashi, Y., Fujii, Y., Honda, M. (1997) Photocatalytic reduction of CO₂ with H₂O on titanium oxides anchored within micropores of zeolites: effects of the structure of the active sites and the addition of Pt, Journal of Physical Chemistry B, 101, 2632-2636.
- Arslan, I., Balcioglu, I.A., and Bahnemann, D.W. (2000) Advanced chemical oxidation of reactive dyes in simulated dyehouse e.uents by ferrioxalate-Fenton/UV-A and TiO₂/UV-A processes, Dyes and Pigments, 47, 207–218.
- Ashoka, S., Nagaraju, G., Tharamani, C.N., and Chandrappa, G.T. (2009) Ethylene glycol assisted hydrothermal synthesis of flower like ZnO architectures, Materials Letters, 63, 873–876.
- Aurivillius, B. (1949) Mixed Bismuth Oxides with Lauer Lattices: I., Ark. Kemi, 1, 463–471.
- Bachman, R.E., Whitmire, K.H., Thurston, J.H., Gulea, A., Stavila, O., and Satvila, V., (2003) Bismuth ladder polymers: structural and thermal studies of [Bi(OCH₂CH₂)₃N]_n and [(Bi_xTb_{1-x}(O₂C₂H₂)₃N.2H₂O)]_n, Inorganica Chimica Acta, 346, 249-255.
- Bain, S.W., Ma, Z., Cui, Z.M., Zhang, L.S., Niu, F., and Song, W.G. (2008) Synthesis of micrometer-sized nanostructured magnesium oxide and its high catalytic activity in the Claisen–Schmidt condensation reaction, Journal of Physical Chemistry C, 112 (30), 11340-44.
- Barin, I., and Knacke, O. "Thermochemical Properties of Inorganic Substances." Springer-Verlag, Berlin, 1973.
- Bonet, B.F., Gue'ry, C., Guyomard, D., Herrera Urbina, R., Tekaiia-Elhsisen, K., and Tarascon, J.-M. (1999) Electrochemical reduction of noble metal compounds in ethylene glycol, International Journal of Inorganic Materials 1, 47–51.

- Brown, M.A., and DeVito, S.C. (1993) Predicting azo dye toxicity, Critical Reviews in Environmental Science and Technology, 23 249-324.
- Cao, A.M., Hu, J.S., Liang, H.P., Song, W.G., Wan, L.J., He, X.L., Gao, X.G., and Xia, S.H. (2006) Hierarchically Structured Cobalt Oxide (Co_3O_4): The Morphology Control and Its Potential in Sensors, Journal of Physical Chemistry B, 110, 15858-15863.
- Cao, A.M., Monnell, J.D., Matranga, C., Wu, J.M., Cao, L.L., and Gao, D., (2007) Hierarchically nanostructured Copper Oxide and Its Application in Arsenic Removal, Journal of Physical Chemistry C, 111, 18624-18628.
- Cao, S.W., Zhu, Y.J., Cheng, G.F., and Huang, Y.H. (2010) Preparation and photocatalytic property of $\alpha\text{-Fe}_2\text{O}_3$ hollow core/shell hierarchical nanostructures. Journal of Physics and Chemistry of Solids 71, 1680-1683.
- Carvalho, J.F., Franco, R.W.A, Magon, C.J., Nunes, L.A.O., and Hernandez, A.C. (1999) Optical and magnetic characterization of pure and vanadium-doped $\text{Bi}_{12}\text{TiO}_{20}$ sillenite crystals, Optical Materials, 13, 333-338.
- Calzada, M.L., Sirera, R., Carmona, F., and Jiménez, B. (1995) Investigations of a diol-based sol-gel process for the preparation of lead titanate materials, Journal of the American Ceramic Society, 78(7), 1802-8.
- Carrasco, M.F., Mendiratta, S.K., and Marques, L. (2005) Formation of an intermediate phase in the ball milling synthesis of the sillenite phase of BSO and BTO, Applied Physics A: Materials Science & Processing, 80, 361–367.
- Chai, S.Y., Kima, Y.J., Jung, M.H., Chakraborty, A.K., Jung, D., and Lee, W.I. (2009) Heterojunctioned $\text{BiOCl}/\text{Bi}_2\text{O}_3$, a new visible light photocatalyst, Journal of Catalysis, 262,144–149.
- Chakroune, N., Viau, G., Ammar, S., Jouini, N., Gredin, P., Vaulay, M.J., and Fievet, F., (2005) New Synthesis, Characterization and magnetic properties of disk-shaped particles of a cobalt alkoxide: $\text{Co}^{\text{II}}(\text{C}_2\text{H}_4\text{O}_2)$, New journal of Chemistry, 29, 355-361.

- Chen, R., Shen, Z.R., Wang, H., Zhou, H.J., Liu, Y.P., Ding, D.T., and Chen, T.H. (2011) Fabrication of mesh-like bismuth oxide single crystalline nanoflakes and their visible photocatalytic activity, Journal of Alloys and Compounds, 509, 2588-2595.
- Chen, A., Peng, X., Koczkur, K., and Miller, B. (2004) Super-hydrophobic tin oxide nanoflowers, Chemical Communications, 17, 1964-5.
- Chisholm M.H. (1992) Chemtracts—Inorg. Chem. 4 301.
- Doeuff, S., Henry, M., Sanchez, C., and Livage, J., (1987) Hydrolysis of titanium alkoxides: Modification of the molecular precursor by acetic acid, Journal of Non-Crystalline Solids, 89, 206-216.
- Fang, P., Fan, H., Qiu, S., Liu, L., and Chen, J., (2009) Bi_{3.25}La_{0.75}Ti₃O₁₂ powders by the complex polymerization method: synthesis, characterization and morphology, Journal of Sol-Gel Science and Technology, 50, 290–295.
- Fievet, F., Lagier, J.P., Blin, B., Beaudoin, B., and Figlarz, M. (1989) Homogeneous and heterogeneous nucleations in the polyol process for the preparation of micron and submicron size metal particles, Solid State Ionics, 32/33, 198-205.
- Figlarz, M., Fievet, F., and Lagier, J.P., (1985), French patent no. 8221483; Europe no. 0113281, USA no. 4539041; Finland no. 74416; Japan application no. 24303783.
- Geng, J., Wang, F., and Wu, Y. (2010) The evidence of morphology dependent electroactivity toward CO oxidation over bismuth oxide supported Pt, Catalysis Letters, 135, 114–119.
- Goia, C., Matijević, E., and Goia, D.V., (2005) Preparation of colloidal bismuth particles in polyols, Journal of Materials Research, 20, 1507-1514.
- Gratzel, C.K., Jirousek, M., and Gratzel, M. (1990) Decomposition of organophosphorus compounds on photoactivated TiO₂ surface, Journal of Molecular Catalysis, 60 (3), 375-387.
- Gu, H., Hu, Z., Hu, Y., Yuan, Y., You, J., and Zou, W. (2008) The structure and photoluminescence of Bi₄Ti₃O₁₂ nanoplates synthesized by hydrothermal method, Colloids and Surfaces A: Physicochem. Eng. Aspects, 315, 294–298.

- Gu, H., Chen, P., Zhou, Y., Zhao, M., Kuang, A., and Li, X., (1998) Reactions in preparing $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ ultrafine powders by sol-gel process, Ferroelectrics, 211, 271-280.
- Gu, Y., Su, X., Du, Y., and Wang, C. (2010) Preparation of flower-like Cu_2O nanoparticles by pulse electrodeposition and their electrocatalytic application, Applied Surface Science, 256, 5862–5866.
- Gu^a, C., Huang, J., Wu, Y., Zhai, M., Sun, Y., and Liu, J. (2011) Preparation of porous flower-like ZnO nanostructures and their gas-sensing property, Journal of Alloys and Compounds, 509, 4499–4504.
- Gu^b, N., Cao, Y., Hu, S., Jin, R., (2011) Controlled synthesis of hempflower-like Fe_2O_3 microspheres applied on the water treatment, Micro & Nano Letters, 6(6), 434–436.
- Guo, Z., Zhang, Y., Duanmu, Y., Xu, L., Xie, S., and Gu, N. (2006) Facile synthesis of micrometer-sized gold nanoplates through an aniline-assisted route in ethylene glycol solution, Colloids and Surfaces A: Physicochem. Eng. Aspects, 278, 33–38.
- Guo, S., and Wang, E., (2008) One pot, facile synthesis of hierarchical silver nanostrip assembling architecture, Colloids and Surfaces A: Physicochem. Eng. Aspects, 317, 673–678.
- Haaland, A., Verne, H.P., Volden, H.V., Papiernik, R., and Hubert-Pfalzgraf, L.G. (1993) Molecular Structure of a Monomeric Bismuth Trisalkoxide by Gas Electron Diffraction. Acta Chemica Scandinavica, 47, 1043-1045.
- Hachem, C., Bocquillon, F., Zahraa, O., and Bouchy, M., (2001) Decolourization of textile industry wastewater by the photocatalytic degradation process, Dyes and Pigments, 49, 117-125.
- Haoqiang, Z., Kongchang, C., and He, T. (1998) Photocatalytic degradation of Acid Azo dyes in aqueous TiO_2 suspension II. The effect of pH values, Dyes and Pigments, 37, 241-247.
- Hong, S.S., Ju, C.S., Lim, C.G., Ahn, B.H., Lim, K.T., Lee, G.D. (2001), A photocatalytic degradation of phenol over TiO_2 prepared by sol-gel method, Industrial & Engineering Chemistry Research, 7 (2), 99-104.

- Hou, J., Cao, R., Jiao, S., Zhu, H., Kumar, R.V. (2011) PANI/Bi₁₂TiO₂₀ complex architectures: Controllable synthesis and enhanced visible-light photocatalytic activities, Applied Catalysis B: Environmental, 104, 399–406.
- Hou, J., Kumar, R.V., Qu, Y., and Krsmanovic, D., (2010) Controlled synthesis of photoluminescent Bi₄Ti₃O₁₂ nanoparticles from metal-organic polymeric precursor, Journal of Nanoparticle Research, 12, 563-571.
- Houas, A., Lachheb, H., Ksibi, M., Elaloui, E., Guillard, C., and Herrmann, J.M. (2001) Photocatalytic degradation pathway of methylene blue in water, Applied Catalysis B: Environmental, 31(2), 145-157.
- Huang, K., Feng, M., and Goodenough, J.B., (1996) Sol-Gel Synthesis of a New Oxide-Ion Conductor Sr- and Mg-Doped LaGaO₃ Perovskite, Journal of the American Ceramic Society, 79, 1100-1104.
- Hubert-Pfalzgraf, L.G. (1992) Metal alkoxides and b-diketonates as precursors for oxide and non-oxide thin films, Applied Organometallic Chemistry, 27, 627-643.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W. (1995), Environmental Applications of Semiconductor Photocatalysis, Chemical Reviews, 95, 69-96.
- Hwang, G.H., Han, W.K., Park, J.S., Kang, S.G., and Ismail, R.A. (2006) Fabrication and Characteristics Study of n-Bi₂O₃/n-Si Heterojunction, Journal of semiconductor technology and science, 60 (2), 2006, 119-123.
- James, A. M., and Lord, M. P., "Chemical and Physical Data." Macmillan, London, 1992.
- Jiang, X., Wang, Y., Herricks, T., and Xia Y. (2004) Ethylene glycol-mediated synthesis of metal oxide nanowires, Journal of Materials Chemistry, 34, 695-730.
- Jiu J., Murai K., Kim D., Kim K., and Suganuma K. (2009) Preparation of Ag nanorods with high yield by polyol process, Materials Chemistry and Physics, 114, 333–338.

- Joseyphus, R.J., Matsumoto, T., Takahashi, H., Kodama, D., Tohji, K., and Jeyadevan, B. (2007) Designed synthesis of cobalt and its alloys by polyol process, Journal of Solid State Chemistry, 180, 3008-18.
- Kadokura, H., Okuhara, Y., and Hijido, M. (2005) Jpn Kokai Tokkyo Koho, JP2005060358, CAN 142:272329.
- Kang, D.H., Lee, B.S., An, H.K., Kim, Y.H., Paik, D.S., Hwang, H.I., and Cho, N.K. (2010) Characteristics of yttrium substituted sodium bismuth titanate thin films, Materials Letters, 64, 2331–2333.
- Karlsen, E., and Schöffel, K. (1996) Titanium-silicalite catalyzed epoxidation of ethylene with hydrogen peroxide: A theoretical study, Catalysis Today, 32, 107-114.
- Ke, H., Wang, W., Chen, L., Xu, J., Jia, D., Lu, Z., Zhou, Y. (2010) Crystallization process of lanthanum-substituted bismuth titanate synthesized by a facile sol-gel method, Journal of Sol-Gel Science and Technology, 53(1), 135-40.
- Ke, H., Zhou, Y., Jia, D.C., Wang, W., Xu, X.Q., and Ye, F. (2005) Crystallization and Nanograin Growth in SrBi₂Ta₂O₉ Synthesized by a Novel Sol–Gel Process, Journal of Sol-Gel Science and Technology, 34, 131–136.
- Konstantinou, I.K., and Albanis, T.A. (2004) TiO₂-assisted photocatalytic degradation of azo dyes in aqueous solution: kinetic and mechanistic investigations: A review, Applied Catalysis B: Environmental, 49, 1-14.
- Kuang, D.B., Lei, B.X., Pan, Y.P., Yu, X.Y., and Su, C.Y. (2009) Fabrication of novel hierarchical β-Ni(OH) and NiO microspheres via an easy hydrothermal process, The Journal of Physical Chemistry C, 113, 5508-5513.
- Kumar, G.B., and Buddhudu, S. (2010) Optical, thermal and dielectric properties of Bi₄(TiO₄)₃ ceramic powders, Ceramics International, 36, 1857-1861.
- Kusvuran, E., Gulnaz, O., Irmak, S., Atanur, O.M., Yavuz, H.I., and Erbatur, O. (2004) Comparison of several advanced oxidation processes for the decolorization of Reactive Red 120 azo dye in aqueous solution, Journal of Hazardous Materials B109, 85–93.

- Kusvuran, E., Irmak, S., Yavuz, H.I., Samil, A., and Erbatur, O. (2005) Comparison of the treatment methods efficiency for decolorization and mineralization of Reactive Black 5 azo dye, Journal of Hazardous Materials, B 119, 109-116.
- Larcher, D., Gerand, B., and Tarascon, J.M., (1998) Synthesis and electrochemical performances of $\text{Li}_{1+y}\text{Mn}_{2-y}\text{O}_4$ powders of well-defined morphology, Journal of Solid State Electrochemistry, 2, 137-145.
- Larcher, D., and Patrice, R. (2000) Preparation of Metallic Powders and Alloys in Polyol Media: A Thermodynamic Approach, Journal of Solid State Chemistry, 154, 405-411.
- Larcher, D., Sudant, G., Patrice, R., and Tarascon, J.-M. (2003) Some insights on the use of polyols-based metal alkoxides powders as precursors for tailored metal-oxides particles, Chemistry of Materials, 15, 3543-3551.
- Lee, D.K., Choa, I.S., Lee, S., Bae, S.T., Noh, J.H., Kim, D.W., and Hong, K.S. (2010) Effects of carbon content on the photocatalytic activity of C/BiVO₄ composites under visible light irradiation, Materials Chemistry and Physics 119, 106–111.
- Lee, G.D., Jung, S.K., Jeong, Y.J., Park, J.H., Lim, K.T., Ahn, B.H., and Hong, S.S. (2003) Photocatalytic decomposition of 4-nitrophenol over titanium silicalite (TS-1) catalysts, Applied Catalysis A: General, 239, 197-208.
- Lee, S.J., Biegalski, M.D., and Kriven, W.M. (1999) Powder synthesis of barium titanate and barium orthotitanate via an ethylene glycol complex polymerization route, Journal of Materials Research, 14(7), 3001-6.
- Leonite, L., Caraman, M., Visinoiu, A., and Rusu, G.I. (2005) On the optical properties of bismuth oxide thin films prepared by pulsed laser deposition, Thin Solid Films, 473, 230–235.
- Leonite, L., Caraman, M., Evtodiev, I., Cuculescu, E., and Mija, A. (2008) Phys. Stat. Sol. (a) 205 (8) (2008) 2052– 2056.
- Li^a J., Fan H., Chen J., and Liu L. (2009) Synthesis and characterization of poly(vinyl pyrrolidone)-capped bismuth nanospheres, Colloid and surfaces sciences A: Physicochemical and engineering aspect, 340, 66-69.

- Li^b, F., Wu, J., Qin, Q., Li, Z., and Huang, X. (2010) Controllable synthesis, optical and photocatalytic properties of CuS nanomaterials with hierarchical structures, Powder Technology, 198, 267–274.
- Li^c, Y., Liu, J., Huang, X., and Li, G. (2007) Hydrothermal synthesis of Bi₂WO₆ uniform hierarchical microspheres, Crystal Growth & Design, 7(7), 1350-1355.
- Li^d, J., Fan, H., Chen, J., Liu, L. (2009) Synthesis and characterization of poly(vinyl pyrrolidone)-capped bismuth nanospheres, Colloids and Surfaces A: Physicochem. Eng. Aspects, 340, 66–69.
- Li^e, J., Fan, H., Chen, J., and Liu, L. (2009) Synthesis and characterization of poly(vinyl pyrrolidone)-capped bismuth nanospheres, Colloid and surfaces sciences A: Physicochemical and Engineering AspectS, 340, 66-69.
- Li^f, F., Wu, J., Qin, Q., Li, Z., and Huang, X. (2010) Controllable synthesis, optical and photocatalytic properties of CuS nanomaterials with hierarchical structure, Powder technology, 198, 267-274.
- Lide, D. R. (Ed.), "Handbook of Chemistry and Physics," 73rd ed. CRC Press, Boca Raton, FL, 1992.
- Ling, Z.C., Xia, H.R., Liu, W.L., Han, H., Wang, X.Q., Sun, S.Q., Ran, D.G., and Yu, L.L. (2006) Lattice vibration of bismuth titanate nanocrystals prepared by metalorganic decomposition, Materials Science and Engineering B, 128, 156–160.
- Liu, L., Yang, Z., Liang, H., Yang, H., and Yang, Y., (2010) Shape-controlled synthesis of manganese oxide nanoplates by a polyol-based precursor route, Materials Letters, 64, 891–893.
- Liu, S., Xing, R., Lu, F., Rana, R.K., and Zhu, J.J. (2009) One-pot template-free fabrication of hollow magnetite nanosphere and their application as potential drug carriers, The Journal of Physical Chemistry C, 113, 21042-21047.
- Liu, X.Y., Sun, P., Ren, S., and Wen, L.S. (2008) Electrodeposition of high-pressure-stable bcc phase bismuth flowerlike micro/nanocomposite architectures at room temperature without surfactant, Electrochemistry Communications, 10, 136-40.

- Liu, X.Y., Zeng, J.H., Zhang, S.Y., Zheng, R.B., Liu, X.M., and Qian, Y.T. (2003) Novel bismuth nanotube arrays synthesized by solvothermal method, Chemical Physics Letters, 374, 348–352.
- Lopez-Martinez, J., Romero-Serrano, A., Hernandez-Ramirez, A., Zeifert B., Gomez-Yañez, C., and Martinez-Sanchez, R. (2010) Thermal analysis and prediction of phase equilibria in the $\text{TiO}_2\text{--Bi}_2\text{O}_3$ system, Thermochemica Acta, 516, 35-39.
- Lucas, M.S., Dias, A.A., Sampaio, A., Amaral, C., and Peres, C. J.A., (2007) Degradation of a textile reactive Azo dye by a combined chemical–biological process: Fenton’s reagent-yeast, Water research, 41, 1103-1109.
- Lui, Y., Chen, X., Li, J., and Burda, C. (2005) Photocatalytic degradation of azo dyes by nitrogen doped TiO_2 nanocatalysts, Chemosphere, 61 (1), 11-18.
- Ma, M.G., Zhu, J.F., Sun, R.C., and Zhu, Y.J. (2010) Microwave-assisted synthesis of hierarchical Bi_2O_3 spheres assembled from nanosheets with pore structure, Materials Letters, 64, 1524–1527.
- Madeswaran, S., Giridharan, N.V., and Jayavel, R., (2003) Sol–gel synthesis and property studies of layered perovskite bismuth titanate thin films, Materials Chemistry and Physics, 80, 23–28.
- Massiani, M.C., Papiernik, R., Hubert-Pfalzgraf, L.G., and Daran, J.C., (1991) Molecular precursors of bismuth oxides; β -Diketonates and alkoxides. Molecular structure of $[\text{Bi}_2(\mu_2, \eta^1\text{-OC}_2\text{H}_4\text{OMe})_4(\eta^1\text{-OC}_2\text{H}_4\text{OMe})_2]_\infty$ and of $\text{Bi}(\text{OSiPh}_3)_3(\text{THF})_3$, Polyhedron, 10 (4-5), 437-445.
- Matchett, M.A., Chiang, M.Y., and Buhro, W.E. (1990) Soluble and volatile alkoxides of bismuth; the first structurally characterized bismuth trialkoxide: $[\text{Bi}(\mu\text{-}\eta\text{-}1\text{-OCH}_2\text{CH}_2\text{OMe})_2(\eta\text{-}1\text{-OCH}_2\text{OMe})]$, Inorganic Chemistry, 29, 358-360.
- Matjaz, V., and Danilo, S. (2001) Processing and Dielectric Properties of Sillenite Compounds $\text{Bi}_{12}\text{MO}_{20}\text{-}\delta$ ($M = \text{Si, Ge, Ti, Pb, Mn, Bi/2Pb/2}$), Journal of American Ceramic Society, 84, 2900-2904.
- Mehring, M. (2007) From molecules to bismuth oxide-base materials: Potential homo- and heterometallic precursors and model compounds, Coordination chemistry Reviews, 251, 974-1006.

- Monnereau, O., Tortet, L., Llewellyn, P., Rouquerol, F., and Vacquier, G. (2003) Synthesis of Bi_2O_3 by controlled transformation rate thermal analysis: a new route for this oxide?, Solid State Ionics, 157, 163–169.
- Murugesan, S., Smith, Y.R., and Subramanian, V.R. (2010) Hydrothermal synthesis of $\text{Bi}_{12}\text{TiO}_{20}$ nanostructures using anodized TiO_2 nanotubes and its application in photovoltaics, Journal of Physical Chemistry Letters, 1(10), 1631-36.
- Nakamoto, K. (1997) Infrared & Raman Spectra of Inorganic & Coordination Compound, Part B, fifth ed., Wiley, NY, p.75. XXX
- Naskar, S., Pillay, S.A, and Chanda, M. (1998) Photocatalytic degradation of organic dyes in aqueous solution with TiO_2 nanoparticles immobilized on foamed polyethylene sheet, Journal of Photochemistry and Photobiology A: Chemistry, 113 (3), 257-264.
- Navarro-Rojero, M.G., Romero, J.J., Rubio-Marcos, F., and Fernandez, J.F. (2010) Intermediate phases formation during the synthesis of $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ by solid state reaction, Ceramics International, 36, 1319–1325.
- Oertel, R.P., and Plane, R.A. (1968) Raman and infrared study of nitrate complexes of bismuth(III), Inorganic Chemistry, 7(6), 1192-96.
- Ohya, Y., Tanaka, T., and Takahashi, Y. (1993) Dielectric Properties of Lead Zirconate Titanate Thin Film Fabricated on $\text{In}_2\text{O}_3\text{:Sn}$ Substrate by Sol-Gel Method, Japanese Journal of Applied Physics, (32) 4163-4167.
- Pagga, U., and Brown, D. (1986) The degradation of dyestuff: Part II behavior of dyestuff in aerobic biodegradation tests, Chemosphere, 15, 479-491.
- Parks, G. S., and Huffman, H. M., "The Free Energies of Some Organic Compounds." Chemical Catalog Co., Reinhold, New York.
- Parks, G. S., and Kelley, K. K., (1925), *J. Am. Chem. Soc.* 47, 2089-2097.
- Parks, G. S., Kelley, K. K., and Huffman, H. M. (1929), *J. Am. Chem. Soc.* 51, 1969-1973.
- Perrin, F.X., Nguyen, V., and Vernet, J.L., (2003), FT-IR Spectroscopy of Acid-Modified Titanium Alkoxides: Investigations on the Nature of Carboxylate Coordination and Degree of Complexation, Journal of Sol-Gel Science and Technology, 28, 205–215.

- Pei, L., Li, M., Lui, J., Yu, B., Wang, J., and Zhao, X., (2010) Improvements of the ferroelectric properties of high-valence Tb-doped $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ thin film grown by sol-gel method, Materials Letters, 64, 364–36.
- Peng, M.Y., Lothar, W. (2009) Bismuth-doped oxide glasses as potential solar spectral converters and concentrators, Journal of material chemistry, 19, 627- 630.
- Phonthammachai, N., Chairassameewong, T., Gulari, E., Jamieson, A.M., and Wongkasemjit, S. (2002) Oxide one pot synthesis of a novel titanium glycolate and its pyrolysis, International Journal of Minerals, Metallurgy and Materials, 12, 23.
- Phonthammachai, N., Krissanasaeranee, M., Gulari, E., Jamieson, A.M., and Wongkasemjit, S. (2006) Crystallization and catalytic activity of high titanium loaded TS-1 zeolite, Materials Chemistry and Physics, 97,458–467.
- Piboonchaisit, P., Wongkasemjit, S., and Laine, R. (1999) A novel route to tris(silatranyloxy-I-propyl)amine directly from silica and triisopropanolamine. Part I, Science-Asia, Science-Asia J. Sci. Soc. Thailand, 25, 113-119. XXX
- Pourbaix M. (Ed.), "Atlas d'Equilibres Electrochimiques." Gauthier-Villars, Paris, 1963.
- Reed, T. B., "Free Energy of Formation of Binary Compounds." MIT Press, Cambridge, MA, 1971. XXX
- Reeves, P., Ohlhausen, R., Sloan, D., Pamplin, K., Scoggins, T., Clark, C., Hutchinson, B., and Green, D., (1992) Photocatalytic destruction of organic dyes in aqueous TiO_2 suspensions using concentrated simulated and natural solar energy, Solar Energy, 48 (6), 413-420.
- Rogers, R.D., Bond, A.H., and Aguinaga, S. (1992), Alcoholysis of $\text{Bi}(\text{NO}_3)_3 \cdot 5\text{H}_2\text{O}$ by Polyethylene Glycols: Comparison with Bismuth(III) Nitrate Crown Ether Complexation, Journal of American Chemical Society, 114, 2960-2967.
- Sammes, N.M., Tompsett, G.A., Näfe, H., and Aldinger, F. (1999) Bismuth based oxide electrolyte structure and ionic conductivity, Journal of the European ceramic society, 19, 1801-1826.

- Shamaila, S., Sajjad, A.K.L., Chen, F., and Zhang, J. (2011) WO₃/BiOCl, a novel heterojunction as visible light photocatalyst, Journal of Colloid and Interface Science, 356, 465–472.
- Shen, H., Guo, Q., Zhao, Z., and Cao, G. (2009) Sol-gel derived PZT films doped with vanadium pentoxide, Materials Research Bulletin, 44, 2152–2154.
- Shetti, V.N., Srinivas, D., and Ratnasamy, P. (2004) Enhancement of chemoselectivity in epoxidation reactions over TS-1 catalysts by alkali and alkaline metal ions, Journal of Molecular Catalysis A: Chemical, 210, 171-178.
- Shimada, S., Rao, M.L.N., and Tanaka, M. (2000) Synthesis and Structure of Monoorganobismuth Compounds Bearing Pyridinedimethoxide Ligands, Organometallics, 19, 931-936.
- Sooknoi, T., and Limtrakul, J. (2002) Activity enhancement by acetic acid in cyclohexane oxidation using Ti-containing zeolite catalyst, Applied Catalysis A: General, 233, 227-237.
- Srinivisan, S.K., and Ganguly, S. (1991) FT-IR spectroscopic studies of metal nitrates supported on a modified montmorillonite clay, Catalysis Letters, 10, 279-88.
- Sui, R., Rizkalla, A.S., and Charpentier, P.A. (2006) FTIR Study on the Formation of TiO₂ Nanostructures in Supercritical CO₂, The Journal of Physical Chemistry B, 110(30), 16212-16218.
- Sun, J., Jing, Y., Jia, Y., Tillard, M., and Belin, C. (2005) Mechanism of preparing ultrafine copper powder by polyol process, Materials Letters, 59, 3933 – 3936.
- Takahashi, Y., and Matsuoka, Y. (1988) Dip-coating of TiO₂ films using a sol derived from Ti(O-i-Pr) 4-diethanolamine-H₂O-i-PrOH system, Journal of Materials Science, 23 (6), 2259-2226.
- Tanaka, H., Tadanaga, K., Tohge, N., and Minami, T. (1995) Effect of alkanolamines on the microstructure and dielectric properties of lead zirconium titanium trioxide thin films prepared from modified metal alkoxides, Japanese Journal of Applied Physics Part 2: Letters (34) L1155-L1157.

- Tanaka, K., Padermpole, K., and Hisanaga, T. (2000), Photocatalytic degradation of commercial azo dyes, Water Research, 34, 327–333.
- Tang, C., and Chen, V. (2004) The photocatalytic degradation of reactive black 5 using TiO₂/UV in an annular photoreactor, Water research, 38, 2775-2781.
- Tang, Q.Y., Kan, Y.M., Li, Y.G., Zhang, G.J., and Wang, P.L. (2007) Ferroelectric and dielectric properties of Nd/V co-doped Bi₄Ti₃O₁₂ ceramics, Solid State Communications, 142, 1–5.
- Tang, S., Vongehr, S., Zheng, Z., and Meng, X. (2010) Co dendrite based bimetallic structures with nanoflake-built Pt covers and strong catalytic activity, Journal of Colloid and Interface Science, 351, 217–24.
- Thanabodeekij, N., Gulari, E., and Wongkasemjit, S. (2005) Bi₁₂TiO₂₀ synthesized directly from bismuth (III) nitrate pentahydrate and titanium glycolate and its activity , Powder Technology. 160 203-208.
- Torimoto, T., Okawa, Y., Takeda, N., and Yoneyama, H. J. (1997) Effect of activated carbon content in TiO₂-loaded activated carbon on photodegradation behaviors of dichloromethane, Journal of Photochemistry and Photobiology A: Chemistry, 103, 150-157.
- Tozzola, G., Mantegazza, M.A., Ranghino, G., Petrini, G., Bordiag, S., Ricchiardi, G., Lamberti, C., Zulian, R., and Zecchina, A. (1998) On the Structure of the Active Site of Ti-Silicalite in Reactions with Hydrogen Peroxide: A Vibrational and Computational Study, Journal of Catalysis, 179, 64-71.
- Tseng, T.K., Choi, J., Jung, D.W., Davidson, M., and Holloway, P.H. (2010) Three-dimensional self-assembled hierarchical architectures of gamma-phase flowerlike bismuth oxide, ACS Applied Materials & Interfaces, 2 (4), 943-46.
- Thongtem, T., and Thongtem, S., (2004) Characterization of Bi₄Ti₃O₁₂ powder prepared by the citrate and oxalate coprecipitation processes, Ceramics International 30 (2004) 1463–1470.
- Umabala, A.M., Suresh, M., and Prasadarao, A.V., (2000), Bismuth titanate from coprecipitated stoichiometric hydroxide precursors, Materials Letters, 44 175–180.

- Wang, C.M., Wang, J.F., Gai, Z.G., Zhao, M.L., Zhao, L., Xu, J.X., Yin, N., Zhang, C.J., Sun, S.Q., Zang, G.Z., Chu, R.Q., Xu, Z.L., Kumar, G.B., and Buddhudu, S. (2008) Ferroelectric, dielectric and piezoelectric properties of potassium lanthanum bismuth titanate $K_{0.5}La_{0.5}Bi_4Ti_4O_{15}$ ceramics, Materials Chemistry and Physics, 110, 402–405.
- Wang, D., Yu, R., Kumada, N., and Kinomura, N., (1999) Hydrothermal Synthesis and characterization of a novel one-dimensional titanium glycolate complex single crystal: $Ti(OCH_2CH_2O)_2$, Chemistry of Materials, 11, 2008-2012.
- Wang, L., Zhao, Y., Lai, Q., and Hao, Y. (2010) Preparation of 3D rose-like NiO complex structure and its electrochemical property, Journal of Alloys And Compounds, 495, 82–87.
- Wang^a, Y., Zhao, J., and Wang, Z. (2011) A simple low-temperature fabrication of oblique prism-like bismuth oxide via one-step aqueous process, Colloids and Surfaces A: Physicochemical and Engineering Aspects, 377, 409-413.
- Wang^b, Y., Li, S., Xing, X., Huang, F., Shem, Y., Xie, A., Wang, X., and Zhang, J. (2011) Self-assembled 3D flower-like hierarchical $Fe_2O_3@Bi_2O_3$ core-shell architecture and their enhanced photocatalytic activity under visible light, Chemistry-A European Journal, 17, 4802-4808.
- Wei, W., Dai, Y., and Huang, B. (2009) First-Principles Characterization of Bi-based Photocatalysts: $Bi_{12}TiO_{20}$, $Bi_2Ti_2O_7$, and $Bi_4Ti_3O_{12}$, Journal of Physical Chemistry C, 113, 5658-63.
- Xiao, H., Ai Z., and Zhang, L. (2009) Nonaqueous sol-gel synthesized hierarchical CeO_2 nanocrystal microspheres as novel adsorbents for wastewater treatment, The Journal of Physical Chemistry C, 113, 16625-16630.
- Xiao, P., Zhu, L., Zhu, Y., and Qian, Y. (2011) Selective hydrothermal synthesis of BiOBr microflowers and Bi_2O_3 shuttles with the concave surfaces, Journal of Solid State Chemistry, 184, 1459-1464.
- Xie, D., and Pan, W., (2003) Study on $BaBi_4Ti_4O_{15}$ nanoscaled powders prepared by sol–gel method, Materials Letters, 57, 2970 – 2974.

- Xiong, J., Das, S.N., Shin, B., Kar, J.P., Choi, J.H., Myoung, and J.M. (2010) Biomimetic hierarchical ZnO structure with superhydrophobic and antireflective properties, Journal of Colloid and Interface Science, 350, 344–47.
- Xiong, Y., Wu, M., Yu, J., and Chen Q., (2008) Synthesis and luminescence properties of hand-like α -Bi₂O₃ microcrystals, Materials Letters, 62, 1165-1168.
- Xu, S., Shangguan, W., J.Yuan, Shi, J., and Chena, M., (2007) Photocatalytic properties of bismuth titanate Bi₁₂TiO₂₀ prepared by co-precipitation processing, Materials Science and Engineering B, 137, 108–111.
- Yamashita, H., Ichihashi, Y., Anpo, M., Hashimoto, M., Louis, C., and Che, M. (1996), Photocatalytic decomposition of NO at 275 K on titanium oxides included within Y-Zeolite cavities: the structure and role of the active sites, The Journal of Physical Chemistry, 100(40), 16041-16044.
- Yan, C., and Xue, D., (2006) Morphosynthesis of Hierarchical Hydrozincite with Tunable Surface Architectures and Hollow Zinc Oxide, The Journal of Physical Chemistry B, 110, 11076-11080.
- Yan, D., Yan, P.X., Yue, G.H., Liu, J.Z., Chang, J.B., Yang, Q., Qu, D.M., Geng, Z.R., Chen, J.T., Zhang, G.A., Zhuo R.F., (2007) Self-assembled flower-like hierarchical spheres and nanobelts of manganese oxide by hydrothermal method and morphology control of them, Chemical Physics Letters, 440, 134-38.
- Yang, B., Mo, M., Hu, H., Li, C., Yang, X., Li, Q., and Qian, Y. (2004) A Rational Self-Sacrificing Template Route to β -Bi₂O₃ Nanotube Arrays, European Journal of Inorganic Chemistry, 9, 1785–1787.
- Yang, J., Li, C., Quan, Z., Zhang, C., Yang, P., Li, Y., Cuicui, Y., and Lin, J. (2008) Self-assembled 3D flowerlike Lu₂O₃ and Lu₂O₃:Ln³⁺ (Ln = Eu, Tb, Dy, Pr, Sm, Er, Ho, Tm) microarchitectures: ethylene glycol-mediated hydrothermal synthesis and luminescent properties, Journal of Physical Chemistry C, 112(33), 12777-85.

- Yao^a, W.F., Wang, H., Xu, X.H., Cheng, X.F., Huang, J., Shang, S.X., Yang, X.N., and Wang, M. (2003) Photocatalytic property of Bismuth Titanate $\text{Bi}_{12}\text{TiO}_{20}$ crystal, Applied Catalysis A: General, 243, 185-190.
- Yao^b, W.F., Wang, H., Xu, X.H., Yang, X.N., Zhang, Y., Shang, S.X., and Wang, M. (2003) Preparation and photocatalytic property of La (Fe)-doped bismuth titanate, Applied Catalysis A: General, 251, 235-239.
- Yu, Z., Wen, W., Dechang, J., and Feng, Y. (2003) Synthesis of $\text{SrBi}_2\text{Ta}_2\text{O}_9$ nanocrystalline powder by a modified sol-gel process using bismuth subnitrate as bismuth source, Materials Chemistry and Physics, 77, 60-4.
- Zevaco, T., and Postel, M., (1992) Bismuth (III) Complexes from Glycol and α -Hydroxycarboxylic acids, Synthesis and Reactivity in Inorganic and Metal-Organic Chemistry, 22 (2&3), 289-297.
- Zhan, H., Chen K., Tian, H. (1998) Photocatalytic degradation of acid azo dyes in aqueous TiO_2 suspension II. The effect of pH values, Dyes and Pigments, 37(3), 241-247.
- Zhang, D., Yan, T., Shi, L., Pan, C., and Zhang, J. (2009) Ethylene glycol reflux synthesis of carbon nanotube/ceria core-shell nanowires, Applied Surface Science, 255, 5789-5794.
- Zhang^a, X., Ai, Z., Jia, F., and Zhang, L. (2008) Generalized One-Pot Synthesis, Characterization, and Photocatalytic Activity of Hierarchical BiOX (X = Cl, Br, I) Nanoplate Microspheres, The Journal of Physical Chemistry C, 112, 747-753.
- Zhang^b, Y.J., Yao, Q., Zhang, Y., Cui, T.Y., Li, D., Liu, W., Lawrence, W., and Zhang, Z.D. (2008), Solvothermal Synthesis of Magnetic Chains Self-Assembled by Flowerlike Cobalt Submicrospheres, Crystal Growth & Design, 8 (9), 3206-3212.
- Zhang, L., Hashimoto, Y., Taishi, T., Nakamura, I., and Ni, Q.Q. (2011) Fabrication of flower-shaped Bi_2O_3 superstructure by a facile template-free process, Applied Surface Science, 257, 6577-6582.
- Zhong, L.S., Hu, J.S., Liang, H.P., Cao, A.M., Song, W.G., and Wan, L.J. (2006) Self-Assembled 3D flowerlike iron oxide nanostructures and their application in water treatment, Advanced Materials, 18, 2426-2431.

- Zhou^a, L., Wang, W., Xu, H., Sun, S., and Shang, M. (2009) Bi₂O₃ hierarchical nanostructures: Controllable synthesis, growth mechanism, and their application in photocatalysis, Chemistry - A European Journal, 15, 1776-82.
- Zhou^b, Y.X., Yao, H.B., Zhang, Q., Gong, J.Y., Liu, S.J., and Yu, S.H., (2009) Hierarchical FeWO₄ microcrystals: solvothermal synthesis and their photocatalytic and magnetic properties, Inorganic Chemistry, 48(3), 1082-1090.
- Zhu X., Zhang J., and Chen F. (2010) Hydrothermal synthesis of nanostructures Bi₁₂TiO₂₀ and their photocatalytic activity on acid orange 7 under visible light, Chemosphere, 78, 1350–1355.
- Zhu^a, Y., and Chen, Y. (2011) Effect of ethylene glycol on the growth of hexagonal SnS₂ nanoplates and their optical properties, Journal of Crystal Growth, 328, 70–73.
- Zhu^b, J., Wang, S., Wang, J., Zhang, D., and Li, H. (2011) Highly active and durable Bi₂O₃/TiO₂ visible photocatalyst in flower-like spheres with surface-enriched Bi₂O₃ quantum dots, Applied Catalysis B: Environmental, 102, 120-125.
- Zhuang, J., Ma D., Yan Z., Liu X., Han X., Bao X., Zhang Y., Guo X., and Wang, X. (2004) Effect of acidity in TS-1 zeolites on product distribution of the styrene oxidation reaction, Applied Catalysis A: General, 258, 1-6.

CURRICULUM VITAE



Name: Ms. Ruethaithip Wisedsri

Date of Birth: April 16, 1983

Nationality: Thai

University Education:

2004–2011 Full time graduate of International Master-Philosophy of Doctoral Degree in Polymer Science Major, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand

2000–2003 Bachelor's Degree of Science, Department of Science, Khonkaen University, Khonkaen, Thailand

Publications:

1. Wisedsri, R., Chaisuwan, T., Wongkasemjit S., (2011) Hierarchical architecture of $\text{Bi}_{12}\text{TiO}_{20}$ via ethylene glycol-mediated synthesis route, Materials Letters, 65(21-22), 3237-3240.
2. Wisedsri, R., Chaisuwan, T., Wongkasemjit S., A simple route to bismuth titanate from bismuth glycolate precursor via sol-gel process, Materials Research Innovations (In press).
3. Wisedsri, R., Chaisuwan, T., Wongkasemjit S., Facile synthesis of flower-like bismuth oxide: Controllable morphology, Submitted.
4. Wisedsri, R., Jamieson, A.M., Wongkasemjit S., Comparison of TS-1 zeolite to bismuth titanate photocatalyst for waste water treatment using reactive black 5 dye as model, Chapter in Advanced Metal and Metal Oxide Technology. pp. 93-108

Presentations:

1. Wisedsri, R., Jamieson, A.M., and Wongkasemjit, S., TS-1 zeolite catalyst for wastewater treatment, ZMPC2006 International Symposium on Zeolites and Microporous Crystals, Yonago, Tottori Prefecture, Japan (poster presentation).
2. Wisedsri, R., Jamieson, A.M., and Wongkasemjit, S., TS-1 zeolite catalyst for wastewater treatment, International Center for Young Scientists & International

Center for Materials Research, Summer School on Nanomaterials, National Institute for Materials Science, Tsukuba, Japan, 22-28 July, 2006 (Poster presentation).

3. Wisedsri, R., Jamieson, A.M. and Wongkasemjit, S., Comparison of TS-1 zeolite to bismuth titanate photocatalysts for waste water treatment using reactive black 5 dye as model, 15th Polymer Characterization Tutorial and 15 World Forum on Advanced Materials, Buzios, Brazil, 17-20 April, 2007.
4. Wisedsri, R., Chaisuwan, T., Wongkasemjit, S., A simple route to bismuth titanate from bismuth glycolate precursor via sol-gel process, Polychar 19, Kathmandu, Nepal (poster presentation).