

REFERENCES

- Allen, D.J. and Ishida, H. (2006) Physical and Mechanical Properties of Flexible Polybenzoxazine Resins, Effect of Aliphatic Diamine Chain Length. Journal of Applied Polymer Science, 101, 2798-2809.
- Calvo, M., Garcia, R., and Moinelo, S.R. (2008) Carbon Foams from Different Coals. Energy & Fuels, 22, 3376-3383.
- Chen, C. Kennel, E.B., Stiller, A.H., Stansberry, P.G., and Zondlo, J.W. (2006) Carbon derived from various precursors. Carbon, 44(8), 1535-43..
- Dunkers, J., and Ishida, H. (1995) Vibrational assignments of 3-alkyl-3,4-dihydro-6-methyl-2H-1,3-benzoxazines in the fingerprint region. Spectrochimica Acta, 51, 1061-1074.
- Ghosh, N.N., Kiskan, B., and Yagci, Y. (2007) Polybenzoxazine-New high performance thermosetting resin : Synthesis and properties. Progress in Polymer Science, 32, 1344-1391.
- Gregg, S.J., Sing K.S.W. (Eds). (1982) Adsorption, Surface Area and Porosity. London: Academic press.
- Horvat, D., Mozina, J., and Daci, J. (1994) Pulsed photoacoustic studies of thermoset curing reaction. Journal De Physique IV, 4, 249-252.
- Inagaki, M., Morishita, T., Kuno, A., Kito, T., Hirano, M., Suwa, T., et al. (2004) Carbon foams prepared from polyimide using urethane foam temple. Carbon, 42(3), 497-502.
- Ishida, H., US Patent 5,543,516; 1996.
- Klett, J.W., Hardy, R., Romine, E., Walls, C., and Burchell, T. (2000) High-thermalconductivity, mesophase-pitch-derived carbon foams: effect of precursor on structure and properties. Carbon, 38(7), 953-73.
- Klett, J.W., Process for making carbon foam. US Patent 6033506; 2000.
- Lorjai, P., et al., Thailand Patent Submitted.
- Mattis, D.C. (2005) Theory of ferromagnetism in carbon foam, Phys Rev B: Condens Mater Mater Phys, 71(14), 144424/1-4/5.

- Mehta, R., Anderson, D.P., and Hager, J.W. (2003) Graphite open-celled carbon foams: processing and characterization. Carbon, 41(11), 2174-6.
- Pentrakoon, D. and Ellis, J.W. (2005) An Introduction to Plastic Foams. Bangkok: Chulalongkorn University Press.
- Rios, R.V.R.A., Martinez-Escandell, M., Molina-Sabio, M., and Rodriguez-Reinoso, F. (2006) Carbon foam prepared by pyrolysis of olive stones under steam. Carbon, 44(8), 1448-54.
- Wang, X., Zhong, J., Wang Y., and Yu, M. (2006) A Study of the properties of carbon foam reinforced by clay. Carbon, 44(8), 1560-4.
- Yang, J., Shen Z.M., and Hao Z.B. (2004) Microwave characteristics of sandwich composites with mesophase pitch carbon foams as core. Carbon, 42(8-9), 1882-5.
- Yang, J., Shen, Z., Xue, R., and Hao, Z. (2005) Study of mesophase-pitch-based graphite foam used as anodic materials in lithium ion rechargeable batteries. J Mater Sci, 40(5), 1285-7.

APPENDIX

Appendix A DSC of P-edo mixed wt% of AZD




Figure A1 DSC of P-edo mixed wt% of AZD at 1.00°C/min.

DSC of P-edo mixed wt% of AZD




Figure A2 DSC of P-edo mixed wt% of AZD at 2.00°C/min.

DSC of P-edta mixed wt% of AZD




Figure A3 DSC of P-edta mixed wt% of AZD at 3.00°C/min.

CURRICULUM VITAE

Name: Mr. Somkiat Sreewanichwipat

Date of Birth: April 9, 1977

Nationality: Thai

University Education:

2000–2004 Bachelor Degree of Genetics, Faculty of Science, Kasetsart University, Bangkok, Thailand

Work Experience:

2004-2005	Position:	Assistance researcher
	Company name:	Agricultural Faculty, Kasetsart University
2005-2007	Position:	Researcher
	Company name:	Density Faculty, Chulalongkorn University

Proceedings:

1. Sreewanichwipat, S.; Wongkasemjit, S.; and Chaisuwan, T. (2009, March 24) Development of novel carbon foam derived from phenol-ethylenediamine benzoxazine precursor. Proceedings of the 237th ACS 2009, Utah, USA.
2. Sreewanichwipat, S.; Wongkasemjit, S.; and Chaisuwan, T. (2009, April 22) Development of novel carbon foam derived from phenol-ethylenediamine benzoxazine precursor. Proceedings of the 15th PPC Symposium Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.

Presentations:

1. Sreewanichwipat, S.; Wongkasemjit, S.; and Chaisuwan, T. (2009, March 24) Development of novel carbon foam derived from phenol-ethylenediamine benzoxazine precursor. Poster presented at 237th America Chemical Society Nation Meeting & Exposition, Utah, USA.
2. Sreewanichwipat, S.; Wongkasemjit, S.; and Chaisuwan, T. (2009, April 22) Development of novel carbon foam derived from phenol-ethylenediamine



benzoxazine precursor. Poster presented at 15th PPC Symposium Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.