

References

- Afzal M, Ali M, Hassan RAH, Sweedan N, Dhami MSI. Identification of some prostanooids in aloe vera extract. **Planta Med.** 1991; 57:38-40.
- Algire GH. An adaptation of the transparent chamber technique to the mouse. **J Natl Cancer Inst.** 1943; 4: 1-11.
- Bizios R, Lai LC, Cooper JA, vecchio PJD, Malik AB. Thrombin-induced adherence of neutrophils to cultured endothelial monolayers: Increased endothelial adhesivencess. **J Cell Physiol.** 1988; 134 : 275-280.
- Bouchey GD, Gjerstad G. Chemical studies of Aloe vera juice. **Quart J crude Drug Res.** 1969; 9 : 1445-53.
- Capasso F, Mas colo N, Autore G, Duraccio MR. Effect of indomethacin on aloin and 1,8 dioxanthraquinone-induced production of prostaglandins in rat isolated colon. **Prostaglandins.** 1983 ;26 : 557-62.
- Cera LM, Heggers JP, Robson MC. The therapeutic efficacy of Aloe vera cream (Dermaide Aloe[®]) in thermal injuries : Two case reports. **J Am Animal Hosp Assoc.** 1980; 16 : 768-72.
- Coats BC. A modern study of aloe vera **The silent healer**, Garlan, TX, 1979.

Cole HN, Chen KK. Aloe vera in oriental dermatology. **Arch Dermatol Syph.** 1943; 47 : 250-257.

Danof IE. **Remarkable aloe.** Omnimedicus Press, Grand Prairie, TX, 1987.

Davis RH, DiDonato JJ, Johnson RWS, Stewart CB. Aloe vera, hydrocortisone, and sterol influence on wound tensile strength and antiinflammation. **JAPMA.** 1994; 84: 614-21.

Davis R, Kabbani J, Maro N. Aloe vera and inflammation. **Pa Acad Sci.** 1986; 60: 67.

Davis RH, Leitner MG, Russo JM. Aloe vera: A natural approach for treating wounds, edema, and pain in diabetes. **JAPMA.** 1988; 78: 60-8.

Davis RH, Parker WL, Samson RT, Murdoch. Isolation of a stimulatory system in aloe extract. **JAPMA.** 1991; 81: 473-8.

Davis RH, Rosenthal KY, Cesario LR. Vitamin C influence on localized adjuvant arthritis. **JAPMA.** 1990; 80: 15-7.

DelBeccaro EJ, Robson MC, Heggers JP. The use of specific thromboxane inhibitors to preserve the dermal microcirculation after burning. **Surgery.** 1980; 87: 137-41.

Endrich B, Asaishi K, Goetz A, Messmer K. Technical report a new chamber technique for microvascular studies in unanesthetized hamsters. **Res Exp Med (Berl)**. 1980; 177: 125-34.

Engel E, Erlick N, Davis R. Diabetes mellitus : impaired wound healing from zinc deficiency. **JAPA**. 1981; 71: 536.

Fantone JC, Ward PA. Inflammation. In : Rubin E, Farber JL, eds. **Pathology** Philadelphia : J.B. Lippincott Co, 1994. 33-66.

Farnsworth NR, Bunyapraphatsara N. Aloe vera (Linn.) Burm .f. *Aloe barbadensis* Mill. (Syn.). In : Farnsworth NR, Bunyapraphatsara N, eds. **Thai medicinal plants**. Bangkok: Prachachon, 1992: 35-43.

Forst MB, Davis RH. Effects of tryptophane, anthranilic acid and ribonucleic acid on adjuvant arthritis. **JAPA**. 1979; 69: 643.

Fujita K, Ito S, Teradaira R, Beppu H. Properties of a carboxypeptidase from aloe. **Biochem Pharmacol**. 1979; 28: 1261-2.

Fujita K, Shosuke I. Bradykininase activity of aloe extract. **Biochem Pharmacol**. 1976; 25: 205.

Fujita K, Teradaira R, Nagatsu T. Bradykininase activity of aloe extract. **Biochem Pharmacol**. 1976; 25: 205.

Gaboury JP. Kubes P. Reductions in physiological shear rates lead to CD11/CD 18-dependent, selectin-independent leukocyte rolling in vivo. **Blood.** 1994; 83: 345-50.

Galey F, Wayland H. Pathways of histamine-induced albumin leakage from venules. **Microvas Res.** 1978; 15: 263-264.

Garcia JGN, Siflinger-Birnboim A, Bizios R, veccho PJL, Fenton JW, Malik AB. Thrombin-induced increase in albumin permeability across the endothelium. **J Cell Physiol.** 1986; 128: 96-104.

Gerritsen ME. Physiological and pathological roles of eicosanoids in the microcirculation. **Cardio Res.** 1996; 32: 720-32.

Gjerstad G. Chemical studies of Aloe vera juice-I : Amino acid analysis. **Advanc Front Plant Sci.** 1971; 28: 311-5.

Gowda DC, Neclisiddauah B, Anyaneyalu V. Structural Studies of polysaccharides from aloe vera. **Carbohydr Res.** 1979; 79: 201.

Grindlay D, Reynolds T. The aloe vera phenomenon : A review of the properties and modern uses of the leaf parenchyma gel. **J Ethnopharmacol.** 1986; 16: 117- 51.

Hanley D, Solomon W, Saffran. The evaluation of natural substances in the treatment of adjuvant arthristis. **JAPMA.** 1982; 72: 275.

Hart LA, VAN Enckevort PH, VAN Dijk H, Zaaij R, DE Silva KTD, Laradie RP. Two functionally and chemically distinct immuno-modulatory compounds in the gel of aloe vera. **J Ethnopharmac.** 1988a; 23: 61-71.

Hart LA, VAN DEN Berg, AJJ Kuis L, VAN Dijk H, Labadie RP. An anticomplementary polysaccharide with immunological adjuvant activity from the leaf parenchyma gel of aloe vera. **Planta Medica.** 1989: 55; 509-12.

Hart LA, Wibbering PH, VAN DEN Barselaar TH, VAN Dijk H, VAN DEN Berg AJJ, Labadie RP. Effects of low molecular constituents from aloe vera gel on oxidative metabolisms and cytotoxic and bactericidal activities of human neutrophils. **J Ethanopharmacol.** 1990; 12: 427-34.

Hedqvist P, Lindblom L, Palmertz U, Ravd J. Microvascular mechanisms in inflammation. **Prostaglandins.** 1994; 22: 91-99.

Heggers JP, Robson MC. Prostanoid derivatives and their influence on thermal injury. **The bulletin and clinical review of burn injuries.** VI th International Congress on Burn Injuries, San Francisco, CA, September, 1982.

Heggers JP, Robson MC. Prostaglandins and thromboxanes. In: Ninnemann JL, ed. **Traumatic injury. Infection and other immunological sequelae.** Baltimore, University Park Press, 1983: 79-102.

Heggers JP, Pelley RP, Robson MC. Beneficial effects of aloe in wound healing. **J Ethanopharmacol** 1993; 7: 48-52.

Heggers JP, Robson MC, Zachary LS. Thromboxanes inhibitors for the prevention of progressive dermal ischemia due to the thermal injury. **J Burn Care Rehab.** 1985; 6: 466-8.

Henry R. An Updated review of aloe vera. **Cosmetics and Toiletries**. 1979; 94: 42-50.

Hirata T, Suga T. Biologically active constituents of leaves and roots of aloe arborescens var.natalensis. **zeitschrift fur Naturforschung**. 1977; 32: 731-4.

Hutter JA, Salman M, Stavinoha WB, Satsangi N, Williams RF, Streeper RT, et al. Antiinflammatory C-glucosyl chromone from aloe barbadensis. **J Nat Prod.** 1996; 59: 541-3.

Jackson DM. The diagnosis of the depth of burning. **Br J Surg.** 1953; 40: 588-93.

Klein AD, Penneys NS. Aloe vera. **J Am Acad Dermatol.** 1988; 18: 714-20.

Koller A, Kaley G. Prostaglandins mediate arteriolar dilatation to increased blood flow velocity in skeletal muscle microcirculation. **Circ Res.** 1990; 67: 529-34.

Lehr HA, Guhlmann A, Nolte D, Keppler D, Messmer K. Leukotrienes as mediators in ischemia-reperfusion injury in a microcirculation model in the hamster. **J Clin Invest.** 1991; 87: 2036-41.

Lehr HA, Leunig M, Menger MD, Nolte D, Messmer K. Technical advances: Dorsal skinfold chamber technique for intravital microscopy in nude mice. **Am J Pathol.** 1993; 120: 34-5/154/5.

Leung AY. Aloe vera in cosmetics. **Excelsa.** 1978; 8: 65-68.

Lorenzetti LJ, Salisbury R, Beal JL, Baldwin JN. Bacteriostatic property of aloe vera. **J Pharm Sci.** 1964; 53: 1287.

Majno G, Palade GE. Studies on inflammation: I. The effect of histamine and serotonin on vascular permeability an electron microscopic study. **J Biophys Biochem Cytol.** 1961; 11: 571.

Majno G, Palade GE, Schoefl GI. Studies on inflammation: II. The site of action of histamine and serotonin along the vascular tree: a topographic study. **J Biophys Biochem Cytol.** 1961; 11: 607.

McCauley RL, Hing DN, Robson MC, Heggers JP. Frostbite injuries: A rational approach based on the pathophysiology. **Plast Reconstr Surg** 1993; 23: 143-7.

McKeown E. Aloe vera: The quest for the curative missing link. **D&CL.** 1983, 30-34.

Meadows TP. Formulating cosmetics with aloe vera. **Drug Cosmet Ind.** 1983; 132: 34, 37-8, 40, 100, 103.

Menger MD, Lehr HA. Scope and perspectives of intravital microscopybridge over form in vitro to invivo. **Immunol Today**. 1993; 14: 519-22.

Miller MB, Koltai PJ. Treatment of experimental frostbite with pentoxifylline and aloe vera cream. **Ear Nose Toung**. 1995; 121: 678-80.

Moncada S, Higgs EA, Vane JR. Human arterial and venous tissue generate prostacyclin, a potent inhibitor of platelet aggregation. **Lancet**. 1977; 1: 18- 21.

Morgan DO, Edman JC, Standring DN. Insulin-like growth factor II receptor as a multifunctional binding protein. **Nature**. 1987; 329: 301.

Nakagomi K, Oka S, Tomizuka N, Yamamoto M, Masui T, Nakazawa H. A novel biological activity in aloe components: Effects on mast cell degranulation and platelet aggregation. **abst**, 1984; 20, 29.

Needleman P, Roy M, Ferrendelli JA, Monkes M. Application of imidazole as a selective inhibitor of thromboxane synthase in human platelets. **Proc Natl Acad Sci USA**. 1977; 74: 1716-20.

Nehls V, Drenckhahn D. A microcarrier-based cocultivation system for the investigation of factors and cells involved in angiogenesis in three-dimensional fibrin matrices in vitro. **Histochem Cell Biol.** 1995; 104: 459- 66.

Papenfuss HD, Gross JF, Intaglietta M, Treese FA. A transparent access chamber for the rat dorsal skinfold. **Microvasc Res.** 1979; 18: 311-8.

Penneys NS. Inhibition of arachidonic acid oxidation in vitro by vehicle components. **Biochem Pharmacol.** 1982; 62: 59-61.

Peters KG, Varies CD, Williams LT. Vascular endothelial growth factor receptor regulator expression during embryogenesis and tissue repair suggests a role in endothelial differentiation and blood vessel growth. **Proc Natl Acad Sci USA.** 1993; 90: 8915-9.

Phillips PG, Lum H, Malik AB. Phallacidin prevents thrombin-induced increases in endothelial permeability to albumin. **Am J Physiol.** 1989; 257: 562-7.

Ramirez M, Kim DD, Duran WN. Protein kinase C modulates microvascular permeability through nitric oxide synthase. **Am J Physiol.** 199; 271: 1702-6.

Rodriguez-Bigas M, Cruz NI, Suarez A. Comparative evaluation of aloe vera in the management of burn wounds in guinea pigs. **Plast Reconstr Surg.** 1986; 81: 386-9.

Reynolds GW. The aloes of tropical africa and madagascar. In : **The aloes book fund.** Swaziland: Trustees, 1969.

Robbins CK: **Pathologic basic of disease.** W.B. Saunders company. 1994: 51-92.

Robson MC, DelBeccaro EJ, Heggers JP. Increasing dermal perfusion after burning by decreasing thromboxane production. **Plast Reconstr Surg.** 1980; 20: 722-5.

Robson MC, Heggers JP, Hangstrom WJ. Myth, magic, withchcraft or fact? Aloe vera revisited. **J Burn Care Rehabil.** 1982; 3: 157-63.

Robson MC, Murphy RC, Heggers JP. A new explanation for the progressive tissue loss in electrical injuries. **Plast Reconstr Surg.** 1984; 73: 431-7.

Rowe TD, Parks LM. Phytochemical study of Aloe vera leaf. **J Am Pharm Ass.** 1941; 30: 262-6.

Rubel BL.Possible mechanisms of the healing actions of aloe gel. **Cosmetics and Toiletries.** 1983; 98: 109-114.

Rubinstein A, Pierce C, Bloomearden Z. Rapid healing of diabetic foot ulcers with continuous subcutaneous insulin infusion. **Am J Med.** 1983; 75: 161.

Sabeh F, Wright T, Norton SJ. Purification and characterization of a glutathione peroxidase from the aloe vera plant. **Enzyme and Protein.** 1993; 47: 92-8.

Sabeh F, Wright T, Norton SJ. Isozymes of superoxide dimutase from aloe vera. **Enzyme and Protein.** 1996; 49: 212-21.

Saisuk Mukdavan. **Preparation of stabilized aloe vera Linn. gel in dried form** Master's thesis, physiology, graduate school, chulalongkorn university. 1994.

Saito S, Ishiguro T, Imanishi K, Suzuki. Pharmacological studies on a plant lectin aloctin A. II. Inhibitory effect of aloctin A on experimental models of inflammation in rats. **Japanese Journal of Pharmacology.** 1982; 32: 139-42.

Shasby DM, Lind SE, Shasby SS. Reversible oxidant -induced increases in albumin transfer across cultured endothelium; alterations in cell shape and calcium homeostasis. **Blood.** 1958; 65: 605-14.

Shida T, Yagi A, Nishimura H, Nishioka I. Effects of aloe extract on peripheral phagocytosis in adult bronchial asthma. **Planta Medica.** 1985; 10: 273-5.

Siflinger-Birnboim A, Malik AB. Regulation of endothelial permeability by second messengers. **New Horizons.** 1996; 4: 87-98.

Siflinger-Birnboim A, Malik AB. Neutrophil adhesion to endothelial cells impairs the effects of catalase and glutathione in preventing endothelial injury. **J Cell Physiol.** 1993; 155: 234-9.

Siflinger-Birnboim A, Goligorski MS, Del vecchio PJ. Activation of protein kinase C pathway contributes to hydrogen peroxide-induced increases in endothelial permeability. **Lab Invest.** 1992; 67: 24-30.

Simionescu M, Simionescu N, Palade GE. Segmental differentiation of cell junctions in the vascular endothelium. The microvasculature. **J Cell Biol.** 1975; 67: 863-6.

Simionescu M, Simionescu N, Palade GE. Structural basis of permeability in sequential segments of the microvasculature of the diaphragm. II. Pathway followed by microperoxidase across the endothelium. **Microvas Res.** 1978; 15: 17-36.

Suzuki I, Saito H, Inoue S, Migita S, Takahashi T. Purification and characterization of two lectins from Aloe arborescens Mill. **J Biochem.** 1979; 85: 163-71.

Tedgui A. Endothelial permeability under physiological and pathological conditions. **Prostaglandins Leukot Essent Fat.**

Tilton RG. Capillary pericytes: Perspectives and future trends. **J Electron Microsc Tech.** 1991; 19: 345-60.

Vaporciyan AA and Ward PE. The inflammatory response. In: Beutler E, Lichtmen MA, Coller BS, Kipps TJ, eds. Nilliams **Hematology**. 5th ed. New York : Mc.Graw-Hill, 1995: 45-56.

Vazquez B, Avila G, Segura D, Escalame B. Antiinflammatory activity of extracts from aloe vera gel. **J Ethnopharmacol.** 1996; 55: 69-75.

Visuthikoso V, Sukwanarat Y, Chowchuen B, Sriurairatana S, Boonpuknavig V. **J Med Assoc Thai.** 1995; 78: 403-8.

Waller GR, Mangiafic S, Ritchey CR. A chemical investigation of Aloe barbadensis Miller. **Proceedings of the Oklahoma Academy of Science.** 1978; 58: 69-76.

Warren JB, Loi RK, Wilson AJ. PGD₂ is an intermediate in agonist-stimulated nitric oxide release in rabbit skin microcirculation. **Am J Physiol.** 1994; 266: 1846-53.

Willenborg DO, Parish CR, Cowden. Phosphosugars are potent inhibitors of central nervous system in inflammation. **FASEB J.** 1989; 3: 1968.

Wilson AJ, Warren JB. Adenylate cyclase-mediated vascular responses of rabbit aorta, mesenteric artery and skin microcirculation. **Br J Pharmacol.** 1993; 110: 633-8.

Winters W, Benavides R, Clouse WJ. Effect of aloe extracts on human normal and tumor cells in vitro. **Econ Bot.** 1981; 35: 89.

Winters C, Resley E, Nuss G. Carragenan-induced edema in hind paw of the rat as an assay for antiinflammatory drug. **Proc Soc Exp Biol Med.** 1962; 111: 544.

Winters WD, Yang PB. Polypeptides of the three major medicinal aloes. **Phytother Res.** 1996; 10: 573-6.

Yagi A. Aloe mannan, polysaccharide, from Aloe arborescens var Natalensis. **Pharm Sci.** 1982; 71: 1172.

Yagi A, Egusa T, Arase M, Tanabe M, Tsuji H. Isolation and characterization of the glycoprotein fraction with a proliferation-promoting activity on human and hamster cells in vitro from aloe vera gel. **J Pharm Sci** 1997; 63: 18-21.

Yagi A, Hamada K, Mihashi K, Harada N, Nishioka I. Structure determination of polysaccharides in Aloe saponaria (Hill) Haw. (Liliaceae). **J Pharm Sci.** 1984; 73: 62-5.

Yagi A, Harada N, Shimomura K, Nishioka I. Bradykinin-degrading glycoprotein in aloe arborescens. **Planta Med.** 1987; 18: 19-21.

Yagi A, Harada N, Yamada H, Iwadare S, Nishioka I. Antib Bradykinin active marterial in aloe saponaria. **J Pharm Sci.** 1982; 71: 1172-4.

Zachary LS, Smith DJ, Heggers JP, Robson MC, Boertman JA, Niu X, et al. The role of thromboxane in experimental intravertent intra-arterial drug injection. **J Hand Surg.** 1987; 124: 240-5.

Zawacki BE. Reversal of capillaries stasis and prevention of necrosis in burns. **Ann Surg.** 1974; 180: 98-102.

BIOGRAPHY

Miss Sarunya Thanamittramanee was born on January 17, 1970, in Suratthani. She graduate Bachelor degree of Nursing from Mahidol University in 1993.

