

REFERENCES

- Anderson, J. H., and Parks, G. A., *J. Phys. Chem.*, **72**, 3362-8, (1968).
- Arai, H., and Seiyama, T., in Gopel, W., Hesse, J., and Zemel, J. N. (eds.), *Sensors: A Comprehensive Survey*, Vol. 3, VCH, Weinheim, Ch. 20, 981-1012, (1992).
- Beruto, D., Botter, R., Giordani, M., Gusmano, G., Traversa, E., and Proverbio, E., "Modeling chemical composition and microstructure of Mg-Al spinel formation", *Euro-ceramics*, **1**, Processing of ceramic, Elsevier Applied Science, London and New York, (1989).
- Beruto, D., Botter, R., and Searcy, A. W., "Influence of temperature gradients on sintering experimental tests of a theory", *J. Am. Ceram. Soc.*, **72**, 2, 232-235, (1989).
- Burke, J. E., *Progress in Ceramic Science*, Vol 3, Pergamon Press, (1966).
- Carts, Y. A., *Laser Focus World*, 89-94 (1992).
- Cousin, P., and Ross, R. A., *Mat. Sci. and Eng.*, **A 130**, 119-125 (1990).
- Cranmer, D. C., *Introduction to glasses and Ceramics*, ASM Internat., **4**, 18, (1991).
- Dunmore, F. W., *J. Research National Bureau Standards*, **23**, 701, (1939).
- Evans, J. W., and De Jonghe, L. C., *The production of inorganic materials*, Maxwell Macmillan International Publishing Group, (1992).
- Furlani, A., Iucci, G., Russo, M. V., Bearzotti, A., and D'Amico, A., "Thin films of iodine-polyphenylacetylene as starting materials for humidity sensors", *Sensors and Actuator B*, **7**, 447-450, (1992).
- Gitzen W. H., *Alumina as a Ceramic Material*, the American Ceramic Society, Ohio, USA, 141, (1970).

- Gusmano, G., Montesperelli, G., Nunziante, P., and Traversa, E., in Hirano, S. I., Messing, G. L., and Hausner, H. (eds.), *Ceramic Transactions, 22, Ceramic Powder Science IV*, Am. Ceram. Soc., Westerville, USA, 545-551, (1991).
- Gusmano, G., Montesperelli, G., Nunziante, P., and Traversa, E., "Study of the conduction mechanism of $MgAl_2O_4$ at different environmental humidities", *Electrochimica Acta* **38**, 17, 2617-2621, (1993).
- Huyberegts, G., Honore', M., and Roggen, J., "Characterisation of strontium containing tin dioxide based thick film humidity sensors", *Sensors and Actuators B*, 15-16, 281-287, (1993).
- Ichinose, N., "Electronic ceramics for sensors", *Am. Ceram. Soc. Bull.*, **64**, 1581-1585, (1985).
- Irvine, J.T.S., Sinclair, D.C., and West, A. R., "Electroceramics: Characterization by impedance spectroscopy", *Adv. Mater.*, **2**, No.3, (1990).
- Jankowska, H., Swiatkoski, A., and Choma, J., *Active Carbon*, Ellis Horwood, Chichester, England, 121, (1991).
- Kingdon, A. I., Davis, R. F., and Thackery, M. M., *Introduction to glasses and Ceramics*, ASM Internat., **4**, 765, (1991).
- Kingery, W. D., Bowen, H. K., and Uhlmann, D. R., *Introduction to Ceramics*, 2nd edition, John Wiley & Sons, Inc., (1975).
- Koller, A., *Structure and properties of ceramics*, Elsevier, Inc., (1994).
- Kulwicki, B. M., "Humidity sensors", *J. Am. Ceram. Soc.*, **74**, 697-708, (1991).
- Kulwicki, B. M., *J. Phys. Chem. Solids*, **45**, 1015, (1984).

- Kuroiwa, T., Hayashi, T., Ito, A., Matsuguchi, M., Sadaoka, Y., and Sakai, Y., "A capacitive relative humidity sensor using a polyimide sensing material", *Tech. Digest, 7th Int. Conf. Solid-state Sensors and Actuators (Transducers'93)*, Yokohama, Japan, June 7-10 1993, 487-490.
- Laine, R. M., Mueller, B. L., Hinklin, T., U.S. Patent No. 5,418,298 May 23, 1995 and Laine, R. M.; Mueller, B. L.; Hinklin, T., Treadwell, D., *to be published*, (1996).
- Landin, S. M., and Schulze, W. A., "Rapid sintering of stoichiometric Zinc-modified Lead Magnesium Niobate", *J. Am. Ceram. Soc.*, **73**, 4, 913-918, (1990).
- Lange, F. F., "Sinterability of agglomerated powders", *J. Am. Ceram. Soc.*, **67**, 2, 83-89, (1984).
- Macdonald, J. R., *Impedance spectroscopy: Emphasizing solid materials and systems*, John Wiley & Sons Ltd., 5-7, (1987).
- Matsuguchi, M., Sadaoka, Y., Nuwa, Y., Shinmoto, M., Sakai, Y., and Kuroiwa, T., "Capacitive type humidity sensors using polymerized carboxylic vinyl ester", *Tech. Digest, 7th Int. Conf Solid-state Sensors and Actuators (Transducers'93)*, Yokohama, Japan, June 7-10 1993, 487-490.
- Matsuguchi, M., Sadaoka, Y., Sakai, Y., Kuroiwa, T., and Ito, A., "A capacitive-type relative humidity sensor using cross-linked poly-(methylmetacrylate) thin films", *J. Electrochem. Soc.*, **138**, 1826-1865, (1991).
- Mehrotra, R. C., *Journal of Non-Crystalline Solids*, **100**, 1-15, (1988).
- Morrison, R. T., and Boyd, R. N., *Organic Chemistry*, Allyn and Bacon, Inc., 670-671, (1987).

- Nenov, T., and Yordanov, S., "Ceramic sensor device materials", *Sensors and Actuators B*, **8**, 117-122, (1992).
- Nitta, T., Terada, Z., and Hayakawa, S., *J. Am. Ceram. Soc.*, **63**, 295, (1980).
- Ozaki Y., "Preparation and application of fine powder from the metal alkoxide", *Advanced Ceramic*, Copublished by Oxford University Press and Ohmsha Ltd., 165-183, (1988).
- Pasquier, J. F., Komarneni, S., and Roy, R., "Synthesis of $MgAl_2O_4$ Spinel: Seeding Effects on Formation Temperature", *J. Mat. Sci.*, Vol 26, p. 3797, (1991).
- Readey, M. J., Lee, R.R., Halloran, J. W., and Heuer, A. H., "Processing and sintering of ultrafine $MgO-ZrO_2$ and $(MgO, Y_2O_3)-ZrO_2$ powders", *J. Am. Ceram. Soc.*, **73**, 6, 1499-1503, (1990).
- Reed, J. S., *Introduction to the principles of ceramic processing*, John Wiley & Sons, Inc., 2 nd edition, (1989).
- Remmey, G.B., Jr., *Firing Ceramics*, World Scientific, (1994).
- Sadaoka, Y., and Sakai, Y., *J. Mater. Sci.*, **20**, 3027-3033, (1985).
- Sadtler Research Laboratories, Philadelphia, PA, *Sadtler High Resolution Spectra of Inorganics and Related Compounds*, (1965).
- Sakai, Y., "Humidity sensors using chemically modified polymeric materials", *Sensors and Actuators B*, **13**, 82-85, (1993).
- Sharafat, S., Ghoniem, N. M., Cooke, P. I. H., Martin, R. C., Najmabadi, F., Schultz, K. R., Wong, C. P. C., *Fusion Engineering and Design*, **23**, 99-113 (1993).
- Shimizu, Y., Arai, H., and Seiyama, T., "Theoretical studied on the impedance-humidity characteristics of ceramic humidity sensors", *Sensors and Actuators*, **7**, 11-22, (1985).
- Smart, L., and Moore, E., *Solid State Chemistry; An Introduction*, 2nd edition, Chapman & Hall, (1995).

- Sun Hong-Tao, Wu Ming-Tang, Li Ping and Yao Xi, *Sensors and Actuators*, **19**, 61-70, (1989).
- Tayaniphan, S., Laine R. M., Dhumrongvaraporn, S., “A Spinel $MgAl_2O_4$ / Polymer Composite from MgO , $Al(OH)_3$ and Triethanolamine”, *A thesis submitted in partial fulfillment of requirements for the Degree of Master of Science*, The Petroleum and Petrochemical College, Chulalongkorn University, (1995).
- Toyota, T., Ohba, R. (ed.), *Intelligent Sensor Technology*, Wiley, Chichester, Ch. 7, pp. 140-141, (1992).
- Traversa, E., *Sensor and Actuators B*, **23**, 135-156, (1995).
- Oh Un-Chol, ChungYoung-Soo, Kim Doh-Yeon, and Yoon Duk N., “Effect of grain growth on pore coalescence during the liquid-phase sintering of $MgO-CaMgSiO_4$ ”, *J. Am. Ceram. Soc.*, **71**, 10, 854-857, (1988).
- Waldner, K. F., Laine, K. F., Dhumrongvaraporn, S., Tayaniphan, S., and Narayanan, R., *Chem. Mater.*, **8**, 2850-2873, (1996).
- West, A. R., *Solid state chemistry and its applications*, John Wiley & Sons Ltd., (1989).
- Yagi, H., “Humidity sensors using ceramic materials”, in Butler, M., Ricco, A., and Yamazoe, N., (eds.), *Proc. Symp. Chemical Sensors II*, vol. 93-97, The Electrochemical Soc., Pennington, NJ, 498-509, (1993).
- Yamazoe, N., and Shimizu, Y., “Humidity sensors: principles and applications”, *Sensors and Actuators*, **10**, 379-398, (1986).
- Yeh, Y. C., Tseng, T. Y., and Chang, D. A., *J. Am. Ceram. Soc.*, **73**, 1992, (1990).

CURRICULUM VITAE

Name : Mr. Apirat Laobuthee

Brith Date : June 8, 1971

Nationality : Thai

University Education :

1989-1993 Bachelor's Degree of Science in Chemistry

King Mongkut's Institute of Technology, Thonburi

Working Experience :

1993-1994 Instructor at the King Mongkut's Institute of

Technology, Thonburi