

REFERENCES

- Amalvy, J.I., Unzué, M.J., Schoonbrood, H.A., and Asua, J.M. (2002) Reactive surfactants in heterophase polymerization: Colloidal properties, film-water absorption, and surfactant exudation. Journal of Polymer Science Part A: Polymer Chemistry, 40(17), 2994-3000.
- Avérous, L. (2004) Biodegradable multiphase systems based on plasticized starch: a review. Journal of Macromolecular Science. Part C: Polymer Reviews, 44(3), 231-274.
- Avérous, L. (2013) Synthesis, Properties, Environmental and Biomedical Applications of Polylactic Acid. In Ebnesajjad, S. (Ed.), Handbook of Biopolymers and Biodegradable Plastics: Properties, Processing, and Applications. (pp. 171-188). Amsterdam: Elsevier.
- Ba, C., Yang, J., Hao, Q., Liu, X., and Cao, A. (2003) Syntheses and Physical Characterization of New Aliphatic Triblock Poly(l-lactide-b-butylene succinate-b-l-lactide)s Bearing Soft and Hard Biodegradable Building Blocks. Biomacromolecules, 4(6), 1827-1834.
- Barrett, A., Kaletunç, G., Rosenburg, S., and Breslauer, K. (1995) Effect of sucrose on the structure, mechanical strength and thermal properties of corn extrudates. Carbohydrate Polymers, 26(4), 261-269.
- Bhatia, A., Gupta, R., Bhattacharya, S., and Choi, H. (2007) Compatibility of biodegradable poly (lactic acid)(PLA) and poly (butylene succinate)(PBS) blends for packaging application. Korea-Australia Rheology Journal, 19(3), 125-131.
- Boufarguine, M., Guinault, A., Miquelard-Garnier, G., and Sollogoub, C. (2012) PLA/PHBV Films with Improved Mechanical and Gas Barrier Properties. Macromolecular Materials and Engineering, n/a-n/a.
- Butler, T.I. and Morris, B.A. (2009) PE based multilayer film structures. In Wagner, J. (Ed.), Multilayer Flexible Packaging. (pp. 205-230). England: William Andrew Publishing.

- Chen, G.-X., Kim, H.-S., Kim, E.-S., and Yoon, J.-S. (2005) Compatibilization-like effect of reactive organoclay on the poly(l-lactide)/poly(butylene succinate) blends. Polymer, 46(25), 11829-11836.
- Chytiri, S., Goulas, A.E., Badeka, A., Riganakos, K.A., Petridis, D., and Kontominas, M.G. (2008) Determination of radiolysis products in gamma-irradiated multilayer barrier food packaging films containing a middle layer of recycled LDPE. Radiation Physics and Chemistry, 77(9), 1039-1045.
- Fereydoon, M. and Ebnesajjad, S. (2013) Development of High-Barrier Film for Food Packaging. In Ebnesajjad, S. (Ed). Plastic Films in Food Packaging. (pp. 71-92). Oxford: William Andrew Publishing.
- Fischer, E.W., Sterzel, H., and Wegner, G. (1973) Investigation of the structure of solution grown crystals of lactide copolymers by means of chemical reactions. Kolloid-Zeitschrift und Zeitschrift für Polymere, 251(11), 980-990.
- Fishman, M., Coffin, D., Konstance, R., and Onwulata, C. (2000) Extrusion of pectin/starch blends plasticized with glycerol. Carbohydrate Polymers, 41(4), 317-325.
- Garlotta, D. (2001) A Literature Review of Poly(Lactic Acid). Journal of Polymers and the Environment, 9(2), 63-84.
- Gordon, V. and Roberto, S. (2013) US Patent 2013/0068769 A1.
- Goulas, A.E., Riganakos, K.A., and Kontominas, M.G. (2003) Effect of ionizing radiation on physicochemical and mechanical properties of commercial multilayer coextruded flexible plastics packaging materials. Radiation Physics and Chemistry, 68(5), 865-872.
- Gross, R.A. and Kalra, B. (2002) Biodegradable polymers for the environment. Science, 297(5582), 803-807.
- Gu, C.-H., Wang, J.-J., Yu, Y., Sun, H., Shuai, N., and Wei, B. (2013) Biodegradable multilayer barrier films based on alginate/polyethyleneimine and biaxially oriented poly(lactic acid). Carbohydrate Polymers, 92(2), 1579-1585.

- Guinault, A., Sollogoub, C., Domenek, S., Grandmontagne, A., and Ducruet, V. (2010) Influence of crystallinity on gas barrier and mechanical properties of pla food packaging films. International Journal of Material Forming, 3(1), 603-606.
- Harada, M., Ohya, T., Iida, K., Hayashi, H., Hirano, K., and Fukuda, H. (2007) Increased impact strength of biodegradable poly(lactic acid)/poly(butylene succinate) blend composites by using isocyanate as a reactive processing agent. Journal of Applied Polymer Science, 106(3), 1813-1820.
- Jun, C.L. (2000) Reactive blending of biodegradable polymers: PLA and starch. Journal of Polymers and the Environment, 8(1), 33-37.
- Lee, S.Y., Chen, H., and Hanna, M.A. (2008) Preparation and characterization of tapioca starch–poly(lactic acid) nanocomposite foams by melt intercalation based on clay type. Industrial Crops and Products, 28(1), 95-106.
- Lim, L.T., Auras, R., and Rubino, M. (2008) Processing technologies for poly(lactic acid). Progress in Polymer Science, 33(8), 820-852.
- Mathew, A.P., Oksman, K., and Sain, M. (2006) The effect of morphology and chemical characteristics of cellulose reinforcements on the crystallinity of polylactic acid. Journal of Applied Polymer Science, 101(1), 300-310.
- Mishra, S. and Rai, T. (2006) Morphology and functional properties of corn, potato and tapioca starches. Food Hydrocolloids, 20(5), 557-566.
- Rasal, R.M., Janorkar, A.V., and Hirt, D.E. (2010) Poly(lactic acid) modifications. Progress in Polymer Science, 35(3), 338-356.
- Sang II, K. and Deuk-Young, L. (2012) PCT Patent WO2012/053820 A2.
- Siracusa, V., Rocculi, P., Romani, S., and Rosa, M.D. (2008) Biodegradable polymers for food packaging: a review. Trends in Food Science & Technology, 19(12), 634-643.
- Sriputtirat, S., Boonkong, W., Pengprecha, S., Petsom, A., and Thongchul, N. (2012) Low Molecular Weight Poly (Lactide-co-Caprolactone) for Tissue Adhesion and Tetracycline Hydrochloride Controlled Release in Wound Management. Advances in Chemical Engineering and Science, 2(1), 15-27.

- Suchao-in, K., Koombhongse, P., and Chirachanchai, S. (2014) Starch grafted poly (butylene succinate) via conjugating reaction and its role on enhancing the compatibility. Carbohydrate Polymers, 102, 95-102.
- Thellen, C., Schirmer, S., Ratto, J.A., Finnigan, B., and Schmidt, D. (2009) Co-extrusion of multilayer poly(m-xylylene adipimide) nanocomposite films for high oxygen barrier packaging applications. Journal of Membrane Science, 340(1-2), 45-51.
- Vroman, I. and Tighzert, L. (2009) Biodegradable polymers. Materials, 2(2), 307-344.
- Wang, N., Yu, J., and Ma, X. (2007) Preparation and characterization of thermoplastic starch/PLA blends by one-step reactive extrusion. Polymer International, 56(11), 1440-1447.
- Wang, R., Wang, S., Zhang, Y., Wan, C., and Ma, P. (2009) Toughening modification of PLLA/PBS blends via in situ compatibilization. Polymer Engineering & Science, 49(1), 26-33.
- Xu, J. and Guo, B.H. (2010) Poly (butylene succinate) and its copolymers: research, development and industrialization. Biotechnology Journal, 5(11), 1149-1163.
- You, Y., Hong, C., Wang, W., Lu, W., and Pan, C. (2004) Preparation and characterization of thermally responsive and biodegradable block copolymer comprised of PNIPAAm and PLA by combination of ROP and RAFT methods. Macromolecules, 37(26), 9761-9767.
- Yu, J., Gao, J., and Lin, T. (1996) Biodegradable thermoplastic starch. Journal of Applied Polymer Science, 62(9), 1491-1494.
- Zeng, J.-B., Jiao, L., Li, Y.-D., Srinivasan, M., Li, T., and Wang, Y.-Z. (2011) Bio-based blends of starch and poly (butylene succinate) with improved miscibility, mechanical properties, and reduced water absorption. Carbohydrate Polymers, 83(2), 762-768.

CURRICULUM VITAE

Name: Miss Praphakorn Saiprasit

Date of Birth: April 4, 1990

Nationality: Thai

University Education:

2008-2012 Bachelor Degree of Industrial Chemistry, Faculty of Science,
King Mongkut's Institute of Technology Ladkrabang, Bangkok, Thailand

Proceedings:

1. Saiprasit, P.; and Chirachanchai, S. (2014, April 22th) Role of PLA-*b*-PBS on Compatibility of Poly(lactic acid)/poly(butylene succinate) Multi-layered Films. Proceedings of The 5th Research Symposium on Petrochemical and Materials Technology and The 20th PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.

Presentations:

1. Saiprasit, P.; and Chirachanchai, S. (2014, March 20th) Poly(lactic acid)/poly(butylene succinate) Multi-layered Films. Oral presented at The 4th Polymer Conference of Thailand, Bangkok, Thailand.
2. Saiprasit, P.; and Chirachanchai, S. (2014, April 22th) Role of PLA-*b*-PBS on Compatibility of Poly(lactic acid)/poly(butylene succinate) Multi-layered Films. Poster presented at The 5th Research Symposium on Petrochemical and Materials Technology and The 20th PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.

3. Saiprasit, P.; and Chirachanchai, S. (2014, July 6th-11th) Poly(lactic acid)/poly(butylene succinate) Multi-layered Films with PLA-*b*-PBS Copolymer as a Compatibilizer. Poster presented at The IUPAC World Polymer Congress MACRO 2014, Chiang Mai, Thailand.