

REFERENCES

- [1] Park, R.T. Locating and Estimating Air Emission from Sources of Arsenic and Arsenic Compounds. Agency, U.S.E.P., Editor. 1998, Office of Air Quality Planning and Standards.
- [2] Fowler, B.A., Selene, C.H., Chou, J., Jones, R.L., and Chen, C.J. Chapter 19 - Arsenic. in Nordberg, G.F., Fowler, B.A., Nordberg, M., and Friberg, L.T. (eds.), *Handbook on the Toxicology of Metals (Third Edition)*. pp. 367-406. Burlington: Academic Press, 2007.
- [3] WHO Arsenic Compounds, *Environmental Health Criteria 224*. 2001, World Health Organisation: Geneva.
- [4] Mandal, B.K. and Suzuki, K.T. Arsenic round the world: a review. *Talanta* 58(1) (2002): 201-235.
- [5] Sharma, V.K. and Sohn, M. Aquatic arsenic: Toxicity, speciation, transformations, and remediation. *Environment International* 35(4) (2009): 743-759.
- [6] Tuzen, M., Saygi, K.O., Karaman, I., and Soylak, M. Selective speciation and determination of inorganic arsenic in water, food and biological samples. *Food and Chemical Toxicology* 48(1) (2010): 41-46.
- [7] Latva, S., Hurtta, M., Peräniemi, S., and Ahlgren, M. Separation of arsenic species in aqueous solutions and optimization of determination by graphite furnace atomic absorption spectrometry. *Analytica Chimica Acta* 418(1) (2000): 11-17.
- [8] Gettar, R.T., Garavaglia, R.N., Gautier, E.A., and Batistoni, D.A. Determination of inorganic and organic anionic arsenic species in water by ion chromatography coupled to hydride generation-inductively coupled plasma atomic emission spectrometry. *Journal of Chromatography A* 884(1-2) (2000): 211-221.
- [9] Colon, M., Hidalgo, M., and Iglesias, M. Arsenic determination by ICP-QMS with octopole collision/reaction cell. Overcome of matrix effects under vented and pressurized cell conditions. *Talanta* 85(4) (2011): 1941-1947.
- [10] He, Y., Zheng, Y., and Locke, D.C. Cathodic stripping voltammetric analysis of arsenic species in environmental water samples. *Microchemical Journal* 85(2) (2007): 265-269.
- [11] Song, Y. and Swain, G.M. Total inorganic arsenic detection in real water samples using anodic stripping voltammetry and a gold-coated diamond thin-film electrode. *Analytica Chimica Acta* 593(1) (2007): 7-12.
- [12] Hung, D.Q., Nekrassova, O., and Compton, R.G. Analytical methods for inorganic arsenic in water: a review. *Talanta* 64(2) (2004): 269-277.





- [13] Mays, D.E. and Hussam, A. Voltammetric methods for determination and speciation of inorganic arsenic in the environment—A review. *Analytica Chimica Acta* 646(1–2) (2009): 6-16.
- [14] Melamed, D. Monitoring arsenic in the environment: a review of science and technologies with the potential for field measurements. *Analytica Chimica Acta* 532(1) (2005): 1-13.
- [15] Kinniburgh, D.G. and Kosmus, W. Arsenic contamination in groundwater: some analytical considerations. *Talanta* 58(1) (2002): 165-180.
- [16] Svehla, G. *Vogel's Qualitative Inorganic Analysis*. Seventh ed. Singapore: Longman, 1996.
- [17] Niedzielski, P. and Siepak, M. Analytical methods for determining arsenic, antimony and selenium in environmental samples. *Polish Journal of Environmental Studies* 12(6) (2003): 653-667.
- [18] Chaicham, A., Kulchat, S., Tumcharern, G., Tuntulani, T., and Tomapatanaget, B. Synthesis, photophysical properties, and cyanide detection in aqueous solution of BF₂-curcumin dyes. *Tetrahedron* 66(32) (2010): 6217-6223.
- [19] Chaicham, A. *Sensors based on curcumin borondifluoride for naked-eye detection of cyanide*. M.Sc. Thesis, Department of Chemistry Chulalongkorn University, Bangkok, 2009.
- [20] Smedley, P.L. and Kinniburgh, D.G. A review of the source, behaviour and distribution of arsenic in natural waters. *Applied Geochemistry* 17(5) (2002): 517-568.
- [21] Sullivan, C., Tyrer, M., Cheeseman, C.R., and Graham, N.J.D. Disposal of water treatment wastes containing arsenic — A review. *Science of The Total Environment* 408(8) (2010): 1770-1778.
- [22] Hughes, M.F., Beck, B.D., Chen, Y., Lewis, A.S., and Thomas, D.J. Arsenic Exposure and Toxicology: A Historical Perspective. *Toxicological Sciences* 123(2) (2011): 305-332.
- [23] Issa, N.B., Rajaković-Ognjanović, V.N., Marinković, A.D., and Rajaković, L.V. Separation and determination of arsenic species in water by selective exchange and hybrid resins. *Analytica Chimica Acta* 706(1) (2011): 191-198.
- [24] Choong, T.S.Y., Chuah, T.G., Robiah, Y., Gregory Koay, F.L., and Azni, I. Arsenic toxicity, health hazards and removal techniques from water: an overview. *Desalination* 217(1–3) (2007): 139-166.
- [25] Jain, C.K. and Ali, I. Arsenic: occurrence, toxicity and speciation techniques. *Water Research* 34(17) (2000): 4304-4312.

- [26] Water quality standard. 1996. Available from: http://www.pcd.go.th/info_serv/reg_std_water04.html [13 January 2014]
- [27] Anthemidis, A.N., Zachariadis, G.A., and Stratis, J.A. Determination of arsenic(III) and total inorganic arsenic in water samples using an on-line sequential insertion system and hydride generation atomic absorption spectrometry. *Analytica Chimica Acta* 547(2) (2005): 237-242.
- [28] Minakata, K., Suzuki, M., and Suzuki, O. Simple and selective determination of arsenite and arsenate by electrospray ionization mass spectrometry. *Analytica Chimica Acta* 631(1) (2009): 87-90.
- [29] Michon, J., Deluchat, V., Al Shukry, R., Dagot, C., and Bollinger, J.-C. Optimization of a GFAAS method for determination of total inorganic arsenic in drinking water. *Talanta* 71(1) (2007): 479-485.
- [30] Xiong, C., He, M., and Hu, B. On-line separation and preconcentration of inorganic arsenic and selenium species in natural water samples with CTAB-modified alkyl silica microcolumn and determination by inductively coupled plasma-optical emission spectrometry. *Talanta* 76(4) (2008): 772-779.
- [31] Campillo, N., Peñalver, R., Viñas, P., López-García, I., and Hernández-Córdoba, M. Speciation of arsenic using capillary gas chromatography with atomic emission detection. *Talanta* 77(2) (2008): 793-799.
- [32] Salaün, P., Planer-Friedrich, B., and van den Berg, C.M.G. Inorganic arsenic speciation in water and seawater by anodic stripping voltammetry with a gold microelectrode. *Analytica Chimica Acta* 585(2) (2007): 312-322.
- [33] Arbab-Zavar, M.H. and Hashemi, M. Evaluation of electrochemical hydride generation for spectrophotometric determination of As(III) by silver diethyldithiocarbamate. *Talanta* 52(6) (2000): 1007-1014.
- [34] Baghel, A., Singh, B., Pandey, P., and Sekhar, K. A rapid field detection method for arsenic in drinking water. *Analytical Sciences* 23(2) (2007): 135-137.
- [35] Lenoble, V., Deluchat, V., Serpaud, B., and Bollinger, J.-C. Arsenite oxidation and arsenate determination by the molybdene blue method. *Talanta* 61(3) (2003): 267-276.
- [36] Pillai, A., Sunita, G., and Gupta, V.K. A new system for the spectrophotometric determination of arsenic in environmental and biological samples. *Analytica Chimica Acta* 408(1-2) (2000): 111-115.
- [37] Kalluri, J.R., et al. Use of Gold Nanoparticles in a Simple Colorimetric and Ultrasensitive Dynamic Light Scattering Assay: Selective Detection of Arsenic in



3993521003

Groundwater. *Angewandte Chemie International Edition* 48(51) (2009): 9668-9671.

- [38] Komba, S., Sasaki, S., and Machida, S. A new colorimetric test for detection of hydroxyl groups in solid-phase synthesis. *Tetrahedron Letters* 48(12) (2007): 2075-2078.
- [39] Filik, H. and Yanaz, Z. A sensitive method for determining total vanadium in water samples using colorimetric-solid-phase extraction-fiber optic reflectance spectroscopy. *Journal of Hazardous Materials* 172(2-3) (2009): 1297-1302.
- [40] Kaur, P. and Sareen, D. The synthesis and development of a dual-analyte colorimetric sensor: Simultaneous estimation of Hg^{2+} and Fe^{3+} . *Dyes and Pigments* 88(3) (2011): 296-300.
- [41] Feng, L., Li, X., Li, H., Yang, W., Chen, L., and Guan, Y. Enhancement of sensitivity of paper-based sensor array for the identification of heavy-metal ions. *Analytica Chimica Acta* 780(0) (2013): 74-80.
- [42] Isaad, J., El Achari, A., and Malek, F. Bio-polymer starch thin film sensors for low concentration detection of cyanide anions in water. *Dyes and Pigments* 97(1) (2013): 134-140.
- [43] Kalyan, Y., et al. Membrane optode for mercury(II) determination in aqueous samples. *Journal of Hazardous Materials* 166(1) (2009): 377-382.
- [44] Matsunaga, H., Kanno, C., and Suzuki, T.M. Naked-eye detection of trace arsenic(V) in aqueous media using molybdenum-loaded chelating resin having β -hydroxypropyl-di(β -hydroxyethyl)amino moiety. *Talanta* 66(5) (2005): 1287-1293.
- [45] Jain, V.K., Mandalia, H.C., Gupte, H.S., and Vyas, D.J. Azocalix[4]pyrrole Amberlite XAD-2: New polymeric chelating resins for the extraction, preconcentration and sequential separation of $Cu^{(II)}$, $Zn^{(II)}$ and $Cd^{(II)}$ in natural water samples. *Talanta* 79(5) (2009): 1331-1340.
- [46] *Amberlite XAD-2 Polymeric Adsorbent Product Specification*. 1997. Available from: https://www.sigmadlrich.com/content/dam/sigma-aldrich/docs/Supelco/Product_Information_Sheet/4802.pdf [5 February 2014]
- [47] Karve, M. and Rajgor, R.V. Amberlite XAD-2 Impregnated with Cyanex302 for Separation of Traces of Thorium(IV). *Separation Science and Technology* 42 (2007): 2255-2273.
- [48] Lemos, V.A., et al. Amberlite XAD-2 functionalized with Nitroso R salt: synthesis and application in an online system for preconcentration of cobalt. *Analytica Chimica Acta* 494(1-2) (2003): 87-95.



- [49] Leite, M.P., dos Reis, L.G.T., Robaina, N.F., Pacheco, W.F., and Cassella, R.J. Adsorption of paraquat from aqueous medium by Amberlite XAD-2 and XAD-4 resins using dodecylsulfate as counter ion. *Chemical Engineering Journal* 215–216(0) (2013): 691-698.
- [50] Tewari, P.K. and Singh, A.K. Preconcentration of lead with Amberlite XAD-2 and Amberlite XAD-7 based chelating resins for its determination by flame atomic absorption spectrometry. *Talanta* 56(4) (2002): 735-744.
- [51] Ferreira, S.L.C., Ferreira, J.R., Dantas, A.F., Lemos, V.A., Araújo, N.M.L., and Spinola Costa, A.C. Copper determination in natural water samples by using FAAS after preconcentration onto amberlite XAD-2 loaded with calmagite. *Talanta* 50(6) (2000): 1253-1259.
- [52] Miller, N.J., Miller, C.J. *Statics and chemometrics for analytical chemistry*. fourth ed.: Ellis Horwood, 2000.
- [53] Weckhuysen, B.M. *Ultraviolet-visible spectroscopy*. United Stated of America: American Scientific Publishers, 2004.
- [54] Lukasewycz, M.T. and Burkhard, L.P. Complete elimination of carbonates: A critical step in the accurate measurement of organic and black carbon in sediments. *Environmental Toxicology and Chemistry* 24(9) (2005): 2218-2221.
- [55] Attour, A., Touati, M., Tlili, M., Ben Amor, M., Lapicque, F., and Leclerc, J.P. Influence of operating parameters on phosphate removal from water by electrocoagulation using aluminum electrodes. *Separation and Purification Technology* 123(0) (2014): 124-129.
- [56] Kumar, E., Bhatnagar, A., Hogland, W., Marques, M., and Sillanpää, M. Interaction of anionic pollutants with Al-based adsorbents in aqueous media – A review. *Chemical Engineering Journal* 241(0) (2014): 443-456.
- [57] Stanic, A., Jovanic, S., Marjanovic, N., and Suturovic, Z. The use of L-ascorbic acid in speciation of arsenic compounds in drinking water. *Acta Periodica Technologica* (40) (2009): 165-175.
- [58] Wongkaew, M. *Purpurin functionalized amberlite XAD-2 for extraction of heavy metal ions in leachate from cement-based stabilized waste*. M.Sc. Thesis, Department of Chemistry Chulalongkorn University, Bangkok, 2007.
- [59] Ferreira, S.L.C., de Brito, C.F., Dantas, A.F., Lopo de Araújo, N.M., and Costa, A.C.S. Nickel determination in saline matrices by ICP-AES after sorption on Amberlite XAD-2 loaded with PAN. *Talanta* 48(5) (1999): 1173-1177.
- [60] Martinez A, N.C., Barrera, A.B., and Bermejo B, P. Indium determination in different environmental materials by electrothermal atomic absorption



3993521003

spectrometry with Amberlite XAD-2 coated with 1-(2-pyridylazo)-2-naphthol. Talanta 66(3) (2005): 646-652.

- [61] Tewari, P.K. and Singh, A.K. Synthesis, characterization and applications of pyrocatechol modified amberlite XAD-2 resin for preconcentration and determination of metal ions in water samples by flame atomic absorption spectrometry (FAAS). Talanta 53(4) (2001): 823-833.
- [62] Huber, L. Validation and qualification in analytical laboratories. Illinois: Interpharm Press, 1999.



VITA

Miss Sirinya Sirawatcharin was born on November 21, 1988 in Prachinburi, Thailand. She graduated Bachelor degree of Science in Chemistry from Chulalongkorn University in 2011. After that, she continues to study further as a graduate student in the Department of Chemistry at Chulalongkorn University and becomes one of the members of Environmental Analysis Research Unit. She finished her postgraduate study with Master degree of Science in 2014. The present address is 56 Ratchaphuk Soi, Khuhasawan, Phasicharoen, Bangkok, Thailand, 10160. Contact email is janie_bugbig@hotmail.com.

