

REFERENCES

1. Choo, Q.L., Kuo, G., Weiner, A.J., et al. 1989. Isolation of cDNA clone derived from blood-borne non-A, non-B hepatitis genome. Science; 244: 359-362.
2. Kuo, G., Choo, Q.L., Alter, A.J., et al. 1989. An assay for circulating antibodies to a major etiologic virus of human non-A, non-B hepatitis. Science; 244: 362-364.
3. Underwood, J.C.E. 1990. Hepatitis C virus and transfusion-transmitted liver disease: Review. J clin Pathol; 43: 445-447.
4. Saito, I., Miyamura, T., Ohbayashi, A., et al. 1990. Hepatitis C virus infection is associated with development of hepatocellular carcinoma. Proc Natl Acad Sci USA; 87: 6547-6547.
5. Alter, H.J., Purcell, R.H., Holland, P.V., et al. 1981. Donor transaminase and recipient hepatitis. Impact on blood transfusion services. JAMA; 246: 630-634.
6. Steven, C.E., Aach, R.D., Hollinger, F.B., et al. 1984. Hepatitis B virus antibody in blood donors and the occurrence of non-A, non-B hepatitis in transfusion recipients. An analysis of the Transfusion-Transmitted Viruses Study. Ann Intern Med; 101: 733-738.
7. Yuki, N., Hayashi, N., Hagiwara, H., et al. 1994. Hepatitis C virus antibodies and virus replication in asymptomatic blood donors. Vox Sang; 67: 280-285.
8. Vrielink, H., Van der Poel, C.L., Reesink, H.W., et al. 1995. Transmission of hepatitis C virus by anti-HCV negative blood transfusion. Vox Sang; 68: 55-56.
9. Dow, B.C., Follett, E.A., Jordan, T., et al. 1994. Testing of blood donations for hepatitis C virus (letter). Lancet; 343: 477-478.

10. Cardoso, M.D., Koerner, K., Epple, S., and Kubanek, B. 1993. Prevalence of HCV RNA positive blood donors and correlation to ELISA and RIBA status. Ann Hematol; 66: 147-151.
11. Widell, A., Elmud, H., Persson, M., and Jonsson, M. 1996. Transmission of hepatitis C via both Erythrocyte and Platelet Transfusion from a single donor in serological window-phase of hepatitis C. Vox Sang; 71: 55-57.
12. Blumberg, B.S., Gerstley, B.J.S., Hungerford, D.A., et al. 1967. A serum antigen (Australia antigen) in Down's syndrome, leukemia and hepatitis. Ann Intern Med; 66: 924-931.
13. Feinstone, S.M., Kapikian, A.Z., Purcell, R.H. 1973. Hepatitis A: Detection by immune electron microscope of a virus-like antigen associated with acute illness. Science; 182: 1026-1028.
14. Alter, H.J., Purcell, R.H., Holland, P.V., et al. 1975. Clinical and serological analysis of transfusion associated hepatitis. Lancet; 11: 838-841.
15. Choo, Q.L., Richman, K.H., Han, J.H., et al. 1991. Genetic organization and diversity of the hepatitis C virus. Proc Natl Acad Sci USA; 88: 2451-2455.
16. Michael Houghton. 1996. Hepatitis C virus. In Field Virology, Third Edition edited by Fields, B.N., Knipe, D.M., Howley, P.M., et al. Lippincott-Raven Publishers, Philadelphia; 1035-1058.
17. Han, J.H., Shyamala, V., Richman, K.H., et al. 1991. Characterization of the terminal regions of hepatitis C viral RNA: Identification of conserved sequences in the 5' untranslated region and poly (A) tails at the 3' end. Proc Natl Acad Sci USA; 88: 1711-1715.
18. Bradley, D.W., McCaustland, K.A., Cook, E.H., et al. 1985. Posttransfusion non-A, non-B hepatitis in chimpanzees: physicochemical evidence that the tubule-forming agent is a small, enveloped virus. Gastroenterology; 88: 773-779.

19. Yuasa, T., Ishikawa, G., Manage, S-i., et al. 1991. The particle size of hepatitis C virus estimated by filtration through microporous regenerated cellulose fibre. J Gen Virol; 72: 2021-2024.
20. Bradley, D., McCutland, K., Krawczynski, K., et al. 1991. Hepatitis C virus: buoyant density of the factor VIII-derived isolate in sucrose. J Med Virol; 34: 206-208.
21. Kaito, M., Watanabe, S., Tsukiyama-Kohara, K., et al. 1994. Hepatitis C virus particle detected by immunoelectron microscopic study. J Gen Virol; 75: 1755-1760.
22. Hijikata, M., Kato, N., Ootsuyama, Y., Nakagawa, M., Shimotohno, K. 1991. Gene mapping of the putative structural region of the hepatitis C genome by in vitro processing analysis. Proc Natl Acad Sci USA; 88: 5547-5551.
23. Grakoui, A., Wychowski, C., Lin, C., Feinstone, S., Rice, C.M. 1993. Expression and identification of hepatitis C virus polyprotein cleavage products. J Virol; 67: 1385-1395.
24. Ralston, R., Thudium, K., Berger, K., et al. 1993. Characterization of hepatitis C virus envelope glycoprotein complexes expressed by recombinant vaccinia viruses. J virol; 67: 653-6761.
25. Hijikata, M., Mizushima, H., Akagi, T., et al. 1993. Two distinct proteinase activities required for the processing of a putative nonstructural precursor protein of hepatitis C virus. J virol; 67: 4665-4675.
26. Okamoto, H., Kurai, K., Okada, S-I., et al. 1992. Full-length sequence of a hepatitis C virus genome having poor homology to reported isolates: comparative study of four distinct genotypes. Virology; 188: 331-341.
27. Okamoto, H., Okada, S., Sugiyama, Y., et al. 1991. Nucleotide sequence of the RNA of hepatitis C virus isolated from a human carrier: comparison with reported isolates for conserved and divergent regions. J Gen Virol; 72: 2697-2704.

28. Bukh, J., Purcell, R.H., Miller, R.H. 1992. Sequence analysis of the 5' non-coding region of hepatitis C virus. Proc Natl Acad Sci USA; 89: 4942-4946.
29. Okamoto, H., Kojima, M., Okada, S-I., et al. 1992. Genetic drift of hepatitis C virus during an 8.2-year infection in chimpanzee: variability and stability. Virology; 1990: 894-899.
30. Martell, M., Esteban, J.I., Quer, J., et al. 1992. Hepatitis C virus (HCV) circulates as a population of different closely related genomes: quasispecies nature of HCV genome distribution. J Virol; 66: 3225-3229.
31. Takeuchi, K., Boonmar, S., Katayama, T., et al. 1992. A cDNA fragment of hepatitis C virus isolated from an implicated donor of post-transfusion non-A, non-B hepatitis in Japan. Nucleic Acids Res; 24: 10367-1032.
32. Weiner, A.J., Geysen, H.M., Christopheson, C., et al. 1992. Evidence for immune selection of hepatitis C virus (HCV) putative envelope glycoprotein variants: potential role in chronic HCV infection. Proc Natl Acad Sci USA; 89: 3468-3472.
33. Simmonds, P., Holmes, E.C., Cha, T-A., et al. 1993. Classification of hepatitis C virus into six major genotypes and a series of subtype by phylogenetic analysis of the NS-5 region. J Gen Virol; 74: 2391-2399.
34. Bukh, J., Purcell, R.H., Miller, R.H. 1993. At least 12 genotypes of hepatitis C virus predicted by sequence analysis of the putative E1 gene of isolates collected worldwide. Proc Natl Acad Sci USA; 90: 8234-8238.
35. Bukh, J., Miller, R.H. 1994. Diagnosis and clinical implications the different genotypes of hepatitis C virus. Hepatology; 20: 256-259.
36. Choo, Q.L., Kuo, G., Ralston, R., et al. 1994. Vaccination of chimpanzees against infection by the hepatitis C virus. Proc Natl Acad Sci USA; 91: 1294-1298.
37. Simmonds, P. 1995. Variability of Hepatitis C virus. Hepatology; 21: 570-583.
38. Takada, N., Takase, S., Takada, A., Date, T. 1993. Differences in the hepatitis C virus genotypes in different countries. J Hepatol; 17: 277-283.

39. Apichartpiyakul, C., Chittivudikarn, C., Miyajima, H., Homma, M., Hotta, H. 1994. Analysis of hepatitis C virus isolates among healthy blood donors and drug addicts in Chiang Mai, Thailand. J Clin Micro; 32: 2276-2279.
40. Tokita, H., Okamoto, H., Tsuda, F., et al. 1994. Hepatitis C virus variants from Vietnam are classifiable into the seventh, eighth, and ninth major genetic groups. Proc Natl Acad Sci USA; 91: 11022-11026.
41. Aach, R.D., Stevens, C.E., Hollinger, F.B., et al. 1991. Hepatitis C virus infection in post-transfusion hepatitis-an analysis with first-and second-generation assays. N Engl J Med; 325: 1325-1329.
42. Alter, H.J., 1991. Descartes before the Horse: I clone, Therefore I am: The hepatitis C virus in current prospective. Ann Intern Med; 115: 644- 649.
43. Yanagi, M., Kaneko, S., Unoura, M., et al. 1991. Hepatitis C virus in fulminant hepatic failure. N Engl J Med; 324: 1895-1896.
44. Onishi, H., Sugihara, J., Moriwaki, H., Muto, Y. 1991. Detection of anti-hepatitis C virus; antibody in fulminant hepatic failure. Gastroenterol Jpn; 26 (suppl 3): 212-215.
45. Michael, J., Nowicki, B., and Willium, F.B. 1995. The Hepatitis C Virus: Identification, Epidemiology, and Clinical Controversies. J Pediatr Gastroenterol Nutr; 20:248-274.
46. Joan, C., Joan, C., Juan, I., Esteban. 1994. Hepatitis C virus: The clinical picture of acute and chronic hepatitis C. Curr Stud Hematol Transf. Babel, Karger; 61: 69-88.
47. Koretz, R.L., Abbey, H., Coleman, E., Gitnick, G. 1993. Non-A, non-B post-transfusion hepatitis: looking back in the second decade. Ann Intern Med; 119: 110-115.
48. Gordon, S.C., Elloway, R.S., Long, J.C., Dmochowski, C.F. 1993. The pathology of hepatitis C as a function mode of transmission, blood transfusion vs. intravenous drug use. Hepatology; 18: 1338-1343.
49. Iwarson, S., Norkrans, G., Wejstral. 1995. Hepatitis C: Natural Histology of a Unique Infection; (Review articles). Clin Infect Dis; 20: 1361-1370.

50. Shimotohno, K. 1993. Hepatocellular carcinoma in Japan and its linkage to infection with hepatitis C virus. *Semin Virol*; 4: 305-312.
51. Michel, G., Ritter, A., Gerken, G., et al. 1992. Anti-GOR and hepatitis C virus in autoimmune liver diseases. *Lancet*; 339: 267-269.
52. Misiani, R., Bellavita, P., Fenili, D., et al. 1992. Hepatitis C virus infection in patients with essential mixed cryoglobulinemia. *Ann Intern Med*; 117: 573-577.
53. Johnson, R.J., Gretch, D.R., Yamabe, H., et al. 1993. Membrano-proliferative glomerulonephritis associated with hepatitis C virus infection. *N Engl Med*; 328: 465-470.
54. Tran, A., Quaranta, J-F., Benzaken, S., et al. 1993. High prevalence of thyroid autoantibodies in a prospective series of patients with chronic hepatitis C before interferon therapy. *Hepatology*; 18:253-257.
55. Faci, P., Alter, J.H., Wong, D., et al. 1991. A long-term study of hepatitis C virus replication in non-A, non-B hepatitis. *N engl J Med*; 325: 98-104.
56. Garson, J.A., Tuke, P.W., Makris, M., et al. 1990. Demonstration of viremia patterns in haemophiliacs treated with hepatitis C contaminated factor VIII concentrates. *Lancet*; 336: 1022-1025.
57. Brillanti, S., Garson, J.A., Tuke, P.W., et al. 1991. Effect of α -interferon therapy on hepatitis C viremia in community-acquired chronic non-A, non-B hepatitis; A quantitative polymerase chain reaction study. *J Med Virol*; 34: 136-141.
58. Katayama, T., Mazda, T., Kikuchi, S., et al. 1992. Improved serodiagnosis of non-A, non-B hepatitis by an assay detecting antibody to hepatitis C virus core antigen. *Hepatology*; 15: 391-394.
59. Wang, J.T., Wang, T.H., Sheu, J.C., et al. 1992. Posttransfusion hepatitis revisited by hepatitis C antibody assays and polymerase chain reaction. *Gastroenterology*; 103: 609-616.

60. Van Der Poel, C.L., Bresters, D., Reesink, H.W., et al. 1992. Early antihepatitis C virus response with second-generation c200/c22 ELISA. *Vox Sang*; 62: 208-212.
61. Clemen, J.M., Taskar, S., Chau, K., et al. 1992. IgM antibody response in acute hepatitis C viral infection. *Blood*; 79: 169-172.
62. Di Bisceglie, A.M., Goodman, Z.D., Ishak, K.G., et al. 1991. Long-term clinical and histopathological follow up of chronic posttransfusion hepatitis. *Hepatology*; 14: 969-974.
63. Pastore, G., Mono, L., Santantonio, T., et al. 1985. Monophasic and polyphasic pattern of alanine aminotransferase in acute non-A, non-B hepatitis. Clinical and prognostic implications. *Hepatogastroenterology*; 32: 155-158.
64. Mattson, S., Weiland, O., Glaumann, H. 1988. Long-term follow up of chronic post-transfusion non-A, non-B hepatitis: Clinical and histological outcome. *Liver*; 8: 184-188.
65. Alter, H.J. 1995. Epidemiology of hepatitis C in the west. *Seminar in Liver disease*; 15: 5-14.
66. Mansell, C.J., Locarnini, S.A. 1995. Epidemiology of hepatitis C virus in the East. *Seminar in Liver disease*; 15: 15-32.
67. Kamel, M.A., Ghaffar, Y.A., Wasef, M.A., et al. 1992. High HCV prevalence in Egyptian blood donors (letter). *Lancet*; 340: 427.
68. Alter, H.J., Purcell, R.H., Shih, J.W., et al. 1989. Detection of antibody to hepatitis C virus in prospectively followed transfusion recipients with acute and chronic non-A, non-B hepatitis. *N Engl J Med*; 321: 1495-1500.
69. Esteban, J.I., Gonzalez, A., Hernandez, J.M., et al. 1990. Evaluation of antibodies to hepatitis C virus in a study of transfusion-associated hepatitis. *N Engl J Med*; 323: 1107-1112.
70. Rumi, M.G., Colombo, M., Gringeri, A., et al. 1990. High prevalence of antibody to hepatitis C virus in multitransfused hemophiliacs with normal transaminase levels. *Ann Intern Med*; 112: 379-380.

71. Pereira, B.J.G., Milford, E.L., Kirkman, R.L., Levey, A.S. 1991. Transmission of hepatitis C virus by organ transplantation. N Engl J Med: 325: 454-460.
72. Hernandez, M.E., Brugurea, M., Puyuelo, T., Barrera, J.M., Sanchez Tapias, J.M., Rodes, J. 1992. Risk of needle-stick injuries in the transmission hepatitis C virus in hospital personnel. J Hepatol: 16: 56-58.
73. Hsu, H.H., Wright, T.L., Luba, D., et al. 1991. Failure to detect hepatitis C virus genome in human secretions with the polymerase chain reaction. Hepatology: 14: 763-767.
74. Klein, R.S., Freeman, K., Taylor, P.E., Stevens, C.E. 1991. Occupational risk for hepatitis C virus infection among New York City dentists. Lancet: 338: 1539-1542.
75. Bresters, D., Mauser-Brunschoten, E.P., Reesink, H.W., et al. 1993. Sexual transmission of hepatitis C virus. Lancet: 342: 210-211.
76. Akahane, Y., Kojimi, M., Sugai, Y. 1994. Hepatitis C virus infection in spouses of patients with type C chronic liver disease. Ann Intern Med: 120: 748-752.
77. Ohto, H., Terazawa, S., Sasaki, N., et al. 1994. Transmission of hepatitis C virus from mothers to infants. N Engl J Med: 330: 744-750.
78. Thaler, M.M., Park, C.K., Landers, D.V., et al. 1992. Vertical transmission of hepatitis C virus. Lancet: 165: 720-723.
79. Alter, M.J., Evatt, B.L., Margolis, H.S., et al. 1991. Public Health Service inter-agency guidelines for screening donors of blood, plasma, organs, tissues, and semen for evidence of hepatitis B and hepatitis C. MMWR: 40: 1-17.
80. Hopf, U., Moller, B., Kuther, D., et al. 1990. Long-term follow-up of posttransfusion and sporadic chronic hepatitis non-A, non-B and frequency of circulating antibodies to hepatitis C virus (HCV). J Hepatol: 10: 69-76.

81. Van Der Poel, C.L., Cuypers, H.T.M., Reesink, H.W., et al. 1991. Confirmation of hepatitis C virus infection by new four-antigen recombinant immunoblot assay. Lancet; 337: 317-319.
82. Alter, H.J. 1992. New kit on the block: Evaluation of second-generation assays for detection of antibody to the hepatitis C virus. Hepatology; 15: 350-353.
83. Van Der Poel, C.L., Cuypers, H.T., Reesink, H.W. 1994. Hepatitis C virus six years on. Lancet; 344: 1475-1479.
84. Busch, M.P., Tobler, L.H., Fnancis, B.S., et al. 1994. Re-instatement of donors who test false-positive in second-generation hepatitis C virus enzyme immunoassay should await availability of licensed third-generation tests. Transfusion; 34: 130-134.
85. Uytendaele, S., Claeys, H., Mertens, W., Verhaert, H., Vermeylen, C. 1994. Evaluation of third-generation screening and confirmatory assays for HCV antibodies. Vox Sang; 66: 122-129.
86. Zaaijer, H., Cuypers, H., Reesink, H., et al. 1994. New immunoblot resolves indeterminate results for antibody to hepatitis C virus. Transfusion; 34:184.
87. Van Der Poel, C., Vrielink, H., Reesink, H., et al. 1993. Detection of anti-HCV seroconversion with new third generation HCV ELISA (ELISA-3) and immunoblot (RIBA-3). Transfusion; 33: S-121.
88. Nagayama, R., Miyaki, K., Tsuda, F Okamoto, H. 1994. IgM antibody to hepatitis C virus core peptide (CP14) for monitoring activity of liver disease in patients with acute or chronic hepatitis C. J Med Virol; 42: 311-317.
89. Ounanian-Paraz, A., Morel-Baccard, C., Barlet, V., et al. 1996. HCV-infection in blood donors: Association between anti-HCV core IgM antibodies and serum HCV RNA. Vox Sang; 70: 139-143. 7-177.
90. Garson , J.A., Tedder, R.S., Briggs, M., et al. 1990. Detection of hepatitis C viral sequences in blood donations by "nested" polymerase chain reaction and prediction of infectivity. Lancet; 335: 1419-1422.

91. Okamoto, H., Okada, S., Sugiyama, Y., et al. 1990. The 5'-terminal sequence of the hepatitis C virus genome. Jpn J Exp Med: 60: 167-177.
92. Cuypers, H.T.M., Bresters, D., Winkel, I.N., et al. 1992. Storage conditions of blood samples and primer selection affect the yield of cDNA polymerase chain reaction products of hepatitis C virus. J Clin Microbiol; 30: 3220-3224.
93. Zaaijer, H.L., Cuypers, H.T.M., Reesink, H.W., Winkel, I.N., Gerken, G., Lelie, P.N. 1993. Reliability of polymerase chain reaction for detection of hepatitis C virus. Lancet; 341: 722-724.
94. Shindo, M., Di Bisceglie, A.M., Cheung, L., et al. 1991. Decrease in serum hepatitis C viral RNA during α -interferon therapy for chronic hepatitisC. Ann Intern Med; 115: 700-704.
95. Nalpas, B., Romeo, R., Pol, S., et al. 1995. Serum hepatitis C virus (HCV) RNA: a reliable tool for evaluating HCV-related liver disease in anti-HCV positive blood donors with persistently normal alanine aminotransferase values. Transfusion; 35: 750-753.
96. Ohto, H., Terazawa, S., Sasaki, N., et al. 1994. Transmission of hepatitis C virus from mothers to infants. N Engl J Med; 330: 744-750.
97. Lau, J.Y.N., Davis, G.L., Kniffen, J., et al. 1993. Significance of serum hepatitis C virus RNA levels in chronic hepatitis C. Lancet; 341: 1501-1504.
98. Nolte, F.S., Thurmond, C., Fried, M.W. 1995. Preclinical evaluation of Amplicor hepatitis C virus test for detection of hepatitis C virus RNA. J Clin Micro; 33: 1775-1778.
99. Skidmore, S.I., Pasi, K.L., Mawson, S.J., et al. 1990. Serological evidence that dry heating of clotting factor concentrates prevents transmission of non-A, non-B hepatitis. J Med Virol; 30: 50-52.
100. Krawczynski, K., Alter, M.J., Tankerley, D.L., et al. 1993. Studies on protective efficacy of hepatitis C immunoglobulins (HCIG) in experimental hepatitis C virus infection (Abstr). Hepatology; 18: 110.

101. Di Bisceglie, A.M., Martin, P., Kassianides, C., et al. 1989. Recombinant interferon alpha therapy for chronic hepatitis C: A randomized, double-blind, placebo controlled trial. N Engl J Med; 321: 327-331.
102. Validomiu, L., Genesca, J., Esteban, J.I., et al. 1992. Interferon alpha in acute posttransfusion hepatitis C: A randomized, controlled trial. Hepatology; 15: 767-769.
103. Marcellin, P., Boyer, N., Giostra, e., et al. 1991. Recombinant human alpha-interferon in patients with chronic non-A, non-B hepatitis: a multicenter randomized controlled trial from France. Hepatology; 13: 393-397.
104. Omata, M., Yokosuka, O., Takano, S., et al. 1991. Resolution of acute hepatitis C after therapy with natural beta interferon. Lancet; 338: 914-915.
105. Cha, T. A., Kolberg, J., Irvine, B., et al. 1991. Use of a signature Nucleotide sequence of hepatitis C virus for detection of viral RNA in human serum and plasma. J Clin Micro; 29: 2528-2534.
106. Mulder, J., Mckinney, N., Christopherson, C., Sninsky, J., Greenfield, L., Kwok, S. 1994. Rapid and simple PCR assay for quantitation of Human Immunodeficiency virus type1 RNA in plasma: Application to acute Retroviral infection. J Clin Micro; 32: 292-300.
107. Kwok, S., Higuchi, R. 1989. Avoiding false positive with PCR. Nature; 339: 237-238.
108. Ulrich, P.P., Romeo, J.M., Daniel, L.J., Vyas, G.N. 1993. An improved method for the detection of hepatitis C virus RNA in plasma utilizing heminested primers and internal control RNA. PCR Meth Appl; 2: 241-249.
109. Sankary, T.M., Yang, J.M., Romeo, P.P., et al. 1994. Rare detection of hepatitis B and hepatitis C virus genomes by polymerase chain reaction in seronegative donors with elevated alanine aminotransferase. Transfusion; 34: 656-660.

110. Zuck, T.F., Sherwood, W.C., Bove, J.R. 1987. A review of recent events related to surrogate testing of blood to prevent non-A, non-B posttransfusion hepatitis. Transfusion; 27: 203-206.
111. Van Der Poel, C.L., Reesink, H.W., Schaasberg, W., et al. 1990. Infectivity of blood seropositive for hepatitis C virus antibodies. Lancet; 335: 558-560.
112. Wataneba, J., Minigishi, K., Mitsumori, T., et al. 1990. Prevalence of anti-HCV antibody in blood donors in the Tokyo area. Vox Sang; 59: 86-88.
113. Barrera, J.M., Bruguera, M., Ercilla, M.G., et al. 1991. Incidence of non-A, non-B hepatitis after screening blood donors for antibodies to hepatitis C virus and surrogate markers. Ann Intern Med; 115: 596-600.
114. Sherman, K.E., Dodd, R.Y. 1982. Alanine aminotransferase levels among volunteer blood donors: geographic variation and risk factors. J Infect Dis; 145: 383-386.
115. Lee, S.R., Wood, C.L., Lane, M.J., et al. 1995. Increased detection of hepatitis C virus infection in commercial plasma donors by a third-generation screening assay. Transfusion; 35: 845-849.
116. Sankary, T., Romeo, J., Ulrich, P., et al. 1992. Detection of HCV in seronegative donors with raise ALT. Lancet; 340: 249-250.
117. Sugitani, M., Inchauspe, G., Shindo, M., Prince, A.M. 1993. Sensitivity of serological assays to identify blood donors with hepatitis C viremia. Lancet; 339: 1018-1019.
118. Wolff, C., Kleesiek, K., Petersen, N., Beyer, J. 1994. Hepatitis C viremia in German blood donors: Serum alanine aminotransferase is not a valid marker for screening (Letter). Transfusion; 34: 361-362.
119. Ulrich, P.P., Romeo, J.M., Lane, P.K., et al. 1990. Detection, semiquantification, and genetic variation in hepatitis C virus: sequences amplified from the plasma of blood donors with elevated alanine aminotransferase. J Clin Invest; 86: 1609-1614.

120. Lai, M.E., Mazzoleni, A.P., Faci, P., et al. 1993. Markers of hepatitis C virus infection in Sardinian blood donors: Relationship with alanine aminotransferase levels. *J Med Virol*; 41: 282-288.
121. Chainuvati, T., Poovarawan, Y., Luegjanakul, P. 1991. The prevalence of hepatitis C virus antibody in high risk group of Thailand children and adults. *Gastroenterol Jpn*; 26 (suppl 3): 176-178.
122. Dow, B.C., Coote, I., Munro, H., et al. 1993. Confirmation of hepatitis C virus antibody in blood donors. *J Med Virol*; 41: 215-220.
123. Francois, M., Dubois, F., Brand, D., et al. 1993. Prevalence and significance of hepatitis C virus (HCV) viraemia in HCV antibody positive subjects from various populations. *J Clin Micro*; 31: 1189-1193.
124. Prieto, M., Olaso, V., Verdu, C., et al. 1995. Does the healthy hepatitis C virus carrier state really exist? An analysis using polymerase chain reaction. *Hepatology*; 22: 413-417.
125. Sakugawa, H., Nakasone, H., Nakayoshi, T., et al. 1995. High proportion of false positive reactions among donors with anti-HCV antibodies in a low prevalence area. *J Med Virol*; 46:334-338.
126. Romeo, R., Thiers, V., Driss, F., et al. 1993. Hepatitis C virus RNA in serum of blood donors with or without elevated transaminase levels. *Transfusion*; 33: 629-633.
127. McGuinness, P.H., Bishop, G.A., Lien, A., et al. 1993. Detection of serum hepatitis C virus RNA in HCV antibody-seropositive volunteer blood donors. *Hepatology*; 18: 485-490.
128. Shakil, A.O., Kleiner, D.E., Conjeevaram, H.S. 1995. Volunteer blood donors with antibody to hepatitis C virus: Clinical, Biochemical, Virological, and Histologic Features. *Ann Intern Med*; 123: 330-337.
129. Gretch, D., Lee, W., and Corey, L. 1992. Use of Aminotransferase, Hepatitis C Antibody, and Hepatitis C Polymerase Chain Reaction RNA assays to Establish the Diagnostic Virology Laboratory. *J Clin Micro*; 30: 2145-2149.

130. Lavanchy, D., Mayerat, C., Morel, B., et al. 1994. Evaluation of Third-Generation Assay for detection of anti-hepatitis C virus (HCV) antibodies and comparison with presence of HCV RNA in blood donors reactive to C 100-3 antigen. *J Clin Micro*; 32: 2272-2275.

สถาบันวิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX I

Chemical agents and Instruments

A. Chemical agents.

Absolute Ethanol GR (E. merck, Darmstadt., W. Germany)
Agarose (FMC Bioproducts, USA)
Boric acid (Sigma, Mo., USA)
Chloroform (Sigma, Mo., USA)
Diethyl Pyrocarbonate (Sigma, Mo., USA)
DNTP (Promega, WI., USA)
Ethylene diamine tetraacetic acid (Sigma, Mo., USA)
Ethidium bromide (Sigma, Mo., USA)
Guanidinium thiocyanate (Sigma, Mo., USA)
Glacial acetic acid AR (E. merck., Darmstadt., W. Germany)
8-Hydroxyquinoline (Sigma, Mo., USA)
Hydrochloric acid (E. merck, Darmstadt., W. Germany)
Isoamyl alcohol (Sigma, Mo., USA)
Isopropanol (Sigma, Mo., USA)
Lauryl Sulfate (Sigma, Mo., USA)
2-Mercaptoethanol (Sigma, Mo., USA)
Mineral oil (Sigma, Mo., USA)
Proteinase-K (Boehringer Mannheim, W. Germany)
Phenol Equilibrated (Sigma, Mo., USA)
Sodium chloride AR (E. merck, Darmstadt., W. Germany)
Sodium acetate AR (E. merck, Darmstadt., W. Germany)
Tris base (Sigma, Mo., USA)
Total RNA (Gibco, Grand Island., N.Y.USA)

B. Enzymes and molecular markers.

- Taq DNA Polymerase (Promega, WI., USA)
- RNasin Ribonuclease Inhibitor (Promega, WI., USA)
- M-MLV Reverse Transcriptase (Promega, WI., USA)
- 123 bp molecular marker (Gibco, Grand Island., N.Y. USA)
- 100 bp molecular marker (Promega, WI., USA)

C. Instruments.

- Automatic pipette, P10/P20/P200/P1000 (Gilson, France)
- Microcentrifuge (Eppendorf, USA)
- Refrigerated Microcentrifuge (Eppendorf, USA)
- Water Bath (Precision, Scientific., USA)
- Mixer Vortex-Genic (Scientific Industries., USA)
- Laminar Air Flow (Faster, Italy)
- pH meter (Orion, USA)
- Analytical balance (Sartorius, Germany)
- Horizontal gel electrophoresis (C.B.S, Scientific., USA)
- Refrigerator (-70°C) (Revco, USA)
- Refrigerator (-30°C) (Revco, USA)
- Refrigerator (4°C) (Puffer hubbard, USA)
- DNA Lyophilizer (Savant, USA)
- Polaroid camera (FCR-10, Fotodyne, USA)
- 480 DNA thermocycle (Perkin Elmer, USA)

D. Laboratory supplies.

- Glassware (Pyrex, USA)
- Microcentrifuge tubes 1.5 ml (Costar, England)
- Microcentrifuge tubes 0.6 ml (Costar, England)
- Filter pipette tips for P10, P20, P200, P1000 (Treff Lab, Switzerland)
- Polaroid films (Polaroid, USA)

APPENDIX II

REAGENTS

1. 0.01% DEPC-treated water.

Added 100 ul of DEPC into 1 litre of distilled water and left overnight, then autoclaved for 15 minutes at 15 lb/sq inch.

2. Reagents for RNA extraction with Proteinase-K

- 200 mM Tris-HCl pH 7.5
- 25 mM EDTA
- 300 mM NaCl
- 2% w/v SDS
- 200 ug/ml Proteinase-K
- Phenol-chloroform-isoamyl alcohol (25:24:1, v/v/v)
- Chloroform isoamyl alcohol (24:1, v/v)
- 3 M Na acetate solution
- Absolute ethanol
- 70% ethanol

3. Reagents for RNA extraction with Guanidinium isothiocyanate.

- 5.75 M GuSCN
- 50 mM Tris-HCl PH 7.5
- 100 mM 2-mercaptoethanol
- 1 ug/ml of yeast tRNA
- isopropanol
- 70% ethanol

4. Reagents for Reverse Transcriptase.

- 5X RT buffer: 250 mM Tris-HCl pH 8.3, 375 mM KCl, 150 mM MgCl₂, 150 mM DTT.
- 2 mM MgCl₂
- 0.3 mM of each dNTP (dATP, dGTP, dCTP, dTTP)
- 50 pmol/ul Primer 2 in DEPC-treated water
- 20 units of RNasin
- 100 units of M-MLV RT

5. Reagents for First PCR amplification

- 10X buffer: 500 mM KCl, 100mM Tris-HCl PH 9.0 at 25°C, and 1% Triton X-100.
- 50 pmol/ul Primer 1 in DEPC-treated water
- 2.5 units of Taq DNA polymerase

6. Reagents for nested PCR

- 10X buffer: 500 mM KCl, 100 mM Tris-HCl PH 9.0 at 25°C, 1% Triton X-100
- 2 mM MgCl₂
- 0.2 mM of each dNTP (dATP, dGTP, dCTP, dTTP)
- 50 pmol/ul Primer 3 in DEPC-treated water
- 50 pmol/ul Primer 4 in DEPC-treated water
- 2.5 units of Taq DNA polymerase

7. Reagents for agarose gel electrophoresis

- 1.5% agarose gel in 1X TBE buffer
- TBE buffer: 0.045 M Tris-borate, 0.001 M EDTA
- 6X gel loading dye solution (0.25% bromophenol blue, 40% (w/v) sucrose in water.)
- 0.2% (v/v) ethidium bromide solution

-molecular size marker (100 bp, Promega)

-molecular size marker (123 bp, Gibco)



BIOGRAPHY

Miss Tasanee Sakuldamrongpanich was born on March, 1955 in Bangkok, Thailand. She graduated with the Bachelor degree of Science in Medical Technology from the Faculty of Medicine, Chulalongkorn University in 1976. Now she works as a scientist at the National Blood Center, Thai Red Cross Society.



สถาบันวิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย