โพรพราโนลอล ไฮโดรคลอไรด์แคปซูลชนิดออกฤทธิ์นาน ซึ่งเตรียมจากเพลเลตเคลือบด้วยสาร ผสมระหว่างแอมโมนิโอเมธาคริเลต โคโพลีเมอร์ กับเอธิลเซลลูโลส · ' โดยใช้เทคนิคฟลูอิดไดซ์เบด

นางสาว อินทีรา คูวณิชย์วงศ์



วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญาเภสัชศาสตรมหาบัณฑิต ภาควิชาเภสัชอุตสาหกรรม

บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย

ุปีการศึกษา 2540

ISBN 974-636-276-3

ลิชสิทธิ์ของบัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย

PROPRANOLOL HYDROCHLORIDE SUSTAINED RELEASE CAPSULES PREPARED FROM PELLETS COATED WITH THE MIXTURES OF AMMONIO METHACRYLATE COPOLYMER AND ETHYLCELLULOSE USING FLUIDIZED BED TECHNIQUE

Miss Intira Coowanitwong

ฬาลงกรณ์มหาวิทยาลัย

A Thesis Submitted in Partial Fulfillment of the Requirements
for the Degree of Master of Science in Pharmacy
Department of Manufacturing Pharmacy
Graduate School
Chulalongkorn University
Academic Year 1997

ISBN 974-636-276-3

Thesis Title

Propranolol Hydrochloride Sustained Release Capsules

Prepared from Pellets Coated with the Mixture of Ammonio

Methacrylate Copolymer and Ethylcellulose Using Fluidized

Bed Technique

Ву

Miss Intira Coowanitwong

Department

Manufacturing Pharmacy

Thesis Advisor

Associate Professor Poj Kulvanich, Ph.D.

Accepted by the Graduate School, Chulalongkorn University in Partial Fulfillment of the Requirements for the Master's Degree.

Sayund Chuling Dean of Graduate School

(Professor Supawat Chutivongse, M.D.)

Thesis Committee

Wieliem Ramindration Chairman

(Assistant Professor Wichein Thanindratarn, M.Sc.)

Phloaml Thesis Advisor

(Associate Professor Poj Kulvanich, Ph.D.)

Panida Vayumhusuman Member

(Panida Vayumhasuwan, Ph.D.)

Member

(Narueporn Nachiengtung, Ph.D.)

พิมพ์ตันฉบับบทกัดย่อวิทยานิพนธ์ภายในกรอบสีเขียวนี้เพียงแผ่นเดียว

อินที่รา คูวณีชย์วงศ์ : โพรพราโนลอล ไฮโดรกลอไรด์แคปซูลชนิดออกฤทธิ์นาน ซึ่งเตรียม จากเพลเลต เคลือบด้วยสารผสมระหว่างแอมโมนิโอเมธาคริเลต โคโพลีเมอร์ กับเอชิล เซลลูโลส โดยใช้เทคนิกฟลูอิดไดซ์เบด (PROPRANOLOL HYDROCHLORIDE SUSTAINED RELEASE CAPSULES PREPARED FROM PELLETS COATED WITH THE MIXTURES OF AMMONIO METHACRYLATE COPOLYMER AND ETHYLCELLULOSE USING FLUIDIZED BED TECHNIQUE) อ. ที่ปรึกษา : รศ.คร. พจน์ กุลวานิช, 224 หน้า. ISBN 974-636-276-3

การเครียมโพรพราในลอลไฮโครคลอไรค์เพลเลตโคยใช้เทคนิกเอกทรูชั่นและสเฟียโรไนเซชั่น นำมา เคลือบด้วยสารละลายที่เป็นส่วนผสมระหว่างเอธิลเซลลูโลส กับยุคราจิค อาร์ แอล 100 (แอมโมนิโอ เมธาคริ เลต โกโพลีเมอร์ ชนิค A) หรือส่วนผสมระหว่างเอธิลเซลลูโลสกับยุคราจิค อาร์ เอส 100 (แอมโมนิโอ เมชากรีเล่ต ใกโพลีเมอร์ ชนิด B) ซึ่งละลายในสารละลายอื่นทรีย์ผสมระหว่างอะซีโดนและไอโซโพรพริล แอลกอฮอล์ในอัตราส่วน 1:1 โดยใช้เทกนิกการเกลือบแบบฟลูอิคไดซ์เบดชนิดพ่นจากด้านล่าง เพื่อศึกษากุณ พื้นผิวของเพลเลตที่ไม่ได้ สมบัติทางกายภาพและภูณสมบัติการปลดปล่อยตัวยาจากเพลเลดที่ถูกเคลือบแล้ว ส่วนพื้นผิวของเพลเลคที่เคลือบคัวขเอชิลเซลลูโลสจะมีลักษณะขรุขระ เคลือบจะมีลักษณะหยาบและมีรูพรุน แต่เมื่อมีส่วนผสมของยูคราจิด อาร์ แอล 100 หรือ อาร์ เอส 100 ในปริมาณสูงขึ้น ก็ให้พื้นผิวที่เรียบขึ้น การ เพิ่มระดับการเคลือบจะทำให้ความหนาของฟิล์มเพิ่มสูงขึ้น ลักษณะการปลดปล่อยตัวยาโพรพราโนลอล ไฮโคร คลอไรค์จากเพลเลตที่เคลือบแล้วจะแตกต่างกันในตัวกลางที่มีความเป็นกรคและเป็นค่าง อัตราการปลคปล่อยจะ ช้าลงเมื่อปริมาณสารเกลือบสูงขึ้น อัตราส่วนผสมของโพลีเมอร์จะมีผลต่ออัตราการปลดปล่อยตัวยา ฟิล์มกลือบ ที่มีอัตราส่วนของเอธิลเซลลูโลสสูงจะลดอัตราการปลดปล่อยตัวยา และเมื่อเพิ่มอัตราส่วนของยุคราจิด อาร์ หลังจากได้ศึกษาวิเคราะห์ หรือยูคราจิด อาร์ เอส 100 จะเพิ่มอัตราการปลดบ์ล่อยตัวยา ลักษณะและปริมาณการปลดปล่อยตัวยาของแต่ละตำรับแล้วใค้กัดเลือกเพลเลตเคลือบที่มีการปลดปล่อยตัวที่ เหมาะสมุ่มาผสมกันในอัตราส่วนที่จะให้ลักษณะการปลดปล่อยตัวยาให้ได้ตามข้อกำหนดของยาโพรพราโนลอล ไฮโครคลุ่อไรค์ชนิดออกฤทธินาน 24 ชั่วโมงของเภสัชตำรับสหรัฐอเมริกา และนำมาเปรียบเทียบกับอินเดอราล แกล เก 160 ซึ่งเป็นผลิตภัณฑ์ที่มีจำหน่ายในท้องตลาด

			,
ภาควิชา	ลายมือชื่อผิสิต	ักเทิก	त राजिकार र
สาขาวิชา แกสัชอุทสาหกรรม	ลายมือชื่ออาจารย์ที่ปรึกษา		Y
ปีการศึกษา <u>2540</u>	ลายมือชื่ออาจารย์ที่ปรึกษา		/
DH [77][[B]	4,1000000000000000000000000000000000000		•

พิมพ์ตันลบับบทคัดย่อวิทยานิพนธ์ภายในกรอบสีเขียวนี้เพียงแผ่นเดียว

	· · · · · · · · · · · · · · · · · · ·
## C 875223 : MAJOR MANUFACTURING PHARMACY	
KEY WORD: PROPRANOLOL HYDROCHLORIDE AMMONIOM	ETHACRYLATE
COPOLYMER /FLUIDIZED BED	
INTIRA COOWANITWONG : PROPRANOLOL HYDRO	OCHLORIDE
SUSTAINED RELEASE CAPSULES PREPARED FROM	A PELLETS COATED
WITH THE MIXTURES OF AMMONIO METHACRYL	ATE COPOLYMER AND
ETHYLCELLULOSE USING FLUIDIZED BED TECHN	IQUE. THESIS
ADVISOR: ASSOC. PROF. POJ KULVANICH. Ph. D.	, 224 PP. ISBN 974-636-276-3
Propranolol hydrochloride pellets were prepared to	using extrusion and spheronization
techniques. Core pellets were coated with the mixtures of	ammonio methacrylate conclymer
techniques. Core peners were coated with the inixtures of	d as a film coatings to control the
and ethycellulose in various ratios which were implemente	at at a limit coatings to control the
release of the drug. A mixture of acetone and isoprop	by alcohol in a rado of 1.1 was
employed as a cosolvents for coating solution.	
Pellets were coated using a fluidized bed tech	nique of Wurster type. Physical
characteristics and drug release characteristics of unc	coated and coated pellets were
investigated.	
investigated.	
Ethylcellulose gave a rough and porous surface	coating film. Nevertheless, when
the ethylcellulose film was mixed with either Eudragit	RL100 or Endragit & RS100, the
the ethylcenthose him was mixed with ethici Eddragh	mount Endragit® improved the
coating surface becames smoother. Increasing the ar	List as section levels the thicker
smoothness of the coating surface. Consequently, with the	e nigher coating levels the thicker
film layer was obtained.	
The drug release characteristics of coated pel	lets were affected by dissolution
mediums employed. In general, a release rate of coated	l pellets in an acidic medium was
faster than in an alkali medium. At higher coating levels	, the release of the drug from the
pellets was more retarded. The ratio of polymers affect	s the drug release characteristics,
resulting in the following scenarios: increasing percent of	ethylcellulose, decreasing the drug
release, increasing either Eudragit RL100 or Eudragit F	S100 increasing the drug release.
release, increasing entire Educagit RE100 of Educagit A	to too, morouping the uning to the
l	nulations which provided suitable
In this study, the coated pellets of various form	Huiations which provided suitable
release rates were selected and combined to formula	ite sustained release proprantion
hydrochloride capsules of 24 hour type that could meet t	he USP XXIII specification. The
release profiles of developed formula were comparable	e to the release characteristic of
Inderal LA160, a wellknown commercial product.	9/19/201
N N 181 N 1 3 6 18 5 1 1 1 6	3 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
l q	
	. ,
{	
	•
	* C ~
กคริงา เกล้ชอดสาหกรรม กายมืดชื่อนิสิ ต	จิ๋าเกิท กาณ์ สาดโ

ลายมือชื่ออาจารย์ที่ปรึกษา......

ดายมือชื่ออาจารย์ที่ปรึกษาร่วม...

เภสัชอุตสาหกรรม

2540

สาขาวิชา.

ปีการศึกษา..



Acknowledgments

I can only begin to express my sincere gratitude to my advisor, Associate Prof. Dr. Poj Kulvanich, for his guidance, and never-ending encouragement during my time working with him. Although it was sometimes a struggle on this work, for both Associate Prof. Dr. Poj and me, I learned a great deal from him. His door was always open and he always had time for discussion with me. I will always admire his work as an educator and a mentor.

To special acknowledgment is given to all the staffs and friends in the Department of Manufacturing Pharmacy for their sincere. They always have supplied me with everlasting laughter. In addition to their advice and refreshing perspective on the general. I would like to thank them for their companionship throughout the years.

I would like to thank Associate Prof. Dr. Karnpimol C. Ritthidej for all her guidance. In addition, I extend my thanks to the three other members of my Master committee, Assistant Prof. Wichein Thanindratarn, Dr. Panida Vayamhasuwan, and Dr. Narueporn Nachiengtung for reading this work and making constructive criticism which have improved its quality.

A special appreciation is given to the Graduate school, Chulalongkorn University for granting partial financial support to fulfill this investigation.

Throughout my graduate work, my family shared with me the best and frustrating moments. Whenever I spoke to them, any discouragement I had was made insignificant. Their confidence and love are inspirational. My love and gratitude go to my mother and my father, who have always given their time and support for all my endeavor. Their love for me are manifested in every way. I am grateful for all things they have done for me for they have given me so much and asked for nothing in return. I am blessed to have this superb family.

Contents

	Page
Thai Abstract	IV
English Abstract	V
Acknowledgments	VI
List of Tables	VΠ
List of Figures	XI
Chapter	
I. General Background	ľ
II. Experimental	23
III. Results and Discussion	38
IV. Conclusions	181
References	183
Appendices	196
Vitae	224

List of Tables

able		Page
l.	Solubility of ethylcellulose in various solvents	9
2.	Solubility of polymethacrylate in organic solvents	12
3.	Comparison of three fluidized-bed coating process	22
۶. 4.	Formulation of core pellets	25
5.	The spheronizing conditions	26
6.	Formulation of propranolol hydrochloride pellets	27
7.	Composition of coating solution in preliminary investigation	30
8.	Ratio between Eudragit®RL100 and ethylcellulose	31
9.	Ratio between Eudragit®RS100 and ethylcellulose	32
_	The coating conditions using Wurster spray method	33
	Physical properties of uncoated pellets	43
12.	Physical properties of coated pellets	93
	The time at which most of the drug were release of Formulation 1-16	143
	Release pattern of Formulations which gave biphasic release showing	
	initial slow drug release phase (phase 1) and faster drug release phase	
	(phase 2)	144
15.	The release pattern of coated pellets Formulation 22-24 and 33-39	161
	The amount of coated pellets formulations selested to formulate	
	sustained release propranolol hydrochloride capsules of 24-hours type	169
17.	. Percent release of developed capsule formulation and Inderal LA160 in	
	pH change method compared with USP XXIII specification	179
18	. The absorbance value of the main composition of	
	coated pellets at 289.0 nm	198
19	. Absorbance of propranolol hydrochloride in	
	acid buffer pH 1.2 at 289.0 nm	201

Tab	le (cont.)	Page
20.	Absorbance of propranolol hydrochloride in phosphate buffer	
	pH 6.8 at 289.0 nm	202
21.	Absorbance of propranolol hydrochloride in methanol at 289.0 nm	202
22.	Percent release of propranolol hydrochloride from uncoated	
	pellets and coated pellets formulation 1-3 in acid buffer pH 1.2 and	
	phosphate buffer pH 6.8	206
23.	Percent release of propranolol hydrochloride from coated pellets	
	formulation 4-7 in acid buffer pH 1.2 and phosphate buffer pH 6.8	207
24.	Percent release of propranolol hydrochloride from coated pellets	
	formulation 8-10 in acid buffer pH 1.2 and phosphate buffer pH 6.8	208
25.	Percent release of propranolol hydrochloride from coated pellets	
	formulation 11-13 in acid buffer pH 1.2 and phosphate buffer pH 6.8	209
26.	Percent release of propranolol hydrochloride from coated pellets	
	formulation 14-16 in acid buffer pH 1.2 and phosphate buffer pH 6.8	210
27.	Percent release of propranolol hydrochloride from coated pellets	
	formulation 17-18 in acid buffer pH 1.2 and phosphate buffer pH 6.8	211
28.	Percent release of propranolol hydrochloride from coated pellets	
	formulation 19-20 in acid buffer pH 1.2 and phosphate buffer pH 6.8	212
29.	Percent release of propranolol hydrochloride from coated pellets	
	formulation 21-22 in acid buffer pH 1.2 and phosphate buffer pH 6.8	213
30.	Percent release of propranolol hydrochloride from coated pellets	
	formulation 23-24 in acid buffer pH 1.2 and phosphate buffer pH 6.8	214
31.	Percent release of propranolol hydrochloride from coated pellets	
	formulation 25-26 in acid buffer pH 1.2 and phosphate buffer pH 6.8	215
32.	Percent release of propranolol hydrochloride from coated pellets	
	formulation 27-28 in acid buffer pH 1.2 and phosphate buffer pH 6.8	216
33.	Percent release of propranolol hydrochloride from coated pellets	
	formulation 29-30 in acid buffer pH 1.2 and phosphate buffer pH 6.8	217
34.	Percent release of propranolol hydrochloride from coated pellets	•
	formulation 31-32 in acid buffer pH 1.2 and phosphate buffer pH 6.8	218

le (cont.)	Page
Percent release of propranolol hydrochloride from coated pellets	
formulation 33-35 in acid buffer pH 1.2 and phosphate buffer pH 6.8	219
Percent release of propranolol hydrochloride from coated pellets	٠
formulation 36-37 in acid buffer pH 1.2 and phosphate buffer pH 6.8	220
Percent release of propranolol hydrochloride from coated pellets	
formulation 38-39 in acid buffer pH 1.2 and phosphate buffer pH 6.8	221
Percent release of propranolol hydrochloride from Inderal®LA160	
and sustained release propranolol hydrochloride capsules in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	222
Percent release of propranolol hydrochloride from Inderal®LA160	
and sustained release propranolol hydrochloride capsules by pH	
change method	223
	Percent release of propranolol hydrochloride from coated pellets formulation 33-35 in acid buffer pH 1.2 and phosphate buffer pH 6.8 Percent release of propranolol hydrochloride from coated pellets formulation 36-37 in acid buffer pH 1.2 and phosphate buffer pH 6.8 Percent release of propranolol hydrochloride from coated pellets formulation 38-39 in acid buffer pH 1.2 and phosphate buffer pH 6.8 Percent release of propranolol hydrochloride from Inderal LA160 and sustained release propranolol hydrochloride capsules in acid buffer pH 1.2 and phosphate buffer pH 6.8 Percent release of propranolol hydrochloride from Inderal LA160 and sustained release propranolol hydrochloride from Inderal LA160 and sustained release propranolol hydrochloride capsules by pH

สถาบันวิทยบริการ

จุฬาลงกรณ์มหาวิทยาลัย

List of Figures

Figu	re	Page
1.	Chemical structure of propranolol hydrochloride	4
2.	Chemical structure of ethylcellulose	8
3.	Chemical structure of Eudragit®RL and RS	_11
4.	Chemical structure of dibutyl phthalate	14
5.	Classification of pelletization process	16
6.	Schematic representation of simple extrusion-spheronization process	17
7.	Top spray coater	19
8.	Wurster (bottom) spray coater	20
9.	Tangential spray coater	22
10.	The photograph of spheronizer	27
11.	The photogragh of fluidized bed	33
12.	Photomicrographs of lactose pellets	41
	Photomicrographs of propranolol hydrochloride pellets	42
14.	Photomicrographs of coated pellets formulation 1	51
15.	Photomicrographs of coated pellets formulation 2	52
16.	Photomicrographs of coated pellets formulation 3	. 53
17.	Photomicrographs of coated pellets formulation 4	54
18.	. Photomicrographs of coated pellets formulation 5	55
19.	Photomicrographs of coated pellets formulation 6	56
20.	Photomicrographs of coated pellets formulation 7	57
21.	. Photomicrographs of coated pellets formulation 8	58
22.	. Photomicrographs of eoated pellets formulation 9	60
23	. Photomicrographs of coated pellets formulation 10	61
24	. Photomicrographs of coated pellets formulation 11	62
25	. Photomicrographs of coated pellets formulation 12	63
26	. Photomicrographs of coated pellets formulation 13	64

Figure (cont.)	Page
27. Photomicrographs of coated pellets formulation 14	65
28. Photomicrographs of coated pellets formulation 15	66
29. Photomicrographs of coated pellets formulation 16	67
30. Photomicrographs of coated pellets formulation 17	68
31. Photomicrographs of coated pellets formulation 18	69
32. Photomicrographs of coated pellets formulation 19	70
33. Photomicrographs of coated pellets formulation 20	71
34. Photomicrographs of coated pellets formulation 21	- 73
35. Photomicrographs of coated pellets formulation 22	74
36. Photomicrographs of coated pellets formulation 23	. 75
37. Photomicrographs of coated pellets formulation 24	76
38. Photomicrographs of coated pellets formulation 25	77
39. Photomicrographs of coated pellets formulation 26	78
40. Photomicrographs of coated pellets formulation 27	79
41. Photomicrographs of coated pellets formulation 28	80
42. Photomicrographs of coated pellets formulation 29	81
43. Photomicrographs of coated pellets formulation 30	82
44. Photomicrographs of coated pellets formulation 31	. 83
45. Photomicrographs of coated pellets formulation 32	84
46. Photomicrographs of coated pellets formulation 33	85
47. Photomicrographs of coated pellets formulation 34	87
48. Photomicrographs of coated pellets formulation 35	88
49. Photomicrographs of coated pellets formulation 36	89
50. Photomicrographs of coated pellets formulation 37	90
51. Photomicrographs of coated pellets formulation 38	91
52. Photomicrographs of coated pellets formulation 39	92
53. Release profile of uncoated pellets in acid buffer pH 1.2	
and phosphate buffer pH 6.8	95

Figure (cont.)	Page
54. Release profile of coated pellets formulation 1 in acid	•
buffer pH 1.2 and phosphate buffer pH 6.8	97
55. Release profile of coated pellets formulation 2 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	97
56. Release profile of coated pellets formulation 3 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	. 98
57. Release profile of coated pellets formulation 4 in acid	.
buffer pH 1.2 and phosphate buffer pH 6.8	98
58. Release profiles of the pellets coating with different levels	-:
of Eudragit®RL100 in acid buffer pH 1.2	100
59. Release profiles of the pellets coating with different levels	
of Eudragit®RL100 in phosphate buffer pH 6.8	100
60. Release profile of coated pellets formulation 5 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	101
61. Release profile of coated pellets formulation 6 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	101
62. Release profile of coated pellets formulation 7 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	102
63. Release profile of coated pellets formulation 8-in acid	er g
buffer pH 1.2 and phosphate buffer pH 6.8	102
64. Release profiles of the pellets coating with different levels	,
of EURL80:EC20 in acid buffer pH 1.2	104
65. Release profiles of the pellets coating with different levels	
of EURL80:EC20 in phosphate buffer pH 6.8	. 104
66. Release profile of coated pellets formulation 9 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	105
67. Release profile of coated pellets formulation 10 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	105

Figu	re (cont.)	Page
68.	Release profile of coated pellets formulation 11 in acid	
	buffer pH 1.2 and phosphate buffer pH 6.8	106
69.	Release profile of coated pellets formulation 12 in acid	
	buffer pH 1.2 and phosphate buffer pH 6.8	106
70	Release profiles of the pellets coating with different levels	
	of EURL60:EC40 in acid buffer pH 1.2	108
71	Release profiles of the pellets coating with different levels	
	of EURL60:EC40 in phosphate buffer pH 6.8	108
72	. Release profile of coated pellets formulation 13 in acid	• .
	buffer pH 1.2 and phosphate buffer pH 6.8	109
73	. Release profile of coated pellets formulation 14 in acid	
	buffer pH 1.2 and phosphate buffer pH 6.8	109
74	. Release profile of coated pellets formulation 15 in acid	
	buffer pH 1.2 and phosphate buffer pH 6.8	110
. 75	. Release profile of coated pellets formulation 16 in acid	
	buffer pH 1.2 and phosphate buffer pH 6.8	110
76	. Release profiles of the pellets coating with different levels	
	of EURL40:EC60 in acid buffer pH 1.2	111
77	. Release profiles of the pellets coating with different levels	•
	of EURI 40:EC60 in phosphate buffer pH 6.8	111
78	Release profile of coated pellets formulation 17 in acid	,
	buffer pH 1.2 and phosphate buffer pH 6.8	2 113
79	Release profile of coated pellets formulation 18 in acid	
	buffer pH 1.2 and phosphate buffer pH 6.8	113
80). Release profile of coated pellets formulation 19 in acid	•
	buffer pH 1.2 and phosphate buffer pH 6.8	114
81	. Release profile of coated pellets formulation 20 in acid	
	buffer pH 1.2 and phosphate buffer pH 6.8	114

Figu	ire (cont.)	Page	
82.	Release profiles of the pellets coating with different levels		
	of EURL20:EC80 in acid buffer pH 1.2	115	
83.	Release profiles of the pellets coating with different levels		
	of EURL80:EC20 in phosphate buffer pH 6.8	115	
84.	Release profile of coated pellets formulation 21 in acid		
	buffer pH 1.2 and phosphate buffer pH 6.8	116	
85.	Release profile of coated pellets formulation 22 in acid		
	buffer pH 1.2 and phosphate buffer pH 6.8	116	
86.	Release profile of coated pellets formulation 23 in acid		
	buffer pH 1.2 and phosphate buffer pH 6.8	117	
87.	Release profile of coated pellets formulation 24 in acid	•	
	buffer pH 1.2 and phosphate buffer pH 6.8	117	
88.	Release profiles of the pellets coating with different levels		
	of ethylcellulose in acid buffer pH 1.2	119	
89.	Release profiles of the pellets coating with different levels		•
	of ethylcellulose in phosphate buffer pH 6.8	119	
90.	Release profile of coated pellets formulation 25 in acid	- 197 ³	
	buffer pH 1.2 and phosphate buffer pH 6.8	120	
91.	Release profile of coated pellets formulation 26 in acid	•	
	buffer pH 1.2 and phosphate buffer pH 6.8	120	
92.	Release profile of coated pellets formulation 27 in acid	,	
	buffer pH 1.2 and phosphate buffer pH 6.8	2 121	
93.	Comparison of retardant property on drug release of	_	
	Eudragit®RS100 and Eudragit®RL100	121	
94	Release profiles of the pellets coating with different levels		
	of Eudragit®RS100 in acid buffer pH 1.2	122	
95	Release profiles of the pellets coating with different levels		
	of Eudragit®RS100 in phosphate buffer pH 6.8	122	

Figure (cont.)	Page
96. Release profile of coated pellets formulation 28 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	124
97. Release profile of coated pellets formulation 29 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	124
98. Release profile of coated pellets formulation 30 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	125
99. Release profiles of the pellets coating with different levels	
of EURS80:EC20 in acid buffer pH 1.2	125
100. Release profiles of the pellets coating with different levels	•
of EURS80:EC20 in phosphate buffer pH 6.8	126
101. Release profile of coated pellets formulation 31 in acid	•
buffer pH 1.2 and phosphate buffer pH 6.8	126
102. Release profile of coated pellets formulation 32 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	128
103. Release profile of coated pellets formulation 33 in acid	•
buffer pH 1.2 and phosphate buffer pH 6.8	128
104. Release profiles of the pellets coating with different levels	.·
of EURS60:EC40 in acid buffer pH 1.2	129
105. Release profiles of the pellets coating with different levels	
of EURS60:EC40 in phosphate buffer pH 6.8	129
106. Release profile of coated pellets formulation 34 in acid	, .
buffer pH 1.2 and phosphate buffer pH 6.8	2 130
107. Release profile of coated pellets formulation 35 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	130
108. Release profile of coated pellets formulation 36 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	131
109. Release profiles of the pellets coating with different levels	
of EURS40:EC60 in acid buffer pH 1.2	131

Figure (cont.)	Page
110. Release profiles of the pellets coating with different levels	
of EURS40:EC60 in phosphate buffer pH 6.8	133
111. Release profile of coated pellets formulation 37 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	133
112. Release profile of coated pellets formulation 38 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	134
113. Release profile of coated pellets formulation 39 in acid	
buffer pH 1.2 and phosphate buffer pH 6.8	134
114. Release profiles of the pellets coating with different levels	• • •
of EURL20:EC80 in acid buffer pH 1.2	135
115. Release profiles of the pellets coating with different levels	•
of EURL20:EC80 in phosphate buffer pH 6.8	135
116. Photomicrograph of coated pellets formulation 25 after dissolut	ion
test in acid buffer pH 1.2	137
117. Photomicrograph of coated pellets formulation 25 after dissolut	ion
test in phosphate buffer pH 6.8	138
118. Photomicrograph of coated pellets formulation 27 after dissolut	ion
test in acid buffer pH 1.2	139
119. Photomicrograph of coated pellets formulation 27 after dissolution	tion ·
test in phosphate buffer pH 6.8	140
120. Photomicrograph of coated pellets formulation 29 after dissolu	tion
test in acid buffer pH 1.2	141
121. Photomicrograph of coated pellets formulation 29 after dissolu	
test in phosphate buffer pH 6.8	
122. slow release period of the release profile of coated pellets Form	rulation 19
in phosphate buffer pH 6.8	145
123. The first order plot of coated pellets Formulation 19 in phosph	ate
buffer pH 6.8	145

Figure (cont.)	Page
124. The Higuchi plot of coated pellets Formulation 19 in phosphate	
buffer pH 6.8	146
125. slow release period of the release profile of coated pellets Formulat	ion 20
in phosphate buffer pH 6.8	146
126. The first-order plot of coated pellets Formulation 20 in phosphate	
buffer pH 6.8	147
127. The Higuchi plot of coated pellets Formulation 20 in phosphate	=-
buffer pH 6.8	147
128. slow release period of the release profile of coated pellets Formula	tion 26
in acid buffer pH 1.2	148
129. The first-order plot of coated pellets Formulation 26 in acid	•
buffer pH 1.2	148
130. The Higuchi plot of coated pellets Formulation 26 in acid	
buffer pH 1.2	149
131. slow release period of the release profile of coated pellets Formula	tion 26
in phosphate buffer pH 6.8	149
132. The first-order plot of coated pellets Formulation 26 in phosphate	
buffer pH 6.8	150
133. The Higuchi plot of coated pellets Formulation 26 in phosphate	·
buffer pH 6.8	150
134. slow release period of the release profile of coated pellets Formula	ition 27
in acid buffer pH 1.2	151
135. The first-order plot of coated pellets Formulation 27 in acid	
buffer pH 1.2	151
136. The Higuchi plot of coated pellets Formulation 27 in acid	
buffer pH 1.2	152
137. slow release period of the release profile of coated pellets Formula	ation 27
in phosphate buffer pH 6.8	152
138. The first-order plot of coated pellets Formulation 27 in phosphate	•
buffer pH 6.8	153

Figure (cont.)	Page
139. The Higuchi plot of coated pellets Formulation 27 in phosphate	
buffer pH 6.8	153
140. Slow release period of the release profile of coated pellets Formulati	on 30
in acid buffer pH 1.2	154
141. The first-order plot of coated pellets Formulation 30 in acid	
buffer pH 1.2	154
142. The Higuchi plot of coated pellets Formulation 30 in acid	
buffer pH 1.2	155
143. Slow release period of the release profile of coated pellets Formulati	on 30
in phosphate buffer pH 6.8	155
144. The first-order plot of coated pellets Formulation 30 in phosphate	. •
buffer pH 6.8	156
145. The Higuchi plot of coated pellets Formulation 30 in phosphate	
buffer pH 6.8	156
146. Slow release period of the release profile of coated pellets Formulati	on 32
in phosphate buffer pH 6.8	. 157
147. The first-order plot of coated pellets Formulation 32 in phosphate	
buffer pH 6.8	157
148. The Higuchi plot of coated pellets Formulation-32 in phosphate	
buffer pH 6.8	·158
149. Slow release period of the release profile of coated pellets Formulati	on 33
in acid buffer pH 1.2	158
150. The first-order plot of coated pellets Formulation 33 in acid	
buffer pH 1.2	159
151. The Higuchi plot of coated pellets Formulation 33 in acid	
buffer pH 1.2	159
152. Slow release period of the release profile of coated pellets Formulat	ion 33
in phosphate buffer pH 6.8	160

Figure (cont.)	Page
153. The first-order plot of coated pellets Formulation 33 in phosphate	
buffer pH 6.8	160
154. The Higuchi plot of coated pellets Formulation 33 in phosphate	
buffer pH 6.8	161
155. The zero-order plot of coated pellets Formulation 22 in acid	
buffer pH 1.2	162
156. The zero-order plot of coated pellets Formulation 22 in phosphate	
buffer pH 1.2	162
157. The zero-order plot of coated pellets Formulation 23 in acid	
buffer pH 1.2	163
158. The zero-order plot of coated pellets Formulation 23 in phosphate	•
buffer pH 1.2	163
159. The zero-order plot of coated pellets Formulation 24 in acid	
buffer pH 1.2	164
160. The zero-order plot of coated pellets Formulation 24 in phosphate	
buffer pH 1.2	164
161. The zero-order plot of coated pellets Formulation 37 in acid	
buffer pH 1.2	165
162. The zero-order plot of coated pellets Formulation 37 in phosphate	
buffer pH 1.2	165
163. The zero-order plot of coated pellets Formulation 38 in acid	
buffer pH 1.2	166
164. The zero-order plot of coated pellets Formulation 38 in phosphate	
buffer pH 1.2	166
165. The zero-order plot of coated pellets Formulation 39 in acid	
buffer pH 1.2	167
166. The zero-order plot of coated pellets Formulation 39 in phosphate	;
buffer pH 1.2	167
167. Release profile of developed sustained release propranolol hydroch	loride
cansiles in nH change method	169

Page
170
171
172
.
173
. '
174
175
176
177
178
178
179
180
199
199
200
200
203
203

Figure (cont.)	ı	Page
186. Typical calibration curve of propranolol hydrochloride	**	
in methanol	• '	204



สถาบันวิทยบริการ จฬาลงกรณ์มหาวิทยาลัย

Abbreviations

bar kg/cm²

° C degree celsius

e.g. exampli gratia, for example

cm centimeter

cps centipoises

et al. etalii, and others

EC ethylcellulose

EURL Eudragit®RL

EURS Eudragit[®]RS

gm gram

hr hour

HCl Hydrochloric acid

i.e. id est, that is

IPA Isopropyi alcohol

kg kilogram (s)

liter

mg milligram

min minute
ml milliliter

N normal

nm nanometer

rpm revolution per minute

SEM scanning electron microscope

-SD standard deviation

soln solution

USP The United States Pharmacopoeia

UV ultraviolet

w/v weight by volume

w/w weight by weight

μ g microgram

μ m micrometer, micron

% RH percent of relative humidity

