

REFERENCES

Aggarawal BB. Tumor necrosis factor. In: Human Cytokines: **Handbook for basic and clinical researchers.** New York: Blackwell, 1992.

Allan RN, Rhodes JM, Hanauer SB, Keighley MRB, William AJ, Fazio VW. **Inflammatory bowel disease.** Third edition. U.S.A: Pearson Professional Limited. 1997: 95.

Andrade TGCS and Graeff FG. Effect of electrolytic and neurotoxic lesions of the median rafe nucleus on anxiety and stress. **Pharmacol Biochem Behav** 2001; 70: 1-14.

Andrews FJ, Malcontenti WC, O'Brien PE. Effect of nonsteroidal anti-inflammatory drugs on LFA-1 and ICAM-1 expression in gastric mucosa. **Am J Physiol** 1994; 266: G657-G664.

Anthony JR, Amy MK, Karen K, Stanley WA, Howard AR, David W M. Interleukin 10 reduces the severity of acute pancreatitis in rats. **Gastroenterology** 1997; 112: 960-967.

Appleyard CB, Cafferty DM . Tumor necrosis factor mediation of NSAID – induced gastric damage : role of leukocyte adherence. **The American Physiological Society**.1996; G42-G48.

Balow JE, and Rosenthal AS. Glucocorticoid suppression of macrophage migration inhibitory factor. **J Exp Med** 1973; 137: 1031.

Barry LR . Possible mechanism of the healing action of *Aloe vera* gel.
Cosmetic and Toiletries. 1983; June: 98 .

Bertram G, Katzung. **Basic and clinical pharmacology.** Seventh edition.
 U.S.A: Prentice Hall International. 1998.

Birdsall HH. Induction of ICAM-1 on human neural cells and
 mechanisms of neutrophil mediated injury. **Am J Pathol** 1991;
 139: 1341-1350.

Blitz JJ, Smith JW and Gerard JR. *Aloe vera* gel in peptic ulcer therapy:
 preliminary report. **J Am Osteo Assoc.** 1963; 62: 731-735.

Bodger k, Wyatt JI, Heatley RV. Gastric mucosal secretion of
 interleukin-10: relations to histopathology *Helicobacter pylori*
 status, and tumor necrosis factor- α secretion. **Gut** 1997; 40: 739-
 744.

Bovik EG. *Aloe vera*. Panacea or old wives' tales? **Texas Detal Journal**
 1966; 84: 13-16.

Bray MA, Cunningham FM, Ford-Hutchinson AW, Smith MJH.
 Leukotriene B₂: An inflammatory mediator in vivo.
Br J Pharmacol 1981; 22: 483-486.

Bregonzio C, Armando I, Ando H, Jezova M, Baiardi G, Saavedra JM.
 Anti-inflammatory effects of angiotensin II AT₁ receptor
 antagonism prevent stress- induced gastric injury. **Am J Physiol
 Gastrointest Liver Physiol** 2003; 285: G414-G423.

Brzozowski T, Konturek PCh, Sliwowski Z, Drozdowicz D, Hahn EG, Konturek SJ. Importance of nitric oxide and capsaicin-sensitive afferent nerves in healing of stress lesion induced by epidermal growth factor. **J Clin Gastroenterol**. 1997; 25 suppl 1: 28-38.

Brzozowski T, Konturek PCh, Konturek SJ. Involvement of cyclooxygenase (Cox-2) products in acceleration of ulcer healing by gastrin and hepatocyte growth factor. **J Physiol Pharmacol** 2000; 51: 751-773.

Brzozowski T, Konturek P Ch, Konturek SJ, Drozdowicz D, Kwiecien S, Pajdo R, Bielanski W, Hahn EG. Role of gastric acid secretion in progression of acute gastric erosion induced by ischemia-reperfusion into gastric ulcers. **Eur J Phamacol** 2000; 398: 147-158.

Capasso F, and Gaginella TS. Laxatives: a practice guide. Milan: Springer Italia. 1997.

Carpenter KL, Brabbs CE, Mitchinson MJ. Oxygen radicals and atherosclerosis. **Klin Wochenschr** 1991; 69: 1039.

Clinchy B, Bjorck P, Paulie S, Moller G. Interleukin-10 inhibits motility in murine and human lymphocytes. **Immunology** 1994; 82: 376.

Colletti LM, Kunkel SL, Walz A, Burdick M, Kunkel RG, Wilke CA. The role of cytokine network in the local liver injury following hepatic ischemia/reperfusion in the rat. **Hepatology**. 1996; 146: 419-28.

Collins EE, Collins C. Roentgen dermatitis treated with fresh whole leaf of *Aloe vera*. **AJR** 1935; 33: 396-397.

Cypriani B, Tabacik C, Descomps B. Effect of estradiol and antiestrogens on cholesterol biosynthesis in hormone dependent and independent breast cancer cell lines. **Biochem Biophys Acta** 1988; 972: 167.

Davis RH, Leitner MG, Russo JM, et al. Anti-inflammatory activity of *Aloe vera* against a spectrum of irritants. **JAPMA** 1989; 79: 263.

Davis RH, Leitner MG, Russo JM, et al. Wound healing: oral and topical activity of *Aloe vera*. **JAPMA** 1989; 79: 559.

Davis RH, Didonato JJ, Hartman GM, et al. Antiinflammatory and wound healing activity of a growth substance in *Aloe vera*. **JAPMA** 1994; 84: 77.

David YG, Robert MG, Michael FD. **Gastritis**. China: Lippincott Williams& Wilkins. 1999; 3-8.

Dawson PA, Metherall JE, Ridgway ND, et al. Genetic of 3-hydroxy-3-methylglutaryl coenzyme A reductase. **J Biol Chem** 1991;266: 9128.

De Waal Malefyt R, Haanen J, Spits H, Roncarolo MG, de velde A, Figdor CG, et al. Interleukin 10 (IL-10) strongly reduce antigen-specific human T cell proliferation by diminishing the antigen-presenting capacity of monocytes via down-regulation of class II major histocompatibility complex expression. **J Exp Med** 1991; 174: 15-24.

De Waal Malefyt R, Abrams J, Bennett B, Figdor CG, de Vries JE. Interleukin-10 (IL-10) produced by human monocytes. **J Exp Med** 1991; 174: 2109-2120.

Del Prete G, De Carli M, Almerigogna F, Giudizi MG, Biagiotti R, Romagnani S. Human interleukin-10 is produced by both type 1 helper (Th1) and type2 helper (Th2) T cell clones and inhibits their antigen- specific proliferation and cytokine production. **J Immunol** 1993; 150: 353-360.

Diegeimann RF, Choen KI, Kaplan AM. The role of macrophages in wound repair: a review. **Plast Reconstr Surg** 1981; 68: 107.

Ding S-Z, Lam S-K, Yuen S-T, Wong BC-Y, Hui W-M, Ho J, Gua X, Cho C-H. Prostaglandin, tumor necrosis factor alpha and neutrophil: causative relationship in indomethacin- induced stomach injuries. **Eurp J Pharmacol** 1998; 348: 257-263.

Duansak D, somboonwoung J, Patumraj S. Effect of *Aloe vera* on leukocyte adhesion and TNF-alpha, IL-6 levels in burn wounded rats. **Clin Hemorheol Microcirc** 2003; 29 (3-4): 239-246.

Dustin ml, Springer TA. T-cell receptor cross-linking transiently stimulates adhesiveness through LFA-1. **Nature** 1989; 341: 619-624.

El Zawahry M, Hegazy MR, Helal M. Use of aloe in treating leg ulcers and dermatoses. **Int J Dermatol** 1973; 12: 68-74.

Eun-Joung Moon, You Mie Lee, Ok-Hee Lee. A novel angiogenic factor derived from *Aloe vera* gel: β -sitosterol, a plant sterol. **Angiogenesis** 1999; 3: 1117-123.

Fairbarin JW (ED). Natural anthraquinone drugs. **Pharmacology** 1980; 20 (suppl.1): 2-122.

Feldman M. Role of affect and personality in gastric acid secretion and serum gastrin concentration. Comparative studies in normal men and in male duodenal ulcer patients. **Gastroenterology** 1992; 102: 175.

Fiorentino DF, Bond MW, Mosmann TR. Two types of mouse helper T cell. IV. Th2 clones secrete a factor that inhibits cytokine production by Th1 clones. **J Exp Med** 1989; 170: 2081-2095.

Fiorentino DF, Zlotnik A, Mosmann TR, Howard M, O Garra A. Interleukin-10 inhibits cytokine production by activated macrophages. **J Immunol** 1991; 147: 3815-3822.

Fred H, Adrian S, Andrzej T. Healing of experimental gastric ulcers interference by gastric acid. **Dig Dis Sci** 1995 ; 40(11).

Fujita K, Shosuke I. Bradykinase activity of aloe extract. **Biochem Pharmacol.** 1976; 25: 205.

Fujita K, Shosuke I, Teradaira R, Beppo H. Properties of a carboxypeptidase from aloe. **Biochem Pharmacol.** 1979; 29: 1261-2.

Galal EE, Kandil A, Hegazy R, El Ghoroury M. and Gobran W. *Aloe vera* and gastrogenic ulceration. **J. Drug Res. Egypt.** 1975; 7(2): 73-78.

Gannon B, Browning J, O'Brien P, and Roger P. Mucosal microvascular architecture of the fundus and body of human stomach. **Gastroenterology** 1984; 86: 866-875.

Gerst N, Duriatti A, Schuber F, et al. Potent inhibition of cholesterol biosynthesis in 3T3 fibroblasts by N-[(1, 5, 9)-trimethyldecyl]-4alpha, 10-dimethyl-8-aza-trans-decal-3betaol, a new 2, 3-oxidosqualene cyclase inhibitor. **Biochem Pharmacol** 1988; 37: 1955.

Ghannam N, Kingston M, Al-Meshaal IA, Tariq M, Parman N, Wood house N. the antidiabetic activity of aloes: preliminary clinical and experimental observations. **Hormone Res** 1986; 24: 288-294.

Gjerstad G, Riner TD. Current status of *Aloe vera* as a cure-all. **Am J Pharm** 1968; 140: 58-61.

Gilman AG, Rall TW, Niew AS, et al. **Goodman and Gilman's The pharmacological basis of therapeutic**. Eighth edition. U.S.A.: Pergamann Press. 1990.

Goff S, Levenstein I. Measuring the topical preparations upon the healing of skin wounds. **J Soc Cosmetic Chem** 1964; 15: 509-518.

Goldman M and Velu T. Interleukin-10 and its implications for immunopathology. **Adv Neph** 1995; 24: 79.

Grindlay D. and Reynold T. The *Aloe vera* phenomena : a review of the properties and modern user of the leaf parenchyma gel .
J. Ethnopharmacol. 1986; 16: 117-151.

Gupta AK, Sexton RC, Rudney H. Effect of vitamin D₃ derivatives on cholesterol synthesis and HMG-CoA reductase activity in cultured cells. **J Lipid Res** 1989; 30: 379.

Guth PH, and Leung FW. Physiology of the gastric circulation. In: Johnson LR (ed) **Physiology of the gastrointestinal tract**. Second edition. New York: Ravan. 1987; 1031-1053.

Guyton AC. **Textbook of medical physiology**. Eigth edition. U.S.A: WB Saunders. 1991.

Guyton AC, Hall JE. **Textbook of medical physiology.** Ninth edition.
U.S.A: WB Saunders. 1996: 439.

Halter F, Schmassmann A, Tarnawski A. Healing of experimental gastric ulcer interference by gastric acid. **Dig Dis Sci** 1995; 40 (11): pp. 2481-2486.

Harvey JD. **Gastroenterology: Pathophysiology and clinical application.** U.S.A: Butterworth publisher Inc. 1982: 86.

Hashimoto M, Shingu M, Ezaki I, Nobunaga M, Minamihara M, Kato K, Sumioki H. Production of soluble ICAM-1 from human endothelial cells induced by interleukin-1 beta and TNF-alpha. **Inflammation** 1994; 18: 163-173.

Heggers JP, Loy G, Robson MC. Histological demonstration of prostaglandin and thromboxanes in burned tissue. **J Surg Res.** 1979; 28: 110-7.

Heggers JP, Robson MC. Prostanoid derivatives and their influence on thermal injury. **The bulletin and clinical review of burn injuries.** VI h International Congress on Burn Injuries, San Francisco, CA, September, 1982.

Heidrun R, and Horatio TE. **Pathology of the stomach and duodenum.** U.S.A: Springer-Verlag.1989.

Hennessee OM, and Cook BR. Aloe myth, **magic and medicine.** Newyork: Raven Press. 1994: 85.

Higgs AG, Flower JR, Vane RJ. A new approach to antiinflammation drugs. **Biochem Pharmacol** 1979; 28: 1959-1961.

Hirata T, Suga T. Biological active constituent leaves and roots of *aloe alborescens var. natale* Z Naturforsch. 1977; 32: 731-4.

Hollander D. Gastrointestinal complications of non-steroidal anti-inflammatory drugs, prophylactic and therapeutic strategies. **Am J Med** 1994; 96: 274-281.

Howard M. Spiro. **Clinical Gastroenterology**. Fourth edition. U.S.A: Mc Graw-Hill, Inc. 1993.

Hughes DA, and Haslam PL. Effect of smoking on the lipid composition of lung lining fluid and relationship between immunostimulatory lipids, inflammatory cells and foamy macrophages in extrinsic allergic alveolitis. **Eur Respir J** 1990; 3: 1128.

Jaattela M. Biologic activities and mechanism of action of tumor necrosis factor – alpha/cachectin. **Lab Invest**. 1991; 64 : 724 – 741.

Johnson HD. Gastric ulcer classification blood group characteristics, secretion patterns and pathogenesis. **Ann Surg** 1965; 162: 996-1004.

Johnson LR. **Physiology of the gastrointestinal tract vol.1**. second edition. New York: Raven Press. 1987.

Kalia N, Brown NJ, Jacob S, Reed MWR, Bardhan KD. Studies on gastric mucosal microcirculation. 1. the nature of regional variations induced by ethanol injury. **Gut** 1997; 40: 31-35.

Kandil A, and Gobran W. Protection gastric mucosa by *aloe vera*. **Bull Islamic Med.** 1982; 2: 508-511.

Karen AR, Jane HT, Xiaoping L, Ken P, David AC. Antiinflammatory properties of interleukin-10 administration in hapten-induced colitis. **Eurp J Pharmacol** 1997; 323: 245-254.

Kazanecki ME, Melhem MF, Spichty KJ, et al. diet induced reduction in serum lipoproteins stimulates cell proliferation in weaning rats. **Pharmacol Res** 1989; 21: 533.

Klein AD, and Penneys NS . *Aloe vera* . **J Am Acad Dermatol.** 1988; 18 (4): 714-720.

Konturek P Ch. Physiological, immunohistochemical and molecular aspects of gastric adaptation to stress, aspirin and to *H. pylori* - derived gastrotoxins. **J Physiol Phamacol** 1997; 48: 3-42.

Konturek P Ch, Duda A, Brzozowski T, Konturek SJ, Kwiecien S Drozdowicz D, Pajdo R, Meixner H, Hahn EG. Activation of genes for superoxide dismutase, interleukin-1 β , tumor necrosis factor- α , and intercellular adhesion molecule-1 during healing of ischemia-reperfusion-induced gastric injury. **Scand J Gastroenterol.** 2000; (5): 452-463.

Konturek SJ, Pawlik W. Physiology and pharmacology of prostaglandins. **Dig Dis Sci** 1986; 31(suppl.): S6-S19.

Konuichirou W, Yoshinori K, Masayuki K, Yosuke K, kentaro N, Tadao I. A new gastric ulcer model induced by ischemia-reperfusion in the rat. Role of leukocytes on ulceration in rat stomach. **Life Sciences** 1996; 59; 19: pp.PL295-301.

Kwiecien S, Brzozowski T, Konturek SJ. Effect of reactive oxygen species action on gastric mucosa in various models of mucosal injury. **J Physiol Pharm.** 2002; 53(1): 39-50.

La-angphanich S. Ulcer-healing effect of Aloe vera gel, *Aloe vera* whole leaf extract and cimetidine on rat gastric ulcer induced by fasting, refeeding and cortisol injection. M.Sc. Thesis in Anatomy, Bangkok, Faculty of science. Mahidol University, 1987.

Lehnert T, Erlandson RA, Decosse JJ. Lymph and blood capillaries of the human gastric mucosa. **Gastroenterology** 1985; 89: 939-950.

Lehninger A .**Biochemistry**. second edition. New York : V . 1981 : 578.

Lehr HA, Leunig M, Menger MD, Nolte D, Messmer K. Technical advances: Dorsal skinfold chamber technique for intravital microscopy in nude mice. **Am J Pathol** 1993; 120: 34-5/154/5.

Lehr HA, Guhlmann A, Nolte D, Keppler D, Messmer K. Leukotrienes as mediators in ischemia-reperfusion injury in a microcirculation model in the hamster. **J Clin Invest** 1991; 87: 2036-2041.

Linder JD, Monkemuler KE, Davis JV, Wilcox CM. Cyclooxygenase-2 inhibitor: a possible cause of gastropathy and hypo prothrombinemia. **South Med J** 2000; 93: 930-932.

Liu Y-Y, Ma J, Liang S-L, Tian N, et al. Effects of alcohol and acetic acid on microcirculation of gastric mucosa in mice. **Chin J Pathophysiol** 1990; 4: 228.

Lornzetti LJ, Salisbury R, Beal J, Baldwin J. Basic static property of *Aloe vera*. **J Pharm Sci** 1964; 53; 13.

Lushbaugh CC, Hale Ds. Experimental radiodermatitis following beta irradiation. **Cancer**. 1953 ; 6 : 690 – 7.

Mahattanadul S. Antigastric ulcer properties of *Aloe vera*.
Songklanakarin J Sci Technol 1995; 18 (1): 49 – 57.

Marvin HS, Johns F. **Gastrointestinal disease: Pathophysiology Diagnosis/ Management volume 1.** fifth edition. U.S.A: W.B. Saunders company. 1993.

Maze G, Terpolilli RN, Lee M. *Aloe vera* extract prevents aspirin-induced acute gastric mucosal injury in rats. **Med Sci Res** 1997; 25: 765-766.

Mazzone T, Pustelnikas L. Growth related modulation of human skin fibroblast cholesterol distribution and metabolism. **Biophys Acta** 1990; 1047: 180.

Moon E-J, Lee YM, Lee O-H, Lee MJ, Lee SK, Chung MH, Park YI, Sung CK, Choi JS, Kim KW. A novel angiogenic factor derived from *Aloe vera* gel: β sitosterol, a plant sterol. **Angiogenesis** 1999; 3: 117-123.

Moore PK, Hoult GR. Selective actions of aspirin and sulphasalazine-like drugs against prostaglandins synthesis and breakdown. **Biochem pharmacol** 1982; 31: 969-971.

Morzycki w, Sadowska J, Issekutz AC. Interleukin-1 and tumor necrosis factor- α induced polymorphonuclear leukocyte-endothelial cell adhesions and transendothelial migration in vitro: the effect of apical versus basal monolayer stimulation. **Immunol Lett** 1990; 25: 331-340.

Morise Z, Komatsu S, Fuseler JW, Granger DN, Perry M, Issekutz AC, Grisham MB. ICAM-1 and P-selectin expression in a model of NSAID-induced gastropathy. **Am J Physiol** 1998; 274: G246-G252.

Mozsik G, Jovar T. Biochemical and pharmacological approach to the genesis of ulcer disease. **Dig Dis Sci** 1988; 33: 92-105.

Morzycki w, Sadowska J, Issekutz AC. Interleukin-1 and tumor necrosis factor- α induced polymorphonuclear leukocyte-endothelial cell adhesions and transendothelial migration in vitro: the effect of apical versus basal monolayer stimulation. **Immunol Lett** 1990; 25: 331-340.

Oiknine J, Aviram M. Increased susceptibility to activation and increased uptake of low density lipoprotein by cholesterol-loaded macrophages. **Arterioscler Thromb** 1992; 12: 745.

Orekhov AN, Tertov VV, Kudryashov SA. Triggerlike stimulation of cholesterol accumulation and DNA and extracellular matrix synthesis induced by atherogenic serum or low density lipoprotein in cultured cells. **Circ Res** 1990; 66: 311.

Otterness I, Capetola R, Wong S. **Advance in inflammation research.**
Vol. 7. U.S.A. Raven Press Book. 1984.

Overmier JM and Murison R. Anxiety and helplessness in the face of stress predisposes, precipitates, and sustains gastric ulceration. **Behav Brain Res** 2000; 110: 161-174.

Owen DA. Stomach. In: Sternberg SS, ed. **Histology for pathologist**. New York: Raven Press. 1992; 533-545.

Parish LC, Witkoski JA, Millikan LE. *Aloe vera*: its chemical and therapeutic properties. **Int J Dermatol** 1991; 30: 679.

Pavo I, Morschl E, Szepes Z, Kiss J, Boda K, Vetro G, Varga C, Laszio FA, Laszio F. Vasopressin deficiency decreases the frequency of duodenal ulceration in man. **J physiol** 2000; 94: 63-66.

Peti-Peterdi J, Kovacs G, Hamar P, and Rosivall L. Hemodynamics of gastric microcirculation in rats. **Am J Physiol** 1998; 275 (*Heart cir Physiol.* 44): H1404-H1410.

Penney NS. Inhibition of arachidonic acid oxidation *in vitro* by vehicle components. **Acta Derm Venerol (Stockh)** 1981; 62: 59-61.

Piasecki C. Blood supply to the human gastro-duodenal mucosa. **J Anat** 1974; 118: 295-335.

Pober JS, Bevilacqua MP, Mendrick DL, Lapierre LA, Fiers W, Gimbrone MAJr. Two distinct monokine, interlukin1 and tumor necrosis factor, each independently induced biosynthesis and transient expression of the same antigen on the surface of cultured human vascular endothelial cells. **J Immunol** 1986; 136: 1680-1687.

Pohlman TH, Stannes KA, Beatly PG, Ochs HD, Harlan JM. An endothelial cell surface factor(S) induced in vitro by lipopolysaccharide, interleukin1 and tumor necrosis factor- α increases neutrophil adherence by CDw18-dependent mechanism. **J Immunol** 1986; 136: 4548-4553.

Qu XF, Hayashi M, Yamaki K, et al. Assessment of vascular permeability increase in the mouse by dye leakage during paw edema. **Jpn Pharmacol** 1990; 52: 500.

Ramzi SC, Vinag K, Stanley LR. **Pathologic basis of disease**. Fifth edition. U.S.A: W.B. Saunders company. 1994.

Rebel BL. Possible mechanism of the healing action of aloe gel. **Cosmetics and Toiletries** 1983; 98: 109-114.

Robert A Rang HP, Dale MM, Ritter JM, Moore PK. **Pharmacology**. Fifth edition. U.K: Churchill Livingstone. 2003.

Robert A, Nezamis JE, Lancaster C. and Hanchar AJ. Cytoprotection by prostaglandins in Rats. **Gastroenterol**. 1979; 77 : 433-443.

Robert H. Davis, Joseph J. Didonato, Richard W.S. Johnson, Christopher B. Stewart. *Aloe vera*, Hydrocortisone and sterol influenic on wound tensile strength and anti-inflammation. **JAPMA**. 1994; 84 (12): 614-621.

Robson MC, Heggers JP, Hangstrom WJ. Myth, magic, witchcraft, or fact? *Aloe vera* revisited. **J Burn Care Rehab** 1982; 3: 157-162.

Ross MH, Romrell LJ. **Histology: a text and atlas**. Second edition. U.S.A: William&Wilkins. 1989.

Rothlein R, Czajkowski M, Kishimoto TK. Intercellular adhesion molecule-1 in inflammatory response. **Chem Immunol** 1991; 50: 135-142.

Saavedra JM. Brain and pituitary angiotensin. **Endocr Rev** 1992; 13: 329- 380.

Saito H, Imanishi K, Okabe S. Effect of aloe extracts, aloctin A on gastric secretion and on experimental gastric lesions in rats. **Yakugaku Zasshi**. 1989; 109(5): 335-339.

Santucci L, Fiorucci S, Giansant M, Brunori PM, Matteo Di,

Morelli A. Pentoxifylline prevents indomethacin induced acute gastric mucosal damage in rats: role of tumor necrosis factor- α . **Gut** 1994; 35: 909-915.

Santucci L, Fiorucci S, Giansant M, Brunori PM, Matteo Di, Morelli A.

Pentoxifylline prevents indomethacin induced acute gastric mucosal damage in rats: role of tumor necrosis factor- α . **Gut** 1994; 35: 909-915.

Scarpignato C. Nonsteroidal anti-inflammatory drugs: how do they damage gastroduodenal mucosa?. **Digest Dis** 1995; 13: Suppl. 1: 9-39.

Schreiber S, Heinig T, Thiele HG, Raedler A. Immunoregulatory role of Interleukin-10 in patients with inflammatory bowel disease. **Gastroenterology** 1995; 108: 1434-1444.

Soll AH. et. al. Nonsteroidal anti-inflammatory drugs and peptic ulcer disease. **Ann Intern Med** 1991; 114: 307.

Soma MR, Corsini A, Paoletti R. cholesterol and mevalonic acid modulation in cell metabolism and multiplication. **Toxicol Lett** 1992; 1: 64.

Somboonwong J, Thanamittramanee S, Jarirypongskul A, Patumraj S. Therapeutic effects of *Aloe vera* on Cutaneous Microcirculation and Wound Healing in Secound Degree Burn Model in Rats. **J Med Assoc Thai** 2000; 83(4): 417-25.

Suvitayaval W, Sumrongkit C, Thirawarapan SS, Bunyaphraphatsara N.

Effect of Aloe preparation on the histamine- induced gastric secretion in rats. **J Ethnopharmacol** 2004; 90: 239-247.

Suvitayavat W, Bunyaphraphatsara N, Thirawarapan SS, Watanabe K.

Gastric acid secretion inhibitory and gastric lesion protective effects of Aloe preparation. **Thai J Phytopharm** 1997; 4: 1-11.

Szabo S, Trier JS, Brown A, et al. Early vascular injury and increased vascular permeability in gastric mucosal injury caused by ethanol in the rat. **Gastroenterology** 1985; 88: 228-236.

Tang BL, Teo CC, Sim KY, et al. Cytostatic effect of antiestrogens in lymphoid cells; relationship to high affinity antiestrogen binding sites and cholesterol. **Biochim Biophys Acta** 1989; 1014: 162.

Takagi K, Okabe S, Saziki R. A new method for the production of gastric ulcer in rats and the effect of several drugs on its healing. **Jap J Pharmac** 1969; 19: 418-426.

Teradaira R, Shinzato M, Bepp UH, Fujita K. Antigastric ulcer effects in rats of *Aloe arborescens* Miller var. *natalensis* Berger extract. **Phytother Res** 1993; 7: S34-S36.

Thomson ABR, Shaffer EA. First Principles of Gastroenterology. **The basis of disease and an approach to management**. Canada: University of Toronto Press Incorporated. 1992: 133-136.

Tizard IR, Carpentein RH, Mc Analley BH, et al. The biological activities of mannans and related complex carbohydrates. **Mol biother** 1989; 1: 290.

Tracey KJ, Beutler B, Lowrey JW, kunkel SL. Acute in vivo effects of human recombinant human cachectin. **Science** 1986; 234: 470-475.

Tuncel N, Erkasap N, Sahintyrk V, AK DD, Tucel M. The protective effect of vasoactive intestinal peptide (VIP) on stress- induced gastric ulceration in rats. **Ann NY Acad Sci** 1998; 865: 309-322.

Wada K, Kamisaki Y, Kitano M, Kishimoto Y, Nakamoto K, and Itoh T. A new gastric ulcer model induced by ischemia-reperfusion in the rat: role of leukocyte on ulceration in rat stomach. **Life Sciences** 1996; 59 (19): pp. PL 295-301.

Wallace JL, Arfors K-E, McKnight GW. A monoclonal antibody against the CD 18 leukocyte adhesion molecule prevents indomethacin-induced gastric damage in the rabbit. **Gastroenterology** 1991; 100: 878-883.

Wallace JL. Non-steroidal anti-inflammatory drugs gastropathy and cytoprotection: pathogenesis and mechanisms re-examined. **Scand J Gastroenterol** 1992; 192; Suppl: 3-8.

Wallace JL, McKnight W, Miyasaka M, Tamatani T, Paulson J, Anderson DC, Granger DN, Kubes P. Role of endothelial adhesion molecules in NSAID-induced gastric mucosal injury. **Am J physiol** 1993; 265: G993-G998.

Wallace JL, Mc Knight GW, Bell CJ. Adaptation of rat gastric mucosa to aspirin requires mucosal contact. **Am J Physiol** 1995; 268: G134-G138.

Watanabe S, Kobayashi T, Okugama H. Regulation of lipopolysaccharide- induced tumor necrosis factor alpha production by endogenous prostaglandin E₂ in rat resident and thioglycollate elicited macrophages. **J Lipid Mediat Cell Signal** 1994; 10: 283-294.

Watanabe T, Arakawa T, Fukuda T, Higuchi K, Kobayashi K. Role of neutrophil in a rat model of gastric ulcer recurrence caused by interleukin-1 β . **Am J Pathol** 1997; 150: 971-979.

Vazquez B, Avila G, Segura D, Escalante B. Antiinflammatory activity of extracts from *Aloe vera* gel. **J Ethnopharmacol**. 1996; 55: 69 – 75.

Visuthipanich W. Histochemical and pathological changes in rat gastric mucosa following *Aloe vera* gel and cortisol administration. M. Sc. Thesis in Anatomy, Bangkok, Faculty of science, Mahidol University, 1988.

Vogler BK, Ernst E . *Aloe vera* : a systematic review of its clinical effectiveness. **Brit J Gen Practice**. 1999; 49: 823-828.

Von Asmuth EJ, Leeuwenberg JF, Von-der-Linden CJ, Buurman WA.

Tumor necrosis factor-alpha induced neutrophil-mediated injury of cultured human endothelial cells. **Scand J Immunol** 1991; 34: 197-206.

Xiao RH, Connie W.CH, Yong-Xiong C, et al. Macrophage migration inhibitory factor is an important mediator in the pathogenesis of gastric inflammation in rats. **Gastroenterology** 2001; 121: 619-630.

Yagi A, Shibata A, Nishioka I, Iwadare S, Ishida Y. Cardiac stimulant action of constituents of *Aloe saponaria*. **J Pharm Sci** 1982; 71: 1172-1174.

Yang X-D, Michie SA, Mebius RE, Tisch R, Weissman I, Mc Devitt HC. The role of cell adhesion molecules in the development of IDDM: Implication for pathogenesis and therapy. **Diabetics** 1996; 45: 705-715.

Yelken B, Dorman T, Erkasap S, Tanri Verdi B. Clonidine pretreatment inhibit stress- induced gastric ulcer in rats. **Anesth Analg** 1999; 89: 159-162.

APPENDIX

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX

**Acetic acid (glacial 100%) GR for analysis
(Merck KGaA, 64271 Damstadt, Germany.)**

Synonym	ethanoic acid, methanecarboxylic acid
Chemical formula	C ₂ H ₄ O ₂
Formula weight	60.05 amu
pKa	4.76
Acute effect	Corrosive, contact with concentrated vapors or solution can cause blistering and severe chemical burns.

(WWW.jtbaker.com/msds/englishhtml/a0326.htm-21k)

**Aloe vera spray dried powder
(123 North Orchard street Ormond Beach, Florida 32174)**

Analysis	Specification
Appearance	free flowing powder
Color	1 Gardner (MAX) extended
pH (extended 1:199)	4.0-6.0
ODOR	Characteristic vegetable
I.R. scan	Match standard
Microbiology	less than 100 CFU/gm
Aloin	10.0 ppm max @ 1:199

Sucralfate Suspension (Ulcefate)**Non-systemic cytoprotective agent**

(Saim Bheasach Co., Ltd., Bangkok, Thailand)

Each 1 teaspoonful (5ml) contains: Sucralfate 1 gram.



BIOGRAPHY

Miss Kallaya Eamlamnam was born on March 13, 1978 in Chulalongkorn hospital, Bangkok, Thailand. She graduated Bachelor degree of Nursing from Faculty of Nursing, Mahidol University in 1999.

