

เอกสารอ้างอิง

จุฑามาศ สัตย์วิวัฒน์. 2533. S₂-Serotonergic receptor antagonist. วารสาร
สาส์นยา 3(4): 131-142.

เดิมศรี ชานิจารกิจ. 2531. สก็อติประยุกต์ทางการแพทย์. โรงพยาบาลจุฬาลงกรณ์มหาวิทยาลัย,
 กรุงเทพมหานคร, พิมพ์ครั้งที่ 3, หน้า 209-272.

พงษ์พีระ สุวรรณกุล. 2529. พยาธิวิทยาทั้วไปและหลอดเลือด. จุฬาลงกรณ์มหาวิทยาลัย,
 พิมพ์ครั้งที่ 1.

ภัตรา ณัณกวัน. 2533. อาการบурсทิกอัตโนมัติ. ใน ผลการวิเคราะห์ภาษาศาสตร์ชีววิทยา.
ในเกลี้ยงชีววิทยา I, หน้า 41-65. กรุงเทพฯ: ภาควิชาเกลี้ยงชีววิทยา คณะแพทยศาสตร์
 จุฬาลงกรณ์มหาวิทยาลัย.

สุวรรณ ชีราวนพันธ์. 2531. สีริวิทยาของระบบไหลเวียนโลหิต. พิมพ์ครั้งที่ 1, ภาควิชา
 สีริวิทยา คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล.

Brode, O.E. 1982. Vascular dopamine receptors: demonstration and characterization by in vitro studies. Life Science 31: 289-306.

Christie, M.I., Griffith, T.M., Lewis, M.J. 1989. A Comparison of basal and agonist-stimulated release of endothelium-derived relaxing factor from different arteries. British Journal of Pharmacology 98: 397-406.

Cocks, T.M., Angus, J.A. 1983. Endothelium-dependent relaxation of Coronary arteries by noradrenaline and serotonin. Nature 305: 627-630.

Cohen, R.A. Zitney, K.M. Weisbrod, R.M. Tesfamariam, B. 1988. Influence of the endothelium on tone and the response of isolated pig coronary artery to norepinephrine. Journal of Pharmacology and Experimental Therapeutics 244 (2): 550-555.

Collins, P. 1991. Endothelium-derived relaxing factor. Asian Medical News. 13(11) : 17-20.

Douglas, WW. 1985. Autacoids In: Gilman AG et al. eds. Goodman and Gilman's The Pharmacological Basis of Therapeutics. New York: MacMillan Publishing Company: 629-38.

Falcone, J.C. Davis, M.J., Meininger, G.A. 1991. Endothelial independence of myogenic response in isolated skeletal muscle arteries. American Journal of Physiology 29: H 130-135.

Ferguson, D.R., Johnson, B.I. and Price, N. 1985. Response of the pig isolated renal artery to transmural electrical stimulation and drugs. British Journal of Pharmacology 84: 879-882.

Furchtgott, R.F. 1983. Role of endothelium in the response of vascular smooth muscle, Circulation Research 53(5): 557-573.

Furchtgott, R.F. Cherry, P.D. Zawadzki, J.V. Jothianandan, D. 1984. Endothelial cell as mediators of Vasodilation of arteries. Journal of Cardiovascular Pharmacology 6 (suppl.2): S 336-S 343.

Furchtgott, R.F., Zawadzki, J.V. 1980 a. Acetylcholine relaxes smooth muscle by releasing a relaxing substance from endothelial cells. Federation Proceeding 39: 581.

Furchtgott, R.F., Zawadzlo. J.V. 1980 b. The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine. Nature 288: 373-376.

Gilman, A.G., Goodman, L.S., Palmer, T. Goodman and Gilman's the pharmacological basis of therapeutics. 7 ed. New York. Mac Millan, 1985.

Goldberg, L.I. Kohli, J.D. Kotake, A.N. Volkman, P.H. 1978.

Characteristics of the vascular dopamine receptor: comparison with other receptors. Federation Proceeding 37: 2386-2402.

Gordon, J.L. and Martin, W. 1983. Endothelium-dependent relaxation of the pig aorta: relationship to stimulation of ⁸⁶Rb efflux from isolated endothelial cells. British Journal of Pharmacology 79: 531-541.

Gräser, T., Leisner, H. and Tiedt, N. 1986. Absence of role of endothelium in the response of isolated porcine coronary arteries to acetylcholine. Cardiovascular Research 20: 299-302.

Grygleski, R.J., Moncada, S., Palmer, R.M.J. 1986. Bioassay of prostacyclin and endothelium-derived relaxing factor (EDRF) from porcine aortic endothelial cells. British Journal of Pharmacology 87: 685-694.

Harasawa, Y. Kimura, M. Ohno, Y. Hayashi, S. 1989. Coronary endothelium is responsive to bradykinin and arachidonate but not to acetylcholine. Archives internationales De Pharmacodynamie et de Therapie 302: 196-208.

Ignarro, L.J. 1989 a. Endothelium-derived nitric oxide: actions and properties. FASEB Journal 3: 31-36.

Ignarro, L.J. 1990. Biosynthesis and metabolism of endothelium-derived nitric oxide. Annual Review Pharmacology and Toxicology 30: 535-560.

Ignarro, L.J. 1989 b. Biological actions and properties of endothelium-derived nitric oxide formed and released from artery and vein. Circulation Research 65(1): 1-21.

Jackson, W.F. 1989. The endothelium-derived relaxing factor. Journal of Reconstructive Microsurgery 5(3): 263-271.

Kopia. G.A., Valocik, R.E. 1989. Demonstration of specific dopamine-1 receptor-mediated coronary vasodilation in the anesthetized dog. Journal of Pharmacology and Experimental Therapeutics. 248(1): 215-221.

Kuo, L., Chilan, W.M. and Davis, M.J. 1990. Coronary arteriolar myogenic response is independent of endothelium. Circulation 66: 860-866.

Luscher, T.F. 1988. Endothelial vasoactive substances and cardiovascular disease, Switzerland: S. Karger A.G.

Luscher, T.F. and Vanhoutte, P.M. 1988. Endothelium-dependent responses in human blood vessels. Trends in Pharmacological Sciences 9: 181-184.

Macedo, T.R.A. Ribeiro, C.F. Porfirio, M.H. Cotrim, D. 1988. Endothelium-dependent relaxing effect of apomorphine in the human uterine artery. British Journal of Pharmacology 95: 719 P.

Mc Gill, H.C. Persistent problems in the pathogenesis of atherosclerosis, Atherosclerosis 4: 443-451.

Moncada, S. Herman, A.G. Vanhoutte, P. 1987. Endothelium-derived relaxing factors is identified as nitric oxide. Trends in Pharmacological Sciences 8(10): 365-367.

Moncada, S., Palmer, M.J., Higgs, E.A. 1991. Nitric oxide physiology, pathophysiology and pharmacology. Pharmacological Review 43(2): 109-142.

Moncada, S. Radomski, M.W. Richard, M.W. Palmer, M.J. 1988. Endothelium-derived relaxing factor: identification as nitric oxide and role in the control of vascular tone and platelet function. Biochemical Pharmacology 37(13): 2495-2501.

Nakayama, K., Osol, G., Halpen, W. 1988. Reactivity of isolated porcine coronary resistance arteries to cholinergic and adrenergic drugs and transmural pressure changes. Circulation Research 62: 741-748.

Nakazawa, M. Takeda, K. Nakagawa, Y. Imai, S. 1982. Contraction of the large conductance coronary artery produced by acetylcholine in the mini pig. Experimentia 38: 1470-1472.

Ngai, J.H., Roth, P.S. and Paul, R.J. 1989. Effects of endothelium on basal tone and agonist and O_2 sensitivity in porcine coronary artery. Journal of Pharmacology and Experimental Therapeutics 252 (3): 1053-1059.

Palmer, R.M.J., Ferrige, A.G. Moncada, S. 1987. Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor. Nature 327: 524-526.

Peach, M.J., Singer, H.A., Loeb, A.L. 1985. Mechanisms of endothelium dependent vascular smooth muscle relaxation. Biochemical Pharmacology 34(11): 1867-1874.

Rabinovitch, M. 1989. Platelet-endothelial Factors. Advances in Pediatrics 36 (1): 91-115.

Rand, M.J., Majewski, H., Strory, D.F. 1990. Modulation of neuroeffector transmission, in The Cardiovascular Pharmacology, Third edition ed. Michael J. Antonaccio (New York, Raven Press): 244-292.

Schummer, A., Nickel, R. 1979. The viscera of the domestic mammals. Second Edition, Verlag paul Parey.: 294.

Shimokawa, H., Aarhus, L.L., Vanhoutte, P.M. 1987. Porcine coronary artery with generated endothelium have a reduced endothelium-dependent responsiveness to aggregating platelets and serotonin. Circulation Research. 61: 256-270.

Shimokawa, H. Tomoike, H. Nabeyama, S. Yamamoto, H. Araki, H. Nakamura, M. Shimokawa, H. Aarhuus, L.L 1983. Coronary artery spasm induced in atherosclerosis miniature swine. Science 22: 560-562.

Shimokawa, H., Vanhoutte, P.M. 1989. Impaired endothelium-dependent relaxation to aggregating platelets and related vasoactive substances in porcine coronary arteries in hypercholesterolemia and atherosclerosis. Circulation Research 64: 900-914.

Thom, S. Hughes, A. Martin, G. Sever, P.S. 1987. Endothelium-dependent relaxation in isolated human arteries and veins. Clinical Science 73: 547-552.

Toda, N. 1983. Isolated human coronary arteries in response to vasoconstrictor substances. American Journal of Physiology 245: H 937-H 941.

Ueda, S., Yano, S., Sakanashi, M. 1982. In vitro evidence for dopaminergic receptors in human renal artery. Journal of Cardiovascular Pharmacology 4(1): 76-81.

Usui, H. Kurahashi, K. Ashida, K. Fujiwara, M. 1983. Acetylcholine-induced contractile response in canine basilar artery with activation of thromboxane A₂ synthesis sequence. IRCS Medical Science 11: 418-419.

Vallance, P. Collier, J. Moncada, S. 1989. Nitric oxide synthesised from L-arginine mediates endothelium dependent dilatation in human veins in vivo. Cardiovascular Research 23: 1053-1057.

Vanhoutte, P.M., Cohen, R.A. 1984. Effects of acetylcholine on the Coronary artery. Federation Proceeding 43: 2878-2880.

Vanhoutte, P.M. Rinnele, T.J. 1983. Role of the endothelium in the control of vascular smooth muscle function. Journal of Physiology (Paris) 78: 681-686.

Van Rossum, J.M., J.A. Th. M. Hurkmans, C.J.J. Wolters. 1963. Cumulative Dose-Response Curve II. Technique for the making of dose-response curves in isolated organs and the evaluation of drugs-parameter. Archives internationales De Pharmacodynamic et de Therapie 143 (3-4): 299-330.

Venzke, W.G. 1975. Sisson and Grossman's The anatomy of the domestic animals W.B. Saunders Company., 1307-1303.

Vita, J.A. Treasure, C.B. Nabel, E.G. 1990. Coronary vasomotor response to acetylcholine relates to risk factors for coronary artery disease. Circulation 81: 491-497.

Yasue, H. 1986. Induction of coronary artery spasm by ACh in Patients with variant angina: possible role of the parasympathetic nervous system in the pathogenesis of coronary artery spasm. Circulation 74: 955-963.

Yasue, H. Matsuyama, K. Okumura, K. Morikami, Y. 1990. Response of angiographically normal human coronary arteries to intracoronary injection of ACh by age and segments, possible role of early coronary atherosclerosis. Circulation 81(2): 482-490.

Yasue, H. Omote, S. Takizawa, A. Nagao, M. 1983. Coronary arterial spasm in ischemic heart disease and its pathogenesis, a review. Circulation Research 52 (Suppl. IX : 147-152.

Yasue, H. Touyama, M. Kato, H. Shimamoto, M. 1982. Contraction of the large Conductance coronary artery produced by acetylcholine in the mini pig. Experimentia 38: 1470-1472.

Swieten, P.A. 1990. Antihypertensive drugs interacting with the sympathetic nervous system and its receptors. In Cardiovascular Pharmacology. Third edition, ed. Michael J. Antonaccio (New York, Raven Press): 56-58.

ศูนย์วิทยบรังษยการ
จุฬาลงกรณ์มหาวิทยาลัย

ประวัติ叙คิณ

นางสาวอรชร อิงคานุวนิษฐ์ เกิดวันที่ 4 กรกฎาคม พ.ศ. 2510 ที่โรงเรียนบาล
นันดา เชียงใหม่ จังหวัดเชียงใหม่ สำเร็จการศึกษาขั้นป्रถูกต้อง หมายบัลลังก์สตรีบัณฑิต
จากวิทยาลัยอนุบาลสภากาชาดไทย ในปีการศึกษา 2532 และเข้าศึกษาต่อในหลักสูตร
วิทยาศาสตรมหาบัณฑิต (สาขาวิชาเภสัชวิทยา) ที่วิทยาลัยกรุงเทพมหาวิทยาลัย เมื่อปี พ.ศ. 2533



ศูนย์วิทยบรพยากร
จุฬาลงกรณ์มหาวิทยาลัย