

เอกสารอ้างอิง

- Andrews, B.S., et al. 1986. Immunopathology of cutaneous human lupus erythematosus defined by murine monoclonal antibodies. J.Am.Acad.Dermatol. 15: 474-481.
- Armas-Cruz, R., et al. 1958. Clinical diagnosis of systemic lupus erythematosus. Am.J.Med. 25: 409-419.
- Baden, H.P., Kubilus, J., and Baden, L. 1979. A stain for plucked anagen hairs. J.Am.Acad.Dermatol. 1: 121-122.
- Bakke, A.C., et al. 1983. T lymphocyte subsets in systemic lupus erythematosus : Correlations with corticosteroid therapy and disease activity. Arthritis.Rheum. 26:745-750.
- Biesecker, G., et al. 1982. Cutaneous localization of the membrane attack complex in discoid and systemic lupus erythematosus. New.Engl.J.Med. 306: 264-270.
- Bjerke, J.R., and Matre, R. 1983. Demonstration of Ia-like antigens on T lymphocytes in lesions of psoriasis, lichen planus and discoid lupus erythematosus. Acta. Dermatol.Venereol (Stockholm). 63: 103-107.
- Bos, J.D., Emsbroek, J.A., and Krieg, S.R. 1984. T-cell subsets and Langerhans cells in cutaneous lupus erythematosus. In D.M.MacDonald, Immunodermatology: pp.261-266. London; Butterworth & Co. (Publishers) Ltd.

- Bottoms, E., Wyatt, E., and Comaish, S. 1972. Progressive changes in cuticular pattern along the shafts of human hair as seen by scanning electron microscopy. Br.J.Dermatol. 86: 379-384.
- Breathnack, A.S. 1963. The distribution of Langerhans cells within the human follicle, and some observations on its staining properties with gold chloride. J.Anat. 97: 73-80.
- Bresnihan, B., and Jasin, H.E. 1977. Suppressor function of peripheral blood mononuclear cells in normal individuals and in patients with systemic lupus erythematosus. J.Clin.Invest. 57: 106-116.
- Burana Chavalittamrong, and Puangtong Tantiwongse. 1987. Height and weight of Thai children : Update. J.Med.Ass.Thailand. 70 (suppl.1) : 1-40.
- Burnham, T.K., Neblett, T.R., and Fine, G. 1963. The application of the fluorescent antibody technic to the investigation of lupus erythematosus and various dermatoses. J.Invest.Dermatol. 41: 451-456.
- Chatenoud, L., and Bach, M.A. 1981. Abnormalities of T-cell subsets in glomerulonephritis and systemic lupus erythematosus. Kidney.Intern. 20: 267-274.
- Cohen, A.S., et al. 1971. Preliminary criteria for the classification of systemic lupus erythematosus Bull.Rheum.Dis. 21: 643-648.

- Cormane, R.H. 1964. "Bound" globulin in the skin of patients with chronic discoid lupus erythematosus and systemic lupus erythematosus. Lancet. 1: 534-535.
- Crouse, R.G., and Van Scott, E.J. 1960. Changes in scalp hair roots as a measure of toxicity from cancer chemotherapeutic drugs. J. Invest. Dermatol. 35: 83-90.
- Dahl, M.V. 1988. Clinical Immunodermatology. Second edition. pp. 235-255. Chicago: Year Book Medical Publishers, Inc.
- Dawber, R., and Comaish, S. 1970. Scanning electron microscopy of normal and abnormal hair shafts. Arch. Derm. 101: 316-322.
- Delfraissy, J.F., et al. 1980. Depressed primary in vitro antibody response in untreated systemic lupus erythematosus : T helper cell defect and lack of defective suppressor cell function. J. Clin. Invest. 66: 141-148.
- Estes, D., and Christian, C.L. 1971. The natural history of systemic lupus erythematosus by prospective analysis. Medicine. 50: 85-95.
- Fauci, A.S., et al. 1978. Immunoregulatory aberrations in systemic lupus erythematosus. J. Immunol. 121: 1473-1479.
- Fries, J.F., and Siegel, R.C. 1973. Testing the 'Preliminary criteria for classification of SLE'. Ann. Rheum. Dis. 32 : 171-177
- Gilliam, J.N., et al. 1985. Connective tissue disease. In S.L. Moschella, H.J. Hurley (eds.) Dermatology. pp. 1087-1135. Philadelphia: W.B. Saunders company.

- Grigor, R., et al. 1978. Systemic lupus erythematosus : A prospective analysis. Ann.Rheum.Dis. 37: 121-128.
- Harbeck, R.J., et al. 1973. DNA : Anti-DNA complexes : their detection in systemic lupus erythematosus sera. J.Clin.Invest. 51: 785-795.
- Jimbo, K., Sato, S., and Kukita, A. 1969. Langerhans cells of the normal human pilosebaceous system. J.Invest.Dermatol. 52: 177-180.
- Kligman, A.M. 1961. Pathologic dynamics of human hair loss I.Telogen effluvium. Arch.Dermatol. 83: 175-198
- Koffler, D., Schur, PH., and Kunkel, H.G. 1967. Immunological studies concerning the nephritis of systemic lupus erythematosus. J.Exp.Med. 126: 607-623.
- Kohchiyama, A., Hatamochi, A., and Ueki, H. 1985. Increased number of OKT-6 positive dendritic cells in the hair follicle of patients with alopecia areata. Dermatologica. 171: 327-331.
- Kohchiyama, A., OKa, D., and Ueki, H. 1985. T-cell subsets in lesions of systemic and discoid lupus erythematosus. J.Cut.Pathol. 12: 493-499.
- Konttinen, Y.T., et al. 1981. T lymphocytes and mononuclear phagocytes in the skin infiltrate of systemic and discoid lupus erythematosus and Jessner's lymphocytic infiltrate. Br.J.Dermatol. 104: 141-145.

- Lee, P., et al. 1977. Systemic lupus erythematosus : A review of 110 cases with reference to nephritis, the nervous system, infections, aseptic necrosis and prognosis. Quart.J.Med. 46: 1-32.
- Lever, W.F. 1983. Histopatology of the Skin. 6th ed. pp 445-471. Philadelphia: J.B. Lippincott Company.
- Maguire, H.C., and Kligman, A.M. 1964. Hair plucking as diagnostic tool. J.Invest.Dermatol. 43 : 77-79.
- Morimoto, C., et al. 1980. Alterations in immunoregulatory T cell subsets in active systemic lupus erythematosus. J.Clin.Invest. 66: 1171-1174.
- Percy, J.S., and Smyth, C.J. 1969. The immunofluorescent skin test in systemic lupus erythematosus. J.A.M.A. 208: 485-488.
- Provost, T.T. 1981. Lupus band test. Int.J. Dermatol. 20: 475.
- Rook, A., and Dawber, R. 1982. Disease of the Hair and Scalp. pp. 1-17. London: Blackwell Scientific Publications.
- Sakane, T., Kotani, H., et al. 1983. A defect in suppressor circuits among OKT4 + cell populations in patients with systemic lupus erythematosus occurs independently of a defect in the OKT8 + suppressor T-cell function. J.Immunol. 131: 753-761.
- Sakane, T., Steinberg, A.D., and Green, I. 1978. Studies of immune functions of patients with systemic lupus erythematosus. Arthritis. Rheum. 21: 657-664.

- Sakane, T., Steinberg, A.D., Reeves, J.P., et al. 1979. Studies of immune functions of patients with systemic lupus erythematosus : T-cell subsets and antibodies to T-cell subsets. J.Clin.Invest. 64:1260-1269.
- Schur, P.H. 1987. Complement and immune complexes in systemic lupus erythematosus. In D.J. Wallace and E.L. Dubois (eds.), Dubois' Lupus erythematosus. pp.185-193. Philadelphia : Lea & Febiger.
- Smolen, J.S., et al. 1982. Heterogeneity of immunoregulatory T-cell subsets in systemic lupus erythematosus : Correlation with clinical features. Am.J.Med. 72:783-790.
- Sontheimer, R.D., and Bergstresser, P.R. 1982. Epidermal Langerhans cell involvement in cutaneous lupus erythematosus. J.Invest.Dermatol. 79: 237-243.
- Surasak Nilganuwong, et al. 1988. Lymphocyte subset T4/T8 ratio in systemic lupus erythematosus : Correlation with disease activity, laboratory abnormalities and treatment. Asian. Pac.J.Aller.Immunol. 6: 23-28.
- Synkowski, D.R., and Provost, T.T. 1983. Characterization of the inflammatory infiltrate in lupus erythematosus lesions using monoclonal antibodies. J.Rheumatol. 10: 920-924.
- Talbott, J.H. 1987. Historical background of discoid and systemic lupus erythematosus. In D.J. Wallace and E.L. Dubois (eds.), Dubois' Lypus erythematosus. pp. 1-11. Philadelphia: Lea & Febiger.

- Tan, E.M. 1976. Immunopathology and pathogenesis of cutaneous involvement in systemic lupus erythematosus. J. Invest. Dermatol. 67: 360-365.
- Tan, E.M., et al. 1982. The 1982 revised criteria for the classification of systemic lupus erythematosus. Arthritis. Rheum 25: 1271-1277.
- Tuffanelli, D.L. 1975. Cutaneous immunopathology: Recent observations. J. Invest. Dermatol. 65: 143-153.
- Tuffanelli, D.L., and Dubois, E.L. 1964. Cutaneous manifestations of systemic lupus erythematosus. Arch. Derm. 90: 377-386.
- Van Scott, E.J., and Reinertson, R.P. 1957. Detection of radiation effects on hair roots of the human scalp. J. Invest. Dermatol. 29: 205-212.
- Van Scott, E.J., Reinertson, R.P., and Steinmuller, R. 1957. The growing hair roots of the human scalp and morphologic changes therein following amethopterin therapy. J. Invest. Dermatol. 29: 197-204.
- Viljaranta, S., et al. 1987. Distribution of natural killer cells and lymphocyte subclasses in Jessner's lymphocytic infiltration of the skin and in cutaneous lesions of discoid and systemic lupus erythematosus. Br J. Dermatol. 116: 831-838.
- Wyatt, E., Bottoms, E., and Comaish, S. 1972. Abnormal hair shafts in psoriasis on scanning electron microscopy. Br. J. Derm. 87 : 368-373.



ประวัติผู้เขียน

ร.อ.ไพรัตน์ สุริย์พงษ์ เกิดวันที่ 9 กันยายน พ.ศ. 2505 ที่อำเภอบางน้ำเปรี้ยว จังหวัดฉะเชิงเทรา สำเร็จการศึกษาแพทยศาสตรบัณฑิตจากคณะแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย เมื่อปีพ.ศ. 2529 รับราชการครั้งแรกในตำแหน่งแพทย์ ร.พ. กองบิน 56 กองทัพอากาศ เมื่อวันที่ 1 เมษายน 2529 และได้ลาออกจากราชการ เพื่อมาศึกษาต่อ เมื่อวันที่ 1 สิงหาคม 2531

ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย