

APPENDICES

APPENDIX 1. QUESTIONNAIRE:

Code:

Name:

Age:

Social History

Occupation:

Husband's occupation:

Education level: 1. Elementary school
 2. Secondary school
 3. High school
 4. Vocational
 5. University
 6. Other(s), specified

Husband's education level:

1. Elementary school
 2. Secondary school
 3. High school
 4. Vocational
 5. University
 6. Other(s), specify

Marital status: 1. Single 4. Divorced
 2. Married 5. Widow
 3. Separated



Economic situation:

House	A	B	C	D	E
Has saving	Yes	No			
Has debt	Yes	No			

Do you have your own toilet and bathroom in your house ?

Yes No

Water supply situation:

1. Pond or Lake
2. River
3. Draw-well
4. Tap

Past Medical History

Significant illness(es): - Diabetes mellitus

Diagnosed by:

-

.....

Current drug usage: - Corticosteroid therapy

- Antibiotic therapy

-

Allergy: Yes No

If yes, what is (are) the allergen(s)?

Previous operation:

Review of Systems

Length of the menstrual cycle:

Duration: Regular Irregular

LMP: Day ... th from the LMP

History of Contraception Use

	Current Duration	Past Duration
IUD
Oral contraceptives
Sterilization
Other(s)

Obstetrical History

Term birth(s):

Premature birth(s):

Abortion(s): Induced ... Spontaneous ...

Children currently living:

Gynaecologic history

Chief complaint: 1. Vaginal discharge.
 2. Vaginal irritation.
 3. Soreness.
 4. Vaginal malodor.

Other symptom(s): 1. Pelvic pain. 3. Dyspareunia.
 2. Back pain. 4. Bleeding.

Physical examination**General examination****Pelvic examination:**

Vaginal discharge: 1. Amount
 2. "Fishy" odor
 3. Colour
 4. Consistency

Vaginal inflammation (specify):

Cervical abnormalities (specify):

Laboratory examination

Specimens	1	2	3
	+Saline	+KOH 10%	Gram's stain

Cervical swab

Vaginal swab

Echographic result



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

Here are some questions about your attitude in preventing vaginitis

1. Have you ever paid attention (through the radio, television, newspapers or by someone you know) to any health care programme ? Yes No

2. Who would you look for when you have symptoms of abnormal vaginal discharge?

Doctor

Nurse

Health care personnel

Quack

Your neighbors

Your mother

3. Is it hard for you to talk to a male doctor about your illness? Yes No

4. Is it hard for you to talk to a female doctor about your illness? Yes No

Here are some questions about your behaviour in preventing vaginitis

1. How often do you wash the vulva a day ?

once a day

twice a day

≥ 3 times a day

2. Do you dry it thoroughly after washing ? Yes No

3. Do you have to dip yourself in the water when you work ?

Yes No

4. Have you used feminine hygiene deodorant sprays ? Yes No

If yes, how often ? once a day

twice a day

≥ 3 times a day

5. Do you use underwears ? Yes No

6. Do you use pads during menstrual periods ? Yes No

If yes, what kind of pad do you use ? 1. Hygienic pad

2. Towel

7. How often do you have anal intercourse ? 1. Very often

2. Sometimes

3. Rarely

4. Never

8. (For people who have anal intercourse) After anal intercourse, did your partner wash the penis before it is put into the vagina ? Yes No

Here are some questions about your knowledge in preventing vaginitis

1. Which is the right way to wipe the anus ?

1. From front to back

2. From back to front

3. Don't know

2. Is it harmful to go immediately from anal intercourse to vaginal intercourse? Yes No

Why ?

3. Which of the following material is the best to make underwears? 1. Cotton 2. Nylon or synthetics



4. Is it good to wear pants that are too tight in the crotch?

Yes No

Why ?

5. Is it good to wear loose-fitting clothes ?

Yes No

Why ?

Here are some questions about your belief in preventing vaginitis

1. Do you think it is necessary to use feminine hygiene deodorant sprays ?

Yes No

2. Do you think douching with a mildly acidic solution (1 or 2 tablespoons of vinegar in a quart of water) can help to prevent vaginitis ?

Yes No

3. Whom can you count on to give you useful suggestions that help you avoid getting vaginitis ?

Doctor

Nurse

Health care personnel

Quack

Your neighbors

Your mother

Here are some faces expressing various feelings, which face comes closest to expressing how you feel about health service?




1



2



3




4



5



6



7

Faces-scale of Andrews and Withey.

APPENDIX 2. GRAM 'S STAIN PROCEDURE :

I) Prepare the materials:

1. Crystal violet solution:

Solution A:

Crystal violet ... 2.0 gm

Ethanol 95% ... 20.0 ml

Solution B:

Ammonium oxalate ... 0.8 gm

Distilled water ... 80.0 ml

Mix solutions A and B. Filter through coarse filter paper.

Store at room temperature in polyethylen bottle.

2. Gram's Iodine Solution:

Iodine Crystals ... 1.0 gm

Potassium iodine ... 2.0 gm

Distilled water 300.0 ml

Grind the potassium iodine in 5 ml of distilled water until complete dissolution, then add the remainder of the water.

Store at room temperature in the polyethylene bottle.

3. Decolorizer:

Ethanol 95%

4. Safranin, Counter Stain:

Safranin O ... 0.5 gm

Distilled water qs 100.0 ml

Dissolve the dye in a small amount of water, then add the remainder. Filter through coarse filter paper.

(II) Procedure:

1. Prepare a smear. Dry and fix.
2. Flood slide with crystal violet for 1 minute.
3. Pour off the stain and wash with water.
4. Flood with Gram's iodine solution for 1 minute.
5. Rinse with tap water.
6. Decolorize with alcohol until the solution flows clear.
7. Wash with water immediately.
8. Counter stain for 30 seconds with safranin solution.
9. Wash with water. Dry by blotting gently.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

REFERENCES

- Abramson, J.H. Community-oriented primary care. Survey Methods in Community Medicine, 4th edition, 1990.
- Amsel, R. Nonspecific vaginitis: Diagnostic criteria and microbiologic and epidemiologic associations. Am J Med 74:14, 1983.
- Berg, A.O., et al. Establishing the cause of genitourinary symptoms in women in a family practice: Comparison of clinical examination and comprehensive microbiology. JAMA 251:620, 1984.
- Blackwell, A.L., Fox, A.R., Phillips, I., et al. Anaerobic vaginosis (non-specific vaginitis): Clinical, microbiological, and therapeutic findings. Lancet 2:1379, 1983.
- Blackwell, A., Barlow, D. Anaerobic vaginosis: Clinical and diagnostic aspects. Bacterial Vaginosis. Stockholm, 1984.
- Brand, J.M., Galask, R.P. Trimethylamine: The substance mainly responsible for the fishy odor often associated with bacterial vaginosis. Obstet Gynecol 68:682, 1986.
- Carol, A. Spiegel. Vaginitis / Vaginosis. Clin-Lab-Med; 1989 Sep; 9 (3), 525-33.

- Chen, J.C.S., Amsel, R., Eschenbach, D.A., et al. Biochemical diagnosis of vaginitis: Determination of diamines in vaginal fluid. J Infect Dis 145:337, 1982.
- Eschenbach, D.A., Buchanan, T.M., Pollock, H.M., et al. Polymicrobial etiology of acute pelvic inflammation disease. N Engl J Med 293:166, 1973.
- Fouts, A.C., Kraus S.J. Trichomonas vaginalis: Reevaluation of its clinical presentation and laboratory diagnosis. J Infect Dis 141: 137, 1980.
- Friedrich, E.G.Jr. Vaginitis. Am J Obstet Gynecol 152:247-251, 1985.
- Fripp, P.J., Mason, P.R., Super, H. A method for the diagnosis of Trichomonas vaginalis using acridine orange. J Parasitol 61:966, 1975.
- Geoffrey Rose, D.J.P Barker. Screening. Epidemiology for the uninitiated, 1979.
- Greenwood, J.R., Kirk-Hillaire, K. Evaluation of acridine orange stain for detection of Trichomonas vaginalis in vaginal specimens. J Clin Microbiol 14:699, 1981.
- Howard, L., Kent. Epidemiology of vaginitis. AM J Obstet Gynecol 1991; 165: 1168-76.

- Howard, W., Jones III. Benign Diseases of the Vulva and Vagina. Novak's Textbook of Gynecology, 1988.
- Ian McDowell, Claire Newell. Measuring Health. A guide to Rating Scales and Questionnaires, Ottawa 1987.
- Jirovec, O., Petro, M. Trichomonas vaginalis and trichomoniasis. Adv Parasitol 6:117, 1968.
- Judith S. Mausner, Shira Kramer. Screening in the detection of disease. Epidemiology - An Introductory Text, 1985.
- Koutsky, L.A., Stamm, W.E., Brunham, R.C., et al. Persistence of Mycoplasma hominis after therapy: Importance of tetracycline resistance and of coexisting vaginal flora. Sex Transm Dis 11:374, 1983.
- Krieger, J.N., Tam, M.R., Stevens, C.E., et al. Diagnosis of Trichomoniasis: Comparison of conventional wet-mount examination with cytological studies, culture, and monoclonal antibody staining of direct specimens. JAMA 259:1223, 1988.
- Naguib, S.M., Comstock, G.W., David, H.J. Epidemiologic study of trichomoniasis in normal women. Obstet Gynecol 27: 607, 1966.

- McCann, J.S. Comparison of direct microscopy and culture in the diagnosis of trichomoniasis. Br J Vener Dis 50:450, 1974.
- McLellan, R., Spence, M.R., Brockman, M., Raffel, L., Smith, J.L. The clinical diagnosis of trichomoniasis. Obstet Gynecol 60:30-34, 1982.
- McNab, W.L. The "other" venereal diseases: herpes simplex, trichomoniasis and candidiasis. J Sch Health 49:79-93, 1979.
- Patrick Tatford. Vaginal discharge. Problems in Gynaecology. Bromley hospital, Kent, 1986.
- Peel, K.R. Premalignant and malignant disease of the cervix. Dewhurst's Textbook of Obstetrics and Gynaecology for Post graduates, 1986.
- Rabe, L.K., Winterscheid, K.K., Hillier, S.L. Association of viridans group streptococci from pregnant women with bacterial vaginosis and the upper genital tract infection. J Clin Microbiol 26:1156, 1988.
- Raymond, H., Kaufman. Vulvovaginal disease. Clinical Obstetrics Gynecology Vol 34: 582-85, No 3, Sep 1991.
- Rein, M.F., Chapel, T.A. Trichomoniasis, candidiasis, and the minor venereal diseases. Clin Obstet Gynecol 18:73, 1975.

Scott, J.S. Benign disease of the vagina and vulva. Dewhurst's Textbook of Obstetrics and Gynaecology for Post graduates: 700-25, 1986.

Sebastian Faro. Bacterial vaginitis. Clinical Obstetrics Gynecology Vol 34: 581, No 3, Sep 1991.

Smith, R.F. Detection of Trichomonas Vaginalis in vaginal specimens by direct immuno-fluorescence assay. J Clin Microbiol 24:1107, 1986.

Sobel, J.D. Epidemiology and pathogenesis of recurrent vulvovaginal candidiasis . Am J Obstet Gynecol 152:924-935, 1985.

Sobel, J.D. Vaginal Infections in Adult Women. Med-Clin-North-Am; 1990 Nov; 74(6); P 1573-602.

Spence, M.R., Hollander, D.H., Smith, J.L., et al. The clinical and laboratory diagnosis of Trichomonas vaginalis infection. Sex Trans Dis 7:168, 1980.

Spiegel, C.A., Amsel, R., Eschenbach, D.A., et al. Anaerobic bacteria in nonspecific vaginitis. N Engl J Med 303:601, 1980.

Thomason, J.L., Gelbart, S.M., Wilcoski, L.M., et al. Proline aminopeptidase activity as a rapid diagnostic test to confirm bacterial vaginosis. Obstet Gynecol 71:607, 1988.

Totten, P.A., Amsel, R., Hale, J., et al. Selective differential human blood bilayer media for isolation of Gardnerella (Haemophilus) vaginalis. J Clin Microbiol 15:141, 1982.

Tuttle, J.P., Holbrook, T.W., Derrick, F.C. Interference of human spermatozoal mobility by Trichomonas vaginalis. J Urol 118:1024, 1977.

Watt, R.M., Philip, A., Wos, S.M., et al. Rapid assay for immunological detection of Trichomonas vaginalis. J Clin Microbiol 24:551, 1986.

Yule, A., Gellan, M.C.A., Oriel, J.D., et al. Detection of Trichomonas vaginalis antigen in women by enzyme immunoassay. J Clin Pathol 40:566, 1987.

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

VITAE :

Nguyen Quang Vinh was born in 1963 and brought up in Saigon. He studied Medicine at Faculty of Medicine, Medical University of Ho Chi Minh City, Viet Nam, where he graduated his Bachelor degree of Medicine in 1987. He studied in Master degree of Sciences in Health Development, Graduate School, Chulalongkorn University, Bangkok, Thailand, since 1991. He has been working as Obstetrician and Gynaecologist at Tu Du OBGYN Hospital, Ho Chi Minh city, Viet Nam.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย