



## รายการอ้างอิง

### ภาษาไทย

อธร. อิงคานุวัฒน์. 2535. บทบาทของเยื่อบุหลอดเลือดต่อการออกฤทธิ์ของสารสื่อประสาท  
บางชนิดในหลอดเลือดแดงที่แยกจากหัวใจและไตของสุกร. วิทยานิพนธ์ปริญญา  
วิทยาศาสตรมหาบัณฑิต สาขาวิชาเภสัชวิทยา บัณฑิตวิทยาลัย  
จุฬาลงกรณ์มหาวิทยาลัย

### ภาษาอังกฤษ

- Aksoy, M.O., Murphy, R.A., and Kamm, K.E. 1982. Role of  $\text{Ca}^{2+}$  and myosin light chain phosphorylation in regulation of smooth muscle. *American Journal of Physiology* 242 : C102-C116.
- Aoki, H., Nishimura, J., Kobayashi, S., and Kanaide, H. 1994. Relationship between cytosolic calcium concentration and force in the papaverine-induced relaxation of medial strips of pig coronary artery. *British Journal of Pharmacology* 111 : 489-496.
- Arias-Montano, J.A., Berger, V., and Young, J.M. 1994. Calcium-dependence of histamine and carbachol-induced inositol phosphate formation in human U373 MG astrocytoma cells : comparison with HeLa cells and brain slices. *British Journal of Pharmacology* 111 : 598-608.
- Badwan, A.A, Alkaysi, H.N., Owais, L.B., Salem, M.S., and Arafat, T.A. 1990. Terfenadine in Florey, K.(ed.), *Analytical profiles of Drug Substance*, pp 627-662 USA : Academic Press.
- Bayer, B.L., Mentz, P., and Forster, W. 1974. Characterization of the adrenoceptors in coronary arteries of pigs. *European Journal of Pharmacology* 29 : 58-65.

- Blattner, R., Classen, H.G., Dehnert, H., and Doring, H.J. 1978. Experiments on isolated smooth muscle preparations Germany : Hugo Sachs Electronik KG
- Bolton, T.B. 1979 a. Mechanism of action of transmitters and other substances on smooth muscle. Physiological Review 59(3) : 606-718.
- \_\_\_\_\_. 1979 b. Cholinergic mechanisms in smooth muscle. British Medical Bulletin 35 (3) : 275-283.
- Breemen, C., Mangel, A., Fahim, M., and Meisher, K., 1982. Selectivity of calcium antagonist action in vascular smooth muscle. The American Journal of Cardiology 49 : 507-510.
- Carsten, M.E., and Miller, J.D. 1987. A new look at uterine muscle contraction. Am.J. Obstet.Gynecol. 157 : 1303-1315.
- Cheng, H.C., and Woodward, J.K. 1982. A kinetic study of the antihistaminic effect of terfenadine. Arzneim-Forsch 32(2) : 1160-1166.
- Chiu, A.T., McCall, D.E., and Timmermans, P.B. 1986. Pharmacological characteristics of receptor-operated and potential-operated  $\text{Ca}^{2+}$  channels in rat aorta. European Journal of Pharmacology 127 : 1-8.
- \_\_\_\_\_, McCall, D.E., Thoolen, M.J., and Timmermans, P.B. 1986.  $\text{Ca}^{2+}$  utilization in the constriction of rat aorta to full and partial alpha-1 adrenoceptor agonists. The Journal of Pharmacology and Experimental Therapeutics 234 : 224-231.
- Cocabo, S.C., Evangelista, L.F., and Kin, P.T. 1992. Teldane in Tims Annual pp. 876-877 Bangkok
- Connor, H.E., Feniuk, W., and Humphrey, P.P.A. 1989. 5-Hydroxytryptamine contracts human coronary arteries predominantly via 5-HT<sub>2</sub> receptor activation. European Journal of Pharmacology 161 : 91-94.
- Cushing, D.J., and Cohen, M.L. 1992. Comparison of the serotonin receptors that mediate smooth muscle contraction in canine and porcine coronary artery. 1992. The Journal of Pharmacology and Experimental Therapeutics 261(1) : 856-862.

- Cushing, D.J., and Cohen, M.L. 1993. Serotonin-induced contraction in porcine coronary artery : Use of ergolines to support vascular 5-hydroxytryptamine<sub>2</sub>-receptor heterogeneity. The Journal of Pharmacology and Experimental Therapeutics 264 (1) : 193-200.
- Dyke, K.V. 1982. Histamine and antihistamines in Craig, C.R., and Stitzel, R.E. (eds.), Modern Pharmacology, 1<sup>st</sup>ed. pp. 917-928 USA.
- Eglen, R.M., Reddy, H., Watson, N., and Challiss, R.A.J. 1994. Muscarinic acetylcholine receptor subtypes in smooth muscle. Trends in Pharmacological Sciences 15 : 114-119.
- Fisher, M., and Grotta, J., 1993. New use for calcium channel blockers : therapeutic implications. Drugs 46(6) : 961-975.
- Furchtgott, R.F. 1955. The Pharmacology of vascular smooth muscle. Pharmacological Reviews 7 : 183-265.
- Ferguson, D.R., Johnson, B.I., and Price, N. 1985. Responses of the pig isolated renal artery to transmural electrical stimulation and drugs. British Journal of Pharmacology 84 : 879-882.
- Ganong, W.F. 1993. Excitable tissue : muscle. in, Review of Medical Physiology, 6<sup>th</sup>ed. pp. 56-73. USA : Prentice-Hall International.
- Garteiz, D.A., Hook, R.H., Walker, B.J., and Okerholm, R.A. 1982. Pharmacokinetics and biotransformation studies of terfenadine in man. Arzneimittelforschung 32 : 1185-1190.
- Gibson, J.P., Huffmann, K.W., and Newberne, J.W. 1982. Preclinical safety studies, with terfenadine. Arzneimittelforschung 32 : 1179-1184.
- Ginsburg, R., Bristow, M.R., Davis K., Dibiase, A., and Billingham, M.E. 1984. Quantitative pharmacologic responses of normal and atherosclerotic isolated human epicardial coronary arteries. Circulation 69 : 430-440.

- Gothert, M., and Schlicker, E. 1987. Classification of serotonin receptors. Journal of Cardiovascular Pharmacology 10(Suppl 3) : S3-S7.
- Harden, T.K. et al. 1986. Characteristics of two biochemical responses to stimulation of muscarinic cholinergic receptors. Trends in Pharmacological Sciences supplement : 14-18.
- Hester, R.K. 1989 Receptor-mediated  $\text{Ca}^{2+}$  entry in blood vessels. Microcirculation, Endothelium, and Lymphatics 5(1-2) : 31-53.
- Hirano, K., Kanaide, H., Abe, S., and Nakamura, M. 1991. Temporal changes in the calcium-force relation during histamine-induced contractions of strips of the coronary artery of the pig. British Journal of Pharmacology 102 : 27-34.
- Hof, R.P., and Vuorela, H.J. 1983. Assessing calcium antagonism on vascular smooth muscle : a comparison of three method. Journal of Pharmacological Methods 9 : 41-52.
- Honig, P.K., et al. 1993. Terfenadine-ketoconazole interaction, Pharmacokinetic and electrocardiographic consequences. JAMA 269(12) : 1513-1518.
- Hoover, D.B. 1994. Muscarinic blocking drugs in Craig, C.R., and Stitzel, R.E. (eds.), Modern Pharmacology, 4<sup>th</sup> ed. pp. 151-153 USA
- Hoyer, D. et al. 1994. International union of pharmacology classification of receptors for 5-hydroxytryptamine(serotonin). Pharmacological Reviews 46(2) : 157-201.
- Hudgins, P.M., and Weiss, G.B. 1968. Differential effects of calcium removal upon vascular smooth muscle contraction induced by norepinephrine, histamine and potassium. The Journal of Pharmacology and Experimental Therapeutics 159(1) : 91-97.
- Itoh, T., Satoh, S., Ishimatsu, T., Fujiwara, T., and Kanmura, Y. 1987. Mechanisms of flunarizine-induced vasodilation in the rabbit mesenteric artery. Circulation Research 61 : 446-454.

- Ito, Y., Kitamura, K., and Kuriyama, H. 1979. Effects of acetylcholine and catecholamines on the smooth muscle of porcine coronary artery. *J. Physiol.* 294 : 595-611.
- Kamm, K.E., and Stull, J. 1985. The function of myosin and myosin light chain kinase phosphorylation in smooth muscle. *Ann. Rev. Pharmacol. Toxicol.* 25 : 593-620.
- Karaki, H., Satake, N., and Shibata, S. 1986. Mechanism of barium-induced contraction in the vascular smooth muscle of rabbit aorta. *British Journal of Pharmacology* 88 : 821-826.
- \_\_\_\_\_, and Weiss, G.B. 1988. Calcium release in smooth muscle. *Life Sciences* 42 : 111-122.
- Katsuyama, H., Ito, S., Itoh, T., and Kuriyama, H. 1991. Effects of ryanodine on  $\text{Ca}^{2+}$  mobilization in single smooth muscle cells of the porcine coronary artery. *Pflugers Arch.* 419 : 460-466.
- Kaumann, A.J., Freuden, M., Posival, H., and Brown, A.M. 1994. Variable participation of 5-HT<sub>1</sub>-like receptors in serotonin-induced contraction of human isolated coronary arteries. *Circulation* 90(3) : 1141-1153.
- Kobayashi, S., Kanaike, H., and Nakamura, M. 1985.  $\text{K}^+$ -depolarization induces a direct release of  $\text{Ca}^{2+}$  from intracellular storage sites in cultured vascular smooth muscle cells from rat aorta. *Biochemical and Biophysical Research Communication* 129(3) : 877-884.
- Koch, P., Wilhelm, D., Wermelskirchen, D., Nebel, U., Wilffert, B., and Peters, T. 1988. Different effects of R 56865 and calcium entry blockers on  $\text{K}^+$ - and noradrenaline-induced contractions and  $^{45}\text{Ca}$  uptake in rat aorta. *European Journal of Pharmacology* 158 : 183-190.
- Laurence, D.R., and Bennett, P.N. 1992. Cardiovascular system II : drugs used in arterial hypertension and angina pectoris. in, *Clinical Pharmacology*, pp. 407-434.

- Lee, T.J.F., and Stitzel, R.E. 1994. Adrenomimetic drugs in Craig, C.R., and Stitzel, R.E. (eds.), Modern Pharmacology, 4<sup>th</sup>ed. pp. 117-120 USA
- Lefkowitz, R.J., Hoffman, B.B., and Taylor, P. 1990. Neurohumoral transmission : the autonomic and somatic motor nervous systems in Gilman, A.G., Rall, T.W., Nies, A.S., and Taylor, P.(eds.), Goodman and Gilman's The Pharmacological Basis of Therapeutics, 8<sup>th</sup> ed. pp. 109-112 USA : Pergamon Press.
- Mangel, A.W., Nelson, D.O., Rabovsky, J.L., Prosser, C.L., and Conner, J.A. 1982. Depolarization-induced contractile activity of smooth muscle in calcium-free solution. American Journal of Physiology 242 : C36-C40.
- Mc Tavish, D., Goa, K.L., and Ferrill, M. 1990. Terfenadine An updated review of its pharmacological properties and therapeutic efficacy. Drug Evaluation 39(4) : 552-574.
- Mitsuhashi, M., and Payan, D.G. 1989. Molecular and cellular analysis of histamine, H<sub>1</sub> receptors on cultured smooth muscle cells. Journal of Cellular Biochemistry 40 : 183-192.
- Mori, T., Yanakisawa, T., and Taira N. 1990. Histamine increase vascular tone and intracellular calcium level using both intracellular and extracellular calcium in porcine coronary arteries. Japanese Journal of Pharmacology 52 : 263-271.
- Ngai, J.H., Roth, P.S., and Pual, R.J. 1989. Effect of endothelium on basal tone and agonist and O<sub>2</sub> sensitivity in porcine coronary artery. J. Pharmacol. and Exper Ther. 252 : 1053-1059.
- Obi, T., Matsumoto, M., and Nishio, A. 1991. Vasomotor effect of histamine on pig and cattle coronary artery in vitro. Japanese Journal of Pharmacology 55 : 311-320.
- Offenloch, K., and Zahner, G. 1992. Rated performance, cardiovascular and quantitative EEG parameters during simulated instrument flight under the effect of terfenadine. Arzneim-Forsch./Drug Res 42(1) : 864-868.

- Okerholm, R.A., et. al. 1981. Bioavailability of terfenadine in man. Biopharmaceutics and Drug Disposition 2 : 185-190.
- Opie, L.H. 1987. Calcium channel antagonists, part I : fundamental properties : mechanisms, classification, sites of action. Cardiovascular Drugs and Therapy 1 : 411-430.
- Rampe, D., Wibble, B., Brown, A.M., and Dage, R.C. 1993. Effects of terfenadine and its metabolites on a delayed rectifier K<sup>+</sup> channel cloned from human heart. Molecular Pharmacology 44 : 1240-1245.
- Ratz, P.H., and Flaim, S.F. 1985. Acetylcholine-and 5-hydroxytryptamine-stimulated contraction and calcium uptake in bovine coronary arteries : Evidence for two populations of receptor-operated calcium channels. The Journal of Pharmacology and Experimental Therapeutics 234(3) : 641-647.
- Richards, M.H. 1991. Pharmacology and second messenger interactions of cloned muscarinic receptors. Biochemical Pharmacology 42(9) : 1645-1653.
- Richelson, E., and EL-Fakahany, E. 1981. The molecular basis of neurotransmission at the muscarinic receptor. Biochemical Pharmacology 30(21) : 2887-2891.
- Scarborough, N.L., and Carrier, G.O. 1984. Nifedipine and alpha adrenoceptors in rat aorta. I. Role of extracellular calcium in alpha-1 and alpha-2 adrenoceptor-mediated contraction. The Journal of Pharmacology and Experimental Therapeutics 231(3) : 597-602.
- Smith, D.J. 1950. Reaction of the isolated surviving coronary artery to epinephrine, acetylcholine and histamine. Proceeding of the Society for Experimental Biology and Medicine 73 : 449-452.
- Sorkin, E.M., and Heel, R.C. 1985. Terfenadine A review of its pharmacodynamic properties and therapeutic efficacy. Drug Evaluation 29 : 34-56.

- Spedding, M., and Paoletti, R. 1992. Classification of calcium channels and the sites of action of drugs modifying channel function. Pharmacological Review 44(3) : 363-376.
- Toda, N. 1983. Isolated Human coronary arteries in response to vasoconstrictor substance. American Journal of Physiology 245 : H 934 - H 941.
- Vanhoutte, P.M. 1987. Cardiovascular effects of serotonin. Journal of Cardiovascular Pharmacology 10(Suppl 3) S8 - S11.
- Van Rossum, J.M., Hurkmans, J.A., and Wolters, C.J.J. 1963 Cumulative dose-response curve II. Technique for the making of dose-response curves in isolated organs and the evaluation of drug parameters. Arch. Int. Pharmacodyn. 143(3-4) : 299-330.
- Wess, J. 1993. Molecular basis of muscarinic acetylcholine receptor function. Trends in Pharmacological Sciences 14 : 308-313.
- Wingard, L.B., Brody, T.M., Larner, J., and Schwartz, A. 1991. Physiology and biochemistry of the peripheral autonomic nervous system. in, Human Pharmacology Molecular to Clinical, pp. 88-91 USA : Mosby-Year Book.
- Woodward, J.K., and Munro, N.L. 1982. Terfenadine, the first non-sedating antihistamine. Arzneim-Forsch./Drug Res. 32 : 1154-1156.
- Woosley, R.L., Chen, Y., Freiman, J.P., and Gillis, R.A. 1993. Mechanism of the cardiotoxic actions of terfenadine. JAMA 269(12) : 1532-1536
- Yung, C.H., Okerholm, R.A., and Guengerich, F.P. 1993. Oxidation of the antihistaminic drug terfenadine in human liver microsomes. Role of cytochrome P-450 3A(4) in N-dealkylation and C-hydroxylation. Drug. Metab. Dispos. Biol. Fate. Chem. 21(3) : 403-409.
- Zifa, E., and Fillion, G. 1992. 5-Hydroxytryptamine receptors. Pharmacological Review 44(3) : 402-458.

- Zhang, M.Q., Caldirola, P., and Timmerman, H. 1992. Calcium antagonism and structure-affinity relationships of terfenadine, a histamine H<sub>1</sub> antagonist, and some related compounds. *J. Pharm. Pharmacol.* 45 : 63-66.
- \_\_\_\_\_, M.Q., and Timmerman, H. 1993. Terfenadine : a mixture of equipotent antihistamine enantiomers without a clear 'isomeric ballast'. *Pharmacy World and Science* 15(5) : 186-192.
- Zwieten, P.A., and Pfaffendorf, M. 1993. Similarities and differences between calcium antagonists : pharmacological aspects. *Journal of Hypertension* 11(suppl 1) : S3-S11.

### ประวัติผู้เขียน

นายชูเกียรติ เพียรชนะ เกิดเมื่อวันที่ 14 มีนาคม 2511 ที่จังหวัดเพชรบุรี สำเร็จการศึกษาปริญญาตรีเกสัชศาสตรบัณฑิต จากคณะเภสัชศาสตร์ มหาวิทยาลัยศิลปากร เมื่อปีการศึกษา 2533 และเข้ารับราชการตำแหน่งเภสัชกร ในพยาบาลพระจอมเกล้า จังหวัดเพชรบุรี เป็นเวลา 2 ปี จึงเข้าศึกษาต่อในหลักสูตรนักศึกษาสมานบัณฑิต สาขาเภสัชวิทยา ที่คณะเภสัชศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ในปีการศึกษา 2536



ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย