

RESEARCH AND DEVELOPMENT OF A PSK MODULATOR



Mr. Mohan Shankar Ananya

006377

A Thesis Submitted in Partial Fulfillment of the Requirements
for the Degree of Master of Engineering
Department of Electrical Engineering
Graduate School
Chulalongkorn University

1979

118220484

Thesis Title Research and Development of a PSK Modulator
By Mr. Mohan Shankar Amatya
Department Electrical Engineering
Thesis Advisor Assistant Professor Dr. Prasit Prapinmongkolkarn

Accepted by the Graduate School, Chulalongkorn University in partial fulfillment of the requirements for the Master's degree.

S. Bunnag

Dean of Graduate School

(Assistant Professor Dr. Supradit Bunnag)

Thesis Committee

Arporn Kengpol

Chairman

(Professor Arporn Kengpol)

N. Yoothanom

Member

(Assistant Professor Dr. Narong Yoothanom)

Mongkol Dejnakarindra

Member

(Assistant Professor Dr. Mongkol Dejnakarindra)

Prasit Prapinmongkolkarn

Member

(Assistant Professor Dr. Prasit Prapinmongkolkarn)

หัวข้อวิทยานิพนธ์ วิจัยและพัฒนาเครื่องโมดูลเลเตอร์ พีเอสเค

ชื่อนิสิต นายโมฮัมมัด ศังกร อมาตยะ

แผนกวิชา วิศวกรรมไฟฟ้า

อาจารย์ที่ปรึกษา ผู้ช่วยศาสตราจารย์ ดร. ประสิทธิ์ ประพัฒน์คณาการ

ปีการศึกษา ๒๕๒๑



บทคัดย่อ

ในวิทยานิพนธ์ฉบับนี้ ได้มีการศึกษาและสร้าง พีเอสเค โมดูลเลเตอร์ ขึ้น โดยใช้เทคนิคโมดูลเลชันแบบอาร์มสตรอง และใช้วงจร IC เพื่อปรับปรุงประสิทธิภาพการทำงานให้ดีขึ้น พีเอสเค โมดูลเลเตอร์นี้ผ่านการทดสอบหลายต่อหลายครั้งจนมีผลเป็นที่น่าพึงพอใจ เราใช้ตัวเปลี่ยนเฟส (phase shifter) ที่สามารถปรับเฟสได้ เพื่อให้ พีเอสเค โมดูลเลเตอร์ สามารถโมดูลเลตเฟสได้โดยมีเฟสเบี่ยงเบนจากเชิงเส้นตรงสมบูรณ์อย่างมากไม่เกิน $\pm 1.05^\circ$ ในช่วง $\pm 90^\circ$

Thesis Title Research and Development of a PSK Modulator

Name Mr. Mohan Shankar Amatya

Thesis Advisor Assistant Professor Dr. Prasit Prapinmongkolkarn

Department Electrical Engineering

Academic Year 1978 ✓



ABSTRACT

A new PSK modulator is devised using Armstrong modulation technique and integrated circuits to improve the performance. This PSK modulator is experimentally tested. Using an adjustable phase-shifter, this PSK modulator is attempted to have the phase deviation from perfect linearity by ± 1.05 degree maximum in the range of ± 90 degrees.

ACKNOWLEDGEMENTS



Dr.N.Yoothanom's creative suggestions on the system approach are gratefully acknowledged. Sincere thanks are due to Dr.C. Sripaipan, Dr.G. Arya and Mr.K. Visavateeranon for their suggestions on the selection of components and on general circuit design. Thanks are also due to Mr.K. Chira of the Elcom Research Co., for allowing to use his Company library.

Kind assistances of Mr. T. Singsangworn of Colombo Lab in finding measuring instruments and also in trouble-shooting and those of Mrs.C. Srithong of Colombo Lab as well in preparing printed circuits required for this research are gratefully acknowledged.

I am very much indebted to Professor Arporn Kengpol, Dr.N. Yoothanom, Dr.M. Dejnakarindra and my advisor Dr.P. Prapinmongkolkarn for reading this thesis and for making helpful comments and suggestions.

Finally, my thesis advisor Dr.P. Prapinmongkolkarn's untiring attentions on the progress of this research and uncountable, encouraging and precious discussions, comments and creative suggestions are wholeheartedly appreciated and gratefully acknowledged. I also take this opportunity to express my grateful appreciations of Dr.Prapinmongkolkarn's generosity to spend considerable time very regularly with me to discuss the matters on this research.

LIST OF TABLES

	Page
Table 2.1 Computed figures of difference between $\phi(v, \epsilon)$ and $\phi_{ideal}(v)$ in degrees	... 17
Tables 2.2 & 2.3 18

LIST OF FIGURES

Figure	Page
2.1 PSK Signal	... 7
2.2 (a) Baseband Waveform for the Binary Message 101101001	7
(b) Binary PSK Waveform	... 7
2.3 PSK Wave Generation	... 8
2.4 Four-phase Signal Generation	... 9
2.5 Armstrong Phase Modulator	... 10
2.6 Phasor Diagram	... 11
2.7 New Phase Modulator	... 14
2.8 Phasor Diagram for e_{o2}	... 15
2.9 Deviation from Perfect Linearity	... 19
2.10 A Balanced Modulator Circuit	... 21
2.11 DSB-SC Amplitude Modulator	... 23
2.12 Schematic Diagram of MC 1596	... 23
2.13 Analytic Model of MC 1596	... 24
2.14 (a) Standard Phase-shifter (b) Four ^F -output Phase-shifter	27

2.15	Adder	29
2.16	Schematic Diagram of MC 1595		...	31
2.17	Analytic Model of MC 1595		...	31
2.18	Practical Four Quadrant Multiplier		...	31
2.19	Multiplier Preconditioning Principle		...	32
2.20	(a) Limiter and (b) its Output Waveform		...	35
2.21	General Wien-Bridge Oscillator Configuration			36
3.1	(a) Non-inverting & (b) Inverting Voltage Amplifier Circuits			39
3.2	Detailed Circuit Diagram		...	41
3.3	Built-in Frequency Generator Output		...	44
3.4	DSE-SC AM Output		...	44
3.5	Carrier Frequency with its Quadrature		...	44
3.6	Two Quadrature Components		...	45
3.7	Adder Output	45
3.8	Phase Modulated Output for Modulating Signal of 2 KHz and Carrier Signal of 40 KHz		...	45
3.9	A Magnified View of Fig 3.8		...	46
3.10	Another Phase Modulated Output for Sine Wave Carrier of 40 KHz and Modulating Sine Wave of 4 KHz			46
3.11	Phase Modulated Output for Sine Wave Carrier of 40 KHz and Square Wave Modulating Signal of 1.8 KHz			46
3.12	Phase Modulator Output for 2.5 KHz Square Wave Modulating Signal and 40 KHz Sine Wave Carrier			48
3.13	Phase Modulator Output for 1.8 KHz Square Wave Modulating Signal and 40 KHz Sine Wave Carrier			48
3.14	Same as Fig 3.13, but at Different Period			48

CONTENTS

		Page
Abstract in English		i
Acknowledgements		ii
List of Tables		iii
List of Figures		iii
CHAPTER 1	INTRODUCTION	1
1.1	General Description ...	1
1.2	Kinds of PSK Systems ...	3
1.3	PSK Utilization	3
1.4	State-of-the-art in Armstrong and PSK Circuitry	4
CHAPTER 2	SYSTEM PERFORMANCE ...	6
2.1	System Details ...	6
2.1.1	Binary PSK System ...	6
2.1.2	Four-phase PSK ...	8
2.1.3	Armstrong Phase Modulator ...	9
2.1.4	A New Phase Modulator ...	13
2.2	Circuit Details ...	21
2.2.1	Balanced Modulator ...	21
2.2.2	Phase Shifter ...	27
2.2.3	Adders ...	29
2.2.4	Multipliers ...	30
2.2.5	Limiter ...	35



	2.2.6	Built-in Carrier Frequency Source	...	36
CHAPTER 3		EXPERIMENTS	...	38
	3.1	Problems and Solutions	...	38
	3.2	Some Adjustments	...	40
	3.3	System Performance	...	43
CHAPTER 4		CONCLUSIONS	...	49
REFERENCES		51