

ԱՐԺԱԿՈՒԹՅ

- Aono, T., Goldstein, D.P., Taymor, M.L. and Dolch, K. (1967). A radioimmunoassay method for human pituitary LH and HCG using ^{125}I -labeled LH. Amer. J. Obstet. Gynec. 98, 996.
- Bagshawe, K.D., Wilde, C.E. and Orr, A.H. (1966). Radioimmunoassay for human chorionic gonadotrophin and luteinizing hormone. Lancet. 1, 1118.
- Binoux, M.A. and Odell, W.D. (1973). Use of dextran-coated charcoal to separate antibody from free hormone: A critique. J. Clin. Endocrinol. Metab. 66, 303.
- Brown-Grant, K., Exley, D. and Naftolin, F. (1970). Peripheral plasma oestradiol and LH concentrations during the oestrous cycle of the rat. J. Endocr. 48, 295.
- Burger, H.G., Catt, K.J. and Brown, J.B. (1968). Relationship between plasma LH and urinary estrogen excretion during the menstrual cycle. J. Clin. Endocrinol. Metab. 28, 1508.
- Burr, I.M., Grant, D.B., Sizonenko, P.C., Kaplan, S.L. and Grumbach, M.M. (1969). Some critical factors in double antibody radioimmunoassay systems utilizing sheep anti-rabbit precipitating sera for measurement of human serum LH, FSH, HGH. J. Clin. Endocrinol. Metab. 29, 948.

Crighton, D.B., Schneider, H.P.G. and McCann, S.M. (1970).

Localization of luteinizing hormone releasing factor in the Hypothalamus and Neurohypophysis as determined by an in vitro method. *Endocrinology* 87, 323.

Döcke, F. and Dörner, G. (1965). The mechanism of the induction of ovulation by estrogens. *J. Endocr.* 33, 491.

Ekins, R.P. and Newman, B. (1970). Karolinska Symposia on Research Methods in Reproductive Endocrinology, p. 11. 2nd ed. Symposium. Steroid Assay by Protein Binding, Diczfalussy, E. Editor, Stockholm.

Ekins, R.P., Newman, G.B. and O'Riordan, L.H. (1968). Theoretical aspects of "saturation" and radioimmunoassay. In Radioisotopes in Medicine : In Vitro Studies, p. 50, Ed. by Hayes, R.L., Goswitz, F.A. and Murphy, B.E.P. AEC Symposium Series No. 13 (Conf. 671111) Oak Ridge, Tennessee.

Faiman, C. and Ryan, R.J. (1967). Radioimmunoassay of human luteinizing hormone. *Proc. Soc. Exp. Biol. Med.* 125, 1130.

Fukushima, M., Stevens, V.C., Gautt, C.L. and Vorys, N. (1964). Urinary FSH and LH excretion during the normal menstrual cycle. *J. Clin. Endocrinol. Metab.* 24, 205.

Goebelmann, U., Midgley, A.R. Jr. and Jaffe, R.B. (1969).

Regulation of human gonadotropins: VII daily individual urinary estrogens, pregnanediol and serum luteinizing and follicle stimulating hormones during the menstrual cycle. *J. Clin. Endocrinol.*

Metab. 29, 1222.

Goss, D.A. and Taymor, M.L. (1962). Notes and comments.

Measurement of LH activity by latex-HCG agglutination inhibition. *Endocrinology* 71, 321.

Greenwood, F.C. and Hunter, W.M. (1963). The preparation of ^{131}I -labelled human growth hormone of high specific radioactivity. *Biochem. J.* 89, 114.

Greep, R.O., Van Dyke, H.B. and Chow, B.F. (1941). Use of anterior lobe of prostate gland in the assay of metakentrin. *Proc. Soc. Exp. Biol. Med.* 46, 644.

Harris, G.W. (1969). Ovulation. *Am. J. Obstet. Gynecol.* 105, 659.

Herbert, V., Lau, K.S., Gottlieb, C.W. and Bleicher, S.J. (1965). Coated charcoal immunoassay of insulin. *J. Clin. Endocrinol. Metab.* 25, 1375.

Hotchkiss, J., Atkinson, L.E. and Knobil, E. (1971).

Time course of serum estrogen and luteinizing hormone concentrations during the menstrual cycle of the rhesus monkey. *Endocrinology* 89, 177.

Hunter, W.M. (1969). Assessment of radioiodinated hormone preparations. In Immunoassay of Gonadotrophins.

Ed. by Diczfalusy, E. Acta Endocrinol. (Supp 142) 63, 134.

Jeffcoate, S.L. (1971). Purification of ^{125}I -LH and ^{125}I -FSH by cellulose adsorption chromatography.

In Radioimmunoassay Methods, p. 30, Ed. by Kirkham, K.E. and Hunter, W.M. Churchill Livingstone, Edinburgh and London.

Jones, E.C. and Krohn, P.L. (1961). The effect of hypophysectomy on age changes in the ovaries of mice. J. Endocr. 21, 497.

Kazeto, S., Sansone, A. and Hreshchyshyn, M.M. (1971). Alcohol precipitation technique in radioimmunoassay for luteinizing and follicle-stimulating hormones. Amer. J. Obstet. Gynec. 109, 952.

Keller, P.J. and Rosenberg, E. (1965). Estimation of pituitary gonadotropins in human plasma. J. Clin. Endocrinol. Metab. 25, 1050.

Labhsetwar, A.P. (1970). Role of estrogens in ovulation. A study using the estrogens-antagonist, I.C.I. 46, 474. Endocrinology 87, 542.

Lazarus, L. and Young, J.D. (1968). Radioimmunoassay of luteinizing hormone in human serum. Aust. J. Exp. Biol. Med. Sci. 49, 791.

McArthur, J.W. (1952). The bioassay of pituitary interstitial cell stimulating hormone (ICSH) in human urine. *J. Clin. Endocrinol. Metab.* 12, 914.

McArthur, J.W., Worcester, J. and Ingersoll, F.M. (1958). The urinary excretion of interstitial cell and follicle-stimulating hormone activity during the normal menstrual cycle. *J. Clin. Endocrinol. Metab.* 18, 1186.

McCann, S.M. (1970). Neurohormonal correlates of ovulation. *Fed. Proc.* 29, 1888.

McCann, S.M., Dhariwal, P.S. and Porter, J.C. (1968). Regulation of the adenohypophysis. *Ann. Rev. Physiol.* 30, 589.

McKean, C.M. (1960). Preparation and use of antisera to human chorionic gonadotrophin. *Am. J. Obstet. Gynecol.* 80, 596.

Midgley, A.R. (1966). Radioimmunoassay : A method for human chorionic gonadotropin and human LH. *Endocrinology* 79, 10.

Midgley, A.R., Jr. and Jaffe, R.B. (1966). Human LH in serum during the menstrual cycle : Determination by radioimmunoassay. *J. Clin. Endocrinol. Metab.* 26, 1375.

Moghissi, K.S., Syner, F.N. and Evans, T.N. (1972).

A composite picture of the menstrual cycle.

Amer. J. Obstet. Gynecol. 114, 405.

Neill, J.D., Johansson, E.D.B., Datta, J.K. and

Knobil, E. (1967). Relationship between the

plasma levels of luteinizing hormone and

progesterone during the normal menstrual cycle.

J. Clin. Endocrinol. Metab. 27, 1167.

Nikitovitch-Winer, M. and Everett, J.W. (1958).

Functional restitution of pituitary grafts

re-transplanted from kidney to median

eminence. Endocrinology 63, 916.

Odell, W.D., Ross, G.T. and Rayford, P.L. (1966).

Radioimmunoassay for human luteinizing hormone.

Metabolism 15, 287.

Odell, W.D., Ross, G.T. and Rayford, P.L. (1967).

Radioimmunoassay for LH in human plasma or

serum physiological studies. J. Clin. Invest.

46, 248.

Parlow, A.F. (1958). A rapid bioassay method for LH and

factors stimulating LH secretion. Fed. Proc.

17, 402.

Rizkallah, T., Taymor, M.L., Park, M. and Batt, R.

(1965). An immunoassay method for HLH of

pituitary origin. J. Clin. Endocrinol. Metab.

25, 943.

Ross, G.T., Odell, W.D. and Rayford, P.L. (1967).

LH activity in plasma during the menstrual cycle. *Science* 155, 1679.

Said, S.A.H. and Wide, L. (1973). Serum levels of FSH and LH following normal parturition.

Acta Obstet. Gynec. Scand. 52, 361.

Sand, T. and Torjesen, P.A. (1973). Dextran-coated charcoal used in the radioimmunoassay of human pituitary LH. *Acta Endocrinol.* 73, 444.

Saxena, B.B., Demura, H.M. and Peterson, R.E. (1968). Radioimmunoassay of human FSH and LH in plasma. *J. Clin. Endocrinol. Metab.* 28, 519.

Stevens, V.C. (1969). Comparison of FSH and LH patterns in plasma, urine and urinary extracts during the menstrual cycle. *J. Clin. Endocrinol. Metab.* 29, 904.

Taymor, M.L. (1959). Timing of ovulation by LH assay. *Fertil. and Steril.* 10, 212.

Thomas, K. and Ferin, J. (1968). A new rapid radioimmunoassay for HCG (LH, ICSH) in plasma using dioxan. *J. Clin. Endocrinol. Metab.* 28, 1667.

Tomoda, Y. and Hreshchyshyn, M.M. (1968). Radioimmunoassay for human chorionic gonadotropin. *Amer. J. Obstet. Gynecol.* 100, 118.

- Trenkle, A., Moudgal, N.R., Sadri, K.K. and Li, C.H. (1961). Complement-fixing antibodies to human growth hormone and sheep interstitial cell stimulating hormone. *Nature (London)* 192, 260.
- Watanabe, A. and McCann, S.M. (1968). Localization of FSH - releasing factor in the hypothalamus and neurohypophysis as determined by in vitro assay. *Endocrinology* 82, 664.
- Wide, L. and Gemzell, C. (1962). Immunological determination of pituitary luteinizing hormone in the urine of fertile and post - menopausal women and adult men. *Acta Endocr. (kh)* 39, 539.
- Wide, L. and Porath, P. (1966). Radioimmunoassay of proteins with the use of sephadex-coupled antibodies. *Biochim Biophys. Acta* 130, 257.
- Wide, L., Roos, P. and Gemzell, C. (1961). Immunological determination of human pituitary luteinizing hormone. *Acta Endocrinol.* 37, 445.
- Wiele, R.L.V., Bogumil, J., Dyrenfurth, I., Ferin, M.F., Jewelewicz, R., Warren, M., Rizkallah, T. and Mikhaiil, G. (1970). Mechanisms regulating the menstrual cycle in women. *Recent Prog. Hormone Res.* 26, 63.
- Wilde, C.E., Orr, A.H. and Bagshawe, K.D. (1965). A radioimmunoassay for human chorionic gonadotrophin. *Nature* 205, 191.

Wilde, C.E., Orr, A.H. and Bagshawe, K.D. (1967).

A sensitive radioimmunoassay for human chorionic
gonadotrophin and luteinizing hormone. *J. Endocr.*

37, 23.

Wilson, P.M. and Hunter, W.M. (1966). Development of
a radioimmunoassay for human luteinizing hormone
(LH). *J. Endocr.* 35, i.

Yussman, M.A. and Taymor, M.L. (1970). Serum levels
of FSH and LH and of plasma progesterone related
to ovulation by corpus luteum biopsy. *J. Clin.*
Endocrinol. Metab. 30, 396.

ประวัติการศึกษา

ประวัติการศึกษาของผู้เขียนวิทยานิพนธ์



ชื่อ นางสาวรัตนา สินธุภัก

วุฒิการศึกษา ปริญญาการศึกษามัธยม วิทยาลัยวิชาการศึกษาปะสานมิตร
ปีการศึกษา 2512

สถานที่ทำงาน โครงการร่วมระหว่างภูมิภาคเกี่ยวกับอุปกรณ์การคุ้มกำเนิดของ
องค์กรอนามัยโลก แผนกสูติศาสตร์-นรีเวชวิทยา
คณะแพทยศาสตร์ โรงพยาบาลจุฬาลงกรณ์

Vita

Miss Ratana Sindhuphak , B.Ed. (College of Education)

WHO Research Team, Chulalongkorn Hospital .