

## REFERENCES

- Andrews, J.W. and R.R. Stickney 1972 Interaction of feeding rate and environmental temperature on growth, food conversion and body composition of channel catfish. Trans. Am. Fish. Soc. 101(1) : 94-99.
- Anonymous 1971 Thermal effects and U.S. nuclear power station. Division of reactor development and technology. U.S. atomic energy commission. WASH - 1169, 40 p.
- Arkin, H. and R.R. Colton 1970 Tables for statisticians. Barnes & Noble, Inc., New York, U.S.A., 168 p.
- Baldwin, N.S. 1956 Food consumption and growth of brook trout at different temperatures. Trans. Am. Fish. Soc. 86 : 323-328.
- Brett, J.R. 1952 Temperature tolerance in young pacific salmon genus. Oncorhynchus. J. Fish. Res. Bd. Can. 9:265-323.
- 1956 Some principles in thermal requirements of fishes. Quart. Rev. Bio. 31(2) : 75-87.
- , M. Holland and D.F. Alderdice 1958 The effect of temperature on the cruising speed of young sockeye and cohosalmon. J. Fish. Res. Bd. Can. 15(4) : 587-605.
- 1960 Thermal requirements of fish. Three decades of study, 1940-1970. Biological problem in water pollution 1959. Seminar, Trans, PMS Tech. Rep. W. 60-3 : 110-117.

- , J.E. Shelbourn and C.T. Shoop 1969 Growth rate and body composition of fingerling sockeye salmon, Oncorhynchus nerka, in relation to temperature and ration size. J. Fish. Res. Bd. Can. 26(90):2363-2394.
- and D.A. Higgs 1970 Effect of temperature on the rate of gastric digestion in fingerling sockeye salmon, Oncorhynchus nerka, J. Fish, Res. Bd. Can. 27 (10) : 1767-1779.
- Brown, M.E. 1946 The growth of brown trout; Salmo trutta, Linn. I Factors influencing the growth of trout fry. J. Exp. Biol. 22(1) : 118-129.
- Cherry, D.K., K.L. Dickson and J. Cairns, Jr. 1975 Temperature selection and avoided by fish at various acclimation temperature. J. Fish. Res. Bd. Can. 32(4) : 485-491.
- Cocking, A.W. 1959 The effect of high temperatures on roach, Rutilus rutilus. I The effect of constant high temperatures. J. Exp. Biol. 36(1) : 203-216.
- Cooper, E.L. 1953 Periodicity of growth and change of condition of brook trout, Salvelinus fontinalis in three Michigan streams. Copeia, 1953(2) 107-114.
- Davison, R.C., W.P. Breese, C.E. Warren and P. Daudoroff. 1959 Experiments on the dissolved oxygen requirements of cold water fishes. Sewage Indust. Wastes. 31:950-966.

- Donalson, L.R. and F.J. Foster 1941 Experimental study of the effect of various water temperatures on the growth, food utilization and mortality rate of fingerling sockeye salmon. Trans Am. Fish Soc. 70:339-346.
- Edwards, R.R., J.H.S. Blaxter, U.K. Gopalan, C.V. Mathew and D.M. Findayson. 1971 Feeding, metabolism and growth of tropical flatfish. J. Exp. Mar. Biol. Ecol. 6:279-300.
- Ehrlick, K.F. and D.A. Farris 1972 Some influences of temperature on the rearing of the grunion, Leuresthes tenuis and atherin fish. Mar. Biol. 12 : 267-271
- Fisher, K.C. 1957 An approach to organ and cellular physiology of adaptation to temperature in fish and small mammals. In Physiological Adaptation (Edited by Professor, C.L.) 3-49, Am Physiol. Soc. Washington.
- Frey, F.E.J. 1947 Effects of environment on animal activity. Univ. Toronto Stud. Biol. 68:1-62
- Gibson, M.B. and B. Hirst 1955 The effect of salinity and temperature on the pre-adult growth of guppies. Copeia 1955(3) : 241-243.
- Jones, J.R.E. 1973 Fish and river pollution. Butterworths. London. p. 153-168.
- Kinne, O. 1960 Growth, food intake and food conversion in a euryplastic fish exposed to different temperatures and salinities. Physiol. Zool. 33 : 288-317.

- Kramer, Robert H. and L.L. Smith, Jr. 1960 First-year growth of the largemouth bass, Micropterus salmoides (Lacepede), and some related ecological factors. Trans. Am. Fish Soc. 89(3) : 222-233.
- Mackey, W. 1971 Effects of temperature on osmotic and ionic regulation in goldfish. Ph.D. Thesis Case Western Reserve University 169 p.
- Magnuson, J.J. 1969 Digestion and food consumption by skipjack tuna Katsuwonus pelamis, Trans. Am. Fish Soc. 98:379-392.
- McCauley, R.W. and T.S. Tait 1970 Preferred temperature of yearling lake trout Salvelinus namaycush. J. Fish Res. Bd. Can. 27 : 1729-1733.
- McCormick, J.H., K.E.F. Hokanson and B.R. Jones 1972 Effect of temperature on growth and survival of young brook trout, Salvelinus fontinalis. J. Fish Res. Bd. Can. 29(8) : 1107-1112.
- Mendenhall, W. 1962 Introduction to probability and statistics. Second Edition, Wadsworth Publishing Company, Inc., Belmont, California.
- Menasveta, P. 1972 The acclimation to varying temperature regimens of coho salmon fry and fingerlings, Oncorhynchus kisutch. M.S. Thesis University of Washington. 144 p.
- Onchi Kazuomi 1969 Effect of water temperature on the scale growth and width of ridge distance in gold fish. Bull. Jap. Soc. Sci. Fish. 35(1) : 25-31.

- Pessah, E. and P.M. Fowler 1974 Effect of constant temperature on growth rates of pumpkinseed sunfish, Lepomis gibbosus. J. Fish Res. Bd. Can. 31(10) :1678-1682.
- Pritchard, Austin 1955 Oxygen requirements of some Hawaiian tuna, baitfish. Spec. Sci. Rep. Fish. No. 146, 30 p.
- Rajagopal, P.K. and R.H. Kramer 1974 Respiratory metabolism of utah chub, Gila atraria (Girard) and speckle dace Rhinichthys osculus (Gerard). J. Fish Biol. 6 : 215-222.
- Rose, D.J. 1974 Nuclear electric power. Science. 184 : 351-359.
- Savitz, Jan. 1969 Effect of temperature and body weight on endogenous nitrogen excretion in the bluegill sunfish, Lepomis macrochirus. J. Fish Res. Bd. Can. 26(7) : 1813-1821.
- Shelbourn, J.E., J.R. Brett and S. Shirahata 1973 Effect of temperature and feeding regime on the specific growth rate of sockeye salmon fry, Oncorhynchus nerka, with a consideration of size effect. J. Fish Res. Bd. Can. 30(8) : 1191-1194.
- Snedecor, G.W. and W.G. Corhran 1967 Statistical methods, U.S.A., Iowa State University Press. 593 p.
- Strawn, K. 1961 Growth of largemouth bass fry at various temperature. Trans. Am. Fish Soc. 90(3):334-335.

- Sylvester, J.R. 1973 A note on the upper lethal temperature of juvenile Haemulon flavolineatum from the Virgin Island. J. Fish Biol. 5:305-307.
- 1974 Thermal response of juvenile Hawaiian mullet, Mugil Cephalus L. to acclimation time and fluctuation low temperature. J. Fish. Biol. 6 : 791-796.
- Teinsongrusmee, B. 1965 The effect of temperature on growth of post larval pink shrimp. Penaeus duorum (Burkenroad). M.S. Thesis University of Miami. 66 p.
- 1976 Aspects of osmoregulation in the common prawn, Palaemon serratus (Pennant, 1777). Ph.D. Thesis The University of Southampton. 246 p.
- West, B.W. 1966 Growth rates at various temperature of the orange-throat darter, Etheostoma spectabilis. Ark. Acad. Sci. Proc. 20 : 50-53.
- Winslade, P. 1974 Behavioural studies on the lesser sandeel Ammodytes marinus (Raitt), III The effect of temperature on activity and environmental control of the annual cycle of activity. J. Fish. Biol. 6 : 587-599.

APPENDIX

Original data of mullet (Mugil dussumieri, Val.)

Temperature 23.0°C

<u>19 July 76</u>	<u>26 July 76</u>	<u>2 Aug 76</u>	<u>9 Aug 76</u>	<u>16 Aug 76</u>
6.60	22/7/76			
6.80	6.90	6.95	7.00	7.00
7.00	7.00	7.05	7.05	7.10
7.10	7.10	7.10	7.10	7.10
7.10	7.10	7.15	5/8/76	
7.10	7.10	7.15	7.20	7.20
7.20	7.20	7.30	7.30	12/8/76
7.30	7.30	7.30	7.35	7.40
7.30	7.30	7.35	7.40	7.40
7.40	7.40	7.45	3/8/76	
7.40	7.40	7.45	7.45	7.45
7.40	7.40	7.45	7.45	7.50
7.50	7.50	7.50	7.55	7.55
7.55	7.55	27/7/76		
7.50	7.50	7.55	7.55	7.60
7.70	7.70	7.70	7.70	7.70
7.70	7.70	7.70	7.70	7.70
7.70	7.70	7.75	7.80	7.80
7.80	7.80	7.80	7.85	7.85
7.80	7.80	7.85	7.90	7.95
7.80	7.80	7.90	7.90	7.95
7.90	7.90	7.95	7.95	7.95
7.90	7.90	7.95	7.95	8.00
7.90	7.90	7.95	6/8/76	
8.00	8.00	8.00	8.00	8.00
8.00	8.00	29/7/76		
8.10	8.10	8.15	8.20	8.20
8.20	8.20	8.25	8.30	8.30
8.30	8.30	8.30	8.30	8.35
8.30	8.30	8.40	8.40	8.45
8.40	20/7/76			
8.70	8.75	8.75	8.80	8.80
8.70	8.75	8.75	8.80	8.80
8.70	24/7/76			
8.70	8.80	8.80	4/8/76	
8.80	8.80	8.80	8.80	8.85
8.80	8.80	30/7/76		
8.80	8.80	8.85	8.85	8.85
8.90	8.90	8.95	3/8/76	
8.90	8.90	8.95	9.00	9.00
9.20	9.20	9.30	8/8/76	
9.30	9.30	9.30	9.35	10/8/76
9.30	9.30	9.35	9.35	9.40
9.60	9.60	27/7/76		
9.80	9.80	9.85	9.85	9.85
9.80	9.80	9.85	9.85	9.90
9.90	9.90	9.90	9.90	9.90
9.90	9.90	9.95	9.95	10.00
10.10	10.10	10.10	10.10	10.10
10.20	10.20	10.20	10.20	10.20



Original data of mullet (Mugil dussumieri Val.)Temperature  $28.0 \pm 0.2^{\circ}\text{C}$ 

<u>19 July 76</u>	<u>26 July 76</u>	<u>2 Aug. 76</u>	<u>9 Aug. 76</u>	<u>16 Aug. 76</u>
6.90	6.95	7.00	7.05	7.10
7.05	7.10	7.15	7.20	7.25
7.05	7.10	7.15	7.20	7.25
7.20	7.25	7.30	7.35	7.35
7.25	7.30	7.35	7.40	15/8/76
7.40	23/7/76			
7.45	7.50	7.55	7.55	7.60
7.60	7.70	1/8/76		
7.65	7.70	7.70	7.80	7.80
7.65	7.70	29/7/76		
7.70	7.80	7.80	6/8/76	
7.75	7.80	7.80	7.85	7.85
7.75	7.80	7.85	7.90	7.90
7.85	7.90	7.95	8.00	8.05
8.00	8.00	8.05	3/8/76	
8.00	8.00	8.05	8.05	8.10
8.00	8.10	27/7/76		
8.00	8.10	8.15	8.15	8.20
8.00	8.10	8.15	8.15	8.20
8.10	8.15	8.25	8.30	8.30
8.20	8.20	8.30	8/8/76	
8.20	8.20	8.30	5/8/76	
8.20	8.25	8.30	8.30	8.35
8.25	8.25	8.30	8.30	8.35
8.30	20/7/76			
8.30	25/7/76			
8.30	8.30	8.30	4/8/76	
8.40	8.40	1/8/76		
8.50	8.50	8.55	4/8/76	
8.50	8.50	8.55	8.55	8.60
8.60	8.60	30/7/76		
8.60	8.60	8.70	8.75	15/8/76
8.70	8.70	8.80	8/8/76	
9.00	9.05	9.10	9.15	9.15
9.10	21/7/76			
9.20	9.30	9.35	9.40	9.45
9.20	9.30	9.45	9.50	9.50
9.40	22/7/76			
9.40	9.50	9.55	9.55	9.60
9.40	9.50	9.60	5/8/76	
9.60	9.60	9.65	9.70	9.70
9.60	9.70	9.70	9.75	9.75
9.70	9.70	31/7/76		
9.80	9.80	9.85	6/8/76	
9.80	9.80	9.85	9.95	9.95
9.80	9.90	29/7/76		
9.80	9.90	10.00	10.05	10.10
10.10	10.10	10.15	10.15	10.20
10.30	10.40	10.50	10.55	10.55
10.50	10.60	10.70	10.80	10.80

Original data of mullet (Mugil dussumieri Val.)Temperature  $33.0 \pm 0.2^{\circ}\text{C}$ 

<u>19 July 76</u>	<u>26 July 76</u>	<u>2 Aug.76</u>	<u>9 Aug.76</u>	<u>16 Aug.76</u>
6.60	6.65	6.70 7/8/76		
6.70	6.80	6.90 7/8/76		
6.70	6.80	6.90	7.00	7.05
6.95	7.05	28/7/76		
7.00	7.05	7.10 4/8/76		
7.15	7.20	7.25	7.30	12/8/76
7.35	20/7/76			
7.40	7.45	30/7/76		
7.40	7.50	7.50	7.55	7.60
7.50	7.55	7.55	7.60	7.65
7.50	7.60	7.60	7.65	7.70
7.50	7.60	7.65	7.70	7.75
7.55	24/7/76			
7.70	7.70	7.75 6/8/76		
7.70	7.80	7.80	7.80	7.85
7.80	7.80	7.80 8/8/76		
7.80	7.80	7.80	7.85	7.90
7.80	7.80	1/8/76		
7.80	7.80	7.85	7.90	7.95
7.80	7.90	7.95 5/8/76		
7.85	25/7/76			
7.90	7.95	7.95	8.00	8.05
7.90	7.95	8.00 8/8/76		
7.90	8.00	8.00 7/8/76		
8.00	8.00	8.00	8.05	8.10
8.00	8.00	8.00	8.05	8.10
8.00	8.10	8.10 3/8/76		
8.05	21/7/76			
8.20	25/7/76			
8.30	8.40	8.50 4/8/76		
8.30	8.40	8.50	8.60	8.65
8.30	8.40	8.50	8.60	8.70
8.30	8.60	8.70	8.70	8.70
8.60	8.75	27/7/76		
8.70	8.75	8.80 6/8/76		
8.70	23/7/76			
8.90	9.05	9.10 3/8/76		
9.00	9.05	9.10 3/8/76		
9.00	9.10	9.15	9.15	9.20
9.10	9.10	9.15	9.25	14/8/76
9.10	22/7/76			
9.15	25/7/76			
9.30	9.30	9.35 5/8/76		
9.40	9.40	9.55	9.55	9.60
9.40	9.40	9.55 8/8/76		
9.50	21/7/76			
9.50	9.55	29/7/76		
10.20	10.20	10.20 4/8/76		
10.40	10.40	10.40	10.40	10.40
10.50	10.50	10.50	10.50	10.50



Original data of seabass (Lates calcarifer (Bloch.))

Temperature 23.0°C

<u>1 Dec 76</u>	<u>14 Dec 76</u>	<u>28 Dec 76</u>	<u>11 Jan 77</u>	<u>25 Jan 77</u>
1.60	1.90	2.35	2.85	3.00
1.70	2.05	2.40	2.90	3.05
1.80	2.15	2.40	2.95	3.05
1.85	2.15	2.50	2.95	21/1/77
2.00	2.30	2.60	30/12/76	
2.05	2.40	2.65	3.00	3.10
2.05	2.40	2.75	1/1/77	
2.10	2.45	2.75	3.00	3.20
2.15	2.45	2.75	3.10	3.20
2.15	2.50	2.75	3.10	3.30
2.20	2.50	16/12/76		
2.20	2.50	2.85	3.15	3.30
2.20	2.55	26/12/76		
2.20	2.55	19/12/76		
2.20	2.55	2.85	3.15	22/1/77
2.20	2.55	2.85	3.15	3.30
2.25	2.55	2.90	3/1/77	
2.25	2.60	2.90	3.20	3.30
2.25	2.65	2.90	3.20	3.35
2.25	2.65	19/12/76		
2.30	2.65	2.95	3.20	3.40
2.30	2.70	2.95	3.20	3.40
2.30	2.70	2.95	3.20	3.50
2.35	2.70	2.95	3.20	3.50
2.35	2.70	2.95	3.30	3.55
2.35	2.70	16/12/76		
2.35	2.70	3.00	3.35	3.55
2.35	2.75	3.10	3.35	3.55
2.35	2.75	3.10	3.35	3.60
2.40	2.80	3.10	3.35	3.60
2.40	2.80	3.10	3.40	3.65
2.40	2.80	3.15	3.40	3.70
2.50	2.85	3.15	3.40	3.75
2.55	2.90	3.15	3.45	3.75
2.55	2.90	3.20	3.50	3.75
2.55	2.90	3.20	3.50	3.80
2.70	3.00	3.25	3.60	3.85
2.70	3.00	3.30	3.70	3.85
2.70	3.05	3.35	3.70	3.90
2.70	3.05	3.45	3.70	4.00
2.90	3.20	3.50	3.70	4.00
2.90	3.30	3.65	3.90	4.05
2.95	3.45	3.75	4.10	4.25
3.15	3.55	4.00	4.35	4.65
3.30	3.60	4.00	4.85	
3.45	3.75	4.20	4.85	5.10

Original data of seabass (Lates calcarifer (Bloch.))Temperature  $28.0 \pm 0.2^\circ\text{C}$ 

<u>1 Dec 76</u>	<u>14 Dec 76</u>	<u>28 Dec 76</u>	<u>11 Jan 77</u>	<u>25 Jan 77</u>
1.45	2.05	2.40	1/1/77	
1.60	2.20	2.45	2/1/77	
1.60	2.25	2.50	8/1/77	
1.65	2.25	2.65	2.90	3.55
1.65	2.30	2.70	2.95	3.65
1.75	2.35	2.70	5/1/77	
1.75	2.35	2.75	1/1/77	
1.80	2.40	16/12/76		
1.90	2.45	2.80	9/1/77	
1.90	2.45	2.80	6/1/77	
1.95	2.55	2.90	2/1/77	
1.95	2.55	3.05	6/1/77	
2.00	2.55	3.10	1/1/77	
2.00	2.60	3.15	3.50	4.15
2.00	2.60	3.20	30/12/76	
2.05	2.60	18/12/76		
2.05	2.70	23/12/76		
2.10	2.70	3.20	30/12/76	
2.10	2.75	25/12/76		
2.10	2.75	3.20	3.55	4.15
2.15	2.75	3.25	3.60	4.25
2.15	2.75	3.30	3.75	4.40
2.20	2.80	20/12/76		
2.25	2.80	3.40	29/12/76	
2.25	2.85	3.45	3.80	4.45
2.25	2.85	3.60	6/1/77	
2.30	2.85	3.60	29/12/76	
2.30	2.85	3.60	3.90	4.50
2.35	2.95	3.60	3.95	4.55
2.35	2.95	3.60	4.15	19/1/77
2.40	2.95	3.60	10/1/77	
2.40	2.95	3.75	4.20	4.65
2.45	3.00	3.75	4.20	4.65
2.45	3.05	3.80	4.20	4.80
2.50	3.05	3.80	4.25	4.85
2.60	3.20	3.95	4.40	13/1/77
2.60	3.20	25/12/76		
2.60	3.20	4.00	4.40	4.85
2.65	3.20	19/12/76		
2.65	3.25	4.05	4.55	4.95
2.65	3.30	4.20	4.55	5.00
2.70	3.30	4.25	4.90	5.25
2.70	3.35	4.35	6/1/77	
2.85	3.55	4.50	5/1/77	

Original data of seabass (Lates calcarifer (Bloch.))Temperature  $33.0 \pm 0.2^{\circ}\text{C}$ 

<u>1 Dec 76</u>	<u>14 Dec 76</u>	<u>28 Dec 76</u>	<u>11 Jan 77</u>	<u>25 Jan 77</u>
1.45	2.00	18/12/76		
1.45	2.00	2.60		
1.60	2.20	3.00	1/1/77	
1.65	2.25	3.00	2/1/77	
1.70	2.45	3.00	3/1/77	
1.70	2.45	20/12/76		
1.75	2.45	3.10	3.55	14/1/77
1.80	2.50	3.15	6/1/76	
1.80	2.50	3.20	3.60	18/1/77
1.85	2.65	3.20	5/1/77	
1.90	2.75	3.30	3/1/77	
1.90	2.75	3.40	5/1/77	
1.95	2.75	3.50	6/1/77	
2.10	2.80	15/12/76		
2.10	2.80	3.50	3.75	18/1/77
2.10	2.80	16/12/76		
2.15	2.80	3.60	4.00	19/1/77
2.15	2.85	3.65	4.10	3.95
2.15	2.85	3.65	4.15	14/1/77
2.50	3.00	3.65	4.20	22/1/77
2.50	3.00	3.70	4.20	4.30
2.50	3.00	3.80	10/1/77	
2.55	3.00	18/12/76		
2.55	3.05	3.85	4.20	4.35
2.55	3.05	17/12/76		
2.60	3.05	3.85	4.25	4.60
2.65	3.15	19/12/76		
2.75	3.15	3.85	7/1/77	
2.75	3.15	4.00	4.30	15/1/77
2.85	3.20	4.00	4.30	13/1/77
2.85	3.20	4.00	4.50	4.75
2.90	3.30	4.10	4.50	9/1/77
2.90	3.30	18/12/76		
2.90	3.30	4.15	7/1/77	
2.90	3.35	4.15	4.60	4.80
2.90	3.40	4.20	4.60	4.80
2.95	3.45	16/12/76		
2.95	3.45	4.25	4.65	4.85
2.95	3.55	4.30	8/1/77	
3.00	3.55	4.35	1/1/77	
3.00	3.65	4.60	2/1/77	
3.05	3.70	4.60	4.85	5.00
3.20	3.80	4.65	4.85	5.05
3.20	3.85	4.70	5.00	5.45
3.50	3.90	4.95	5.20	5.45
3.50	3.90	5.00	1/1/77	
3.55	3.95	5.05	5.25	5.60
3.60	4.00	5.05	5.35	5.70
3.90	4.35	5.20	10/1/77	
4.00	4.40	5.25	5.60	5.90

Original data of spinefoot (Siganus virgatus Cuv. & Val.)

Temperature 23.0°C

<u>13 Jan 77</u>	<u>20 Jan 77</u>	<u>27 Jan 77</u>	<u>3 Feb 77</u>	<u>10 Feb 77</u>
2.60	2.90	2.95	29/1/77	
2.65	2.95	3.10	3.20	3.25
2.70	3.00	3.10	3.20	3.35
2.75	3.05	3.10	3.35	3.45
2.80	3.05	3.25	3.35	3.50
2.85	3.10	3.35	3.40	3.50
2.85	3.10	3.35	3.50	3.60
2.90	3.15	3.40	3.50	3.70
2.95	3.15	3.40	3.55	3.70
2.95	3.20	3.40	3.60	3.70
2.95	3.20	3.45	3.60	3.70
2.95	3.20	3.45	3.60	3.70
2.95	3.20	3.50	3.60	3.80
2.95	3.20	3.50	3.65	3.80
2.95	3.20	3.55	3.65	3.85
3.00	3.20	3.55	3.70	3.85
3.00	3.25	3.55	3.75	3.85
3.00	3.25	3.55	3.75	3.90
3.00	3.30	3.55	3.75	3.90
3.00	3.30	3.55	3.75	3.90
3.05	3.30	3.55	3.80	3.95
3.05	3.30	3.60	3.80	3.95
3.05	3.30	3.60	3.85	3.95
3.10	3.30	3.60	3.85	3.95
3.10	3.30	3.60	3.85	3.95
3.10	3.30	3.60	3.85	4.00
3.10	3.35	3.60	3.85	4.00
3.10	3.35	3.60	3.90	4.00
3.10	3.35	3.65	3.90	4.00
3.10	3.35	3.65	3.90	4.00
3.10	3.35	3.65	3.90	4.05
3.10	3.35	3.65	3.90	4.05
3.10	3.40	3.65	3.90	4.05
3.10	3.40	3.65	3.90	4.05
3.15	3.40	3.65	3.90	4.10
3.15	3.40	3.70	3.95	4.10
3.15	3.40	3.70	3.95	4.10
3.15	3.45	3.70	3.95	4.10
3.15	3.45	3.70	3.95	4.10
3.20	3.45	3.70	3.95	4.10
3.20	3.45	3.75	3.95	4.10
3.20	3.45	3.75	3.95	4.15
3.20	3.50	3.75	3.95	4.15
3.20	3.50	3.75	3.95	4.20
3.25	3.50	3.75	4.00	4.20
3.25	3.50	3.75	4.00	4.20
3.25	3.50	3.80	4.00	4.20
3.25	3.50	3.80	4.05	4.20
3.25	3.50	3.80	4.05	4.20

Continue

<u>13 Jan 77</u>	<u>20 Jan 77</u>	<u>27 Jan 77</u>	<u>3 Feb 77</u>	<u>10 Feb 77</u>
3.25	3.50	3.80	4.05	4.20
3.30	3.50	3.80	4.10	4.20
3.30	3.50	3.80	4.10	4.25
3.30	3.50	3.85	4.10	4.25
3.30	3.55	3.85	4.10	4.25
3.30	3.55	3.85	4.15	4.25
3.30	3.60	3.85	4.15	4.30
3.30	3.60	3.85	4.15	4.30
3.35	3.60	3.85	4.15	4.30
3.35	3.60	3.85	4.15	4.30
3.35	3.60	3.90	4.20	4.30
3.35	3.60	3.90	4.20	4.35
3.35	3.65	3.95	4.25	4.35
3.35	3.65	3.95	4.25	4.40
3.45	3.65	4.00	4.30	4.40
3.45	3.70	4.00	4.35	4.45
3.50	3.75	4.00	4.40	4.55
3.50	3.75	4.05	4.45	4.55
3.55	3.90	4.10	4.50	4.85

Original data of spinefoot (Siganus virgatus Cuv. & Val.)Temperature  $28.0 \pm 0.2^{\circ}\text{C}$ 

<u>13 Jan 77</u>	<u>20 Jan 77</u>	<u>27 Jan 77</u>	<u>3 Feb 77</u>	<u>10 Feb 77</u>
2.00	2.25	2.65	2.80	2.90
2.25	2.50	2.70	2.85	2.90
2.30	2.60	2.75	2.90	3.00
2.40	2.65	2.75	3.00	3.05
2.45	2.70	2.80	3.00	3.10
2.50	2.80	2.85	3.10	3.15
2.55	2.85	2.90	3.10	3.15
2.60	2.85	3.05	3.15	3.15
2.65	2.90	3.10	3.20	3.20
2.75	2.90	3.10	3.25	3.30
2.75	3.00	3.15	3.30	3.30
2.75	3.00	3.20	3.30	3.35
2.75	3.00	3.20	3.35	3.35
2.75	3.05	3.20	3.40	3.40
2.75	3.05	3.20	3.40	3.40
2.80	3.05	3.20	3.45	3.45
2.80	3.05	3.30	3.45	3.50
2.80	3.10	3.30	3.45	3.60
2.80	3.10	3.30	3.45	3.65
2.80	3.10	3.35	3.50	3.70
2.85	3.10	3.35	3.50	3.70
2.85	3.10	3.35	3.50	3.70
2.85	3.10	3.35	3.55	6/2/77
2.85	3.15	3.40	3.60	3.70
2.85	3.15	3.40	3.60	3.70
2.90	3.15	3.40	3.60	3.70
2.90	3.20	3.40	3.60	3.75
2.95	3.20	3.40	3.65	3.75
2.95	3.20	3.45	3.65	3.80
2.95	3.20	3.45	3.65	3.80
2.95	3.20	3.45	3.70	3.80
2.95	3.20	3.45	3.70	3.80
2.95	3.20	3.45	3.70	3.80
2.95	3.25	3.50	3.70	3.90
2.95	3.25	3.50	3.75	3.90
3.00	3.25	3.50	3.75	3.90
3.00	3.25	3.50	3.75	3.90
3.00	3.25	3.50	3.75	3.95
3.00	3.25	3.50	3.75	4.00
3.05	3.30	3.50	3.75	4.00
3.05	3.30	3.50	3.80	4.00
3.05	3.30	3.50	3.80	4.00
3.05	3.35	3.55	3.80	4.00
3.05	3.35	3.55	3.80	4.00
3.05	3.40	3.55	3.80	4.00
3.10	3.40	3.55	3.80	4.05
3.10	3.40	3.55	3.85	4.05
3.10	3.40	3.60	3.85	4.05
3.15	3.40	3.60	3.85	4.10
3.15	3.45	3.65	3.85	4.10
			3.90	4.10



Continue

<u>13 Jan 77</u>	<u>20 Jan 77</u>	<u>27 Jan 77</u>	<u>3 Feb 77</u>	<u>10 Feb 77</u>
3.15	3.45	3.65	3.90	4.15
3.15	3.45	3.65	3.90	4.20
3.15	3.45	3.65	3.90	4.30
3.20	3.45	3.65	3.90	4.30
3.20	3.45	3.70	3.95	4.30
3.20	3.45	3.70	3.95	4.30
3.25	3.50	3.70	3.95	4.40
3.25	3.50	3.70	4.00	4.40
3.25	3.50	3.70	4.00	4.45
3.25	3.50	3.70	4.00	4.50
3.25	3.55	3.75	4.05	4.55
3.25	3.55	3.80	4.10	4.55
3.30	3.55	3.80	4.10	4.55
3.30	3.60	3.85	4.10	4.60
3.35	3.60	3.85	4.20	4.60
3.35	3.60	3.85	4.20	4.70
3.40	3.60	4.00	4.25	4.80
3.40	3.70	4.00	4.30	5/2/77
3.40	3.70	4.05	4.30	5.05
3.40	3.70	4.05	4.35	8/2/77
3.45	3.70	4.10	4.55	5.10
3.50	3.75	4.15	4.55	5.10
3.50	3.75	4.35	4.60	4/2/77

Original data of spinefoot (Siganus virgatus Cuv. & Val.)Temperature  $33.0 \pm 0.2^{\circ}\text{C}$ 

<u>13 Jan 77</u>	<u>20 Jan 77</u>	<u>27 Jan 77</u>	<u>3 Feb 77</u>	<u>10 Feb 77</u>
2.30	2.75	3.25	30/1/77	
2.35	2.80	3.25	3.70	
2.45	2.90	3.30	1/2/77	*
2.45	2.90	3.30	3.85	
2.45	2.95	3.35	3.85	
2.50	3.00	3.35	3.85	
2.55	3.00	3.40	3.85	
2.55	3.00	3.40	3.90	
2.55	3.00	3.40	3.95	
2.60	3.05	3.45	4.00	
2.65	3.15	3.45	4.00	
2.70	3.15	3.60	29/1/77	
2.70	3.20	3.60	4.05	
2.75	3.20	3.60	4.10	
2.75	3.20	3.65	31/1/77	
2.75	3.20	3.65	4.10	
2.75	3.20	3.70	4.10	
2.75	3.20	3.70	4.10	
2.75	3.25	3.70	4.10	
2.75	3.25	3.70	4.15	
2.75	3.25	3.70	4.15	
2.80	3.25	3.70	4.15	
2.80	3.25	3.70	4.15	
2.80	3.30	3.70	4.15	
2.85	3.30	3.75	29/1/77	
2.85	3.30	3.75	4.20	
2.85	3.30	3.75	4.20	
2.85	3.30	3.75	4.20	
2.85	3.35	3.80	4.20	
2.85	3.35	3.80	4.25	
2.85	3.35	3.80	4.25	
2.90	3.35	3.80	4.25	
2.90	3.35	3.80	4.25	
2.90	3.35	3.80	4.25	
2.90	3.35	3.80	4.25	
2.90	3.40	3.85	28/1/77	
2.90	3.40	3.85	4.25	
2.90	3.40	3.85	4.25	
2.90	3.40	3.85	4.30	
2.95	3.40	3.85	4.30	
2.95	3.40	3.85	4.30	
2.95	3.40	3.90	4.30	
2.95	3.40	3.90	4.35	
2.95	3.45	3.90	4.35	
2.95	3.45	3.90	4.35	
2.95	3.45	3.90	4.35	
2.95	3.45	3.90	4.40	
3.00	3.45	3.90	4.40	
3.00	3.45	3.95	4.40	
3.00	3.45	3.95	4.45	



Continue

<u>13 Jan 77</u>	<u>20 Jan 77</u>	<u>27 Jan 77</u>	<u>3 Feb 77</u>	<u>10 Feb 77</u>
3.00	3.45	3.95	4.45	
3.00	3.50	4.00	4.45	*
3.00	3.50	4.00	4.45	
3.00	3.50	4.00	4.45	
3.05	3.50	4.00	4.50	
3.05	3.50	4.00	4.50	
3.05	3.50	4.05	2/2/77	
3.05	3.50	4.05	4.50	
3.05	3.50	4.05	4.50	
3.05	3.55	4.05	4.50	
3.10	3.55	4.05	4.55	
3.10	3.55	4.05	4.55	
3.10	3.60	4.05	4.60	
3.20	3.60	4.05	4.60	
3.20	3.65	4.05	4.60	
3.20	3.65	4.15	4.70	
3.20	3.65	4.15	4.70	
3.20	3.65	4.20	4.70	
3.25	3.65	4.30	4.75	
3.25	3.70	4.30	4.80	
3.50	3.90	4.45	5.05	

\* Thermostat had broken

VITA

NAME : Apichart Termvidhchakorn

EDUCATION :

Pre-university Level Suan Kularb Witayalai  
 University Level Department of Marine Science  
 Faculty of Fisheries  
 Kasetsart University

DEGREE OBTAINED : Bachelor of Science (Fisheries)

DATE : 1974

GRANT : EGAT