

ប្រចាំអាណាព្យាម

- Alford, F.P., Baker, H.W.G. and Berger, H.G. (1973). The secretion rate of human growth hormone; I. Daily secretion rates, effect of posture and sleep. *J. Clin. Endo. Metab.* 37: 515-520.
- Aynsley-Green, A. and Alberti, K.G.M.M. (1972). Serum insulin or plasma insulin. *Lancet* 1: 318.
- Bannerman, R.M.; Keusch, G., Birnbaum, M.K., Vance, V.K. and Vaughan, S. (1967). Thalassemia intermedia, with iron overload, cardiac failure, diabetes mellitus, hypopituitarism and porphyrinuria. *Am. J. Med.* 42: 476-486.
- Baumann, E.J. and Marine, D. (1932). Glycosuria in rabbit with anterior pituitary extract. *Proc. Soc. exp. Biol. Med.* 29: 1220
- Beck, J.C., McGarry, E.E., Dyrenfurth, I. and Venning, E.H. (1957). Metabolic effects of human and monkey growth hormone in man. *Science* 125: 884.
- Berson, S.A. and Yalow, R.S. (1964). In The Hormones. Vol. 4. p.557 Eds. Pincus, G., Thimann, K.V. and Astwood, E.B. New York Academic Press.
- Bewley, T.A., Dixom, J.S. and Li, C.H. (1972). Intl. J. Peptide Protein Res. Vol. 4. p. 281-287. Quoted from Dayhoff, M.O. (1973). Atlas of Protein Sequence and Structure. Vol. 5. Supp. 1, NBR Foundation p. 47.
- Biglieri, C.G., Watlington, C.O. and Forsham, P.H. (1961). Sodium retention with human growth hormone and its subfractions. *J. Clin. Endo. Metab.* 21: 361-370.
- Bolton, A.E., and Hunter, W.M. (1972). A new method for labelling protein hormones with radioiodine for use in the radioimmunoassay. *J. Endocrin.* 55: XXX. Abstract.
- Bolton, A.E. and Hunter, W.M. (1973). The labelling of proteins to high specific radioactivities by conjugation to a ^{125}I -containing acylation agent. *Biochem. J.* 133: 529-539.

- Brady, R.O. and Gurin, S. (1950). Biosynthesis of labelled fatty acid and cholesterol in experimental diabetes. *J. Biol. Chem.* 187: 589-596.
- Buckler, J.M. (1969). The effects of age, sex, and exercise on the secretion of growth hormone. *Clin. Sci.* 37: 765-774.
- Butt, W.R. (1972). The iodination of follicle stimulating and other hormones for radioimmunoassay. *J. Endocrin.* 55: 453-454.
- Campbell, J., Davidson, I.W.F., Snair, W.D. and Lee, H.P. (1950). Diabetogenic effect of purified growth hormone. *Endocrinology* 46: 273.
- Cavagnini, F., Perachi, M., Scotti, G., Raggi, U., Pontiroli, A.E. and Bana, R. (1972). Effect of L-Dopa administration on GH secretion in normal subjects and parkinsonian patients. *J. Endocrin.* 54: 425-433.
- Cerasi, E., Della, C.L., Luft, R. and Roovette, A. (1966). Determination of HGH in plasma by a double antibody radioimmunoassay. *Acta Endocrin. (Kbh)* 53: 101.
- Chaikoff, L.L. and Soskin, S. (1928). The utilization of acetoacetic acid by normal and diabetes dogs before and after evisceration.
- Butt, W.R. (1972). The iodination of follicle stimulating and other hormones for radioimmunoassay. *J. Physiol.* 217: 58-72.
- Conblath, M., Parker, M.L., Reisner, S.H., Forbes, A.E. and Daughaday, W.H. (1965). Secretion and metabolism of GH in premature and full-term infant. *J. Clin. Endo. Metab.* 25: 209-218.
- Cotes, P.M., Reid, E. and Young, F.G. (1949). Diabetogenic action of pure anterior pituitary growth hormone. *Nature (London)* 164: 209-221.
- Cavagnini, F., Perachi, M., Scotti, G., Raggi, U., Pontiroli, A.E. and Bana, R. (1972). Effect of L-Dopa administration on GH secretion in normal subjects and parkinsonian patients. *J. Endocrin.* 54: 425-433.

- Coy, D.H., Coy, E.J., Arimura, A. and Schally, A.V. (1973). Solid phase synthesis of (GHR) growth hormone release inhibiting factor. *Biochim. Biophys. Res. Comm.* 54 : 1267.
- Crawley, M.F., Garbien, K.J.T. and Rosser, A. (1973). HGH: A comparison of the results of plasma and serum assays using double-antibody technique. *Clin. Chem. Acta* 45 : 19-24.
- Dayhoff, M.O. (1974). Atlas protein sequence and structure Vol.5supp. 1
- De Groot, C.A. (1963). *Acta Endocrinology* 42 : 423.
- Deuben, R.R. and Meites, J. (1964). Stimulation of plasma growth hormone release by hypothalamic extract in vitro. *Endocrinology* 74 : 408.
- Dingemanse, E., Freud, J. and Uyldert, I.E. (1948). *Acta Endo.* 1 : 71
- Dominguez, J.M. and Pearson, O.H. (1962). Immunologic measurement of growth hormone in human sera. *J. Clin. Endo. Metab.* 22 : 865.
- Eddy, R.L., Gilliland, P.F., Ibarra, J.D. Jr., McMurry, J.F. Jr. and Thompson, J.Q. (1974). HGH release : Comparison of provocative provocative test procedures. *Am. J. Med.* 56 : 179-185.
- Ekins, R.P. and Newman, B. (1970). Karolinska Symposia on research Methods in Reproductive Endocrinology, p 11.2nd Ed., Symposium Steroid by Protein Binding, Diczfalusy, E. Editor, Stockholm.
- Evans, H.M. and Long, J.A. (1921). The effect of anterior lobe of the hypophysis administered intraperitoneally on growth, maturity and the estrous cycles of the rat. *Anat. Rec.* 21 : 62.
- Evans, H.M. and Simpson, M.E. (1931). Hormones of the anterior hypophysis. *Am.J. Physiol.* 98 : 511.

Evans, H.M., Meyer, K., Simpson, M.E. and Reichert, F.L. (1932).

Disturbance of carbohydrate metabolism in normal dogs injected with hypophyseal growth hormone. Proc. Soc. exp. Biol. Med. (N.Y.) 29: 857.

Evans, H.M., Simpson, M.E., Marx, W. and Kibrick, E. (1943). Bioassay

of pituitary growth hormone, width of proximal epiphyseal cartilage of tibia in hypophysectomized rats. Endocrinology 32: 13-16.

- Fessas, P. and Loukopoulos, D. (1974). The thalassemias. Clinics in Haematology 3: 411-436.
- Fitschen, W. (1964). A quantitative study of antigen-antibody combination during disc electrophoresis in acrylamide gel using iodine-131 labelled HGH. Immunology 7: 307.
- Frame, E.G. and Russell, J.A. (1964). The effect of insulin and anterior pituitary extract on the blood amino nitrogen in eviscerated rats. Endocrinology 59: 420-429.
- Frantz, A.G. and Rabkin, M.T. (1964). HGH: Clinical measurement, response to hypoglycemia and suppression by corticosteroids. New Eng. J. Med. 271: 1375-1381.
- Fraser, R., Opie, L.H. and Rabinowitz, D. (1962). J. Endocrin. 25: 299.
- Freud, J. and Levie, L.H. (1938). Arch. Intern. Pharmacodyn. 59: 232.
- Frohman, L.A., Aceto, T. Jr. and MacGuillivray, M.H. (1967). Studies of GH secretion in children: normal, hypopituitary and constitutionally delayed. J. Clin. Endo. Metab. 27: 1465-1471.
- Frohman, L.A., Maran, J.W. and Dhariwal, A.P.S. (1971). Plasma growth hormone response to intrapituitary injections of growth hormone releasing factor in the rat. Endocrinology 88: 1483-88.
- Furguson, K.A. and Boyden, S.V. (1953). Serological evidence of the antigenicity of ox anterior pituitary growth hormone in sheep. J. Endocrin. 9: 261.
- Gaebler, O.H. (1933). Some effects of anterior pituitary extract on nitrogen metabolism, water balance and energy metabolism. J. Exp. Med. 57: 349-363.

- Gangliardino, J.J., Bailey, J.D. and Martin, J.M. (1967). Effect of vasopressin on serum level of HGH. Lancet 1 : 1357.
- Glick, S.M., Roth, J., Yalow, R.S. and Berson, S.A. (1963). Immunoassay of human growth hormone in plasma. Nature(London) 199 : 784-787.
- Gordon, P., Hendricks, C.H. and Roth, J. (1973). Evidence for big and little compounds of human plasma and pituitary growth hormone. J. Clin. Endo. Metab. 36 : 178.
- Gray, C.H. and Bacharach, A.L. (1967). Hormone in Blood Vol 1 Academic Press : London.
- Greenbaum, A.L. (1953). Changes in body composition and respiratory quotient of adult female rats treated with purified growth hormone. Biochem J. 54 : 400-7.
- Greenspan, F.S., Li, C.H., Simpson, M.E. and Evans, H.M. (1950). In Hormone Assay. C.W. Emmens : ed. Newyork , Academic press p. 273.
- Greenspan, F.S., Cofell, J.A. Lew, W. and Peng, C.T. (1963). Assay of human growth hormone with ¹³¹I-labelled antibody. J. Lab. Clin. Med. 59 : 520-527.
- Greenwood, F.C., Hunter, W.M. and Glover, J.S. (1963). The preparation of ¹³¹I-labelled HGH of high specific radicactivity. Biochem. J. 89 : 114-123.
- Greenwood, F.C., Hunter, W.M. and Marian, V. (1964). Growth hormone levels in children and adolescents. Brit. Med. J. 1 : 25-26.
- Greenwood, F.C., Landon, J. and Stamp, T.C.B. (1966). The plasma sugar, free fatty acid(FFA), cortisol and growth hormone response to insulin. I. In control subjects. J. Clin. Invest. 45 : 429.
- Greenwood, F.C. and Landon, J. (1966). GH secretion in response to stress in man. Lancet 210 : 540-541.
- Greulich, W.W. and Pyle, S.I. (1959). Radiographic Atlas of Skeleton "Development of the hand and wrist ". 2nd Ed. Stanford University Press, Standford California.

- Hale, C.H. and Randle, P.J. (1963). Immunoassay of insulin-antibody precipitate. Biochem. J. 88: 137.
- Hartog, M., Gaafar, M.A., Meiseer, B. and Fraser, R. (1964). Immunoassay of serum growth hormone in acromegalic patients. Brit. Med. J. 2; 1229-1232.
- Hayashida, T. (1962). In Ciba Found. Colloq. Endo. Vol. 14. London, Churchill.
- Heidingsfelder, S.A. and Blackard, W.G. (1968). Adrenergic control mechanism of vasopressin-induced plasma growth hormone response. Metabolism. 17: 1019-24.
- Herbert, V., Lau, K.S., Glottlieb, C.W. and Bleicher, S.J. (1965). Coated charcoal immunoassay of insulin. J. Clin. Endo. Metab. 25: 1375-1384.
- Houssay, B.A. (1936). New Eng. J. Med. 214: 961-986.
- Hunter, W.M. and Greenwood, F.C. (1962a). Preparation of ¹³¹I-labelled human growth hormone of high specific activity. Nature 194: 495-496.
- Hunter, W.M. and Greenwood, F.C. (1962b). A radio-immuno-electrophoretic assay for human growth hormone. Biochem. J. 85: 39-40P.
- Hunter, W.M. and Greenwood, F.C. (1964). A radio-immuno-electrophoretic assay for human growth hormone. Biochem. J. 91: 43-56.
- Hunter, W.M., Friend, J.A.R. and Strong, J.A. (1966). The diurnal pattern of plasma growth hormone concentration in adults. J. Endocrin. 34: 139-146.
- Hunter, W.M. and Rigal, W.M. (1966). The diurnal pattern of plasma growth hormone concentration in children and adolescents. J. Endocrin. 34: 147.

Hunter, W.M. and Rigal, W.M. (1967). Screening test for GH deficiency in dwarfism. *Lancet* 1: 1271-1273.

Hunter, W.M. (1971). In Radiimmunoassay Methods. p. 3-23. Ed. by Kirkham, K.E. and Hunter, W.M. Churchill Livingstone, Edinburgh and London.

Hyvarinen, A. and Nikkila, E.A. (1962). Specific determination of blood glucose with O-toluidine. *Clin. Chem. Acta* 7: 140.

Ishida, T., Kuroshima, A., Bower, C.Y. and Schally, A.V. (1965). In vivo depletion of pituitary growth hormone by hypothalamic extracts. *Endocrinology* 77: 759-62.

Izzo, J.L., Bale, W.F., Izzo, M.J. and Roncone, A. (1964). High specific activity labelling of insulin with ¹³¹I. *J. Biol. Chem.* 239: 3743-8

Jackson, D., Grant, D.B. and Clayton, B.E. (1968). A simple oral test of GH secretion in children. *Lancet* 1: 373-375.

Josimovich, J.B. and MacLaren, J.A. (1962). Presence in the human placenta and term serum of a highly lactogenic substance immunologically related to pituitary GH. *Endocrinology* 71: 209

Kaplan, S.L. and Grumbach, M.M. (1964). Studies of a human and semian placental hormones with growth hormone-like and prolactin-like activities. *J. Clin. Endo. Metab.* 24: 80.

Kaplan, S.L., Abrams, C.A.L., Bell, J.J., Conte, F.A. and Grumbach, M.M. (1968). Growth and growth hormone I. Changes in serum level of human growth hormone following hypoglycemia in 134 children. *Pediat. Res.* 2: 43-46.

specific activity labelling of insulin with ¹³¹I. *J. Biol. Chem.* 239: 3743-8

- Kibrick, E.A., Becks, H., Marx, W. and Evans, H.M. (1941). Effects of different dose level of growth hormone on tibia of young hypophysectomized female rats. *Growth* 5: 347.
- Kostyo, J.L., Hotchkiss, J. and Knobil, E. (1959). Stimulation of amino acid transport in isolated diaphragm by growth hormone. *Science* 130: 1653.
- Krulich, L. and McCann, S.M. (1966). Influence of growth hormone on content of GH in the pituitaries of normal rats. *Proc. Soc. exp. Biol. Med.* 121: 1114.
- Krulich, L., Dharival, A.P.S. and McCann, S.M. (1968). Stimulatory and inhibitory effects of purified hypothalamic extracts on GH release from rat pituitary in vitro. *Endocrinology* 83: 783.
- Kuo, B., Zaino, E. and Roginski, M.S. (1968). Endocrine function in thalassemia major. *J. Clin. Endo. Metab.* 28: 805.
- Laron, Z., Pertzelan, A. and Mannheimer, S. (1966). Genetic pituitary dwarfism with high serum concentration of GH. A new inborn error of metabolism? *Israel J. Med. Sci.* 2: 152-155.
- Lau, K.S., Glotlieb, C.W. and Herbert, V. (1966). Preliminary report in coated charcoal immunoassay of human chorionic GH-prolactin and GH. *Proc. Soc. exp. Biol. Med.* 123: 126-131.
- Lee, M.O. and Schaffer, N.K. (1934). Anterior pituitary growth hormone and the composition of growth. *J. Nutr.* 7: 337-363.
- Lewis, J.J. and Brink, N.G. (1958). Crystalline human growth hormone. *Amer. Chem. Soc.* 80: 4429-4430.
- Li, C.H., Evans, H.M. and Simpson, M.E. (1945). Isolation and properties anterior pituitary growth hormone. *J. Biol. Chem.* 159: 353.

- Li, C.H. and Evans, H.M. (1948). The biochemistry of pituitary growth hormone. *Rec. Prog. Horm. Res.* 3: 3
- Li, C.H. (1953). Bioassay of GH. *Ciba Found. Colloq. Endo.* 5, 115
- Li, C.H. and Papkoff, H. (1956). Preparation and properties of growth hormone from human and monkey pituitary glands. *Science* 124; 1293-1294.
- Li, C.H., Papkoff, H., Fønss-Bech, P. and Condliffe, P.G. (1956). Action of chymotrypsin on hypophyseal growth hormone. *J. Biol. Chem.* 218: 41.
- Li, C.H., Papkoff, H. and Jordan, C.W. (1959). Differences in biological behavior between primates and beef or whale pituitary growth hormones. *Proc. Soc. exp. Biol. Med. (N.Y.)* 100: 44-45.
- Li, C.H., Moudgal, N.R. and Papkoff, H. (1960). Immunochemical investigations of human pituitary growth hormone. *J. Biol. Chem.* 235; 1038.
- Li, C.H. (1962). Preliminary investigations on the action of pepsin on human pituitary growth hormone. *J. gen. Physiol.* 45. Supp 1: 169-175.
- Li, C.H., Liu, W.K. and Dixon, J.S. (1962). Human pituitary growth hormone VI. Modified procedure of isolation and amino-terminal amino acid sequence. *Arch. Biochem. Biophys.* Supp 1: 327-332.
- Li, C.H. (1968). Current concepts in the chemical biology of pituitary hormones. In Perspectives Biol. Med. Vol. 11, p.496. Chicago, The University of Chicago Press.

- Li, C.H., Dixon, J.S. and Liu, W-K. (1969). Human pituitary growth hormone XIX. The primary structure of the hormone. Arch. Biochem. Biophys. 132: 70-91.
- Li, C.H. and Dixon, J.S. (1971). Human pituitary growth hormone XXXII. The primary structure of the hormone. Revision. Arch. Biochem. Biophys. 146: 233-236.
- Li, C.H. (1972a). In Pecile, A. and Muller, E.E. Eds. Growth and GH. Excerpta Medica (Amst.) p. 17.
- Li, C.H. (1972b). Clin. Orthop. 89: 123.
- Lyons, W.R., Li, C.H. and Johnson, R.E. (1961). Biologic activities of human hypophyseal mammotropin. Endocrine Society Meeting, N.Y.C. (Abstract).
- MacDonald, R.A. and Mallory, G.K. (1960). Haemochromatosis and haemosiderosis. Arch. Intern. Med. 105: 686.
- MacDonald, R.A. (1964). Haemochromatosis and haemosiderosis, Chap. 11 p. 167. Springfield, Ill. Charles C Thomas.
- Manchester, K.L. and Young, F.G. (1959). Hormones and prolactin biosynthesis in isolated rat diaphragm. J. Endocrin. 18: 381.
- Marchalonis, J.J. (1969). An enzymatic method for the trace-iodination of immunoglobulin's and other proteins. Biochem. J. 113: 299.
- Martini, L., Fraschini, F. and Mott, M. (1968). Neural control of anterior pituitary fractions. Rec. Prog. Horm. Res. 24: 439-496
- Marx, W., Simpson, M.E. and Evans, H.M. (1942). Bioassay of the growth hormone of the anterior pituitary. Endocrinology 30: 1.
- Merimee, T.J., Bergess, J.A. and Rabinowitz, D. (1966). Sex-determination variants in serum insulin and GH response to amino acid stimulation. J. Clin. Endo. Metab. 26: 791-793.

- Merimee, T.J., Lippicarp, D.A. and Rabnowitz, D. (1965). Effect of arginine on serum levels of GH. *Lancet* 2; 668.
- Mirsky, I.A. (1936). The source of the blood acetone resulting from the administration of the ketogenic principle of the anterior hypophysis. *Am. J. Physiol.* 115; 424-428.
- Mitchell, M.L., Byrne, M.J. and Silver, J. (1969). GH release by glucagon. *Lancet* 1; 289.
- Morgan, C.R. and Lazarow, A. (1963). *Diabetes* 13; 115.
- Morgan, C.R., Sorensen, R.L. and Lazarow, A. (1964). *Diabetes* 13; 579.
- Morgan, C.R. (1966). HGH immunoassay: Two antibody method using I-125 tracer. *Proc. Soc. exp. Biol. Med.* 121; 62-4
- Morris, H.G., Jorgensen, J.R. and Jenkins, S.A. (1968). Plasma HGH concentration in corticosteroid-treated children. *J. Clin. Invest.* 47; 424-435.
- Morrison, M., Bayse, G.S. and Webster, R.G. (1971). use of lactoperoxidase catalyzed iodination immunological studies. *Immunochemistry* 8; 289-297.
- Muller, E. and Pecile, A. (1966). Influence of exogenous GH on endogenous GH release. *Proc. Soc. exp. Biol. Med.* 122; 1289.
- Muller, E.E., Guistina, G., Miedico, D., Cocchi, D. and Pecile, A. (1972). In Pecile, A. and Muller, E.E., Eds. Growth and GH, *Excerpta Med. (Amst.)* p. 283.
- Niall, H.D., Hogan, M.L., Saner, R., Rosenblum, I.Y. and Greenwood, F.C. (1971). Sequence of pituitary and placental lactogenic and growth hormone: Evolution from a primordial peptide by gene replication. *Proc. Nat. Acad. Sci.* 68; 866-869

Noall, N.W., Riggs, T.R., Walker, L.M. and Christensen, H.N. (1957).

Endocrine control of amino acid transfer (distribution of an unmetabolizable amino acid). *Science* 126: 1002.

Probst, G.W. and Colwel, R.W. (1966). Immunoassay by tracer displacement. *Biochemistry* 5: 1209-1215.

Raben, M.S. (1956). Chromatographic separation of growth hormone and other peptides. *Proc. Soc. exp. Biol. Med.* 93: 338-340

Raben, M.S. (1957). Preparation of human growth hormone from pituitaries of man and monkey. *Science* 125: 883-884.

Rabinowitz, D., Merimee, T.J., Bergess, J.A. and Riggs, L. (1966). Growth hormone and insulin release after arginine: Indifference in hyperglycemia and epinephrin. *J. Clin. Endo. Metab.* 26: 1170-2.

Read, C.H. and Stone, D.B. (1958). An immunologic assay for minute amount of human pituitary growth hormone. *Amer. J. Dis. Child.* 96: 538.

Read, C.H. and Bryan, G.T. (1960). The immunologic assay of HGH. *Recent Prog. Horm. Res.* 16: 187-213.

Reisfeld, R.A., Hallows, B.G., Williams, D.E., Brink, N.G. and Steelman, S.L. (1963). Purification of human growth hormone on Sephadex G-200. *Nature (London)* 197: 1206-7.

Reiss, E. and Kipnis, D.M. (1959). The mechanism of action of GH and hydrocortisone on protein synthesis in striated muscles. *J. Lab. Clin. Med.* 54: 937-938.

Reynolds, E.L. and Wines, J.V. (1948). Individual Differences in Physical Changes Associated with Adolescence in Girls. *Am. J. Dis. Child.* 75: 329-350.

Riggs, T.R. and Walker, L.M. (1960). GH Stimulation of Amino acid Transport into Rat Tissues in Vivo. *J. Biol. Chem.* 235: 3603.

Roos, P., Fevold, H.R. and Gemzell, C.A. (1963). Preparation of human growth hormone by gel filtration. Biochem. Biophys. Acta 74: 525-531.

Root, A.W., Rosenfield, R.L., Bongiovanni, A.M. and Eberlein, W.R. (1967). The plasma GH response to insulin induced hypoglycemia in children with retardation of growth. Pediatrics 39: 844-852.

Rossalin, G., Assan, R., Yalow, R.S. and Berson, S.A. (1966). Separation of antibody-bound and unbound peptide hormones labelled with iodine-131 by talcum powder and precipitated silica. Nature 212: 355-358.

Roth, J., Glick, S.M., Yalow, R.S. and Berson, S.A. (1963). Hypoglycemia a potent stimulus to secretion of growth hormone. Science 140: 987-988.

Roth, J., Glick, S.M., Yalow, R.S. and Berson, S.A. (1964). The influence of blood glucose on the plasma concentration of growth hormones. Diabetes 13: 355-361.

Samann, N.A., Stone, D.B. and Eckhardt, R.D. (1969). Serum glucose, insulin and GH in chronic hepatic cirrhosis. Arch. Intern. Med. 124: 149.

Sawano, S., Arimura, A., Bowers, C.Y. and Schally, A.V. (1967). Effect of CNS depressants, dexamethasone, and GH on the response to growth hormone releasing factor. Endocrinology 81: 1410.

Schaffer, N.K. and Lee, M.O. (1935). The effect of the anterior pituitary growth hormone on protein metabolism. J. Biol. Chem. 108: 355-371.

- Schally, A.V., Muller, E., Arimura, A., Bower, C.Y., Saito, T., Redding, T.W., Sawano, S. and Pizzalato, P. (1967). Releasing factors in human hypothalamic and neurohypophyseal extract. *J.Clin. Endo. Metab.* 27: 755-762.
- Schally, A.V., Arimura, A., Bower, C.Y., Kastin, A.J., Sawano, S. and Redding, T.W. (1968). Hypothalamic neurohormone regulating anterior pituitary function. *Recent Prog. Horm. Res.* 24; 497.
- Schally, A.V., Muller, E., Wakabayashi, I., Redding, T.W., Dickerman, E. and Meites, J. (1972). Biological activity of a synthetic decapeptide corresponding to growth hormone releasing hormone. *Experientia* 28; 205.
- Schally, A.V., Coy, D.M., Kastin, A.J., Tunbridge, W.M.G., Evered, D.C., Weightman, D., Hall, R., Besser, G.M., Goldee, D.J., Mcnerly, A.S., Mortimer, C.H. and Phenekos, C. (1974). Effect of growth hormone release inhibiting hormone on the release of growth hormone and other pituitary hormones in man. *J. Endocrin.* 61; XIV. hypothalamic and neurohypophyseal extract.
- Schoenheimer, R. and Rittenberg, D. (1935). Deuterium as an indicator in the study of intermediary metabolism. III. The role of fat tissue. *J. Biol. Chem.* 111: 175-181.
- Schoenheimer, R. and Rittenberg, D. (1936). Deuterium as an indicator in the study of intermediary metabolism. IV. Synthesis and destruction of fatty acid in organism. *J. Biol. Chem.* 114: 381.
- Schroder, K.E., Reptis, S. and Pfeiffer, E.F. (1973). Insulin induced changes in blood galactose and HGH in normal, growth retarded, and obese subjects; A survey of 328 insulin tolerance tests. *Acta Endocrin. (Kbh.) Supp.* 173: 96.
- Mcnerly, A.S., Mortimer, C.H. and Phenekos, C. (1974). Effect of growth hormone release inhibiting hormone on the

- Schwartz, P.L. and Batt, M. (1973). The aggregation of ¹²⁵I-HGH in Response to Freezing and Thawing. Endocrin. 92: 1795.
- Silberberg, M. (1935). Effects of Extract of Cattle Anterior Pituitary Gland on Endochondral Ossification in Young Guinea-pigs. Proc. Soc. exp. Biol. Med. 32: 1423.
- Silberberg, M. (1936). Effects of Cattle Anterior Pituitary Extract on Bone and Cartilage of the Joint (Acromegalic Anthropathia). ibid. 34: 333.
- Silberberg, M. and Silberberg, R. (1936). Effects of Acid Extract of Anterior pituitary on Bone Repair in Thyroidectomized Guinea-pigs. ibid. 34: 108.
- Silberberg, M. and Silberberg, R. (1937). Changes in Ribs of Guinea-pigs Following Administration of Cattle Anterior Pituitary Extract (Acromegaly Rosary). ibid. 36: 622.
- Skom, J.S. and Talmage, D.W. (1958). Non Precipitating Insulin Antibody. J. Clin. Invest. 37: 783.
- Smith, P.E. (1916). Ablation of Adenohypophysis in Frog Embryo. Science 44: 280-282.
- Smith, P.E. (1926). Ablation and Transplantation of the Hypophysis in the Rat. Anat. Rec. 32: 221.
- Stadil, F. and Rehfeld, J.F. (1968). Preparation of ¹²⁵I-labelled Synthetic Human Gastrin I for Radioimmunoanalysis. Scan. J. Clin. Lab. Invest. 30: 361-368.
- Stock, A.E. and Martin, F.I.R. (1968). Pituitary Function in Hemochromatosis. Am. J. Med. 45: 839-845

- Tanner, J.M. (1969). Growth and Endocrinology of the Adolescent.
 In Endocrine and Genetics Disease of Childhood. p. 25. Ed by
 Gardner, L.I. Philadelphia and London : W.B. Saunders Company.
- Teel, H.M. and Watkins, O. (1929). The Effect of the Extracts Containing
 the Growth Principle of the Anterior Hypophysis upon the Blood
 Chemistry of the Dogs. Am. J. Physiol. 89 : 662-685.
- Teel, H.M. and Cushing, H. (1930). Studies in the Physiological
 Properties of the Growth promoting Extracts of the Anterior
 Hypophysis. Endocrinology. 14 : 157-163.
- Thorngren, K.G. and Hansson, L.I. (1974). Bioassay of Growth Hormone I
 Determination of Longitudinal Bone Growth with Tetracycline
 in Hypophysectomized Rats. Acta Endo. 75 : 653.
- Thorell, J.I. and Johanson, B.G. (1971). Enzymic Iodination of Polypeptides with ¹³⁵I to High Specific Activities. Biochim. Biophys. Acta. 251 : 363-9.
- Trenkle, A., Moudgal, N.R., Sadri, K.K. and Li, C.H. (1961). Complement
 fixing Antibody to HGH and ICSH. Nature 192 : 260.
- Toccafondi, R.I., Meloni, M. and Meloni, T. (1970). The Plasma HGH
 and 110HCS Response to Insulin Induced Hypoglycemia in Children
 Affected by Thalassemia Major. Riv. Clin. Med. LXX : 102-9.
- Unger, R.H., Eisentraut, A.M., Maidson, L.L. and Siperstein, M.D.
 (1965). Fasting Level of Growth Hormone in Men and Women.
 Nature 205 : 804-5.
- Utiger, R.D., Parker, M.L. and Daughaday, W.H. (1962). Studies on HGH
 I. A Radioimmunoassay for HGH. J. Clin. Invest. 41 : 254-261.
- Wallace, A.L.C. and Ferguson, K.A. (1961). Preparation of Human
 Growth Hormone. J. Endo. 23 : 285-290.

Wasi, P. (1975). Personal Communication.

Weatherall, D.J. (1965). Clinical Problems in Thalassemia. p. 216-9.

In. Thalassemia Syndrome. Weatherall, D.J. Blackwell Scientific Publications : Oxford.

Wilhelmi, A.E., Fishman, J.C. and Russel, J.A. (1948). A New Preparation of Crystalline Anterior Pituitary Growth Hormone. J. Biol. Chem.

176 : 735-745.

Yallow, R.S. and Berson, S.A. (1960). Immunoassay of Endogenous Plasma Insulin in Man. J. Clin. Invest. 39 : 1157-1175.

Young, F.G. (1937). Permanent Experimental Diabetes Produced by Pituitary (Anterior Lobe) Injections. Lancet 2 : 372.

Young, F.G. (1945). Growth and Diabetes in Normal Animals Treated with Pituitary (Anterior Lobe) Diabetogenic Extract. Biochem. J. 39 : 515.

Young, F.G. (1953). IV Growth Hormone and Metabolism. The Growth Hormone and Diabetes. In Rec. Prog. Horm. Res. 8 : 471-510.

บุญเรือง นิยมพร และ สมพงษ์ องอาจยุทธ. 2513 การวัดระดับน้ำตาลภายในเลือด,
สารคิริราช , 4 (เมนาคม, 2513).

ประเวศ วงศ์. 2511. Abnormal Hemoglobin and Thalassemia, โภติพิทยา.
พระนคร: สโนสูนกศึกษาแพทย์คิริราช.

สาขิต วรรณะง. 2518 ยังไม่ได้พิมพ์.

ประวัติการศึกษา
ประวัติการศึกษาของผู้เขียนวิทยานิพนธ์

ชื่อ นางสาวศิริรัตน์ พloybutr
 วุฒิการศึกษา ปริญญาวิทยาศาสตรบัณฑิต สาขาวิทยาศาสตร์หัวใจ คณะวิทยาศาสตร์
 จุฬาลงกรณ์มหาวิทยาลัย ปีการศึกษา 2514

Vita

Miss Sirirat Ploybutr, B.Sc. (Chula.)