

REFERENCES

- Adachi, Y., Hashimoto, K., Hisa, H., Yoshida, M., Suzuki-Kusaba, M. and Satoh, S., 1996. Angiotensin II-induced renal responses in anesthetized rabbits: Effects of *N*^ω-nitro- arginine methyl ester and losartan. Eur. J. Pharmacol: 308 pp.
- Adachi, Y., Hashimoto, K., Ono, N., Yoshida, M., Suzuki-Kusaba, M., Hisa, H. and Satoh, S., 1997. Renal effects of a nitric oxide donor, NOC 7, in anesthetized rabbits. Eur. J. Pharmacol: 223–226.
- Avise, J.C. 1994. Molecular Markers, Natural History, and Evolution. Chapman and Hall, New York: 511 pp.
- Avise, J.C. and Hamrick, J.L. 1996. Conservation Genetics: Case Histories from Nature. Chapman and Hall, New York: 512 pp.
- Aiyar, R.G. 1936. Mortality of fish of the Madras coast in June 1935. Current Sci. 4: 488-489.
- Bermingham, E., Lamb T. E., Avise, A. C. 1986. Size polymorphism and heteroplasmy in the mitochondrial DNA of lower vertebrates. J. Hered. 77: 249-252.
- Bhimachar, B.S. and George, P.C. 1950. Abrupt set-backs in the fisheries of the Malabar and Kanara coasts and 'red water' phenomenon as their probable cause. Proc. Indian Acad. Sci. (B) 31: 339-350.
- Bolch, C.J.S., Orr, P.T., Jones, G.J. and Blackburn, S.I..1999. Genetic, morphological, and toxicological variation among globally distributed strains of *Nodularia* (Cyanobacteria). Journal of Phycology. 35: 339–355.
- Bornet B., Antoine E., Bardouil M. and Marcaillou-Le Baut C. 2004. ISSR as new markers for genetic characterization and evaluation of relationships among phytoplankton. J. Appl. Phycol. 16: 285 pp.
- Buranapratheprat, A. and Yanagi, T. 2003. Seasonal variations in circulation and average time of the Bangprakong estuary, Thailand. La mar. 41: 199-213.
- Buranapratheprat, A., Yanagi, T., Sojisuporn, P. and Booncherm, C. 2006. Influence of local wind field on seasonal circulation in the upper Gulf of Thailand. Coastal Marine Science. 30(1): 19-26.
- Calkins, G.N. 1899. Mitosis in *Noctiluca miliaris* and its bearing on the nuclear relations of the Protozoa and Metazoa. J. Morph. 15: 711–768.

- Cavalier-Smith, T., Chao, E. E. and Oates, B. 2004. Molecular phylogeny of Amoebozoa and the evolutionary significance of the unikont *Phalansterium*. Eur. J. Protistol. 40 pp.
- Cavalier-Smith, T. and Chao, E.Y. 2003. Phylogeny and classification of phylum Cercozoa (Protozoa), Protist: 154 pp.
- Chang, F.H. 2000. Pink blooms in the spring in Wellington Harbour. Aquaculture Update. 24: 10-12.
- Cho, E. S., Kim, G.-Y. and Cho, Y. C. 2001. Molecular analysis of morphologically similar dinoflagellates *Cochlodinium polykrikoides*, *Gyrodinium impudicum* and *Gymnodinium catenatum* based on internal transcribed spacer and 5.8S rDNA regions. Algae.16: 7-53.
- Cipriano, F., and Palumbi, S. R.. 1999. Genetic tracking of a protected whale. Nature. 397: 307-308.
- Dodge, J. D. 1968. The fine structure of chloroplasts and pyrenoids in some marine dinoflagellates. J. Cell. Sci. 3: 8-41.
- Dodge, J. D. 1973. *The Fine Structure of Algal Cells*. Academic Press, San Diego: 261 pp.
- Dodge, J.D. 1982. *Marine Dinoflagellates of the British Isles*. Her Majesty's Stationery Office, London: 303 pp.
- D'Onofrio, G., Jabbari, K., Musto, H. and Bernardi, G. 1999. The correlation of protein hydropathy with the base composition of coding sequences. Gene. 238: 3-14.
- Doyle, R. W. 1975. Upwelling, clone selection and the characteristic shape of nutrient uptake curves. Limnology and Oceanography. 20: 487-489.
- Edmands, S. and Burton, R.S. 1999. Cytochrome-c oxidase activity in interpopulation hybrids of a marine copepod: a test for nuclear-cytoplasmic coadaptation. Evolution. 53: 1972-1978.
- Edvardsen, B., Shalchian-Tabrizi, K., Jakobsen, K. S., Medlin, L. K., Dahl, E., Brubak, S. and Paasche, E. 2003. Genetic variability and molecular phylogeny of *Dinophysis* species (Dinophyceae) from Norwegian waters inferred from single cell analyses of rDNA. J. Phycol. 39: 395-408.
- Elbrächter, M. and Qi, Y.-Z. 1998. Aspects of *Noctiluca* (Dinophyceae) population dynamics. In: D.M. Anderson *et al.*, Physiological Ecology of Harmful Algal Blooms. NATO ASI Series, Vol. G 41. Berlin: Springer-Verlag. 315-335.

- Esselman, E. J., Jianqiang, L., Crawford, D. J., Winduss, J.L. and Wolfe, A.D., 1999. Clonal diversity in the rare *Calamagrostis porteri* ssp. *insperata* (Poaceae): comparative results for allozymes and random amplified polymorphic DNA (RAPD) and intersimple sequence repeat (ISSR) markers. Molecular Ecology. 8: 443-451.
- Fast, N.M., Xue, L., Bingham, S., Keeling, P.J. 2002. Reexamining alveolate evolution using multiple protein molecular phylogenies. J. Eukaryot. Microbiol. 49: 30-37.
- Foury, F., Roganti, T., Lecrenier, N. and Purnelle, B., 1998. The complete sequence of the mitochondrial genome of *Saccharomyces cerevisiae*. FEBS Letters. 440: 325-331.
- Fukuda, Y. and Endoh, H. 2006. New details from the complete life cycle of the red-tide dinoflagellate *Noctiluca scintillans* (Ehrenberg) McCartney. Eur. J. Protistol. 42: 209-219.
- Fukuda, Y. and Endoh, H. 2008. Phylogenetic analyses of the dinoflagellate *Noctiluca scintillans* based on beta-tubulin and Hsp90 genes. Eur J Protistol. 44(1): 27-33.
- Fukuyo, Y., Takano, H., Chihara, M. and Matsuoka, K. 1990. Red Tide Organisms in Japan. An Illustrated Taxonomic Guide. Uchida Rokakuho, Co., Ltd., Tokyo: 407 pp.
- Gallagher, J. C., 1980. Population genetics of *Skeletonema costatum* (Bacillariophyceae) in Narragansett Bay. Journal of Phycology. 16: 464-474.
- Galluzzi, L., Penna, A., Bertozzini, E., Vila, M., Garcés, E. and Magnani, M. 2004. Development of a real-time PCR assay for rapid detection and quantification of *Alexandrium minutum* (Dinoflagellate), Appl. Environ. Microbiol. 70: 1199-1206.
- Ge, X.J. and Sun, M., 1999. Reproductive biology and genetic diversity of a cryptoviviparous mangrove *Aegiceras corniculatum* (Myrsinaceae) using allozyme and inter-simple sequence repeat (ISSR) analysis. Mol. Ecol. 8: 2061-2069.
- Ge, X.J. and Sun, M., 2001. Population genetic structure of *Ceriops tagal* (Rhizophoraceae) in Thailand and China. Wetlands Ecol. Manag. 9: 203-209.
- Godhe, A., Svensson, S. and Rehnstam-Holm, A.-S. 2002. Oceanographic settings explain fluctuations in *Dinophysis* spp. and concentrations of diarrhetic shellfish toxin in the plankton community within a mussel farm area on the Swedish west coast. Mar. Ecol. Prog. Ser. 240: 71-83.

- Grell, K.G. 1973. Protozoology. Springer. Berlin Heidelberg, New York .
- Gupta, M., Chyi, Y-S., Romero-Severson, J. and Owen, J.L. 1994. Amplification of DNA markers from evolutionarily diverse genomes using single primers of simple-sequence repeats. Theoretical and Applied Genetics. 89: 998-1006.
- Gyllensten, U., Wharton, D., Josefsson, A. and Wilson, A. C. 1991. Paternal inheritance of mitochondrial DNA in mice. Nature. 352: 255-257.
- Haeckel, E., 1873. Natürliche Schöpfungsgeschichte, fourth ed. Berlin: Reimer. 688 pp.
- Haeckel, E. 1894. Systematische Phylogenie. I. Systematische Phylogenie der Protisten und Pflanzen. Berlin: Reimer (in German).
- Hallegraeff, G.M. and Bolch, C.J. 1991. Transport of toxic dinoflagellate cysts via ships' ballast water. Mar. Poll. Bull. 22: 27-30.
- Hallegraeff, G.M. 1991. Aquaculturists Guide to Harmful Australian Microalgae. Fishing Industry Training Board of Tasmania/CSIRO Division of Fisheries, Hobart, 111 pp.
- Harper, J.T., Waanders, E., Keeling, P.J. 2005. On the monophyly of chromalveolates using a six-protein phylogeny of eukaryotes. Int. J. Syst. Evol. Microbiol. 55: 487-496.
- Haley, R. W., Billecke, S. and La Du, B.N. 1999. Association of low PON1 Type Q (Type A) arylesterase activity with neurological symptom complexes in Gulf War Veterans. Toxicol Appl Pharmacol. 157: 227-233.
- Hoeh, W. R., Blakley, K. H. and Brown, W.M.1991. Heteroplasmy suggests bipaternal inheritance of *Mytilus* mitochondrial DNA. Science. 251: 1488-1490.
- Huang, C. and Qi, H. 1997. The abundance cycle and influence factors on red tide phenomena of *Noctiluca scintillans* (Dinophyceae) in Dapeng Bay, the South China Sea. J. Plank. Res. 19: 303-318.
- Huang, J. C. and Sun, M. 2000. Fluorescein PAGE analysis of microsatellite-primed PCR: a fast and efficient approach for genomic fingerprinting. Biotechniques. 28: 1069-1072.
- Hudson, D.A. and Adlard, R. D. 1996. Nucleotide sequence determination of the partial SSU rDNA gene and ITS1 region *Hematodinium* cf. *perezi* and *Hernatodinium*-like dinoflagellates. Dis Aquat Org. 24: 55-60.
- Ian, T. W. and Paul, A. H. 1994. Effect of Wind on the Distribution of Phytoplankton Cells in Lakes Revisited. Limnology and Oceanography. 39(2): 365-373.

- Innis, M. A., Gelfand, D. H., Sninsky, J. J. and White, T.J. 1990. PCR Protocols : a guide to methods and applications. Academic Press, Sandiego.
- Ishikawa, C. 1893. Studies of reproductive elements. *Noctiluca miliaris*, Sur.; its division and spore-formation. J. Imp. Coll. Sci. Tokyo. 6: 297–334.
- Ishikawa, C. 1899. Further observations on the nuclear division of *Noctiluca*. J. Imp. Coll. Sci. Tokyo 12: 243–260.
- Jian, S.G., Tang, T., Zhong, Y. and Shi, S.H. 2004. Variation in inter-simple sequence repeat (ISSR) in mangrove and non-mangrove populations of *Heritiera littoralis* (Sterculiaceae) from China and Australia. Aquat. Bot. 79: 75–86.
- Kent, W. S. 1881. A Manual of Infusoria including a description of all Known Flagellate, Ciliate, and Tentaculiferous Protozoa British and Foreign, and an Account of Organization and Affinities of the Sponges (2nd ed), David Bogue, London.
- Kim, E., Wilcox, L., Graham, L. and Graham, J. 2003. Genetically Distinct Populations of the Dinoflagellate *Peridinium limbatum* in Neighboring Northern Wisconsin Lakes. Springer Science+Business Media. 48: 521–527.
- Kjørboe, T. and Titelman, J. (1998). Feeding, prey selection and prey encounter mechanisms in the heterotrophic dinoflagellate *Noctiluca scintillans*. J Plankton Res. 20:1615–1636.
- Kofoed, C.A. 1920. A new morphological interpretation of the structure of *Noctiluca*, and its bearing on the status of the cystoflagellata. Univ. Calif. Publ. Zool. 19: 317–334.
- Kofoed, C.A. and Swezy, O., 1921. The free-living unarmoured Dinoflagellata. Mem. Univ. Calif. 5: 1–562.
- LaJeunesse, T.C. and Trench, R.K. 2000. The biogeography of two species of *Symbiodinium* (Freudenthal) inhabiting the intertidal anemone, *Anthopleura elegantissima* (Brandt). Biol. Bull. 199: 126–134.
- Lebour, M. V. 1925. The Dinoflagellates of Northern Seas. Marine Biol. Assoc. U.K., Plymouth. 250 pp
- Leander, B.S. and Keeling, P.J. 2004. Early evolutionary history of dinoflagellates and apicomplexans (Alveolata) as inferred from Hsp90 and actin phylogenies. J. Phycol. 40: 341–350.
- Lenaers, G., Scholin, C., Bhaud, Y., Saint-Hilaire, D. and Herzog, M. 1991. A molecular phylogeny of dinoflagellate protists (Pyrrophyta) inferred from the sequence of 24S rRNA divergent domains D1 and D8. J. Mol. Evol. 32: 53–63.

- Lewis, R. J., Jensen S. I., Dennicola D. M., Miller V. I., Hoagland K. D. And Ernst, S. G. 1997. Genetic variation in the diatom *Fragilaria capucina* (Fragilariaceae) along a latitudinal gradient across North America. Plant Systematics and Evolution. 204: 99-108.
- Litaker, R., Wayne, Vandersea Mark, W., Kibler Steven, R., Reece Kimberly, S., Stokes Nancy, A., Lutzoni Francis, M., Yonish Bryan, A., West Melissa, A., Black Megan, N. D., and Tester Patricia, A. 2007. RECOGNIZING DINOFLAGELLATE SPECIES USING ITS rDNA SEQUENCES. J. Phycol. 43: 344–355.
- Liu, L. and Hastings, J.W. 2007. Two different domains of the luciferase gene in the heterotrophic dinoflagellate *Noctiluca scintillans* occur as two separate genes in photosynthetic species. Proc Natl Acad Sci U S A. 104(3): 696–701.
- Lirdwitayaprasit, T. 1993. Red tide in the inner gulf of Thailand. Department of Marine Science, Chulalongkorn University, Thailand.
- Lirdwitayaprasit, T. 2001. Culture of green *Noctiluca* under laboratory conditions: I. Feeding behavior and sexual reproduction. [CD-ROM]. Proceedings FIFTH IOC/WESTPAC International Scientific Symposium “Ocean Science at the Dawn of a New Millennium” (Producer).
- Logares, R., Rengefors, K., Kremp, A., Shalchian-Tabrizi, K., Boltovskoy, A., Tengs, T., Shurtleff, A. and Klaveness, D. 2007. Phenotypically Different Microalgal Morphospecies with Identical Ribosomal DNA: A Case of Rapid Adaptive Evolution? Microbial Ecology. 53(4): 549pp.
- Lucas, I. A. N. 1982. Observations on *Noctiluca scintillans* Macartney (Ehrenb.) (Dinophyceae) with notes on an intracellular bacterium. J. Plankt. Res. 4: 401–409.
- Mann, K. H. and Lazier, J. R. N. 1991. Dynamics of Marine Ecosystems Biological–Physical Interactions in the Oceans. Boston: Blackwell Scientific Publication.
- Maroteaux, L., Herzog, M. and Sayer-Gobillard, M.-0. 1985. Molecular organization of dinoflagellate ribosomal DNA: evolutionary implications of deduced 5.8S rRNA secondary structure. Biosystems. 18: 307–319.
- Medlin L.K., Groben R. and Valentin K. 2000. MOLECULAR TOOLS FOR THE STUDY OF MARINE MICROBIAL DIVERSITY. Department of Biological Oceanography, Alfred Wegener Institute for Polar and Marine Research, Germany.

- Miller, S. A., Dykes, D. D. and Polesky, H. F. 1988. A simple salting out procedure for extraction DNA from human nucleated cells. Nucleic Acids Res. 16: 1215 p.
- Monnerot, M., Mounolou, J.-C. and Solignac, M. 1984. Intra-individual length heterogeneity of *Rana esculenta* mitochondrial DNA. Biol. Cell. 52: 213-218.
- Neelasri, K. 1981. Analysis of the observed current during the inter-monsoon period. *Proceedings of The 2nd Seminar on Water Quality and Living Resources in Thai Water*, 57–63.
- Nishi, A., Ishida, K. and Endoh, H. 2005. Reevaluation of the evolutionary position of opalinids based on 18S rDNA, and α and β tubulin gene phylogeny. J. Mol. Evol. 60: 695–705.
- Okaichi, T., Nishio, S., Imatomi, Y. 1983. Massculture of marine phytoflagellates: An approach of new sources of biologically active compounds. In: Miyamoto J, Kearney PC (eds). IUPAC Pesticide Chemistry: Human Welfare and the Environment, Vol. 2. Pergamon Press, Oxford. 141– 144.
- Penna, A. and Magnani, M. 1999. Identification of *Alexandrium* (Dinophyceae) species using PCR and rDNA-targeted probes. J. Phycol. 35: 615–621.
- Rowan, R. and Powers, D. A., 1992. Ribosomal RNA sequences and the diversity of symbiotic dinoflagellates. Proc. natn Acad. Sci. 89: 3639–43.
- Preer L. B., Rudman, B., Pollack, S., Preer, J. R. Jr. 1999. Does ribosomal DNA get out of the micronuclear chromosome in *Paramecium tetraurelia* by means of a rolling circle? Mol. Cell. Biol. 19: 7792-7800.
- Prichard, A. E., Seilhamer, J. J., Mahalingam, R., Sable, C.L., Venuti, S.E. and Cummings, D.J. 1990. Nucleic Acids Res. 18: 173–180.
- Rynearson, T. A., and Armbrust, E. V. 2000. DNA fingerprinting reveals extensive genetic diversity in a field population of the centric diatom *Ditylum brightwellii*. Limnology and Oceanography. 45: 1329–1340.
- Saldarriaga, J.F., McEwan, M.L., Fast, N.M., Taylor, F.J.R., Keeling, P.J., 2003. Multiple protein phylogenies show that *Oxyrrhis marina* and *Perkinsus marinus* are early branches of the dinoflagellate lineage. Int. J. Syst. Evol. Microbiol. 53: 355–365.
- Saldarriaga, J.F., Taylor, F.J.R., Cavalier-Smith, T., Menden-Deuer, S. and Keeling, P.J. 2004. Molecular data and the evolutionary history of dinoflagellates. Eur. J. Protistol. 40: 85–111.

- Sato, M.S., Suzuki, M. and Hayashi, H. 1998. The density of a homogeneous population of cells controls resetting of the program for swarmer formation in the unicellular marine microorganism *Noctiluca scintillans*. Exp. Cell Res. 245: 290–293.
- Saunders, G. W., Hill, D. R. A., Sexton, J. P. and Andersen, R. A. 1997. Small-subunit ribosomal RNA sequences from selected dinoflagellates: testing classical evolutionary hypotheses with molecular systematic methods. Plant. Syst. Evol. 11: 237-259.
- Schnepf, E. and Drebes, G. 1993. Anisogamy in the dinoflagellate *Noctiluca?*, Helgol. Meeresunters. 47: 265–273.
- Shalchian-Tabrizi, K., Minge, M. A., Cavalier-Smith, T., Nedreklepp, J. M., Klaveness, D., Jalobsen, K. S. 2006. Combined heat shock protein 90 and ribosomal RNA sequence phylogeny supports multiple replacements of dinoflagellate plastids. J. Eukaryot. Microbiol. 53: 217–224.
- Shauna, M., Flø Jørgensen, M., Simon, Y. W., Ho, D. J., Patterson, and Lars, S. J. 2005. "Improving the Analysis of Dinoflagellate Phylogeny based on rDNA". Protist. 156: 269-286
- Silva, E. P. and Russo, C. A. M. 2000. Techniques and statistical data analysis on molecular population genetics. Hydrobiologia. 420: 119–135.
- Skelly, P. J., Hardy, C. M. and Clark-Walker, G. D., 1991. A mobile group II intron of a naturally occurring rearranged mitochondrial genome in *Kluyveromyces lactis*. Curr Genet. 20: 115–120.
- Skibinski, D. O. F., Gellagher, C. and Quesada, H. 1999. On the roles of selection, mutation and drift in the evolution of mitochondrial DNA diversity in British *Mytilus edulis* (Mytillidae; Mollusca) population. Biological Journal of the Linnean Society. 68(1-2): 195-213.
- Soudek, D. and Robinson, G. G. C. 1983. Electrophoretic analysis of the species and population structure of the diatom *Asterionella Formosa*. Canadian Journal of Botany. 61: 418-433.
- Soyer, M. O. 1969. L'enveloppe nucléaire chez *Noctiluca miliaris* S. (i.e. *scintillans*) (Dinoflagellata). I. Quelques données sur son ultrastructure et son evolution au cours de la sporogenèse. J. Microsc. 8: 569–580.
- Soyer, M. O. 1970a. Les ultrastructures liées aux fonctions de relation chez *Noctiluca miliaris* S. (Dinoflagellata). Z. Zellforsch. 104: 29–55.

- Soyer, M. O. 1970b. Etude ultrastructurale de l'endoplasme et des vacuoles chez deux types de dinoflagellés appartenant aux genres *Noctiluca* (Suriray) et *Blastodinium* (Chatton). Z. Zellforsch. 105: 350–388.
- Staton, J.L., Daehler, L.L. and Brown, W.M. 1997. Mitochondrial gene arrangement of the horseshoe crab *Limulus polyphemus* L: conservation of major features among arthropod classes. Molecular Biology and Evolution. 14: 867 – 874.
- Steidinger, K.A. and Tangen, K. 1996. Dinoflagellates. In: C.R. Tomas (ed.), Identifying Marine Diatoms and Dinoflagellates, Academic Press, New York. 387-598.
- Somasundaram, S. T. and Kalaiselvam, M. 2006. Molecular Tools for Assessing Genetic Diversity. Centre of Advanced Study in Marine Biology Annamalai University.
- Sweeney, B.M. 1978. Ultrastructure of *Noctiluca miliaris* (Pyrrophyta) with green symbionts. J. Phycol. 14: 116-120.
- Swinker, M., Tester, P., Attix, D. K. and Schmechel, D.. 2002. Human health effects of exposure to *Pfiesteria piscicida*: a review. Microbes and Infection. 4(7): 751-762.
- Taylor, F.J.R., Fukuyo, Y. and Larsen, J. 1995. Taxonomy of harmful dinoflagellates. In: Hallegraeff, G.M., Anderson, D.M. and Cembella, A.D. (eds.), Manual on Harmful Marine Microalgae, IOC Manuals and Guides No. 33. UNESCO, France. 283-317.
- Thompson, J. D., Gibson, T. J., Plewniak, F., Jeanmougin, F., and Higgins, D. G.. 1997. The Clustal X windows interface: Flexible strategies for multiple sequence alignment aided by quality analysis tools. Nucleic Acids Res. 25(24): 4876-4882.
- Umani, S., Fonda, A., Beran, S., Parlato, D., Virgilio, T., Zollet, A., Olazabal, D., Lazzarini, B. and Cabrini, M. 2004. "*Noctiluca scintillans* in the Northern Adriatic Sea: long-term dynamics, relationships with temperature and eutrophication, and role in the food web. Journal of Plankton Research. 26(5): 545-561.
- Warrior, R. and Gall, J. 1985. The mitochondrial DNA of *Hydra attenuata* and *Hydra littoralis* consists of two linear molecules. Arch. Sc. Geneve. 38: 439–445.
- White, T. J., Bruns, T., Lee, S. and Taylor, J. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In : Innis, M., Gelfand, D., Sninsky, J. and White, T. PCR protocols: a guide to methods and application (eds.) Academic Press, San Diego. 315–322.

- Wilson, A. C., Cann, R. L., Carr, S. M., George, M., Gyllenaten, U. B., Helm-Bychowski, K. M., Higuchi, R. G., Palumbi, S. R., Prager, E. M., Sage R. D. and Stoneking, M. 1985. Mitochondrial DNA and two perspectives on evolutionary genetics. Biological Journal of the Linnean Society. 26: 375-400.
- Wolfe, A. D. and Liston, A. 1998. Contributions of PCR-based methods to plant systematics and evolutionary biology. In : Soltis, D. E., Soltis P. S. and Doyle, J. J., Plant Molecular Systematics II eds. 43-86.
- Wolfe, A. D., Xiang, Q-Y. and Kephart, S.R. 1998a. Diploid hybrid speciation in *Penstemon* (Scrophulariaceae). Proceedings of the National Academy of Sciences. USA. 95: 5112-5115.
- Wolfe, A. D., Xiang, Q-Y. and Kephart, S. R. 1998b. Assessing hybridization in natural populations of *Penstemon* (Scrophulariaceae) using hypervariable inter simple sequence repeat markers. Molecular Ecology .7: 1107-1125.
- Wood, A. M. and Leatham, T. 1992. The species concept in phytoplankton ecology. Journal of Phycology. 28: 723-729.
- Xu, J. 2006. Fundamentals of Fungal Molecular Population Genetic Analyses. Online journal at www.cimb.org. Curr. Issues Mol. Biol. 8: 75-90.
- Zhang, D.-X., Hewitt, G. M. 1996. Nuclear integrations: Challenges for mitochondrial DNA markers. Trends in Ecology and Evolution. 11: 247-251.
- Zietkiewicz, E., Rafalski, A. and Labuda, D. 1994. Genome fingerprinting by simple sequence repeat (SSR) anchored polymerase chain reaction amplification. Genomics. 20: 176-183.
- Zingmark, R.G. 1970. Sexual reproduction in the dinoflagellate *Noctiluca miliaris* Suriray. J. Phycol. 6: 122-126.
- Zouros, E., Freeman, K. R., Ball, A. O. and Pogson G. H. 1992. Direct evidence for extensive paternal mitochondrial DNA inheritance in the marine mussel *Mytilus*. Nature. 359: 412-414.
- [Online] available : <http://www.biosci.ohio-state.edu/~awolfe/ISSR/ISSR.html>
- [Online] available : <http://www.ncbi.nlm.nih.gov/BLAST/Blast.cgi>

BIOGRAPHY

Miss Katanchalee Nampuksa was born on May 30, 1980 in Petchburi province, Thailand. She finished her secondary school level from Prommanusorn School in 1998, Petchburi province. After that, she got a Bachelor's Degree in science from Department of Fishery science, Faculty of Agriculture of Technology, King Mongkut's institute of Technology Ladkrabang in 2003. At present, she is a graduate candidate in Master's Degree in Marine science, Faculty of science, Chulalongkorn University.

Schorlarship

- THE 90th ANNIVERSARY OF CHULALONGKORN UNIVERSITY FUND
(Ratchadaphiseksomphot Endowment Fund).