CONTRACEPTIVE USAGE AMONG MYANMAR MIGRANT WOMEN OF REPRODUCTIVE AGE IN PHANG NGA PROVINCE, THAILAND

Ms. Htoo Htoo Kyaw Soe

A Thesis Submitted in Partial Fulfillment of the Requirements

for the Degree of Master of Public Health Program in Health Systems Development

College of Public Health Sciences

Chulalongkorn University

Academic Year 2007

Copyright of Chulalongkorn University

502070

Thesis Title	CONTRACEPTIVE USAGE AMONG MYANMAR MIGRANT
	WOMEN OF REPRODUCTIVE AGE IN PHANG NGA
	PROVINCE, THAILAND
Ву	Ms. Htoo Htoo Kyaw Soe
Field of Study	Health Systems Development
Thesis Advisor	Assistant Professor Ratana Somrongthong, M.A, Ph.D.
Accept b	by College of Public Health Sciences, Chulalongkorn University in
Partial Fulfillmo	ent of the Requirement for the Master's Degree Dean of College of Public Health Sciences fessor Surasak Taneepanichsakul, M.D.)
••••	Dean of College of Public Health Sciences
(Pro	fessor Surasak Taneepanichsakul, M.D.)
THESIS COMM	MITTEE
	Salle Forth Chairperson
(Ass	ociate Professor Sathirakorn Pongpanich, M.A., Ph.D.)
	Rhm, Son Thesis Advisor
(Ass	istant Professor Ratana Somrongthong, M.A., Ph.D.)
••••	Nanta Anamha External Member
(INar	ita Auamkul, M.D., M.P.H)

PH 062453: MAJOR HEALTH SYSTEMS DEVELOPMENT

KEY WORDS: CONTRACEPTION/ MIGRANT/ USAGE OF CONTRACEPTION/ MYANMAR MIGRATN WOMEN/ PHANG NGA PROVINCE/ REPRODUCTIVE AGE

HTOO HTOO KYAW SOE: CONTRACEPTIVE USAGE AMONG MYANMAR MIGRANT WOMEN OF REPRODUCTIVE AGE IN PHANG NGA PROVINCE, THAILAND. THESIS ADVISOR: ASSISTANT PROFESSOR RATANA SOMRONGTHONG, M.A., Ph.D., 118 pp.

This study is cross sectional study and was collected in Takuapa District and Kuraburi District in Phang Nga Province in February, 2008. 326 Myanmr migrant women of reproductive age were asked by using structured questionnaire.

The study reported that the prevalence of contraceptive use was 73.3% and the most common contraceptive methods were injectables and oral pill. Regarding to the practicing contraception, majority of the married women discussed about family planning with their husbands/partners and more than half of them made the decision with their husbands/partners for using contraception.

76% of the respondents were in the age group of 20 to 39 years and 91.1% were married. Among married women, 51.8% have been married for 1-3 years and more than half of them had 1-3 children. 55.8% of the women had primary educational attainment and 54.6% were working outside while 45.4% were housewives. 42% of the women had family income 2001-4000 Baht per month and 51.8% stayed in Thailand 1-3 years although two third of the women were staying as unregistered migrant. Even though they had been staying in Thailand for years, more than half of them can communicate only basically.

Most of the women heard of contraceptive methods and 50.9% had moderate level of knowledge and 75.5% of the respondents in this study had moderate level of attitude towards contraceptive methods and use.

In terms of accessibility, 50.6% of the current users rely on the private clinic and drug stores, 84.1% went to the source by walking or public vehicles, 53.1% resided near the source for getting contraception and 84.5% said that it was convenience to go there. 83.7% perceived that they could afford the cost of contraceptive method they used and 90% satisfied the service they got.

In bivariate analysis, the result of this study found that there is significance difference between age, marital status, marital duration, education, occupation, number of living children, knowledge towards contraceptive methods and use, perception on cost and current use of contraception.

In multivariate analysis, age of the respondents, number of living children, knowledge towards contraception and perception on cost is significant after controlling other independent variables.

Field of the study	Health Systems	Development Student's signature	Aller,	, ,
Academic year _	2007	Advisor's signature	Popus	Sn

ACKNOWLEDGEMENTS

I deeply acknowledge my gratitude and appreciation to my thesis advisor Dr.

Ratana Somrongthong for her kindness, support and guidance throughout the whole process of this study and course of MPH as well.

I would like to express thanks to Dr. Sathirakorn Pongpanic as my chair person and Dr. Nanta Auamkul as external examiner in my thesis committee member for giving valuable advices to accomplish my study.

I would like to thank to Professor Dr. Surasak Taneepanichsakul, Dean of the College of Public Health Science and all of kindness of lecturers and staff of College of Public Health Science, Chulalongkorn University.

My special thanks to Director Mr. Htoo Chit of FED (Foundation for Education and Development), IOM (International Organization for Migration) and a team of excellent interviewers during the process of data collection.

I also would like to show gratitude Dr. Robert Sedgwick Chapman, Arj Piyalamporn Havanond, Arj Venus Udomprasertgul and Mrs. Orapin Laosee for helpful suggestion for data analysis and interpretation.

Lastly, my appreciation to all of my friends for their kindly and sincerely support throughout MPH course.

TABLE OF CONTENTS

· ·	Page
ABSTRACT	iii
ACKNOWLEDGEMENTS	iv
TABLE OF CONTENTS	v
LIST OF TABLES	viii
LIST OF FIGURE	x
ABBREVIATIONS	хi
CHAPTER I INTRODUCTION	1
1.1 Background	1
1.2 Rationale of the study	4
1.3 Research questions	6
1.4 Research objectives	6
1.5 Hypothesis of the study	7
1.6 Variables employed in the study	8
1.7 Operational definitions	8
1.8 Conceptual framework	13
CHAPTER II LITERATURE REVIEW	14
2.1 Contraception	14
2.2 Contraceptive use in Myanmar	15
2.3 Women status in Myanmar	17
2.4 Related studies	18
CHAPTER III RESEARCH METHODOLOGY	34

F	Page
3.1 Site of the study	34
3.2 Research design	34
3.3 Study population	35
3.4 Sample size	35
3.5 Sampling technique	36
3.6 Data collection tool	37
3.7 Data collection	37
3.8 Data analysis	38
3.9 Reliability and validity	39
3.10 Ethical consideration	40
3.11 Limitations of the study	40
3.12 Benefits of the study	41
CHAPTER IV RESULTS	42
4.1 Socio-demographic characteristics of Myanmar migrant women	43
4.2 Practice of contraception	49
4.3 Knowledge about contraceptive methods and use	53
4.4 Attitude towards contraceptive methods and use	60
4.5 Accessibility to the service	63
4.6 Relationship between socio-demographic characteristics, knowledge	
about contraception, accessibility to family planning services and	
utilization of contraception	67
CHAPTER V DISCUSSION	80

ŀ	Page
CHAPTER VI CONCLUSION & RECOMMENDATIONS	93
REFERENCES	98
APPENDICES	106
Appendix A: Questionnaire	107
Appendix B: Administration cost	115
Appendix C: Time schedule	116
Appendix D: Consent form	117
CURRICULUM VITAE	118

LIST OF TABLES

	Page
Table 1: Distribution of respondents by places of study	43
Table 2: Socio-demographic characteristics of the respondents	46
Table 3: Respondents' fertility background	48
Table 4: Contraceptive practice among respondents	49
Table 5: Contraceptive method used currently	50
Table 6: Used of contraceptive methods by number of living children	50
Table 7: Reasons for method preference among current users	51
Table 8: Contraceptive method ever used	51
Table 9: Reasons for not currently using among ever users	52
Table 10: Reasons for ever used of contraception among ever users	52
Table 11: Discuss about family planning with husband/partner	53
Table 12: Decision making for using contraception among current users and	
ever users	53
Table 13: Number and percentage of Myanmar migrant women who had	
heard of contraception	54
Table 14: Number and percentage of Myanmar migrant women heard of	
contraceptive method	55
Table 15: Number and percentage of Myanmar migrant women who answered	
correctly to each question	57
Table 16: Number and percentage of Myanmar migrant women answered	
correctly the questions of each contraceptive method	58

	Page
Table 17: Level of knowledge towards contraceptive methods among	
Myanmar migrant women	59
Table 18: Knowledge about places to obtain information about contraceptive	
methods by respondents	60
Table 19: Level of attitude towards contraception	61
Table 20: Percentage of respondents' attitude towards each question about	
contraception	62
Table 21: Accessibility to the service by respondents among current users	65
Table 22: Need among the respondents	66
Table 23: Relationship between socio-demographic characteristics and	
utilization of contraception	71
Table 24: Relationship between knowledge and attitude level of respondent	
and current use of contraception	73
Table 25: Relationship between respondents' accessibility and current use of	
contraception	76
Table 26: Logistic regression analysis of Myanmar migrant women for use of	
contraception	. 77

LIST OF FIGURE

	Page
Figure 1: Conceptual Framework	13

ABBREVIATIONS

CCSDPT Committee for Coordination of Services to Displaced Persons in

Thailand

CPR Contraceptive Prevalence Rate

FED Foundation for Education and Development

IOM International Organization for Migration

IUD Intrauterine device

MOPH Ministry of Public Health

SEARO South East Asia Regional Office

UN United Nations

UNFPA United Nations Population Fund

WHO World Health Organization

WVFT World Vision Foundation Thailand