

REFERENCES

- ASTM Test Method D256, American Society for Testing and Material, Philadelphia, 1992.
- ASTM Test Method D882-91, American Society for Testing and Material, Philadelphia, 1992.
- ASTM Test Method D1238, American Society for Testing and Material, Philadelphia, 1992.
- ASTM Test Method D1922-89, American Society for Testing and Material, Philadelphia, 1992.
- ASTM Test Method D3593-80, American Society for Testing and Material, Philadelphia, 1992.
- Folkes, M. S. and Hope, P. S. (1993). Polymer blends and alloys. London: Chapman&Halls.
- Utracki, L. A. (Eds.) (1993). Two-phase polymer system. New York: Hanser.
- Ward, I. M. (1990). Mechanical properties of solid polymers. 2nd ed. Chichester, England: John Wiley.
- Werner Hofman (1989) Hand book of rubber technology. New York: Hanser.
- Zloczower, I.M., Tadmor, Z. (Eds.) (1994). Mixing and compounding of polymer. New York: Hanser.
- Bensason, S., Nazarenko, S, Chum, SA. Hiltner and. Baer, E (1997). Elastomeric blends of homogeneous ethylene-octene copolymers. Polymer, 38(15), 3913-3919.
- Braun, D. M. Fischer and Dellmann, G. P. (1996). Block-graft copolymers

- as compatibilizers in polymer blends. Polymer, 37(17), 3871-3877.
- Brown, H.R., (1991). A molecular interpretation of the toughness of glassy polymers. Macromolecules, 24, 2752-2756.
- Cakmak, M., Kim, J. C (1997). Necking mechanism and its elimination in uniaxially drawn films of poly(ethylene naphthalate) (PEN)/polyetherimide(PEI) blends. Applied Polymer Science, 65, 2059-2074.
- Chan, T. W. D. and Lee, L. J. (1989). Analysis of molecular orientation and internal stresses in extruded plastic sheets. Polymer Engineering and Science, 29(3), 136-170.
- Chinsirikul, W., Hsu, T. C and Harrison, I. R. (1996). Liquid crystalline polymer (LCP) reinforced polyethylene blend blown film: effect of counter rotating die on fiber orientation and film properties. Polymer Engineering and Science, 36(22), 2708-2717.
- Chris, E. Scott and Christopher, Macosko, W. (1995). Processing and morphology of polystyrene/ethylene-propylene rubber reactive and nonreactive blends. Polymer Engineering and Science, 35(24), 1938-1948.
- Cole, K. C., Guevremont, J. A. Ajji and Dumoulin, M. M. (1994). Characterization of surface orientation in poly(ethylene terephthalate) by front-surface reflection infrared spectroscopy. Polymer, 48(12), 513-521.
- Daniel Abraham, K. E., Geroge and Francis, D. J (1998). Effect of chemical modification on the flow behavior of LDPE and its blends with linear LDPE. Polymer, 39(1), 117-121.
- Dilhan, M. Kalyon and Francis, H. Moy (1988). Ultimate properties of blown films of linear low density polyethylene resins as affected by alpha

- olefin. Polymer Engineering and Science, 28(23), 1551-1558.
- Dumoulin, M. M., Farha, C. and Utracki, L. A. (1984). Rheological and mechanical properties of ternary blends of linear low density polyethylene/polypropylene/ethylene-propylene block copolymer. Polymer Engineering and science, 24(17), 1319-1326.
- Geza Sammay, Tibor Nagy and White, James L. (1995). Grafting maleic anhydride and comonomers onto polyethylene. Applied Polymer Science, 56, 1423-1433.
- Guevremont, J.A. Ajji, Cole, K. C. and Dumoulin, M. M. (1995). Orientation and conformation in poly(ethylene terephthalate) with low draw ratios as characterized by specular reflection infra-red spectroscopy. Polymer, 36(17), 3385-3392.
- Heinen, W. C., Rosenmoller, Wenzel, H. C. B., De groot, H. J. M. and Lungtenburge, J. (1996). ^{13}C NMR study of the grafting of maleic anhydride onto polyethylene, polypropylene, and ethene-propene copolymers. Macromolecules, 29, 1151-1157.
- Hiroshi Ashizawa, Spruiell, Joseph E. and White, James L. (1984). An investigation of optical clarity and crystalline orientation in polyethylene tubular film. Polymer Engineering and Science, 24(13), 1035-1042.
- Horiuchi, S., Matchraiyakult, NK. Yase and Kimoto, T. (1997). Compatibilizing effect of maleic anhydride functionalized SEBS triblock elastomer through a reaction induced phase formation in the blends of polyimide 6 and polycarbonate III. Microscopic studies on the deformation mechanism. Polymer, 38(26), 6317-6326.
- Huang, Nai-Jen and Sundburge, Donald C. (1994). A gel permeation chromatography method to determine grafting efficiency during graft copolymerization. Polymer, 35(26), 5693-5698.

- Jancar, J. Dianselmo , A. and Dibenedetto, A. T. (1993). Failure mechanics in Elastomer toughened polypropylene. Polymer, 34(8), 1684-1693.
- Lee K. Y., Chi Hoon Choi and Byung Kru Kim, (1995). Reactive extrusion of PP/natural rubber blends. Applied Polymer Science, 56, 239-246.
- Leibler, L. (1982). Theory of phase equilibrium in mixtures of copolymers and Homopolymers. 2. Interfaces near the consolute point. Macromolecules, 15, 1283-1290.
- Lofgren, E. A. and Jabarin, S. A. (1994). Polarized internal reflectance spectroscopic studies of oriented poly (ethylene terephthalate). Applied Polymer Science, 51, 1251-1267.
- Mahesh, A. Kotnis and Spruiell, Joseph E. (1989). Biaxial oriented films prepared from poly(vinylchloride)/poly(methyl methacrylate co imide) blends. Polymer Engineering and Science, 29(21), 1528-1533.
- Mark, C. Piton and almeria Natansohn, (1995). Charge transfer interactions in copolymer blends. 3. Poly[(N-ethylcarbazol-3-yl)methyl methacrylate-co-styrene] blended with Poly[2-[3,5-dinitrobenzoyl)oxy [ethylmethacrylate-co-methyl methacrylate]. Macromolecules, 28, 1605-1608.
- Matos, M and Favis, B. D. (1995). Interfacial modification of polymer blends the emulsification curve: 1. Influence of molecular weight and chemical composition of interfacial modifier. Polymer, 20, 3899-3907.
- Micic, P. A, . Bhattacharya N and Field, G (1996). Melt strength and elastic behaviour of LLDPE/LDPE blends. Polymer Processing, 1, 14-20.
- Nikos ,K, Kalfoglou, S. Dimitrios, Skafidas and Dionissia D. Sotiropoulou (1994). Compatibilization of blends of poly(ethylene terephthalate) and linear low density polyethylene with the ionomer of poly(ethylene-co-methacrylic acid). Polymer, 35(17), 3624-3630.

- Noolandi, J. and Kin Ming Hong, (1982). Interfacial properties of immisible homopolymer blends in the presence of block copolymer. Macromolecules, 15, 482-492.
- Pan, S. J. Han, Brown, H., Hiltner RA and Bear, E. (1986). Biaxial orientation of polypropylene by hydrostatic solid state extrusion. Part I: Orientation mechanism and structure hierarchy. Polymer Engineering and Science, 26(14), 997-1006.
- Pezzutti, L. and Roger S. Porter, (1985). Uniaxial orientation of linear low density polyethylene. Applied Polymer Science, 30, 4251-4259.
- Picot, J. J. C. (1984). Molecular orientation in film of high density polyethylene. Polymer Engineering and Science, 24(6), 415-420
- Premamoy G., Debaprasad Dev and Amit Chakrabarti, (1997). Reactive melt processing of polyethylene effect of peroxide action on polymer structure, melt rheology and relaxation. Polymer, 38(25), 6175-6180.
- Rabah B., Jean-Marie, Vigourex, Joseph Morvan, (1997). Infrared dichroism and polymer orientation in attenuated total reflection, theoretical consideration. Polymer Science, 35(9), 1361-1372.
- Rajen M. Patel, Thomas I. Butler, Kim L. Walton and Knight, G. W. (1994). Investigation of processing -structure-properties relationships in polyethylene blown films. Polymer Engineering and Science, 34(19), 1506-1514.
- Roger H., Lennart Salmen and Bengt Stenberg (1996). Effect of the type of crosslink on viscoelastic properties of natural rubber, Polymer physic, 34, 1997-2006.
- Rui X., Bingxing Yang and Bingzheng Jiang (1995). Phase behavior in mixtures of a homopolymer and a block copolymer 1. FTIR and DSC studies. Polymer science, 33, 25-32.

- Russo, Rand Vittoria, V. (1996). Determination of intrinsic birefringence of smectic phase in isotactic polypropylene. Applied Polymer Science, 60, 955-961.
- Sakellarid, S. L. and Mchugh, A. J. (1985). Oriented structure formation during polymer film. Polymer Engineering and Science, 25(18), 1179-1187.
- Santra, R. NB., Samatray, KA., Bhowmick, K. and Nando, B. B (1993). In situ compatibilization of low-density polyethylene and polydimethylsiloxane rubber blends using ethylene-methyl acrylate copolymer as a chemical compatibilizer. Polymer Science, 49, 1145-1158.
- Sclavons, M. V., Carlier, B. De, Roover, Franquinet, Devaus, P. J. and Legras, R. (1996). The anhydride content of some commercial PP-g-MA: FTIR and titration. Applied Polymer Science, 62, 1205-1210.
- Snoopy G., Neelakantan, N. R., Varughese, K. T. and Sabuthomas, (1997). Dynamic mechanical properties of isotactic polypropylene/nitrile rubber blends: Effect of blend ratio, reactive compatibilization, and dynamic vulcanization. Polymer Science, 35, 2309-2327.
- Tae H. K. and Chang Dae Han, (1983). Rheology-processing property relationships in tubular blown film extrusion. II low pressure low density polyethylene. Applied Polymer Science, 28, 3419-3433.
- Taraiya, A. K., Unwin, A. P. and Ward, I. M. (1988). The role of differential scanning calorimetry and x-ray diffraction in identifying crystal continuity in highly oriented sample of die drawn polypropylene. Polymer Science, 26, 817-838.
- Taraiya, A. K. and Ward, I. M. (1996). Production and properties of biaxial polyethylene. Applied Polymer Science, 59, 627-638.

- Theraya, J. WH., Blom P. and Rudin, A. (1994). A study on the crystallization behavior of polypropylene, polyethylene and their blends by dynamic mechanical and thermal methods. Polymer, 35(8), 1680-1686.
- Tuomin, L. and Harrison, I. R. (1988). Shrinkage of low density polyethylene film. Polymer Engineering and Science, 28(8), 517-521.
- Uttandaraman S. and Macosko. C. W. (1995). Drop breakup and coalescence in polymer blends: The effects of concentration and compatibilization. Macromolecules, 28, 2647-2657.
- Wang, H. and Hinrichsen, G. (1997). Influence of processing temperature on the morphological and mechanical properties of a PC/TLCP blend. Polymer Processing, 1, 26-36.
- Willis , J. M. and Favis, B. D. (1988). Processing -morphology relationships of compatibilized polyolefin/polyimide blends. Part I: The effect of an ionomer compatibilizer on blend morphology. Polymer Engineering and Science, 28(21), 1416-1425.
- Xanthos, M. N. Faridi and Y. Li, (1998). Processing/structure relationships of mica-filled PE films with low oxygen permeability. Polymer Processing, 1, 58-66.
- Zachariah O., Sabu Thomas, (1996). Mechanical properties and failure mode of thermoplastic elastomer from natural rubber/poly(methyl methacrylate)/natural rubber-g-poly(methylmethacrylate) blends. Polymer Bulletin, 31, 623-628.

CURRICULUM VITAE



Name : Mr. Pornpirom Moteplay

Birth Date : 23 June 1975

Nationality : Thai

University Education:

1994-1997 Bachelor' s Degree of Science in Analytical Chemistry,
Rajamangala Institute of Technology