

REFERENCES

- Ahn, Y. J., Kang, G. W., Lee, C. H., Yeom, I. S., and Jin, S. H. (2003) Photovoltaic properties of polymer-based solar cells. *Synthetic Metals*, 137(1-3), 1447-1448.
- Ahn, Y. C., Park, S. K., Kim, G. T., Hwang, Y. J., Lee, C. J., Shin, H. S., and Lee, J. K. (2006) Development of high efficiency nanofilters made of nanofibers. *Current Applied Physics*, 6(6), 1030-1030.
- Amrutha, S. R. and Jayakannan, M. (2006) Control of π -stacking for highly emissive poly(p-phenylenevinylene)s: Synthesis and photoluminescence of new tricyclodecane substituted bulky poly(p-phenylenevinylene)s and its copolymers. *The journal of physical chemistry B*, 110(9), 4083-4091.
- Ananthakrishnan, N., Padmanaban, G., Ramakrish, S., and Reynolds, J. R. (2005) Tuning polymer light-emitting device emission colors in ternary blends composed of conjugated and nonconjugated polymers. *Macromolecules*, 38(18), 7660-7669.
- Assaka, A. M., Rodrigues, P. C., de Oliveira, A. R. M., Ding, L., Hu, B., Karasz, F. E., and Akcelrud, L. (2004) Novel fluorine containing polyfluorenes with efficient blue electroluminescence. *Polymer*, 45(21), 7071-7081.
- Babel, A. and Jenekhe, S. A. (2004) Morphology and field-effect mobility of charge carriers in binary blends of poly(3-hexylthiophene) with poly[2-methoxy-5-(2-ethylhexoxy)-1,4-phenylenevinylene] and polystyrene. *Macromolecules*, 37(26), 9835-9840.
- Babel, A., Li, D., Xia, Y., and Jenekhe, S. A. (2005) Electrospun nanofibers of blends of conjugated polymers morphology, optical properties, and field-effect transistors. *Macromolecules*, 38(11), 4705-4711.
- Bai, H., Wu, X., and Shi, G. (2006) Synthesis and characterization of poly(1,5-naphthylene vinylene) and its copolymers with poly(2-methoxy-5-(2'-ethylhexyloxy)-p-phenylene vinylene). *Polymer*, 47(5), 1533-1537.
- Barbara, P. F., Gesquiere, A. J., Park, S. J., and Lee, Y. (2005) Single-molecule spectroscopy of conjugated polymers. *Accounts of Chemical Research*, 38(7), 602-610.

- Bliznyuk, V. N., Carter, S. A., Scott, J. C., Klarner, G., Miller, R. D., and Miller, D. C. (1999) Electrical and photoinduced degradation of polyfluorene based films and light-emitting devices. *Macromolecules*, 32(2), 361-369.
- Brabec, C. J., Sariciftci, N. S., and Hummelen, J. C. (2001) Plastic solar cells. *Advanced Functional Materials*, 11(1), 15-26.
- Brédas, J. L., Beljonne, D., Coropceanu, V., and Cornil, J. (2004) Charge-transfer and energy-transfer processes in π -conjugated oligomers and polymers: A molecular picture. *Chemical Reviews*, 104(11), 4971-5003.
- Bunz, U. H. F. (2000) Poly(aryleneethynylene)s: Syntheses, properties, structures, and applications. *Chemical Reviews*, 100(4), 1605-1644.
- Burnworth, M., Mendez, J. D., Schroeter, M., Rowan, S. J., and Weder, C. (2008) Decoupling optical properties in metallo-supramolecular poly(p-phenylene ethynylene)s. *Macromolecules*, 41(6), 2157-2163.
- Burroughes, J. H., Bradley, D. D. C., Brown, A. R., Marks, R. N., Mackay, K., Friend, R. H., Burns, P.L., and Holmes A. B. (1990) Light-emitting diodes based on conjugated polymers. *Nature*, 347, 539-541.
- Chae, S. K., Park, H., Yoon, J., Lee, C. H., Ahn, D. J., and Kim, J. -M. (2007) Polydiacetylene supramolecules in electrospun microfibers: Fabrication, micropatterning, and sensor applications. *Advanced Materials*, 19(4), 521-524.
- Chen, H. -C., Wang, C. -T., Liu, C. -L., Liu, Y. -C., and Chen, W. -C. (2009) Full color light-emitting electrospun nanofibers prepared from PFO/MEH-PPV/PMMA ternary blends. *Journal of Polymer Science: Part B: Polymer Physics*, 47(5), 463-470.
- Chu, Q. and Pang, Y. (2005) Aggregation and self-assembly of oligo(2,5-dialkoxy-1,4-phenyleneethynylene)Js: An improved probe to study inter- and intramolecular interaction. *Macromolecules*, 38(2), 517-520.
- Chuangchote, S., Srikrarin, T., and Supaphol, P. (2007) Color change of electrospun polystyrene/MEH-PPV fibers from orange to yellow through partial decomposition of MEH side groups. *Macromolecular Rapid Communications*, 28(5), 651-659.

- Chuangchote, S., Sagawa, T., and Yoshikawa, S. (2008) Fabrication and optical properties of electrospun conductive polymer nanofibers from blended polymer solution. *Japanese Journal of Applied Physics*, 47(1), 787-793.
- Chuangchote, S., Sagawa, T., and Yoshikawa, S. (2008) Ultrafine electrospun conducting polymer blend fibers and their photoluminescence properties. *Macromolecular Symposia*, 264(1), 80-89.
- Collison, C. J., Rothberg, L. J., Treemanekarn, V., and Li, Y. (2001) Conformational effects on the photophysics of conjugated polymers: A two species model for MEH-PPV spectroscopy and dynamics. *Macromolecules*, 34(7), 2346-2352.
- Davidenko, N. A., Spitsyna, N. G., Lobach, A. S., Breusova, M. O., Tomilova, L. G., and Yakushchenko, I. K. (2006) Electrical conductivity and photoconductivity of films of composites based on poly[2-methoxy-5-(2'-ethylhexyloxy)-1,4-phenylenevinylene] with additions of zinc octabutyl phthalocyanine and C60. *Theoretical and Experimental Chemistry*, 42(5), 271-275.
- Dellsperger, S., Dotz, F., Smith, P., Weder, C. (2000) Synthesis and optical properties of novel poly(p-phenylene ethynylene)s. *Macromolecular Chemistry and Physics*, 201(2), 192-198.
- Denton III, F. and Lahti, P. M. (1998) *Photonic Polymer Systems - Fundamentals, Methods, and Applications*. In D. L. Wise, G. E. Wnek, D. J. Trantolo, T. M. Cooper, and J. D. Gresser (Eds.), New York: CRC Press.
- Dharmaraj, N., Kim, C. H., Kim, C. W., Kim, H. Y., and Suh, E. K. (2006) Spectral studies of SnO₂ nanofibres prepared by electrospinning method. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 64(1), 136-140.
- Ding, L., Egbe, D. A. M., and Karasz, F. E. (2004) Article photophysical and optoelectronic properties of green-emitting alkoxy-substituted PE/PV hybrid conjugated polymers. *Macromolecules*, 37(26), 6124-6131.
- Ding, L., Lu, Z., Egbe, D. A. M., and Karasz, F. E. (2004) Structure-morphology-electroluminescence relationship for hybrid conjugated polymers. *Macromolecules*, 37(26), 10031-10035.

- Doshi, J. and Reneker, D. H. (1995) Electrospinning process and applications of electrospun fibers. *Journal of Electrostatics*, 35, 151-160.
- Feast, W. J., Tsibouklis, J., Pouwer, K. L., Groenendaal, L., and Meijer, E. W. (1996) Synthesis, processing and material properties of conjugated polymers. *Polymer*, 37(22), 5017-5047.
- Friend, R. H., Gymer, R. W., Holmes, A. B., Burroughes, J. H., Marks, R. N., Taliani, C., Bradley, D. D. C., Dossantos, D. A., Brédas, J. L., Lögdlund, M., and Salaneck, W. R. (1999) Electroluminescence in conjugated polymers. *Nature*, 397, 121-128.
- Fong, H., Chun, I., and Reneker, D. H., (1999) Beaded nanofibers formed during electrospinning. *Polymer*, 40(16), 4585-4592.
- Gettinger, C. L., Heeger, A. J., Drake, J. M., and Pine, D. J. (1994) A photoluminescence study of poly(phenylene vinylene) derivatives: The effect of intrinsic persistence length. *The Journal of Chemical Physics*, 101(2), 1673-1678.
- Granato, F., Bianco, A., Bertarelli, C., and Zerbi, G. (2009) Composite polyamide-6/polypyrrole conductive nanofibers. *Macromolecular Rapid Communications*, 30(6), 453-458.
- Greiner, A. and Weder, C. (2003) *Encyclopedia of Polymer Science and Technology*, J. I. Kroschwitz (Eds.). Wiley-Interscience, New York, p. 87.
- He, G. H., Weder, C., Smith, P., and Prasad, P. N. (1998) Optical power limiting and stabilization based on a novel polymer compound. *IEEE Journal of Quantum Electronics*, 34(12), 2279-2285.
- Heeger, A. J. (2001) Nobel Lecture: Semiconducting and metallic polymers: The fourth generation of polymeric materials. *Reviews of Modern Physics*, 73(3), 681-700.
- Hittinger, E., Kokil, A., and Weder C. (2004) Synthesis and characterization of cross-linked conjugated polymer milli-, micro-, and nanoparticles. *Angewandte Chemie International Edition*, 43(14), 1808-1811.
- Hittinger, E., Kokil, A., and Weder, C. (2004) Synthesis and characterization of cross-linked poly(p-phenylene ethynylene)s. *Macromolecular Rapid Communications*, 25(6), 710-715.

- Hoppe, H., Sariciftci, N. S., Egbe, D. A. M., Mühlbacher, D., and Koppe, M. (2005) Plastic solar cells based on novel PPE-PPV-copolymers. Molecular Crystals and Liquid Crystals, 426, 255-263.
- Horowitz, G. (1998) Organic field-effect transistors. Advanced Materials, 10(5), 365-377.
- Huang, C., Zhen, C. G., Su, S. P., Vijila, C., Balakrisnan, B., Auch, M. D. J., Loh, K. P., and Chen, Z. K. (2006) Highly efficient electroluminescent biphenyl-substituted poly(p-phenylenevinylene)s through fine tuning the polymer structure. Polymer, 47(6), 1820-1829.
- Huang, J., Xu, Z., Zhao, S., Li, Y., Zhang, F., Song, L., Wang, Y., and Xu, X. (2007) Organic/inorganic heterostructures for enhanced electroluminescence. Solid State Communications, 142(7), 417-420.
- Huang, Z. -M., Zhang, Y. - Z., Kotaki, M., and Ramakrishna, S. (2003) A review on polymer nanofibers by electrospinning and their applications in nanocomposites. Composites Science and Technology, 63(15), 2223-2253.
- Iyer, P. K., Beck, J. B. B., Weder, C., and Rowan, S. J., (2005) Synthesis and optical properties of metallo-supramolecular polymers. Chemical Communications, 3, 319-321.
- Jarusuwannapoom, T., Hongrojjanawiwat, W., Jitjaicham, S., Wannatong, L., Nithitanakul, M., Pattamaprom, C., Koombhongse, P., Rangkupan, R., and Supaphol, P. (2005) Effect of solvents on electro-spinnability of polystyrene solutions and morphological appearance of resulting electrospun polystyrene fibers. European Polymer Journal, 41(3), 409-421.
- Jeong, J. S., Moon, J. S., Jeon, S. Y., Park, J. H., Alegaonkar, P. S., and Yoo, J. B. (2007) Mechanical properties of electrospun PVA/MWNTs composite nanofibers. Thin Solid Films, 515(12), 5136-5141.
- Jiang, J. X., Su, F., Trewin, A., Wood, C. D., Campbell, N. L., Niu, H., Dickinson, C., Ganin, A. Y., Rosseinsky, M. J., Khimyak, Y. Z., and Cooper, A. I. (2007) Conjugated microporous poly (aryleneethynylene) networks. Angewandte Chemie International Edition, 46(45), 8574-8578.

- Jiang, Z., Huang, Z., Yang, P., Chen, J., Xin, Y., and Xu, J. (2008) High PL-efficiency ZnO nanocrystallites/PPV composite nanofibers. Composites Science and Technology, 68(15-16), 3240-3244.
- Kang, H. S., Kim, K. H., Kim, M. S., Park, K. T., Kim, K. M., Lee, T. H., Joo, J., Kim, K., Lee, D. W., and Jin, J. I. (2001) Electrical and optical characteristics of various PPV derivatives (MEH-PPV, CzEH-PPV, OxdEH-PPV). Current Applied Physics, 1(6), 443-446.
- Kawaguchi, D., Tanaka, K., Takahara, A., and Kajiyama, T. (2001) Surface mobile layer of polystyrene film below bulk glass transition temperature. Macromolecules, 34(18), 6164-6166.
- Kertesz, M., Choi, C. H., and Yang, S. (2005) Conjugated polymers and aromaticity. Chemical Reviews, 105(10), 3448-3481.
- Kim, J. and Swager, T. M. (2001) Control of conformational and interpolymer effects in conjugated polymers. Nature, 411, 1030-1034.
- Klaerner, G. and Miller, R. D. (1998) Polyfluorene derivatives: Effective conjugation lengths from well-defined oligomers. Macromolecules, 31(6), 2007-2009.
- Knapton, D., Burnworth, M., Rowan, S. J., and Weder, C. (2006) Fluorescent organometallic sensors for the detection of chemical-warfare-agent mimics. Angewandte Chemie International Edition, 45(35), 5825-5829.
- Knapton, D., Iyer, P. K., Rowan, S. J., and Weder, C. (2006) Synthesis and properties of metallo-supramolecular poly(p-xylylene)s. Macromolecules, 39(12), 4069-4075.
- Kokil, A., Shayanovskaya, I., Singer, K. D., and Weder, C. (2002) High charge carrier mobility in conjugated organometallic polymer networks. Journal of the American Chemical Society, 124(34), 9978-9979.
- Koombhongse, S. (2001) The formation of nanofibers from electrospinning process. Doctoral Dissertation, The University of Akron.
- Kraft, A., Grimsdale, A. C., and Holmes, A. B. (1998) Electroluminescent conjugated polymers - seeing polymers in a new light. Angewandte Chemie International Edition, 37(4), 402-428.

- Kulkarni, A. P., Tonzola, C. J., Babel, A., and Jenekhe, S. A. (2004) Electron transport materials for organic light-emitting diodes. Chemistry of Materials, 16(23), 4556-4573.
- Kumar, D. and Sharma, R. C. (1998) Advance in conductive polymers. European Polymer Journal, 34(8), 1053-1060.
- Kuo, C. C., Lin, C. H., and Chen, W. C. (2007) Morphology and photophysical properties of light-emitting electrospun nanofibers prepared from poly(fluorene) derivative/PMMA blends. Macromolecules, 40(19), 6959-6966.
- Lange, U., Roznyatovskaya, N. V., and Mirsky, V. M. (2008) Conducting polymers in chemical sensors and arrays. Analytica Chimica Acta, 614(1), 1-26.
- Lee, C. H., Yu, G., Sariciftci, N. S., Heeger, A. J., and Zhang, C. (1995) Picosecond transient photoconductivity in a soluble derivative of poly(p-phenylene vinylene). Synthetic Metals, 75(2), 127-131.
- Lee, H., Johnson, A. R., and Kanicki, J. (2006) White LED based on polyfluorene co-polymers blend on plastic substrate. IEEE Transactions Electron on Devices, 53(3), 427-434.
- Lee, J. K., Fujida, K., Tsutsui, T., and Kim, M. R. (2007) Synthesis and photovoltaic properties of soluble fulleropyrrolidine derivatives for organic solar cells. Solar Energy Mater Solar cells, 91(10), 892-896.
- Lee, Y. -Z., Chen, X., Chen, S. -A., Wei, P. -K., and Fann, W. -S. (2001) Soluble electroluminescent poly(phenylene vinylene)s with balanced electron- and hole injections. Journal of the American Chemical Society, 123(10), 2296-2307.
- Levitus, M., Schmieder, K., Ricks, H., Shimizu, K. D., Bunz, U. H. F., and Garcia-Garibay, M. A. (2001) Steps to demarcate the effects of chromophore aggregation and planarization in poly(phenyleneethynylene)s. 1. Rotationally interrupted conjugation in the excited states of 1,4-bis(phenylethynyl)benzene. Journal of the American Chemical Society, 123(18), 4259-4265.

- Li, X., Hao, X., Xu, D., Zhang, G., Zhong, S., Na, H., and Wang, D. (2006) Fabrication of sulfonated poly (ether ether ketone ketone) membranes with high proton conductivity. *Journal of Membrane Science*, 281(1-2), 1-6.
- Liu, J., Tu, G., Zhou, Q., Cheng, Y., Geng, Y., Wang, L., Ma, D., Jing, X., and Wang, F. (2006) Highly efficient green light emitting polyfluorene incorporated with 4-diphenylamino-1,8-naphthalimide as green dopant. *Journal of Materials Chemistry*, 16(15), 1431-1438.
- Luoh, R., and Hahn, H. T., (2006) Electrospun nanocomposite fiber mats as gas sensors. *Composites Science and Technology*, 66(14), 2436-2441.
- MacDiarmid, A. G. (2001) Nobel Lecture: “Synthetic metals”: A novel role for organic polymers. *Reviews of Modern Physics*, 73(3), 701-712.
- Madhugiri, S., Dalton, A., Gutierrez, J., Ferraris, J. P., and Balkus Jr., K. J. (2003) Electrospun MEH-PPV/SBA-15 composite nanofibers using a dual syringe method. *Journal of the American Chemical Society*, 125(47), 14531-14538.
- McQuade, D. T., Pullen, A. E., and Swager, T. M. (2000) Conjugated polymer-based chemical sensors. *Chemical Reviews*, 100(7), 2537-2574.
- Menon, A., Galvin, M., Walz, K. A., and Rothberg, L. (2004) Structural basis for the spectroscopy and photophysics of solution-aggregated conjugated polymers. *Synthetic Metals*, 141(1-2), 197-202.
- Michelson, D. (1990) *Electrostatic Atomization*. New York: Adam Hilger.
- Mitschke, U. and Bäuerle, P. (2000) The electroluminescence of organic materials. *Journal of Materials Chemistry*, 10(7), 1471-1507.
- Mit-uppatham, C., Nithitanakul, M., and Supaphol, P. (2004) Ultrafine electrospun polyamide-6 fibers: Effect of solution conditions on morphology and average fiber diameter. *Macromolecular Chemistry and Physics*, 205, 2327-2338.
- Montali, A., Bastiaansen, G., Smith, P., and Weder, C., (1998) Polarizing energy transfer in photoluminescent materials for display applications. *Nature*, 392, 261-264.
- Montali, A., Smith, P., and Weder, C. (1998) Poly(p-phenylene ethynylene)-based light-emitting devices. *Synthetic Metals*, 97(2), 123-126.

- Nagesh, K., Kabra, D., Narayan, K.S., and Ramakrishnan, S. (2005) Modulating phase-separation in blends of MEHPPV-x with different conjugation lengths. *Synthetic Metals*, 155(2), 295-298.
- Nalva, H. S. (1997) *Handbook of Organic Conductive Molecules and Polymers*. New York: Wiley.
- Neef, C. J. and Ferraris, J. P. (2000) MEH-PPV: Improved synthetic procedure and molecular weight control. *Macromolecules*, 33(7), 2311-2314.
- Nguyen, T. Q, Martini, I. B, Liu, J., and Schwartz, B. J. (2000) Controlling interchain interactions in conjugated polymers: The effects of chain morphology on exciton-exciton annihilation and aggregation in MEH-PPV films. *The Journal of Physical Chemistry B*, 104(2), 237-255.
- Okuzaki, H., Takahashi, T., Miyajima, N., Suzuki, Y., and Kuwabara, T. (2006) Spontaneous formation of poly(p-phenylenevinylene) nanofiber yarns through electrospinning of a precursor. *Macromolecules*, 39(13), 4276-4278.
- Padmanaban, G. and Ramakrishnan, S. (2000) Conjugation length control in soluble poly[2-methoxy-5-((2'-ethylhexyl)oxy)-1,4-phenylenevinylene] (MEH-PPV): Synthesis, optical properties, and energy transfer. *Journal of the American Chemical Society*, 122(10), 2244-2251.
- Padmanaban, G. and Ramakrishnan, S. (2004) Fluorescence spectroscopic studies of solvent- and temperature-induced conformational transition in segmented poly[2-methoxy-5-(2'-ethylhexyl)oxy-1,4-phenylenevinylene] (MEH-PPV). *The Journal of Physical Chemistry B*, 108(39), 14933-14941.
- Palmans, A. R. A., Eglin, M., Montali, A., Weder, C., and Smith, P. (2000) Tensile orientation behavior of alkoxy-substituted bis(phenylethynyl)benzene derivatives in polyolefin blend films. *Chemistry of Materials*, 12(2), 472-480.
- Pinto, N. J., González, R., Johnson Jr., A. T., and MacDiarmid, A. G. (2006) Electrospun hybrid organic/inorganic semiconductor Schottky nanodiode. *Applied Physics Letters*, 89, 033505-3.
- Pistor, P., Chu, V., Prazeres, D. M. F., and Conde, J. P. (2007) pH sensitive photoconductor based on poly(para-phenylene-vinylene). *Sensors and Actuators B: Chemical*, 123(1), 153-157.

- Reneker, D. H., Yarin, A. L., Fong, H., and Koombhongse, S. (2000) Bending instability of electrically charged liquid jets of polymer solutions in electrospinning. *Journal of Applied Physics*, 87(9), 4531-4546.
- Rothberg, L. J., Yan, M., Kwock, E. W., Miller, T. M., Galvin, M. E., Son, and S., Papadimitrakopoulos, (1997) Fundamental and practical issues of phenylenevinylene-based polymer light emitting diodes. *IEEE Transactions on Electron Devices*, 44(8), 1258-1262.
- Saxena, V. and Malhotra, B. D. (2003) Prospects of conducting polymers in molecular electronics. *Current Applied Physics*, 3(2-3), 293-305.
- Scherf, U. and List, E. J. W. (2002) Semiconducting polyfluorenes-towards reliable structure-property relationships. *Advanced Materials*, 14(7), 477-487.
- Schindler, F., Lupton, J. M., Feldmann, J., and Scherf, U. (2004) A universal picture of chromophores in π -conjugated polymers derived from single-molecule spectroscopy. *Proceedings of the National Academy of Sciences*, 101(41), 14695-14700.
- Schmitz, C., Pösch, P., Thelakkat, M., Schmidt, H. W., Montali, A., Feldman, K., Smith, P., and Weder, C. (2001) Polymeric light-emitting diodes based on poly(p-phenylene ethynylene), poly(triphenyldiamine), and spiroquinoxaline. *Advanced Functional Materials*, 11(1), 41-46.
- Shirakawa, E., Louis, E. J., MacDiarmid, A. G., Chiang, C. K., and Heeger, A. J. (1977) Synthesis of electrically conducting organic polymers: Halogen derivatives of polyacetylene, $(CH)_x$. *Journal of the Chemical Society, Chemical Communications*, 16, 578-580.
- Shirakawa, H. (2001) Nobel Lecture: The discovery of polyacetylene film-the dawning of an era of conducting polymers. *Reviews of Modern Physics*, 73(3), 713-718.
- Shin, J. H., Matyba, P., Robinson, N. D., and Edman, L. (2007) The influence of electrodes on the performance of light-emitting electrochemical cells. *Electrochimica Acta*, 52(23), 6456-6462.
- Shin, Y. M., Hohman, M. M., Brenner, M. P., and Rutledge, G. C. (2001) Experimental characterization of electrospinning: The electrically forced jet and instabilities. *Polymer*, 42(25), 9955-9967.

- Skotheim, T. A., Elsenbaumer, R. L., Reynolds, J. R. (Eds.). (1998) Handbook of Conducting Polymers. New York: Dekker.
- Spanggaard, H. and Krebs, F. C. (2004) A brief history of the development of organic and polymeric photovoltaics. Solar Energy Materials and Solar Cells, 83(2-3), 125-146.
- Sumpter, B. G., Kumar, P., Mehta, A., Barnes, M. D., Shelton, W. A., and Harris, R. J. (2005) Computational study of the structure, dynamics, and photophysical properties of conjugated polymers and oligomers under nanoscale confinement. Journal of Physics and Chemistry, 109(16), 7671-7685.
- Steiger, D., Smith, P., and Weder, C. (1997) Liquid crystalline, highly luminescent poly(2,5-dialkoxy-p-phenyleneethynylene). Macromolecular Rapid Communications, 18(8), 643-649.
- Tan, S., Feng, X., Zhao, B., Zou, Y., and Huang, X. (2008) Preparation and photoluminescence properties of electrospun nanofibers containing PMO-PPV and Eu(ODBM)₃phen. Materials Letters, 62(16), 2419-2421.
- Taylor, G. (1969) Electrically Driven Jets. Proc. Roy. Soc. London, A313, 453-475.
- Traiphol, R., Sanguansat, P., Srihirin, T., Kerdcharoen, T., and Osotchan, T. (2006) Spectroscopic study of photophysical change in collapsed coils of conjugated polymers: Effects of solvent and temperature. Macromolecules, 39(3), 1165-1172.
- Traiphol, R., Charoenthai, N., Srihirin, T., Kerdcharoen, T., Osotchan, T., and Maturos, T. (2007) Chain organization and photophysics of conjugated polymer in poor solvents: Aggregates, agglomerates and collapsed coils. Polymer, 48(3), 813-826.
- Traiphol, R., Srihirin, T., Kerdcharoen, T., Osotchan, T., Scharnagl, and N., Willumeit, R. (2007) Influences of local polymer-solvent $\pi-\pi$ -interaction on dynamics of phenyl ring rotation and its role on photophysics of conjugated polymer. European Polymer Journal, 43(2), 478-487.

- Traiphol, R. and Charoenthai, N. (2008) Effects of conformational change and segmental aggregation on photoemission of illuminophores in conjugated polymer MEH-PPV: Blue shift versus red shift. *Synthetic Metals*, 158(3-4), 135-142.
- Tungprapa, S., Jangchud, I., Ngamdee, P., Rutnakornpituk, M., and Supaphol, P. (2006) Ultrafine electrospun poly(ethylene glycol)-polydimethylsiloxane-poly(ethylene glycol) triblock copolymer/poly(ethylene oxide) blend fibers. *Materials Letters*, 60(24), 2920-2924.
- Vak, D., Chun, C., Lee, C. L., Kim, J. J., and Kim, D. Y. (2004) A novel spiro-functionalized polyfluorene derivative with solubilizing side chains. *Journal of Materials Chemistry*, 14(8), 1342-1346.
- Voskerician, G. and Weder, C. (2005) Electronic properties of PAEs. *Advances in Polymer Science*, 177, 209-248.
- Wang, H., Lu, X., Zhao, Y., and Wang, C. (2006) Preparation and characterization of ZnS:Cu/PVA compositenanofibers via electrospinning. *Materials Letters*, 60(20), 2480-2484.
- Wang, Y., Park, J. S., Leech, J. P., Miao, S., and Bunz, U. H. F. (2007) Poly(aryleneethynylene)s with orange, yellow, green, and blue solid-state fluorescence. *Macromolecules*, 40(6), 1843-1850.
- Wannatong, L., Sirivat, A., and Supaphol, P. (2004) Effects of solvents on electrospun polymeric fibers: Preliminary study on polystyrene. *Polymer International*, 53(11), 1851-1859.
- Weder, C. and Wrighton, M. S. (1996) Efficient solid-state photoluminescence in new poly(2,5-dialkoxy-p-phenyleneethynylene)s. *Macromolecules*, 29(15), 5157-5165.
- Weder, C., Wrighton, M. S., Spreiter, R., Bosshard, C., and Günter, P. (1996) Effect of the solid state structure on the third-order nonlinear optical response of new poly-(2,5-dialkoxy-p-phenylene ethynylene)s. *The Journal of Physical Chemistry*, 100(49), 18931-18936.
- Weder, C., Sarwa, C., Bastiaansen, C., Smith, P., (1997) Highly polarized luminescence from oriented conjugated polymer/polyethylene blend films. *Advanced Materials*, 9(13), 1035-1039.

- Weder, C., Sarwa, C., Montali, A., Bastiaansen, C., and Smith, P. (1998) Incorporation of photoluminescent polarizers into liquid crystal displays. *Science*, 279(5352), 835-837.
- Weder, C. (Eds.). (2005) *Poly(Arylene Ethynylene)s – From Synthesis To Applications. Advanced Polymer Science Series*, 177.
- Weder, C. (2008) Hole Control in Microporous Polymers. *Angewandte Chemie International Edition*, 47, 448-450.
- Wu, C., Peng, H., Jiang, Y., and Mcneill, J. (2006) Energy Transfer Mediated Fluorescence from Blended Conjugated Polymer Nanoparticles. *The Journal of Physical Chemistry B*, 110(29), 14148-14154.
- Wu, Y., Yu J. Y., He, J. H., and Wan Y. Q. (2007) Controlling stability of the electrospun fiber by magnetic field. *Chaos. Solitons & Fractals*, 32(1), 5-7.
- Wutticharoenmongkol, P., Supaphol, P., Srikririn, T., Kerdcharoen, T., and Osotchan, T. (2005) Electrospinning of polystyrene/poly(2-methoxy-5-(2'-ethylhexyloxy)-1,4-phenylene vinylene) blends. *Journal of Polymer Science - B: Polymer Physics*, 43(14), 1881-1891.
- Xu, Y., Berger, P. R., Wilson, J. N., and Bunz, U. H. F. (2004) Photoresponsivity of polymer thin-film transistors based on polyphenyleneethynylene derivative with improved hole injection. *Applied Physics Letters*, 85(18), 4219-4221.
- Xin, Y., Huang, Z., Chen, J., Wang, C., Tong, Y., and Liu, S. (2008) Fabrication of well-aligned PPV/PVP nanofibers by electrospinning. *Materials Letters*, 62(6-7), 991-993.
- Xin, Y., Huang, Z., Li, W., Jiang, Z., Tong, Y., and Wang, C. (2008) Core-sheath functional polymer nanofibers prepared by co-electrospinning. *European Polymer Journal*, 44(4), 1040-1045.
- Yohannes, T., Zhang, F., Svensson, M, Hummelen, J. C, Andersson, M. R., and Inganäs, O. (2004) Polyfluorene copolymer based bulk heterojunction solar cells. *Thin Solid Films*, 2004, 449(1-2), 152-157.
- Zhao, Q., Huang, Z., Wang, C., Zhao, Q., Sun, H., and Wang, D. (2007) Preparation of PVP/MEH-PPV composite polymer fibers by electrospinning and study of their photoelectronic character. *Materials Letters*, 61(11-12), 2159-2163.

- Zhang, W., Huang, Z., Yan, E., Wang, C., Xin, Y., Zhao, Q., and Tong, Y. (2007) Preparation of poly(phenylene vinylene) nanofibers by electrospinning. Materials Science and Engineering A, 443(1-2), 292-295.
- Zhang, W., Yan, E., Huang, Z., Wang, C., Xin, Y., Zhao, Q., and Tong, Y. (2007) Preparation and study of PPV/PVA nanofibers via electrospinning PPV precursor alcohol solution. European Polymer Journal, 43(3), 802-807.
- Zhu, Z., Zhang, L., Smith, S., Fong, H., Sun, Y., and Gosztola, D. (2009) Fluorescence studies of electrospun MEH-PPV/PEO nanofibers. Synthetic Metals, article in press.

CURRICULUM VITAE

Name: Ms. Sutheerat Changsarn

Date of Birth: May 4, 1982

Nationality: Thai

University Education:

2004-2006 Master Degree of Science (Physics), Faculty of Science, Chiang Mai University, Chiang Mai, Thailand

2000-2004 Bachelor Degree of Science (Physics), Faculty of Science, Chiang Mai University, Chiang Mai, Thailand

Publications:

1. Changsarn, S., Mendez, J. D., Weder, C., and Supaphol, P. Morphology and Optical Properties of Electrospun Light-Emitting Fibers from Binary Conductive Polymer Blend, In preparation.
2. Changsarn, S., Traiphol, R., Srihirin, T., and Supaphol, P. Morphology and Photophysical Properties of Electrospun Light-Emitting Polystyrene/Polyfluorene Derivative Fibers, In preparation.
3. Changsarn, S., Mendez, J. D., Weder, C., and Supaphol, P. Morphological and Mechanical Properties of Electrospun Polyethylene Oxide/Sulfate-Functionalized Tunicate Cellulose Whisker Nanocomposite Fiber Array, In preparation.
4. Changsarn, S., Traiphol, R., Pattanatornchai, T., Srihirin, T., and Supaphol, P. (2009) Versatile Route for Tuning Optical Properties of Poly(2-methoxy-5-(2'-ethylhexyloxy)-1,4-phenylenevinylene). Journal of Polymer Science: Part B: Polymer Physics, 47(7), 696-705.
5. Changsarn, S., Mendez, J. D., Weder, C., and Supaphol, P. (2008) Morphology and Photophysical Properties of Electrospun Light-Emitting Polystyrene/Poly-(*p*-phenylene ethynylene) Fibers. Macromolecular Materials and Engineering, 293(12), 952-963.



6. Supaphol, P., Aramwit, P., Sangsanoh, P., Changsarn S., Chuangchote S., and Villiers, M. M. de. (2008) Conductive Polymers: Materials and Applications. Novel Polymers and Nanoscience (M. Adeli, Ed.), Transworld Research Network, Kerala, 155-180. (ISBN: 978-81-7895-392-2)
7. Singjai, P., Changsarn, S., and Thongtem, S. (2007) Electrical resistivity of bulk multi-walled carbon nanotubes synthesized by an infusion chemical vapor deposition method. Materials Science and Engineering A, 443(1-2), 42-46.

Presentations:

1. Changsarn, S., Mendez, J. D., Schroeter, M., Weder, C., and Supaphol, P. (2008, July 28-August 1) Morphology and Photophysical Properties of Electrospun Light-Emitting Polystyrene/Poly(phenylene ethynylene) Nanofibers. Paper presented at International Conference on Electronic Materials 2008 (IUMRS-ICEM 2008), Sydney, Australia.
2. Changsarn, S., Srikhirin, T., and Supaphol, P. (2008, April 4-6) Preparation and Characterization of Electrospun PS/BEH-PF Fibers. Paper presented at The Royal Golden Jubilee Ph. D. Congress IX (RGJ-Ph. D. Congress IX), Chonburi, Thailand.