

REFERENCES

- Aita, Y., Komatsu, M., Yin, S., and Sato, T. (2004). Phase-compositional control and visible light photocatalytic activity of nitrogen-doped titania via solvothermal process. Journal of Solid State Chemistry, 177, 3235–3238.
- Anderson, C., and Bard, A.J. (1997). Improved photocatalytic activity and characterization of mixed $\text{TiO}_2/\text{SiO}_2$ and $\text{TiO}_2/\text{Al}_2\text{O}_3$ materials. Journal of Physical Chemistry, 101, 2611–2616.
- Andrianainarivelo, M., Corriu, R.J.P., Leclercq, D., Mutin, P.H., and Vioux, A.J. (1997). Nonhydrolytic sol-gel process: aluminium and zirconium titanate gels. Journal of Sol-Gel Science and Technology, 8, 89-93.
- Andrulevicius, M., Tamulevicius, S., Gnatyuk, Y., Vityuk, N., Smirnova, N., and Eremenko, A. (2007) XPS investigation of $\text{TiO}_2/\text{ZrO}_2/\text{SiO}_2$ films modified with Ag/Au nanoparticles. Materials Science, 14, 8-14.
- Archer, M.D., and Bolton, J.R. (1990). Requirements for ideal performance of photochemical and photovoltaic solar energy converters. Journal of Physical Chemistry, 94, 8028-8036.
- Bak, T., Nowotny, J., Rekas, M., and Sorrell, C.C. (2002). Photo-electrochemical hydrogen generation from water using solar energy. International Journal of Hydrogen Energy, 27, 991-1022.
- Balat, M. (2008). Potential importance of hydrogen as a future solution to environmental and transportation problems. International Journal of Hydrogen Energy, 33, 4013-4029.
- Bard, A.J., and Fox, M.A. (1995). Artificial photosynthesis: solar splitting of water to hydrogen and oxygen. Accounts of Chemical Research, 28, 141-145.
- Bi, Z.C., and Tien, H.T. (1984). Photoproduction of hydrogen by dye-sensitized systems. International Journal of Hydrogen Energy, 9(8), 717-722.
- Carp, O., Huisman, C.L., and Reller, A. (2004). Photoinduced reactivity of titanium dioxide. Progress in Solid State Chemistry, 32, 33-177.
- Chen, X.B., and Mao, S.S. (2007). Titanium dioxide nanomaterials: synthesis, properties, modifications, and applications, Chemical Review, 107, 2891–2959.

- Cullity, B.D. (1978). Elements of X-ray diffraction. Reading, MA: Addison-Wesley Publication Company.
- Deng, X., Yue, Y., and Gao, Z. (2002). Gas phase photo-oxidation of organic compounds over nanosized TiO₂ photocatalysts by various preparations. Applied Catalysis B: Environmental, 39, 135-147.
- Ding, X., and Liu, X. (1998). Correlation between anatase-to-rutile transformation and grain growth in nanocrystalline titania. Journal of Materials Research, 13, 2556-2559.
- Doong, R.A., Chen, C.H., Maithreepala, R.A., and Chang, S.M. (2001). The influence of pH and cadmium sulfide on the photocatalytic degradation of 2-chlorophenol in titanium dioxide suspensions. Water Research, 35(12), 2873-2880.
- Fu, X.Z., Zeltner, W.A., and Anderson, M.A. (1995). The gas-phase photocatalytic mineralization benzene on porous titania-based. Applied Catalysis B, 6, 209-224.
- Fujishima, A., and Honda, K. (1972). Electrochemical photolysis of water at a semiconductor electrode. Nature, 238, 37-38.
- Fujishima, A., Rao, T.N., and Tryk, D.A. (2000). Titanium dioxide photocatalysis. Journal of Photochemistry and Photobiology C: Photochemistry Reviews, 1, 1-21.
- Gurunathan, K., Maruthamuthu, P., and Sastri, V.C. (1997). Photocatalyst hydrogen production by dye-sensitized Pt/SnO₂ and Pt/SnO₂/RuO₂ in aqueous methyl viologen solution. International Journal of Hydrogen Energy, 207(1-2), 173-181.
- Hague, D.C., and Mayo, M.J. (1994). Controlling crystallinity during processing of nanocrystalline titania. Journal of the American Ceramic Society, 77, 1957-1960.
- Hernández-Alons, M.D., Tejedor-Tejedor, I., Coronado, J. M., Soria, J., and Anderson, M. A. (2006). Sol-gel preparation of TiO₂-ZrO₂ thin films supported on glass rings: Influence of phase composition on photocatalytic activity. Thin Solid Films, 502, 125 – 131.

- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W. (1995). Environmental applications of semiconductor photocatalysis. Chemical Reviews, 95, 69-96.
- Howe, R.F. (1998). Recent developments in photocatalysis. Developments in Chemical Engineering and Mineral Processing, 6, 55-84.
- Ishizaki, K., Komarneni, S., and Nanko, M. (1988). Porous Materials Process Technology and Applications, Kluwer Academic Publisher, London.
- Jin, Z., Chen, Z., Li, Q., Xi, C., and Zheng, X. (1994) On the conditions and mechanism of PtO₂ formation in the photoinduced conversion of H₂PtCl₆. Journal of Photochemistry and Photobiology, 81, 177-182.
- Jung, K.Y., Park, S.B., and Ihm, S.-K. (2002). Linear relationship between the crystallite size and the photoactivity of non-porous titania ranging from nanometer to micrometer size. Applied Catalysis A: General, 224, 229-237
- Kamat, P.V. (1995). Tailoring Nanostructured Thin Films, Chemtech.
- Kang, M.G., Han, H.E., and Kim, K.J. (1999). Enhance photodecomposition of 4-chlorophenol in aqueous solution by deposition of CdS on TiO₂. Journal of Photochemistry and Photobiology A: Chemistry, 124, 119-125.
- Kawahara, T., Konishi, Y., Tada, H., Tohge, N., and Ito, S. (2001). Patterned TiO₂/SnO₂ bilayer type photocatalyst. 2. Efficient dehydrogenation of methanol. Langmuir, 17, 7442-7445.
- Kobasa, I.M., Kondratyeva, I.V., and Vorobets, G.I. (2008). TiO₂-Me_nO_m-based materials. Superlattices and Microstructures, 44, 496-505.
- Lee, J., and Choi, W. (2005) Photocatalytic reactivity of surface platinized TiO₂ substrate specificity and the effect of Pt oxidation state. Journal of Physical Chemistry, 109, 7399-7406.
- Li, D., Haneda, H., Ohashi, N., Hishita, S., and Yoshikawa, Y. (2004). Synthesis of nanosized nitrogen-containing MO_x-ZnO (M=W,V,Fe) composite powders by spray pyrolysis and their visible-light-driven photocatalysis in gas phase acetaldehyde decomposition. Catalysis Today, 93-95, 895-901.
- Lin, Y.S., Chang, C.H., and Gopalan, R. (1994). Improvement of thermal stability of porous nanostructured ceramic membranes. Industrial & Engineering Chemistry Research, 33, 860-870.

- Liu, S.W., Song, C.F., Lu, M.K., Wang, S.F., Sun, D.L., Qi, Y.X., Xu, D., and Yuan, D.R. (2003). A novel $\text{TiO}_2/\text{Zr}_x\text{Ti}_{1-x}\text{O}_2$ composite photocatalytic films. Catalysis Communications, 4, 343.
- Matsuoka, M., Kitano, M., Takeuchi, M., Tsujimaru, K., Anpo, M., and Thomas, J.M. (2007). Photocatalysis for new energy production recent advances in photocatalytic water splitting reaction for hydrogen production. Catalysis Today, 122, 51-61.
- Mills, A., Lee, S.K., and Lepre, A. (2003). Photodecomposition of ozone sensitised by a film of titanium dioxide on glass. Journal of Photochemistry and Photobiology A: Chemistry, 155, 199-205.
- Mugglie, D.S., and Ding, L. (2001). Photocatalytic performance of sulfated TiO_2 and Degussa P-25 TiO_2 during oxidation of organics. Applied Catalysis B: Environmental, 32, 181-188.
- Nada, A.A., Barakat, M.H., Hamed, H.A., Mohamed, N.R., and Veziroglu, T.N. (2005). Studies on photocatalytic hydrogen production using suspended modified TiO_2 photocatalysts. International Journal of Hydrogen Energy, 30, 687-691.
- Navio, J.A., Gomez, M.G., Adrian, M.A.P., and Mota, J.F. (1993) In Heterogeneous Catalysis and Fine Chemicals III; Guisenet, M. et al., Ed.; Elsevier, 431.
- Nozik, A. J. (1978). Photoelectrochemistry : Applications to solar energy conversion. Annual Review of Physical Chemistry, 29, 189-222.
- Ohtani, B., Ogawa, Y., and Nishimoto, S. J. (1997). Photocatalytic activity of amorphous-anatase mixture of titanium(IV) oxide particles suspended in aqueous-solutions. Journal of Physical Chemistry B, 101, 3746-3752.
- Ollis, D.F., and Al-Ekabi, H. (1993). Photocatalytic Purification and Treatment of Water and Air, Elsevier, Amsterdam.
- Omer, A.M. (2008). Energy, environment and sustainable development. Renewable and Sustainable Energy Reviews, 12, 2265–2300.
- Pérez-Hernández, R., Gómez-Cortés, A., Arenas-Alatorre, J., Rojas, S., Mariscal, R., Fierro, J.L.G., and Díaz, G. (2005). SCR of NO by CH_4 on Pt/ ZrO_2 - TiO_2 sol-gel catalysts. Catalysis Today, 107–108, 149–156.

- Rajeshwar, K. (1995). Photoelectrochemistry and the environment. Journal of Applied Electrochemistry, 25, 1067-1082.
- Reddy, B.M., and Khan, A. (2005). Recent advances on TiO₂-ZrO₂ mixed oxides as catalysts and catalyst supports. Catalysis Reviews, 47, 257-296.
- Reddy, B.M., Reddy, E.P., Manohar, B., and Mehdi, S. (1992). Reactivity of V₂O₅ with TiO₂-ZrO₂ mixed oxide: An X-ray diffraction study. Journal of Solid State Chemistry, 97, 233-238.
- Reddy, B.M., Reddy, G.K., Khan, A., and Ganesh, I. (2007). Synthesis of monophasic Ce_{0.5}Zr_{0.5}O₂ solid solution by microwave-induced combustion method. Journal of Materials Science, 42, 3557-3563.
- Reddy, B.M., Sreekanth, P.M., Reddy, E.P., Yamada, Y., Xu, Q., Sakurai, H., and Kobayashi, T. (2002). Surface characterization of La₂O₃-TiO₂ and V₂O₅/La₂O₃-TiO₂ catalysts. Journal of Physical Chemistry B, 106, 5695-5700.
- Rouquerol, F., Rouquerol, J., and Sing, K. (1999). Adsorption by Powders and Porous Solid: Principle, Methodology and Applications, Academic Press, San Diego.
- Schattka, J.H., Shcukin, D.G., Jia, J., Antonietti, M., and Caruso, R.A. (2002). Photocatalytic activities of porous titania and titania/zirconia structures formed by using a polymer gel templating technique. Chemistry of Materials, 14, 5103-5108.
- Serpone, N., and Pelizzetti, E. (1989). Photocatalysis: Fundamentals and Applications, Wiley, New York.
- Smith J.V., Editor. (1960). X-ray Powder Data File, American Society for Testing Materials
- So, W.W., Kim, K.J., and Moon, S.J. (2004). Photo-production of hydrogen over the CdS-TiO₂ nano-composite particulate films treated with TiCl₄. International Journal of Hydrogen Energy, 29, 229-34.
- Sreethawong, T., Junbua, C., and Chavadej, S. (2009). Photocatalytic H₂ production from water splitting under visible light irradiation using Eosin Y-sensitized mesoporous-assembled Pt/TiO₂ nanocrystal photocatalyst. Journal of Power Sources, 190, 513-524.

- Tanabe, K. (1970) Solid Acids and Bases: Their Catalytic Applications; Academic Press, New York.
- Tian, G., Pan, K., Fu, H., Jing, L., and Zhou, W. (2009). Enhanced photocatalytic activity of S-doped TiO₂-ZrO₂ nanoparticles under visible-light irradiation. Journal of Hazardous Materials, 166, 939-944.
- Vorontsov, A.V., Savinov, E.N., and Zhensheng, J. (1999) Influence of the form of photodeposited platinum on titania upon its photocatalytic activity in CO and acetone oxidation Journal of Photochemistry and Photobiology, 125, 113-117
- Wang, C., Geng A., Guo Y., Jiang S., Qu X., and Li L. (2006). A novel preparation of three-dimensionally ordered macroporous M/Ti (M = Zr or Ta) mixed oxide nanoparticles with enhanced photocatalytic activity. Journal of Colloid and Interface Science, 301, 236-247.
- Wang, X.C., Yu, J.C., Chen, Y.L., Wu, L., and Fu, X.Z. (2006). ZrO₂-modified mesoporous nanocrystalline TiO_{2-x}N_x as efficient visible light photocatalysts. Environmental Science & Technology, 40, 2369-2374.
- Wang, J.A., Cuan, A., Salmones, J., Nava, N., Castillo, S., Pineda, M. M., and Rojas, F., (2004). Studies of sol-gel TiO₂ and Pt/TiO₂ catalysts for NO reduction by CO in an oxygen-rich condition. Applied Surface Science, 230, 94-105.
- Weissman, J.G., Ko, E.I., and Katyal, S. (1993). Titania-zirconia mixed oxide aerogels as supports for hydrotreating catalysts. Applied Catalysis A: General, 94, 45-59.
- Yu, J.C., Lin, J., and Kwok, R.W.M. (1998). Ti_{1-x}Zr_xO₂ solid solutions for the photocatalytic degradation of acetone in air. Journal of Physical Chemistry B, 102, 5094-5098.
- Zhang, D., Fan, P., Cai, X.M., Liang, G., Shao, J., Wang, C.J., Zhang, D.W., and Fan, Z.X. (2008). Influence of oxygen plasma treatment on properties of ZrO₂ films prepared by e-beam evaporation techniques. Solid State Communications, 148, 22-24.
- Zhang, H.Z., and Banfield, J.F. (2000). Understanding polymorphic phase transformation behavior during growth of nanocrystalline aggregates: Insights from TiO₂. Journal of Physical Chemistry B, 104, 3481-3487.

- Zhang, Z., Wang, C.C., Zakaria, R., and Ying, J.Y. (1998). Role of particle size in nanocrystalline TiO₂-based photocatalysts. Journal of Physical Chemistry B, 102, 10871-10878.
- Zou, J.J., He, H., Cui, L., and Du, H.Y. (2007) Highly efficient Pt/TiO₂ photocatalyst for hydrogen generation prepared by a cold plasma method. International Journal of Hydrogen Energy, 32, 1762-1770.

CURRICULUM VITAE

Name: Ms. Lawan Kokporka

Date of Birth: April 23, 1986

Nationality: Thai

University Education:

2004-2008 Bachelor Degree of Chemical Engineering, Faculty of Science, Chulalongkorn University, Bangkok, Thailand

Working Experience:

2007 Position: Student Internship

Company name: Thai Oil Public Company Limited, Thailand

Proceedings:

1. Kokporka, L., Sreethawong, T., and Chavadej, S. (2010, April 22) Hydrogen Production from Water Splitting under Visible Light Irradiation Using Sensitized $\text{TiO}_2\text{-ZrO}_2$ Mixed Oxide Photocatalysts. Proceedings of The 1st National Research Symposium on Petroleum, Petrochemicals, and Advanced Materials and The 16th PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.

