



REFERENCES

- Aelion, R., Loebel, A., and Eirich, F. (1950) Hydrolysis of ethyl silicate. J. Am. Chem. Soc., 72, 5705-5712.
- Agnihotri, O. P., Mohammad, M. T., Abass, A. K., and Arshak, K. I. (1983) Electrical and optical properties of chemically deposited conducting glass for SIS solar cells. Solid State Comm., 47, 195-198.
- Ajayan, P. M. (1999) Nanotubes from Carbon. Chem. Rev., 99, 1787.
- Alfano, O. M., Cabrera, M. I., and Cassano, A. E. (1997) Photocatalytic reactions involving hydroxyl radical attack. J. Catal., 172, 370-379.
- Andrade, M., Weibel, A., Laurent, C., Roth, S., Bergmann, C. P., Estourne'sb, C., and Peigneyb, A. (2009) Electrical conductive double-walled carbon nanotubes – Silica glass nanocomposites prepared by the sol-gel process and spark plasma sintering. Scripta Materialia, 61, 988–991.
- Andronic, L., and Duta, A. (2007) TiO₂ thin films for dyes photodegradation. Thin Solid Films, 515, 6294-6297.
- Appenzeller, J., Martel, R., Derycke, V., Radosavjevic, M., Wind, S., and Neumayer, D. (2002) Carbon nanotubes as potential building blocks for future nanoelectronics. Microelectron Eng., 14, 391–397.
- Bagheri-Mohagheghi, M. M., Shahtahmasebi, N., Alinejad, M. R., Youssefi, A., and Shokooh-Saremi, M. (2008) Fe-doped SnO₂ transparent semi-conducting thin films deposited by spray pyrolysis technique: thermoelectric and p-type conductivity properties. Solid State Sciences, 1-7.
- Berber, S., Kwon, Y. K., and Tomanek, D. (2000) Unusually high thermal conductivity of carbon nanotubes. Phys. Rev. Lett., 84, 4613.
- Bottini, M., Tautz, L., Huynh, H., Monosov, E., Bottini, N., and Dawson, M. I. (2003) Covalent decoration of multi-walled carbon nanotubes with silica nanoparticles. Chem. Commun., 6, 780–781.
- Bouazza, N., Ouzzine, M., Lillo-Ródenas, M.A., Eder, D., and Linares-Solano, A. (2009) Environmental TiO₂ nanotubes and CNT–TiO₂ hybrid materials for the photocatalytic oxidation of propene at low concentration. Appl. Catal. B, 92, 377-383.

- Brinker, C. J., and Scherer, G. W. (1990) Sol-gel science. Boston: Academic Press.
- Campbell, S., and Fyfe, W. S. (1960) Hydroxyl ion catalysis of the hydrothermal crystallization of amorphous silica: a possible high temperature pH indicator. Am. Mineral., 45, 464-468.
- Cannas, C., Mainas, M., Musinu, A., and Piccaluga, C. (2003) ZnO-SiO₂ Nanocomposites obtained by impregnation of mesoporous silica. Comp. Sci. Technol., 63, 1187-1216.
- Carriazo, D., Addamo, M., Marci, G., Martin, C., Palmisano, L., and Rives, V. (1999) Preparation and characterisation of TiO₂ (anatase) supported on TiO₂ (Rutile) catalysts employed for 4-Nitrophenol photodegradation in aqueous medium and comparison with TiO₂ (anatase) supported on Al₂O₃. Appl. Catal. B: General : Environ., 20, 29-45.
- Chaklader, A. C. D., and Roberts, A. L. (1961) Transformation of quartz to cristobalite. J. Am. Ceram. Soc., 44, 35-41.
- Charoenpinijkarn, W., Suwankruhasn, M., Kasapabutr, B., Wongkasemjit, S., and Jamison, A. M. (2001) Sol-gel processing of silatrane. Eur. Polym. J., 37, 1441-1448.
- Chen, F., Zhao, J., and Hidaka, H. (2003) Highly selective deethylation of rhodamine B: adsorption and photooxidation pathways of the dye on the TiO₂/SiO₂ composite photocatalyst. J. Photoenergy, 5, 209-217.
- Chen, J., Hamon, M. A., Hu, H., Chen, Y. S., Rao, A. M., Ecklund, P. C., and Haddon, R. C. (1998) Solution properties of single-walled carbon nanotubes. Science, 282, 95.
- Chen, W., Zhang, J., and Cai, W. (2003) Sonochemical preparation of Au, Ag, Pd/SiO₂ mesoporous nanocomposites. Scripta Mater., 48, 1061-1066.
- Cheung, T. L. Y., and Ng, D. H. L. (2007) Conversion of bamboo to biomorphic composite silica and silicon carbide nanowires. J. Am. Ceram. Soc., 90, 559-564.
- Cho, O., Schaab, S., Roether, J.A., and Boccaccini, A.R. (2007) Nanostructured carbon nanotube/TiO₂ composite coatings using electrophoretic deposition (EPD). J. Nanopart Res. 10, 99-105.

- Choi, S. S., Lee, S. G., Im, S. S., Kim, S.H., and Joo, Y. L. (2003) Silica nanofibers from electrospinning/sol-gel process. Journal of Materials Science Letters, 22, 891-893.
- Chung, W.Y., and Lim, A.W. (2003) Patterning of thin tin oxide film with nano-size particle for two-dimensional micro-gas sensor array. Current Appl. Phys., 3, 409-413.
- Colón, G., Hidalgo, M. C., Macías, M., Navío, J. A., and Doña, J. M. (2003) Influence of residual carbon on the photocatalytic activity of TiO₂/C samples for phenol oxidation. Appl Catal B: Environ., 43, 163-173.
- Cooke, D. J., Eder, D., and Elliott, J. A. (2010) Role of benzyl alcohol in controlling the growth of TiO₂ on carbon nanotubes. J. Phys. Chem. C, 114, 2462–2470.
- Cui, D. X. (2007) Advances and prospects on biomolecules functionalized carbon nanotubes. J. Nanosci. Nanotechnol., 7, 1298.
- Cullity, B. D. Elements of X-ray Diffraction (2nd ed.). Addison-Wesley, 1978.
- Dechakiatkrai, C., Chen, J., Lynam, C., Phanichphant, S., and Wallace, G. G. (2007) Photocatalytic oxidation of methanol using titanium dioxide/single-walled carbon nanotube composite. J. Electrochem. Soc., 154, A407-A411.
- Dharmaraj, N., Park, H. C., Kim, C. K., Kim, H. Y., and Lee, D. R. (2004) Nickel titanate nanofibers by electrospinning. Materials Chemistry and Physics, 87, 5-9.
- Dharmaraj, N., Kim, C. H., Kim, K. W., Kim, H. Y., and Suh, E. K. (2005) Spectral studies of SnO₂ nanofibers prepared by electrospinning method. Spect. Acta Part A, 64, 136-140.
- Dietzel, J. M., Klienmeyer, J., Harris, D., and Tan, N. C. B. (2001) The effect of processing variables on the morphology of electrospun nanofibers and textiles. Polymer, 42, 261-272.
- Diaz-Flores, L.L., and Ramirez-Bon, R. (2003) Impedance spectroscopy studies on SnO₂ films prepared by the sol gel process. Journal of Physics and Chemistry of Solids, 64, 1037-1042.
- Doshi, J., and Reneker, D. H. (1995) Electrospinning process and applications of electrospun fibers. J. Electrostat., 35, 151-160.

- Dresselhaus, M. S., Dresselhaus, G., and Avouris, P. (2000) Carbon nanotubes: synthesis, structure, properties, and applications. Springer.
- Dresselhaus, M. S., Dresselhaus, G., Charlier, J. C., and Hernandez, E. (2004) Electronic, thermal and mechanical properties of carbon nanotubes. Phil. Trans. R. Soc. Lond. A, 362, 2065.
- Eder, D. (2010) Carbon nanotube-inorganic hybrids. Chem. Rev., 110, 1348–1385.
- Eder, D., Kinloch, I. A., and Windle, A. H. (2006) Pure rutile nanotubes. Chem. Commun., 1448-1450.
- Eder, D., Motta, M.S., Kinloch, I.A., and Windle, A.H. (2007) Anatase nanotubes as support for platinum nanocrystals. Physica E, 37, 245–249.
- Eder, D., Motta, M. S., and Windle, A. H. (2009) Iron-doped Pt–TiO₂ nanotubes for photo-catalytic water splitting. Nanotechnology, 20, 055602.
- Eder, D., and Windle, A. H. (2008) Carbon–Inorganic hybrid materials: the carbon-nanotube/TiO₂ interface. Adv. Mater., 20, 1787-1793.
- Eder, D., and Windle, A. H. (2008) Morphology control of CNT-TiO₂ hybrid materials and rutile nanotubes. J. Mater. Chem., 18, 2036-2043.
- Evans, P., Mantke, S., Mills, A., Robinson, A., and Sheel, D.W. (2007) A comparative study of three techniques for determining photocatalytic activity. J. Photochem. Photobiol. A, 188, 387-391.
- Fan, W., and Gao, L. (2005) Silica nanobeads-decorated multi-walled carbon nanotubes by vapor-phase method. Chem. Lett., 34, 954–945.
- Fong, H., Chun, I., and Reneker D. H. (1999) Beaded nanofibers formed during electrospinning. Polymer, 40, 4585-4592.
- Frenot, A., and Chronakis, I. S. (2003) Polymer nanofibers assembled by electrospinning. Current Opinion in Colloid & Interface science, 8, 64-75.
- Fu, K. F., and Sun, Y. P. J. (2003) Dispersion and solubilization of carbon nanotubes. Nanosci. Nanotechnol., 3, 351.
- Fujishima, A. T., Rao, T. N., and Tryk, D. A. (2000) Titanium dioxide photocatalysis. J. Photochem. Photobiol. C, Photochem. Rev., 1, 1-21.
- Gibson, P., Schreuder-Gibson, H., and Rivin, D. (2001) Transport properties of porous membranes based on electrospun nanofibers. Colloids Surf. A, 187, 469.

- Giordani, S., Bergin, S. D., Nicolosi, V., Lebedkin, S., Kappes, M. M., Blau, W. J., and Coleman J. N. (2006) Debundling of single-walled nanotubes by dilution: observation of large populations of individual nanotubes in amide solvent dispersions. *J. Phys. Chem. B*, 110, 15708.
- Gomathi, A., Vivekchand, S. R. C., Govindaraj, A., and Rao, C. N. R. (2005) Chemically bonded ceramic oxide coatings on carbon nanotubes and inorganic nanowires. *Adv. Mater.*, 17, 2757-2761.
- Grainsford, G.J., Kemmitt, T., Lensink, C., and Milestone, N.B. (1995) Isolation and characterization of anionic titanium tris(glycolate) complexes. *Inorg Chem.* 34, 746-748.
- Gu, F., Wang, S. F., Song, C. F., Lu, M. K., Qi, Y. X., Zhou, G. J., Xu, D., and Yuan, D. R. (2003) Synthesis and luminescence properties of SnO₂ nanoparticles. *Chem. Phys. Lett.*, 372, 451-454.
- Guldi, D. M., Rahman, G. M. A., Sgobba, V., Kotov, N. A., and Bonifazi, D. M. (2006) CNT-CdTe versatile donor-acceptor nanohybrids. *J. Am. Chem. Soc.*, 128, 2315-2323.
- Guo, D. J., and Li, H. L. (2004) Electrochemical synthesis of Pd nanoparticles on functional MWNT surfaces. *Electrochem. Commun.*, 6, 999.
- Guo, H. X., Zhao, X. P., Guo, H. L., and Zao, Q. (2003) Preparation of Porous SiO₂/Ni/TiO₂ Multicoated Microspheres Responsive to Electric and Magnetic Fields. *Langmuir*, 19, 9799-9803.
- Han, J. B., Zhou, H. J., and Wang, Q. Q. (2006) Conductivity and optical nonlinearity of Sb doped SnO₂ films. *Materials Letters*, 60, 252 – 254.
- Harris, P. J. F. (2003) Carbon nanotubes and related structures. *Cambridge University Press*.
- Haung, Z.M., Zhang, Y.Z., Kotaki, M., and Ramakrishna, S. (2003) A review on polymer nanofibers by electrospinning and their applications in nanocomposites. *Composite Science and Technology*, 63, 2223-2253.
- He, Y., Li, Y., Yu, J., and Qian, Y. (1999) Chemical control synthesis of nanocrystalline SnO₂ by hydrothermal reaction. *Mater. Lett.* 40, 23-26.

- Hieu, N. V., Kim, H. R., Ju, B. K., and Lee, J. H. (2008) Enhanced performance of SnO₂ nanowires ethanol sensor by functionalizing with La₂O₃. Sens. Actuators B Chem., 133, 228-234.
- Hirsch, A. (2002) Functionalization of single-walled carbon nanotubes. Angew. Chem. Int. Ed., 41, 1853.
- Hirsch, A., and Vostrowsky, O. (2005) Functionalization of carbon nanotubes. Funct. Mol. Nanostruc., 245, 193.
- Hone, J., Batlogg, B., Benes, Z., Johnson, A. T., and Fischer, J. E. (2000) Quantized phonon spectrum of single-wall carbon nanotubes. Science, 289, 1730.
- Huang, H.-C., Huang, G.-L., Chen, H.-L., and Lee, Y.-D. (2006) Immobilization of TiO₂ nanoparticles on carbon nanocapsules for photovoltaic applications. Thin Solid Films, 203, 511-512.
- Huang, Z. M., Zhang, Y. Z., Kotaki, M., and Ramakrishna, S. (2003) A review on polymer nanofibers by electrospinning and their applications in nanocomposites. Compos. Sci. Technol., 63, 2223–2253.
- Hu, J., Bando, Y., Liu, Q., and Golberg, D. (2003) Laser-ablation growth and optical properties of wide and long single-crystal SnO₂ ribbons. Adv. Funct. Mater., 13, 493-496.
- Hu, J.Q., Bando, Y., and Golberg, D. (2003) Self-catalyst growth and optical properties of novel SnO₂ fishbone-like nanoribbons. Chem. Phys. Lett., 372, 758-762.
- Iijima, S. (1991) Helical microtubules of graphitic carbon. Nature, 354, 56.
- Iijima, S. (1993) Single-shell carbon nanotubes of 1-nm diameter. Nature, 363, 603.
- Jayaraman, K., Kotaki, M., Zhang, Y., Mo, X., and Ramakrishna, S. (2004) Recent advances in polymer nanofibers. J. Nanosci. Nanotechnol., 4, 52–65.
- Jayesh, D., and Reneker, D. H. (1995) Electrospinning process and applications of electrospun fibers. Journal of Electrostatics, 35, 151-160.
- Joshi, R., Engstler, J., Haridoss, P., and Schneider, J. J. (2009) Formation of carbon nanotubes from a silicon carbide/carbon composite. Solid State Sciences, 11, 422–427.

- Juan, Z., Dishun, Z., Liyan, Y., and Yongbo, L. (2010) Photocatalytic oxidation dibenzothiophene using TS-1. Chem. Eng. J., 156, 528-531.
- Junin, C., Krissanasaeranee, M., Jamieson, A.M., and Wongkasemjit, S. (2005) Synthesis of high surface area tin oxide via sol-gel process using tin glycolate precursor. J. Sci., 32, 385-390.
- Kamat, P. V. (2006) Harvesting photons with carbon nanotubes. Nano Today, 1, 20-27.
- Kamiya, K., Sano, T. Y. T., and Tanaka, K. (1990) Distribution of carbon particles in Carbon/SiO₂ glass composite made from CH₃Si(OC₂H₅)₃ by the sol-gel method. J. Non-Cryst. Solids, 119, 14-20.
- Katz, E., and Willner, I. (2004) Biomolecule-functionalized carbon nanotubes: applications in nanobioelectronics. Chem. Phys. Chem., 5, 1085.
- Kickelbick, G. (2007). Hybrid materials synthesis, characterization, and application. Wiley-VCH, Weinheim, Germany.
- Klaewkla, R., Rirksomboon, T., Kulprathipanja, S., Nemeth, L., and Rangsavijit, P. (2006) Light sensitivity of phenol hydroxylation with TS-1. Catal Commun, 7, 260.
- Klein, K. L., Melechko, A. V., McKnight, T. E., Retterer, S. T., Rack, P. D., Fowlkes, J. D., Joy, D. C., and Simpson, M. L. J. (2008) Surface characterization and functionalization of carbon nanofibers. Appl. Phys., 103, 061301.
- Klein, S., Weckhuysen, B. M., Martens, J. A., Maier, W. F., and Jacobs, P. A. (1996) Homogeneity of Titania-Silica mixed oxides: on UV-DRS studies as a function of titania content. J. Catal., 163, 489-491.
- Krissanasaeranee, M., Vongsetskul, T., Rangkupan, R., Supaphol, P., and Wongkasemjit, S. (2008) Preparation of silica nanofibers using electrospun poly(vinyl alcohol)/silatrane composite nanofibers as precursor. J. Am. Cer. Soc., 91, 2830-2835.
- Kriven, W. M., and Lee, S.-J. (2005) Toughening of mullite/cordierite laminated composites by transformation weakening of b-cristobalite interphases. J. Am. Ceram. Soc., 88, 1521-1528.

- Kuang, Q., Lao, C., Wang, Z. L., Xie, Z., and Zheng, L. (2007) High-sensitivity humidity sensor based on a single SnO₂ nanowires. J. Am. Chem. Soc., 129, 6070-6071.
- Lee, G.D., Jung, S.K., Jeong, Y.J., Park, J.H., Lim, K.T., Ahn, B.H., and Hong, S.S. (2003) Photocatalytic decomposition of 4-nitrophenol over titanium silicalite (TS-1) catalysts. Appl. Catal. A, 239, 197.
- Lee, K.H., Kim, H.Y., Khil, M.S., La, Y.M., and Lee, D.R. (2003) Characterization of nano-structured poly(ϵ -caprolactone) nonwoven mats via electrospinning. Polymer, 44, 1287.
- Li, D., Wang, Y. L., and Xia, Y. N. (2004) Electrospinning nanofibers as uniaxially aligned arrays and layer-by-layer stacked films. Advanced Materials, 16, 361-366.
- Li, S., Shao, C., Lui, Y., Tang, S., and Mu, R. (2006) Nanofibers and nanoplatelets of MoO₃ via an electrospinning technique. Journal of Physics and Chemistry of Solids, 67, 1896-1872.
- Li, Y., Sun, S., Ma, M., Ouyang, Y., and Yan, W. (2008) Kinetic study and model of the photocatalytic degradation of rhodamine B (RhB) by a TiO₂-coated activated carbon catalyst: Effects of initial RhB content, light intensity and TiO₂ content in the catalyst. J. Chem. Eng., 142, 147-155.
- Liu, Y.K., Zheng, C.L., Wang, W.Z., Yin, C.R., and Wang G.H. (2001) Synthesis and characterization of rutile SnO₂ nanorods. Adv. Mater., 13, 1883.
- Lopez, A. J., Ureña, A., and Rams, J. (2010) Fabrication of novel sol-gel silica coatings reinforced with multi-walled carbon nanotubes. Mat. Lett., 64, 924-927.
- Loureiro, S. M., Ramos, M. L., and Manoharan, M. (2005) High temperature nanocomposite through engineered synthesis of hafnia nano-dispersoids in hexagonal mesoporous silica. J. Am. Ceram. Soc., 88, 1072-1075.
- Mars P., and Krevelen, P. W. V. (1954) Oxidation carried out by means of vanadium oxide catalysts. Special Supplement to Chem. Eng. Sci., 3, 41-59.
- Matos, J., Laine, J., and Herrmann, J.-M. (1998) Synergy effect in the photocatalytic degradation of phenol on a suspended mixture of titania and activated carbon. Appl. Catal. B: Environmental, 18, 281-291.

- Matsui, Y., Yamamoto, Y., and Takeda, S. (2000) Electron-emissive materials, vacuum microelectronics and flat-panel displays, San Francisco, U.S.A., April 25–27, 2000. Materials Research Society Symposium Proceedings, 621.
- Mit-uppatham, C., Nithitanakul, M., and Supaphol, P. (2004) Ultrafine electrospun polyamide-6 fibers: effect of solution conditions on morphology and average fiber diameter. Macromol. Chem. Phys., 205, 2327–2338.
- Nakane, K., Yamashita, T., Iwakura, K., and Suzuki, F. (1999) Properties and structure of poly(vinyl alcohol)/silica composites. J. Appl. Polym. Sci., 74, 133–138.
- Nicolaon, G.A., and Teichner, S.J. (1968) Bull. Soc. Chim. France, 3107.
- Niederberger, M., Bartl M. H., and Stucky, G. D. (2002) Benzyl alcohol and titanium tetrachloride – A versatile reaction system for the nonaqueous and low-temperature preparation of crystalline and luminescent titania nanoparticles. Chem. Mater., 14, 4364–4370.
- Niederberger, M., Bartl M. H., and Stucky, G. D. (2002) Benzyl alcohol and transition metal chlorides as a versatile reaction system for the nonaqueous and low-temperature synthesis of crystalline nano-objects with controlled dimensionality. J. Am. Chem. Soc., 124, 13642–13643.
- O'Regan, B., and Graetzel, M. (1991) A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO₂ films. Nature, 353, 737-740.
- Phiriyawirut, P., Jamieson, A.M., and Wongkasemjit, S. (2005) VS-1 Zeolite synthesized directly from silatrane. Mesoporous and Microporous Mater., 77, 203-213.
- Phonthammachai, N., Chairassameewong, T., Gulari, E., Jamieson, A. M., and Wongkasemjit, S. (2002) Structural and rheological aspect of mesoporous nanocrystalline TiO₂ synthesized via sol–gel process. J. Met. Mater. Min., 12, 23-28.
- Phonthammachai, N., Krissanasaeranee, M., Gulari, E., Jamieson, A.M., and Wongkasemjit, S. (2006) Crystallization kinetics and catalytic activity of high titanium loaded TS-1 zeolite. Materials Chemistry and Physics, 97, 458-467.

- Piboonchaisit, P., Wongkasemjit, S., and Laine, R. (1999) A novel route to tris (silatranyloxy-1-propyl) amine directly from silica and triisopropanolamine, Part I, Science-Asia. Journal of the Science Society of Thailand, 25, 113-119.
- Prato, M., Kostarelos, K., and Bianco, A. (2007) Functionalized carbon nanotubes in drug design and discovery. Acc. Chem. Res., 41, 60.
- Qian, L., and Yang, X. (2006) Assembly of prussian blue onto SiO₂ nanoparticles and carbon nanotubes by electrostatic interaction. Colloids and surfaces A: Physicochem. Eng., 278, 123–128.
- Ramkrishna-Prasad, M., Kamalakar, G., Kulkarni, S.J., Raghavan, K.V., Narasimha-Roa, K., Sai-Prasad, P.S., and Madhavendra, S.S. (2002) An improved process for the synthesis of titanium-rich titanium silicates (TS-1) under microwave irradiation. Catal. Commun., 3, 399.
- Ray, S. C., Karanjai, M. K., and Dasgupta, D. (1998) Tin dioxide based transparent semiconducting films deposited by the dip-coating technique. Surface and Coatings Technology, 102, 73–80.
- Reneker, D.H., and Chun, I. (1996) Nanometre diameter fibres of polymer, produced by electrospinning. Nanotechnology, 7, 216-223.
- Reneker, D.H., Yarin, A.L., Fong, H., and Koombhongse, S. (2000) Bending instability of electrically charged liquid jets of polymer solutions in electrospinning. Journal of Applied Physics, 87, 4531-4547.
- Robel, I., Bunker, B. A., and Kamat, P. V. (2005) Single-walled carbon nanotube-CdS nanocomposites as light-harvesting assemblies: photo induced charge-transfer interactions. Adv. Mater., 17, 2458-2463.
- Robertson, D. H., Brenner, D. W., and Mintmire, J. W. (1992) Energetics of nanoscale graphitic tubules. Phys. Rev. B, 45, 12592.
- Saito, R., Dresselhaus, G., and Dresselhaus, M. S. (1998) Physical properties of carbon nanotubes. Imperial College Press.
- Salzmann, C. G., Llewellyn, S. A., Tobias, G., Ward, M. A. H., Huh, Y., and Green, M. L. H. (2007) The role of carboxylated carbonaceous fragments in the functionalization and spectroscopy of a single-walled carbon-nanotube material. Adv. Mater., 19, 883.

- Sangsanoh, P., and Supaphol, P. (2006) Stability improvement of electrospun chitosan nanofibrous membranes in neutral or weak basic aqueous solutions. Nanotechnology, 7, 2710–2714.
- Shao, C., Kim, H.-Y., Gong, J., and Lee, D.-R. (2002) A novel method for making silica nanofibers by using electrospun fibers of polyvinyl alcohol/silica composite as precursor. Nanotechnology, 13, 635-637.
- Shao, C.L., Kim, H.Y., Gong, J., Ding, B., Lee, D.R., and Park, S.J. (2003) Fiber mats of poly(vinyl alcohol)/silica composite via electrospinning. Materials Letters, 57, 1579-1584.
- Shukla, S., Brinley, E., Cho, H. J., and Seal, S. (2005) Electrospinning of hydroxypropyl cellulose fibers and their application in synthesis of nano and submicron tin oxide fibers. Polymer, 46, 12130-12145.
- Singh, C., Shaffer, M. S. P., Koziol, K. K. K., Kinloch, I. A., and Windle, A. H. (2003) Towards the production of large-scale aligned carbon nanotubes. Chem. Phys. Lett., 372, 860.
- Silva, G., and Faria, J. L. (2003) Photochemical and photocatalytic degradation of an azo dye in aqueous solution by UV irradiation. J. Photochem. Photobiol. A, 155, 133-143.
- Sitarz, M., Handke, M., and Mozgawa, W. (2000) Identification of silicoxygen in SiO₂ based on IR spectra. Spectrochim. Acta, 56A, 1819–1823.
- Sriupayo, J., Supaphol, P., Blackwell, J., and Rujiravanit, R. (2005) Preparation and characterization of a-chitin whisker-reinforced poly(vinyl alcohol) nanocomposite films with or without heat treatment. Polymer, 46, 5637–5644.
- Su, P. G., and Huang, S. C. (2006) Electrical and humidity sensing properties of carbon nanotubes-SiO₂-poly(2-acrylamido-2 methylpropane sulfonate) composite material. Sensors and Actuators B, 113, 142–149.
- Su, P. G., Chen, I. C., and Wu, R. J. (2001) Use of poly(2-acrylamido-2-methylpropane sulfonate) modified with tetraethyl orthosilicate as sensing material for measurement of humidity. Anal. Chim. Acta, 449, 103–109.

- Sun, S.H., Meng, G.W., Zhang, G.X., Gao, T., Geng, B.Y., Zhang, L.D., and Zuo, J. (2003) Raman scattering study of rutile SnO₂ nanobelts synthesized by thermal evaporation of Sn powders. Chem. Phys. Lett., 376, 103.
- Supaphol, P., and Chuangchote S. (2008) On the electrospinning of poly(vinyl alcohol) nanofiber mats: A revisit. J. Appl. Polym. Sci., 108, 969-978.
- Tasis, D., Tagmatarchis, N., Bianco, A. and Prato, M. (2006) Chemistry of carbon nanotubes. Chem. Rev., 106, 1105.
- Tasis, D., Tagmatarchis, N., Georgakilas, V., and Prato, M. (2003) Soluble carbon nanotubes. Chem. Eur. J., 9, 4000-4008.
- Tatsuyama, C., and Ichimura, S. (1976) Electrical and optical properties of GaSe-SnO₂ heterojunctions. Jpn. J. Appl. Phys., 15, 843-847.
- Terrones, M. (2003) Science and technology of the twenty-first century: Synthesis, properties (Annual Reviews). Journal of materials research, 33, 419-501.
- Tryba, B., Morawski, A. W., and Inagaki, M. (2003) Application of TiO₂-mounted activated carbon to the removal of phenol from water. Appl Catal B: Environ. 41, 427-433.
- Tryk, D. A., Fujishima, A., and Honda, K. (2000) Recent topics in photoelectrochemistry: achievements and future prospects. Electrochem. Acta, 45, 2363-2376.
- Vayssilov, G. N. (1997) Structural and physicochemical features of titanium silicalites. Catal. Rev., 39, 209-251.
- Venkatachalam, N., Palanichamy, M., and Murugesan, V. (2007) Sol-gel preparation and characterization of alkaline earth metal doped nano TiO₂: Efficient photocatalytic degradation of 4-chlorophenol. J. Mol. Catal. A: Chem., 273, 177-185.
- Wang, J.X., Liu, D.F., Yan, X.Q., Yuan, H.J., Ci, L.J., Zhou, Z.P., Gao, Y., Song, L., Liu, L.F., Zhou, W.Y., Wang, G., and Xie, S.S. (2004) Growth of SnO₂ nanowires with uniform branched structures. Solid State Commun., 130, 89.
- Wang, G.-J., Lee, M.-W., and Chen, Y.-H. (2008) A TiO₂/CNT coaxial structure and standing CNT array laminated photocatalyst to enhance the photolysis efficiency of TiO₂. Photochem. Photobio., 84, 1493-1499.

- Wang, W. D., Serp, P., Kalck, P., and Faria, J. L. (2005) Visible light photodegradation of phenol on MWNT-TiO₂ composite catalysts prepared by a modified sol-gel method. Appl Catal B: Environ, 56, 305-312.
- Wang, Z.L., and Pan, Z.W. (2002) Junctions and networks of SnO nanoribbons. Adv. Mater., 14, 1029.
- Wathanaarun, J., Pavarajam, V., and Supaphol, P. (2005) Titanium (IV) oxide nanofibers by combined sol-gel and electrospinning techniques: preliminary report on effects of preparation conditions and secondary metal dopant. Sci. Technol. Adv. Mater., 6, 240-245.
- Wu, T., Liu, G., Zhao, J., Hidaka, H., and Serpone, N. (1998) Photoassisted degradation of dye pollutants. V. Self-photosensitized oxidative transformation of Rhodamine B under visible light irradiation in aqueous TiO₂ dispersions. J. Phys. Chem. B, 102, 5845-5851.
- Xue, X. Y., Chen, Y. J., Wang, Y. G., and Wang, T. H. (2005) Synthesis and ethanol sensing properties of ZnSnO₃ nanowires. Appl. Phys. Lett., 86, 233101/1-2.
- Yamagata, S., Nishijo, M., Murao, N., Ohta, S., and Mizoguchi I. (1995) CO₂ reduction to CH₄ with H₂ on photoirradiated TS-1. Zeolites, 15, 490-493.
- Yamashita, H., Fujii, Y., Ichihashi, Y., Zhang, S.G., Ikeue, K., Park, D.R., Koyana, K., Tatsumi, T., and Anpo, M. (1998) Selective formation of CH₃OH in the photocatalytic reduction of CO₂ with H₂O on titanium oxides highly dispersed within zeolites and mesoporous molecular sieves. Catal. Today, 45, 221.
- Yamazoe, N. (1991) New approaches for improving semiconducting gas sensors. Sens. Actuators B, 5, 7-19.
- Yao, Y., Li, G., Ciston, S., Lueptow, R. M., and Gray, K. A. (2008) Photoreactive TiO₂/Carbon nanotube composites: synthesis and reactivity. Environ. Sci. Technol., 42, 4952.
- Yan, X. B., Tay, B. K., and Yang, Y. J. (2006) Dispersing and functionalizing multiwalled carbon nanotubes in TiO₂ sol. J. Phys. Chem. B, 110, 25844-25849.

- Yu, K. N., Xiong, Y. H., Liu, Y. L., and Xiong, C. S. (1997) Microstructural change of nano SnO₂ grain assemblages with annealing temperature. Phys. Rev. B, 55, 2666-2671.
- Yu, M. F. (2000) Tensile loading of ropes of single wall carbon nanotubes and their mechanical properties. Phys. Rev. Lett., 84, 5552.
- Yu, Y., Yu, J. C., Yu, J.-G., Kwok, Y.-C., Che, Y.-K., Zhao, J.-C., Ding, L., Ge, W.-K., and Wong, P.-K. (2005) Enhancement of photocatalytic activity of mesoporous TiO₂ by using carbon nanotubes. Appl Catal A: Gen, 289, 186–196.
- Zhang, J., and Gao, L. (2004) Synthesis and characterization of nanocrystalline tin oxide by sol gel method. J. Solid State Chem., 177, 1425-1430.
- Zhang, G., Kataphinan, W., Teye-Mensah, R., Katta, P., Khatri, L., Evans, E. A., Chase, G. G., Ramsier, R. D., and Renekar, D.H. (2005) Electrospun nanofibers for potential space-based applications. Materials Science and Engineering B, 116, 353-358.
- Zhang, Y., He, X., Li, J., Miao, Z., and Huang, F. (2008) Fabrication and ethanol-sensing properties of micro gas sensor based on electrospun SnO₂ nanofibers. Sens. and Actuators B, 132, 67-73.
- Zhang, Z., Zhong, X., Liu, S., Li, D., and Han, M. (2005) Aminolysis route to monodisperse titania nanorods with tunable aspect ratio. Angew. Chem. Int. Ed., 44, 3466-3470.
- Zhang, Z. B., Wang, C. C., and Zakaria, R., and Ying, J. Y. (1998) Role of particle size in nanocrystalline TiO₂-based photocatalysts. J. Phys. Chem. B, 102, 10871–10878.
- Zhao, Y., Wang, H., Lu, X., Li, X., Yang, Y., and Wang, C. (2008) Fabrication of refining mesoporous silica nanofibers via electrospinning. Mater. Lett., 62, 143–146.
- Zhu, Y., Yanagisawa, K., Onda, A., and Kajiyoshi, K. (2005) The preparation of nano-crystallized cristobalite under hydrothermal conditions. J. Mater. Sci., 40, 3829–3831.

CURRICULUM VITAE

Name: Ms. Methira Krissanasaeranee

Date of Birth: October 21, 1979

Nationality: Thai

University Education:

2002-2003 Master Degree of Polymer Science, Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand

1998-2001 Bachelor Degree of Science, Faculty of Science, Chulalongkorn University, Bangkok, Thailand

Working Experience:

2004-2005 Position: Research Assistant
Company name: Petroleum and Petrochemical College, Chulalongkorn University, Bangkok

Publications:

1. N. Phonthammachai, M. Krissansaeranee, E. Gulari, A. M. Jamieson, S. Wongkasemjit (2004) Synthesis of High Surface area and Thermally Stable TiO₂ Directly from Titanium triisopropanolamine Precursor. Microporous and Mesoporous Mat., (Accepted for a presentation at the Microporous and Mesoporous Meeting, Rome, Italy in December)
2. C. Junin, M. Krissanasaeranee, A. M. Jamieson, S. Wongkasemjit (2005) Synthesis of High Surface Area Tin Oxide via Sol-Gel Process Using Tin Glycolate Precursor, J. Sci., Chiangmai University, 32, 385-390.
3. N. Phonthammachai, M. Krissanasaeranee, E. Gulari, A. M. Jamieson, S. Wongkasemjit (2006) Crystallization and Catalytic Activity of High Titanium Loaded TS-I Zeolite, Mater. Chem. Phys., 97, 458-467.
4. M. Krissanasaeranee, T. Vongsetskul, R. Rangkupan, P. Supaphol, and S. Wongkasemjit (2008) Preparation of Silica Nanofibers Using Electrospun Poly(vinyl alcohol)/Silatrane Composite Nanofibers as Precursor, J. Am. Cer. Soc., 91(9), 2830-2835.

5. M. Krissanasaeranee, P. Supaphol, and S. Wongkasemjit (2010) Preparation of Poly(vinyl alcohol)/tin glycolate Composite Fibers by Combined Sol-Gel/Electrospinning Techniques and Their Conversion to Ultrafine Tin Oxide Fibers, Mater. Chem. Phys., 119, 175-181.
6. M. Krissanasaeranee, S. Wongkasemjit, A. K. Cheetham, and D. Eder (2010) Complex Carbon Nanotube-Inorganic Hybrid Materials as Next-Generation Photocatalysts, Nano Letters, submitted.
7. M. Krissanasaeranee, S. Wongkasemjit, A. K. Cheetham, and D. Eder (2010) Synthesis and Characterisation of CNT-Silatrane Hybrid Material and Silica Nanotube, To be submitted.

Presentations:

1. M. Krissanasaeranee, E. Gulari, A. M. Jamieson, S. Wongkasemjit (2004) Crystallization and catalytic activity of high titanium loaded TS-1 zeolite. Presented at The International Conference on Smart/Intelligent Materials and Nanotechnology, Chiang Mai, Thailand. (The 1st poster presentation award)
2. M. Krissanasaeranee, P. Supaphol, and S. Wongkasemjit (2006) Electrospun Poly(vinyl alcohol)/Tin Glycolate Composite Fibers. Presented at The Petroleum and Petrochemical Symposium, Pattaya, Chonburi, Thailand. (Oral presentation)
3. M. Krissanasaeranee, T. Vongsetskul, R. Rangkupan, P. Supaphol, and S. Wongkasemjit (2007) Preparation and Characterisation of Electrospun Poly(vinyl alcohol)/Silatrane Composite Nanofibers. Presented at ICMR Winter School, Trieste, Italy. (Poster presentation)

