

REFERENCES



- Ajmal, M., Khan, A. H., Ahmad, S., and Ahmad, A. (1998). "Role of Sawdust in the Removal of Copper (II) from Industrial Wastes." *Water Res.*, **32**(10), 3085-3091.
- Atkinson, B. W., Bux, F., and Kasan, H. C. (1996). "Bioremediation of Metal-Contaminated Industrial Effluents Using Waste Sludges." *Water Sci. Technol.*, **34**(9), 9-15.
- Bailey, S. E., Olin, T. J., Bricka, R. M., and Adrian, D. D. (1999). "A Review of Potentially Low-Cost Sorbents for Heavy Metals." *Water. Res.*, **33**(11), 2469-2479.
- Barrington, S., Choinière, D., Trigui, M., and Knight, W. (2002). "Effect of Carbon Source on Compost Nitrogen and Carbon Losses." *Bioresource Technol.*, **83**(3), 189-194.
- BASMAA (Bay Area Stormwater Management Agencies Association). (1996). *San Francisco Bay Area Stormwater Runoff Monitoring Data Analysis 1988-1995-Final Report*, Woodward Clyde Consultants, Oakland, CA, USA.
- Beckwith, R. S. (1959). "Titration Curves of Soil Organic Matter." *Nature*, **184**(10), 745-746.
- Benjamin, M. M., Sletten, R. S., Bailey, R. P., and Bennett, T. (1996). "Sorption and Filtration of Metals Using Iron-oxide Coated Sand." *Water Res.*, **30**(11), 2609-2620.
- Boyd, R. F. (1984). *General Microbiology*, Time Mirror/Mosby College Publishing, Wirtz, VA, USA.
- Carson, B. L., Vellis, H., and McCann, J. L. (1986). *Toxicology and Biological Monitoring of Metals in Humans*, Lewis Publisher, Chelsea, MI, USA.
- Center for Watershed Protection (1994). *Watershed Protection Techniques*, **1**(1), Silver Spring, MD, USA.
- Chang, D., Fukushi, K., and Ghosh, S. (1995). "Stimulation of Activated Sludge Cultures for Enhanced Metal Removal." *Water Environ. Res.*, **67**(5), 822-827.
- Chui, V. W. D., Mok, K. W., Ng, C. Y., Luong, B. P., and Ma, K. K. (1996). "Removal and Recovery of Copper II, Chromium III and Nickel II from Solutions Using Crude Shrimp Chitin Packed in Small Columns." *Environ. Int.*, **22**(4), 463-468.

- Coast River Environmental Services Ltd. (2002). *University of British Columbia (UBC) Preliminary Sampling Program Preliminary Results*, Vancouver, BC, Canada.
- Conrad, P. (1995). "Commercial Applications for Compost Biofilters." *Biocycle*, **36**(10), 57-60.
- Cornell Waste Management Institute (2003). "Building a Two-Can Bioreactor." [On line] Available at: <http://www.cfe.cornell.edu/compost/garbagecans.html> [2003, Jul 20].
- Finstein, M. S., Miller, F. C., and Strom, P. P. (1986). *Waste Treatment Composting as a Controlled System.*, 363-398. As cited in: *Biotechnology: a comprehensive treatise in 8 volumes*, Rehm, H. J. and Reed, G. (eds.), Vol. 8. Microbial degradations, W. Schönborn (vol. ed.). VCH Verlagsgesellschaft (German Chemical Society), Weinheim, FRG, Germany.
- Gabaldon, C., Marzal, P., Ferrer, J., and Seco, A. (1996). "Single and Competitive Adsorption of Cd and An onto a Granular Activated Carbon." *Water. Res.*, **30**(12), 3050-3060.
- Gray, K. R., Sherman, K., and Biddlestone, A. J. (1971). "A Review of Composting Part 2- The Practical Process." *Process Biochem.*, **6**(10), 22-28.
- Grimes, S. M., Taylor, G. H., and Cooper, J. (1999). "The Availability and Binding of Heavy Metals in Compost Derived from Household Waste." *J. Chem. Technol. Biotechnol.*, **74**(12), 1125-1130.
- Gronmaire-Mertz, M. C., Garnaud, S., Gonzalez, A., and Chebbo, G. (1999). "Charcaterisation of Urban Runoff Pollution in Paris." *Water Sci. Technol.*, **39**(2), 1-8.
- Harper, H. H. (1998). *Stormwater Chemistry and Water Quality*, Environmental Research & Design, Inc. Orlando, FL, USA. [On line] Available at: <http://www.stormwater-esources.com/Library/045PIChemistry.pdf> [2003, Aug 3].
- Haug, R. T. (1980). *Compost engineering principles and practice*, Ann Arbor Science publishers, Inc., Ann Arbor, MI, USA.
- Horner, R., Skupien, J., Livingston, E., and Shaver, E. (1994). *Fundamentals of Urban Runoff Management*, Terrene Institute, Alexandria, VA, USA.

- Iiyama, K., Bikovens, O., and Gravitis, J. (2001). "Purification of Water Contaminated with Heavy Metals." *Starptautiskā conference "Eco-Balt 2001"*. [Online] Available at: <http://www.ecobalt.lv/eb2001/06-Iijama,%20gravitis.pdf> [2003, Sep 11].
- Jeris, J. S., and Regan, R. W. (1973). "Controlling Environmental Parameters for Optimum Composting: Part II Moisture, Free Air Space and Recycle." *Compost Sci.*, **14**(2), 8-15.
- Kellems, B. L., Johnson, R., and Sanchez, F. (2003). *Design of Emerging Technologies for Control and Removal of Stormwater Pollutants*, Water World & Environmental Resources Congress 2003, Philadelphia, PA, USA. [Online] Available at: http://www.hartcrowser.com/pdfs/Stormwater_Abstract.pdf [2005, Jan 12].
- Krzymien, M., Day, M., Shaw, K., Mohmad, R., and Sheehan, S. (1999). "Role of Feed Composition on the Composting Process. II Effect on the Release of Volatile Organic Compounds and Odours." *J. Environ. Sci. Health Part A*, **34**(6): 1369-1396.
- Kulcu, R., and Yaldiz, O. (2004). "Determination of Aeration Rate and Kinetics of Composting Some Agricultural Wastes." *Bioresource Technol.*, **93**(1), 49-57.
- Kumar, A., Rao, N. N., and Kaul, S. N. (2000) "Alkali Treated Straw and Insoluble Straw Xanthate as Low Cost Adsorbents for Heavy Metal Removal Preparation, Characterization and Application." *Bioresource Technol.*, **71**(2), 133-142.
- Lee C. K., Low K. S., Liew S. C., and Choo C. S. (1999) "Removal of Arsenic(V) from Aqueous Solutions by Quaternized Rice Husk." *Environ. Technol.*, **2**(9), 971-978.
- Lee S. H., Jung C. H., Chung H., Lee M. Y., and Yang J. W. (1998) "Removal of Heavy Metals from Aqueous Solution by Apple Residues." *Process Biochem.*, **33**(2), 205-211.
- Lei, F., and VanderGheynst, J. S. (2000). "The Effect of Microbial Inoculation and pH on Microbial Community Structure Changes During Composting." *Process Biochem.*, **35**(9), 923-929.
- Leyva-Ramos, R., Rangel-Mendez, J. R., Mendoza-Barron, J., Fuentes-Rubio, L., and Guerrero-Coronado, R. M. (1997). "Adsorption of Cadmium II from Aqueous Solution onto Activated Carbon." *Water Sci. Technol.*, **35**(7), 205-211.

- Liang, C., Das, K. C., and McClendon, R. W. (2003). "The Influence of Temperature and Moisture Contents Regimes on the Aerobic Microbial Activity of a Biosolids Composting Blend." *Bioresource Technol.*, **8**(6), 131–137.
- Lister, S. K., and Line, M. A. (2001). "Potential Utilization of Sewage Sludge and Paper Mill Waste for Biosorption of Metals from Polluted Waterways", *Bioresource Technol.*, **79**(1), 35-39.
- Lau, S. L., Khan, E., and Stenstrom, M. K. (2001). "Catch Basin Inserts to Reduce Pollution from Stormwater." *Water. Sci. Technol.*, **44**(7), 24-34.
- Marshall, W. E., Wartelle, L. H., Boler, D. E., Johns, M. M. and Toles, C. A. (1999). "Enhanced Metal Adsorption by Soybean Hulls Modified with Citric Acid." *Bioresource Technol.*, **69**(3), 263-268.
- McCartney, D., and Tingley, J. (1998). "Development of a Rapid Method for Compost Materials." *Compost Sci. Util.*, **6**(3), 14-25.
- Nagendra Rao, C. R. (1989). "An Investigation of Biosorption of Cu II by Different Types of Waste Biomass." *M. Tech. Thesis*, Department of Civil Engineering, India Institute of Technology, Kanpur, India.
- Nelson, V., Crowe, T., Watson, G. (2003). *Effects of Moisture Content During Composting of Feedlot Manure*, The CSAE/SCGR 2003 Meeting, Montréal, Québec, Canada. [On line] Available at: <http://www.engr.usask.ca/societies/csaepapers/CSAE2003/CSAE03-614.pdf> [2005, Feb 1].
- Nitirach, S. (2002). "Heavy Metal Removal by Ion Exchange Resin Made from Corn Cob, Soybean Hull and Sunflower Stalks." *M. Eng. Thesis*, Department of Environmental Engineering, Chulalongkorn University, Bangkok, Thailand.
- Paredes, C., Bernal, M. P., Roig, A., Cegarra, J., and Sanchez-Moneder, M. A. (1996). "Influence of the Bulking Agent on the Degradation of Olive-Mill Wastewater Sludge During Composting." *International Biodeterioration and Biodegradation*, **52**(2), 205-210.
- Pereira, M. G., and Arruda, M. A. Z. (2003). "Vermicompost as a Natural Adsorbent Material: Characterization and Potentialities for Cadmium Adsorption." *J. Braz. Chem. Soc.*, **14**(1), 39-47.
- Pitt, R., and Shawley, G. (1982). *A Demonstration of Non-Point Source Pollution Management on Castro Valley Creek*, Alameda County Flood Control and Water Conservation District and the U.S. Environmental Protection Agency Water Planning Division (Nationwide Urban Runoff Program)., Washington, DC, USA.

- Puranik, P. R., and Panikar, K. M. (1997). "Biosorption of Lead and Zinc from Solutions Using *Streptomyces cinnamoneum* Waste Biomass." *J. Biotechnol.*, **55**(2), 113-124.
- Richard, T. L. (1992). "Municipal Solid Waste Composting, Physical and Biological Processing." *Biomass & Bioenergy*, **3**(3-4), 163-180.
- Rynk, R., van de Kamp, M., Wilson, G. B., Singley, M. E., Richard, T. L., Kolega, J. J., Gouin, F. R., Laliberty, L., Jr., Kay, D., Murphy, D. W., Hoitink, H. A. J., and Brinton, W. F. (1992). *On-farm Composting Handbook*, Cooperative Extension, Northeast Regional Agricultural Engineering Service, Ithaca, NY, USA.
- Sansalone, J., and Buchberger, S. G. (1997). "Partitioning and First Flush of Metals in Urban Roadway Storm Water." *J. Environ. Eng.*, **123**(2), 134-143.
- Schloss, P. D., Chaves, B., and Walker, L. P. (2000). "The Use of the Analysis of Variance to Assess the Influence of Mixing during Composting." *Process Biochem.*, **35**(7), 675-684.
- Schneider, R. M.; Hughes Jr., L. B., Thom W., and Davis, M. G. (2001). *Kentucky Composting Manual*, Natural Resources and Environmental Protection Cabinet, Department of Environmental Protection, Division of Waste Management, Frankfort, KY, USA. [On line] Available at: <http://www.kentuckyonsite.org/Documents/Compost%202002.pdf> [2002, Dec 10].
- Sharma, A. (1990). "Removal of Copper by Viable Fungal Biomass and Non-Viable Anaerobic Sludge." *M. Tech. Thesis*, Department of Civil Engineering, India Institute of Technology, Kanpur, India.
- Solari, P., Zouboulis, A.I., Matis, K.A., and Stalidis, G.A. (1996). "Removal of Toxic Metals by Biosorption onto Non-living Sewage Sludge." *Separ. Sci. Technol.*, **31**(8), 1075-1092.
- Standard Methods for the Examination of Water and Wastewater* (1998). 20th ed., APHA, AWWA, and WEF, Washington, DC, USA.
- Stanley Associates Engineering (1992). *Urban Runoff Quantification and Contaminants Loading in the Fraser Basin and Burrard Inlet Prepared for Environment Canada*, Edmonton, AB ,Canada.
- Stewart, W. (1992). *Compost Stormwater Treatment System*. W&H Pacific Consultants. Draft Report, Portland, OR, USA.

- Steniford, E. I. (1996). "Composting Control: Principles and Practice." In: De Bertoldi, M., Sequi, P., Lemmes, B., Papi, T. (Eds.), *The Science of Composting*. Vol I., Blackie Academic and Professional, London, UK.
- Strom, P. P. (1985). "Effect of Temperature on Bacterial Species Diversity in Thermophilic Solid Waste Composting." *Appl. Environ. Microb.*, **50**(4), 899-905.
- Suehara, K. I., Ohta Y., Nakano, Y., and Yano T. (1999). "Rapid Measurement and Control of the Moisture Content of Compost Using Near-Infrared Spectroscopy." *J. Biosci. Bioeng.*, **87**(6), 769-774.
- Suneeth Kumar, S. M., (1987). "An Investigation on Removal of Copper II by Sulfonated Coal from Aqueous Phase." *M. Tech. Thesis*, Department of Civil Engineering, India Institute of Technology, Kanpur, India.
- Tchobanoglou G., Theisen H., and Vigil S. (1993). *Integrated Solid Waste Management: engineering principles and management issues*, International Ed. McGraw-Hill Book Co., NY, USA.
- Tiquia, S. M., Tam N. F. Y., and Hodgkiss I. J. (1996). "Microbial Activities During Composting of Spent Pig-Manure Sawdust Litter at Different Moisture Contents." *Bioresource Technol.*, **55**(3), 201-206.
- Tiquia, S. M., Wan, J. H. C., and Tam, N. F. Y. (2002). "Dynamics of Yard Trimmings Composting as Determined by Dehydrogenase Activity, ATP Content, Arginine Ammonification, and Nitrification Potential." *Bioresource Technol.*, **37**(10), 1057-1065.
- United States Environmental Protection Agency (1983). *Results of the Nationwide Urban Program-Volume I: Final Report.*, Water Planning Division, Washington, DC, USA.
- United States Environmental Protection Agency (1997). *Innovative Uses of Compost Bioremediation and Pollution Prevention*. [On line] Available at: <http://www.epa.gov/epaoswer/non-hw/compost/bioremed.pdf> [2002, Nov 11].
- Wafwoyo, W., Seo, C. W., and Marshall, W. E. (1999). "Utilization of Peanut Shells as Adsorbents for Selected Metals." *J. Chem. Technol and Biotechnol.*, **74**(11), 1117-1121.
- Weltrowski, M., Martel, B., and Morcellet, M. (1996). "Chitosan N-benzyl Sulfonate Derivatives as Sorbents for Removal of Metal Ions in an Acidic Solution." *J. Appl. Polym. Sci.*, **59**(4), 647-654.

- Wiley, J. S. (1956). "Progress Reporting on High Rate Composting Studies." *11th Purdue Industrial Waste Conference*, 91, 334-341, Lewis Publishers, Chelsea, MI, USA.
- Yin P., Yu Q., Jin B., and Ling Z., (1999). "Biosorption Removal of Cadmium from Aqueous Solution by Using Pretreated Fungal Biomass Cultured from Starch Wastewater." *Water Res.*, 33(8), 1960-1963.
- Yu Q., and Kaewsarn P. (1999). "Fixed Bed Study for Copper (II) Removal from Aqueous Solutions by Marine Alga *Duvillaea Potatorum*." *Environ. Technol.*, 20(9), 1005-1008.

Appendices

Appendix A

The volume reduction percentages of all composts (25types)

The cation exchange capacity (CEC) of all composts (25types)

The cation exchange capacity (CEC) of all composts (25types)

Table A.1 The volume reduction percentages of all composts (25types)

Compost kind (% MC/ initial pH)	Volume Reduction Percentage (%)
30/5	82.15
30/6	78.18
30/7	95.32
30/8	93.82
30/9	89.44
40/5	79.74
40/6	88.65
40/7	81.64
40/8	87.11
40/9	83.25
50/5	53.49
50/6	64.06
50/7	75.02
50/8	81.19
50/9	70.68
60/5	54.08
60/6	58.81
60/7	59.00
60/8	68.37
60/9	57.17
70/5	94.42
70/6	92.33
70/7	93.67
70/8	92.36
70/9	94.87

Table A.2 The cation exchange capacity (CEC) of all composts (25types)

Compost kind (% MC/ initial pH)	CEC (cmol/kg)
non-composted grass	11.4
30/5	22.5
30/6	22.1
30/7	22.8
30/8	25.0
30/9	19.6
40/5	13.9
40/6	15.8
40/7	17.0
40/8	16.0
40/9	17.5
50/5	15.2
50/6	16.1
50/7	16.0
50/8	16.5
50/9	16.4
60/5	12.3
60/6	15.3
60/7	14.2
60/8	18.6
60/9	16.0
70/5	16.0
70/6	15.1
70/7	15.6
70/8	17.5
70/9	17.5

Table A.3 The Freundlich coefficient values from the Freundlich model

Compost kind (% MC/ initial pH)	The Freundlich coefficient values (L/g)			
	Cd	Cu	Pb	Zn
non-composted grass	0.78	0.0010	1.40	0.14
30/5	7.97	7.36	3.44	4.96
30/6	7.95	8.62	5.40	5.16
30/7	8.16	6.21	8.64	5.36
30/8	9.20	4.82	4.43	6.42
30/9	8.24	5.10	5.20	5.96
40/5	4.98	8.73	10.90	3.78
40/6	5.91	8.97	18.09	6.02
40/7	7.01	10.18	11.64	7.06
40/8	7.14	7.11	24.87	7.73
40/9	7.69	2.30	4.17	8.79
50/5	5.08	6.45	6.33	5.24
50/6	5.80	14.05	16.64	6.26
50/7	5.04	10.03	37.57	5.24
50/8	7.16	10.73	17.72	6.56
50/9	7.10	0.16	4.56	7.35
60/5	4.80	4.60	22.71	4.59
60/6	4.71	7.43	43.28	4.54
60/7	5.30	6.64	12.90	5.14
60/8	6.12	6.03	6.33	6.45
60/9	3.77	0.61	2.45	6.38
70/5	4.72	6.07	20.82	4.57
70/6	5.41	9.69	26.09	5.51
70/7	7.05	7.87	15.54	7.42
70/8	5.48	1.34	3.75	8.08
70/9	6.97	1.31	4.23	8.38

Appendix B

The Cd Freundlich isotherm curves of the different condition composts




Figure B.1 The Cd Freundlich isotherm curve of the 30% MC/initial pH 5 compost




Figure B.2 The Cd Freundlich isotherm curve of the 30% MC/initial pH 6 compost




Figure B.3 The Cd Freundlich isotherm curve of the 30% MC/initial pH 7 compost




Figure B.4 The Cd Freundlich isotherm curve of the 30% MC/initial pH 8 compost




Figure B.5 The Cd Freundlich isotherm curve of the 30% MC/initial pH 9 compost




Figure B.6 The Cd Freundlich isotherm curve of the 40% MC/initial pH 5 compost




Figure B.7 The Cd Freundlich isotherm curve of the 40% MC/initial pH 6 compost




Figure B.8 The Cd Freundlich isotherm curve of the 40% MC/initial pH 7 compost




Figure B.9 The Cd Freundlich isotherm curve of the 40% MC/initial pH 8 compost




Figure B.10 The Cd Freundlich isotherm curve of the 40% MC/initial pH 9 compost




Figure B.11 The Cd Freundlich isotherm curve of the 50% MC/initial pH 5 compost




Figure B.12 The Cd Freundlich isotherm curve of the 50% MC/initial pH 6 compost




Figure B.13 The Cd Freundlich isotherm curve of the 50% MC/initial pH 7 compost




Figure B.14 The Cd Freundlich isotherm curve of the 50% MC/initial pH 8 compost




Figure B.15 The Cd Freundlich isotherm curve of the 50% MC/initial pH 9 compost




Figure B.16 The Cd Freundlich isotherm curve of the 60% MC/initial pH 5 compost




Figure B.17 The Cd Freundlich isotherm curve of the 60% MC/initial pH 6 compost




Figure B.18 The Cd Freundlich isotherm curve of the 60% MC/initial pH 7 compost




Figure B.19 The Cd Freundlich isotherm curve of the 60% MC/initial pH 8 compost




Figure B.20 The Cd Freundlich isotherm curve of the 60% MC/initial pH 9 compost




Figure B.21 The Cd Freundlich isotherm curve of the 70% MC/initial pH 5 compost




Figure B.22 The Cd Freundlich isotherm curve of the 70% MC/initial pH 6 compost




Figure B.23 The Cd Freundlich isotherm curve of the 70% MC/initial pH 7 compost




Figure B.24 The Cd Freundlich isotherm curve of the 70% MC/initial pH 8 compost




Figure B.25 The Cd Freundlich isotherm curve of the 70% MC/initial pH 9 compost




Figure B.26 The Cd Freundlich isotherm curve of the non-composted grass

Appendix C

The Cu Freundlich isotherm curves of the different condition composts




Figure C.1 The Cu Freundlich isotherm curve of the 30% MC/initial pH 5 compost




Figure C.2 The Cu Freundlich isotherm curve of the 30% MC/initial pH 6 compost




Figure C.3 The Cu Freundlich isotherm curve of the 30% MC/initial pH 5 compost




Figure C.4 The Cu Freundlich isotherm curve of the 30% MC/initial pH 8 compost




Figure C.5 The Cu Freundlich isotherm curve of the 30% MC/initial pH 9 compost




Figure C.6 The Cu Freundlich isotherm curve of the 40% MC/initial pH 5 compost




Figure C.7 The Cu Freundlich isotherm curve of the 40% MC/initial pH 6 compost




Figure C.8 The Cu Freundlich isotherm curve of the 40% MC/initial pH 7 compost




Figure C.9 The Cu Freundlich isotherm curve of the 40% MC/initial pH 8 compost




Figure C.10 The Cu Freundlich isotherm curve of the 40% MC/initial pH 9 compost




Figure C.11 The Cu Freundlich isotherm curve of the 50% MC/initial pH 5 compost




Figure C.12 The Cu Freundlich isotherm curve of the 50% MC/initial pH 6 compost




Figure C.13 The Cu Freundlich isotherm curve of the 50% MC/initial pH 7 compost




Figure C.14 The Cu Freundlich isotherm curve of the 50% MC/initial pH 8 compost




Figure C.15 The Cu Freundlich isotherm curve of the 50% MC/initial pH 9 compost




Figure C.16 The Cu Freundlich isotherm curve of the 60% MC/initial pH 5 compost




Figure C.17 The Cu Freundlich isotherm curve of the 60% MC/initial pH 6 compost




Figure C.18 The Cu Freundlich isotherm curve of the 60% MC/initial pH 7 compost




Figure C.19 The Cu Freundlich isotherm curve of the 60% MC/initial pH 8 compost




Figure C.20 The Cu Freundlich isotherm curve of the 60% MC/initial pH 9 compost




Figure C.21 The Cu Freundlich isotherm curve of the 70% MC/initial pH 5 compost




Figure C.22 The Cu Freundlich isotherm curve of the 70% MC/initial pH 6 compost




Figure C.23 The Cu Freundlich isotherm curve of the 70% MC/initial pH 7 compost




Figure C.24 The Cu Freundlich isotherm curve of the 70% MC/initial pH 8 compost




Figure C.25 The Cu Freundlich isotherm curve of the 70% MC/initial pH 5 compost




Figure C.26 The Cu Freundlich isotherm curve of the non-composted grass

Appendix D

The Pb Freundlich isotherm curves of the different condition composts




Figure D.1 The Pb Freundlich isotherm curve of the 30% MC/initial pH 5 compost




Figure D.2 The Pb Freundlich isotherm curve of the 30% MC/initial pH 6 compost




Figure D.3 The Pb Freundlich isotherm curve of the 30% MC/initial pH 7 compost




Figure D.4 The Pb Freundlich isotherm curve of the 30% MC/initial pH 8 compost




Figure D.5 The Pb Freundlich isotherm curve of the 30% MC/initial pH 9 compost




Figure D.6 The Pb Freundlich isotherm curve of the 40% MC/initial pH 5 compost




Figure D.7 The Pb Freundlich isotherm curve of the 40% MC/initial pH 6 compost




Figure D.8 The Pb Freundlich isotherm curve of the 40% MC/initial pH 7 compost




Figure D.9 The Pb Freundlich isotherm curve of the 40% MC/initial pH 8 compost




Figure D.10 The Pb Freundlich isotherm curve of the 40% MC/initial pH 9 compost




Figure D.11 The Pb Freundlich isotherm curve of the 50% MC/initial pH 5 compost




Figure D.12 The Pb Freundlich isotherm curve of the 50% MC/initial pH 6 compost




Figure D.13 The Pb Freundlich isotherm curve of the 50% MC/initial pH 7 compost




Figure D.14 The Pb Freundlich isotherm curve of the 50% MC/initial pH 8 compost




Figure D.15 The Pb Freundlich isotherm curve of the 50% MC/initial pH 9 compost




Figure D.16 The Pb Freundlich isotherm curve of the 60% MC/initial pH 5 compost




Figure D.17 The Pb Freundlich isotherm curve of the 60% MC/initial pH 6 compost




Figure D.18 The Pb Freundlich isotherm curve of the 60% MC/initial pH 7 compost




Figure D.19 The Pb Freundlich isotherm curve of the 60% MC/initial pH 8 compost




Figure D.20 The Pb Freundlich isotherm curve of the 60% MC/initial pH 9 compost




Figure D.21 The Pb Freundlich isotherm curve of the 70% MC/initial pH 5 compost




Figure D.22 The Pb Freundlich isotherm curve of the 70% MC/initial pH 6 compost




Figure D.23 The Pb Freundlich isotherm curve of the 70% MC/initial pH 7 compost




Figure D.24 The Pb Freundlich isotherm curve of the 70% MC/initial pH 8 compost




Figure D.25 The Pb Freundlich isotherm curve of the 70% MC/initial pH 5 compost




Figure D.26 The Pb Freundlich isotherm curve of the non-composted grass

Appendix E

The Zn Freundlich isotherm curves of the different condition composts




Figure E.1 The Zn Freundlich isotherm curve of the 30% MC/initial pH 5 compost




Figure E.2 The Zn Freundlich isotherm curve of the 30% MC/initial pH 6 compost




Figure E.3 The Zn Freundlich isotherm curve of the 30% MC/initial pH 7 compost




Figure E.4 The Zn Freundlich isotherm curve of the 30% MC/initial pH 8 compost




Figure E.5 The Zn Freundlich isotherm curve of the 30% MC/initial pH 9 compost




Figure E.6 The Zn Freundlich isotherm curve of the 40% MC/initial pH 5 compost




Figure E.7 The Zn Freundlich isotherm curve of the 40% MC/initial pH 6 compost




Figure E.8 The Zn Freundlich isotherm curve of the 40% MC/initial pH 7 compost




Figure E.9 The Zn Freundlich isotherm curve of the 40% MC/initial pH 8 compost




Figure E.10 The Zn Freundlich isotherm curve of the 40% MC/initial pH 9 compost




Figure E.11 The Zn Freundlich isotherm curve of the 50% MC/initial pH 5 compost




Figure E.12 The Zn Freundlich isotherm curve of the 50% MC/initial pH 6 compost




Figure E.13 The Zn Freundlich isotherm curve of the 50% MC/initial pH 7 compost




Figure E.14 The Zn Freundlich isotherm curve of the 50% MC/initial pH 8 compost




Figure E.15 The Zn Freundlich isotherm curve of the 50% MC/initial pH 9 compost




Figure E.16 The Zn Freundlich isotherm curve of the 60% MC/initial pH 5 compost




Figure E.17 The Zn Freundlich isotherm curve of the 60% MC/initial pH 6 compost




Figure E.18 The Zn Freundlich isotherm curve of the 60% MC/initial pH 7 compost




Figure E.19 The Zn Freundlich isotherm curve of the 60% MC/initial pH 8 compost




Figure E.20 The Zn Freundlich isotherm curve of the 60% MC/initial pH 9 compost




Figure E.21 The Zn Freundlich isotherm curve of the 70% MC/initial pH 5 compost




Figure E.22 The Zn Freundlich isotherm curve of the 70% MC/initial pH 6 compost




Figure E.23 The Zn Freundlich isotherm curve of the 70% MC/initial pH 7 compost




Figure E.24 The Zn Freundlich isotherm curve of the 70% MC/initial pH 8 compost




Figure E.25 The Zn Freundlich isotherm curve of the 70% MC/initial pH 9 compost




Figure E.26 The Zn Freundlich isotherm curve of the non-composted grass

Biography

Darin Ruangrote was born in Songkhla, Thailand, on June 14, 1980. She received her Bachelor Degree of Environmental Engineering from Chulalongkorn University in 2001. She began her M.S. study in Environmental Management (International Program), at the National Research Center for Environmental and Hazardous Waste Management, Chulalongkorn University in May 2002 and completed the program in May 2005.

