

## REFERENCES

1. นิสາกร ปานประสงค์. กวาวเครื่องความหวังสมุนไพรไทย. วารสาร update 147 (2542): 40-45.
2. รีวิวรรณ พิเศษยาภาสิต. การศึกษาทางเภสัชเวทของสมุนไพรกวาวเครื่อ. วิทยานิพนธ์ปริญญาโทบัณฑิต, แผนกวิชาเภสัชเวท คณะเภสัชศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย, 2519.
3. Wandee Sutjit. The antioxidant test, Ames' test and Micronuclei test of chemical extract from White Kwao Krua(*Pueraria mirifica*), Red Kwao Krua(*Butea superba Roxb*), Black Kwao Krua(*Mucuna collettii*) and Kudzu(*Pueraria lobata*). Master's Thesis, Faculty of Science, Chulalongkorn University, 2003.
4. Tanasugarn, L. When patent rights may not be enforceable: The case of Kwao Krua patent, Intellectual Property and International Trade Court, Thailand, 2001.
5. เต็ม สมิตินันทร์. ชื่อพรรณไม้แห่งประเทศไทย. กรุงเทพมหานคร: สำนักพิมพ์พันนี่พับบลิชชิ่ง, 2523.
6. Honton, J. Program “complete botanica” version 2.0. [Online]. Available from: <http://www.crescentbloom.com>. [2005, June 2]
7. Razdan, MK.; Kapila, K.; and Bhide, NK. Antifertility effect and some pharmacological actions of *Butea frondosa* seed extracts. Indian J. Phy. Pharm. 13(1969): 239-249.
8. Mehta, BK.; Dubey, A.; Bokadia, MM.; and Mehta, SC. Isolation and in *vitro* antimicrobial efficiency of *Butea monosperma* seed oil on human pathogenic bacteria and phytopathogenic fungi. Act. Micro. Hung. 30(1983): 75-77.
9. Bhargava, SK. Estrogenic and postcoital anticonceptive activity in rats of butin isolated from *Butea monosperma* seed. J. Ethnopharm. 18(1986): 95-101.

10. Bandara, BM.; Kumar, NS.; and Samaranayake, KM. An antifungal constituent from the stem bark of *Butea monosperma*. J. Ethnopharm. 25(1989): 73-75.
11. Prashanth, D.; Asha, MK.; Amit, A.; and Padmaja, R. Anthelmintic activity of *Butea monosperma*. Fitoterapia. 72(2001): 421-422.
12. Soman, I.; Mengi, SA.; and Kasture, SB. Effect of leaves of *Butea frondosa* on stress, anxiety, and cognition in rats. Pharm. Biochem. Behav. 79(2004): 11-16.
13. Ramachandran, S.; Sridhar, Y.; Sam, SK.; Saravanan, M.; Leonard, JT.; Anbalagan, N.; and Sridhar, SK. Aphrodisiac activity of *Butea frondosa* Koen. ex Roxb. extract in male rats. Phytomedicine. 11(2004): 165-168.
14. Yadava, RN.; and Tiwari, L. A potential antiviral flavone glycoside from the seeds of *Butea monosperma* O. Kuntze. J. Asian Nat. Prod. Res. 7(2005): 185- 188.
15. Gunakkunru, A.; Padmanaban, K.; Thirumal, P.; Pritila, J.; Parimala, G.; Vengatesan, N.; Gnanasekar, N.; Perianayagam, JB.; Sharma, SK.; Pillai, KK. Anti-diarrhoeal activity of *Butea monosperma* in experimental animals. J. Ethnopharm. 98(2005): 241-244.
16. Sumitra, M.; Manikandan, P.; and Suguna, L. Efficacy of *Butea monosperma* on dermal wound healing in rats. Int. J. Biochem. Cell Biol. 37(2005): 566-573.
17. Ruksilp, Tanatip. Chemical constituents of the tuberous roots of Butea superba Roxb. Master's thesis, Faculty of Science, Chulalongkorn University, 1995.
18. Roengsumran, S.; Petsom, A.; Ngamrojanavanich, N.; Rugsilp, T.; Khorphueng, P.; and Sittiwichewong, P. Flavonoid and Flavonoid glycoside from *Butea superba* Roxb. and their cAMP phosphodiesterase inhibitory activity. J. Sci. Res. Chula. Univ. 25(2000): 169-176.

19. Yadava, RN.; and Reddy, KI. A new bio-active flavonol glycoside from the the stems of *Butea superba* Roxb. J. Asian Nat. Prod. Res. 1(1998): 139-45.
20. Pongpanparadon, A.; Aritajat, S.; and Saenphet, K. The toxicology of *Butea superba*, Roxb. South. Asian J. Trop. Med. Public. Health. 33(2002): 155-158.
21. รุจirex นุญญาพิมพ์. ผลของสารสกัดความเครื่องต่อหลอดเลือดดำที่แยกจากสายสะตื้อนมูย์. วิทยานิพนธ์มหาบัณฑิต, สาขาวิชาเวชยาศาสตร์การแพทย์, คณะแพทย์ศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย, 2545.
22. เบญจพร สุวรรณเสถียร. ความเป็นพิษของสารสกัดความเครื่องขาว คำ. แดง ต่อลูกน้ำยุงลาย *Aedes aegypti* และลูกน้ำยุงรำคาญ *Culex quinguefasciatus*. โครงการการเรียน การสอนเพื่อเสริมประสบการณ์, ภาควิชาชีววิทยา, คณะวิทยาศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย, 2545.
23. Ingkaninan, K.; Temkitthawon, P.; Chuenchom, K.; Yuyaem, T.; and Thongnoi, W. Screening for acetylcholinesterase inhibitory activity in plants used in Thai traditional rejuvenating and neurotonic remedies. J. Ethnopharm. 89(2003): 261-264.
24. Cherdshewasart, W.; and Nimsakul N. Clinical trial of *Butea superba*, an alternative herbal treatment for erectile dysfunction. Asian J. Androl. 5(2003): 243-246.
25. Cherdshewasart, W.; Cheewasopit, W.; and Picha, P. The differential anti-proliferation effect of white (*Pueraria mirifica*), red (*Butea superba*), and black (*Mucuna collettii*) Kwao Krua plants on the growth of MCF-7 cells. J. Ethnopharm. 93(2004): 255–260.
26. Ratnayake Bandara, B.M.; Savitri Kumar, N.; and Swarna Samaranayake, K.M. An antifungal constituent from the stem bark of *Butea monosperma*. J. Ethnopharm. 25(1989): 73-75.
27. Skehan, P.; Storng, R.; Scudiero, D.; Monks, A.; McMahon, J.; Vistica, D.; Warren, J.T.; Bokesch, H.; Kenney, S.; and Boyd, M.R. New Colorimetric Cytotoxicity Assay for Anticancer-Drug Screening. J. Natl. Cancer Inst.

- 82(1990): 1107-1112.
28. Plumnb, J.A.; Milroy, R.; and Kaye, S.B. Effect of the pH Dependence of 3-(4,5-dimethylthiazol-2yl)-2, 5-diphenyltetrazolium Bromide-Formazan Absorption Chemosensitivity Determined by a Novel Tetrazolium-based Assay. *Cancer Res.* 49(1989): 4435-4440.
29. Rute, F.V.; Helder, M.F.; Generosa, T.; Carlos, B.; Ana-Isabel, R.; Adriano, T.; and Alexandra, P. Flavonoids of an extract of *Pterospartum tridentatum* showing endothelial protection against oxidative injury. *J. Ethnopharm.* 93(2004): 363–370.
30. Baker, W.; Chadderton, J.; Harborne, J. B.; and Oillis, W. D. A new systhesis of Isoflavones I. *J. of Chem. Soc.* (1953): 1852-1560.
31. Talukdar, A.C.; Jain, N.; De, S.; and Krishnamurty, H.G. An isoflavone from *Myristica malabarica*. *Phytochemistry*. 53(2000): 155-157.
32. Tanaka, T.; Ohyama, M.; Iinuma, M.; Shirataki, Y.; Komatsu, M.; and Burandt, C. Isoflavonoids from *Sophora secundiflora*, *S. arizonica* and *S. gypsophila*. *Phytochemistry*. 48(1998):1187-1194.
33. Carola, K.; Kristina, J.; Karsten, S.; Mahabir, P.; Gupta, U. B.; and Eckart, E. Antiplasmodial activity of isoflavones from *Andira inermis*. *J. Ethnopharm.* 73(2000): 131-135.
34. Ko, W. C.; Shih, C. M.; Lai, Y. H.; Chen, J. H.; Huang and H. L. Inhibitory effects of flavonoids on phosphodiesterase isozymes from guinea pig and their structure-activity relationships. *Biochem. Pharm.* 68(2004): 2087 - 2096.
35. Herath, H. M.; Dassanayake, R. S.; Priyadarshani, A. M. A.; Susila de, S.; and Wannigama, G. P. Isoflavonoids and a pterocarpan from *Gliricidia sepium*. *Phytochemistry*. 47(1998): 117–119.
36. Eun-Kyoung, S.; Nam-Cheol, K.; Qiuwen, Mi.; Heebyung, C.; Monroe, E.; Mansukh, C.; Wani, H.A.; Navarro, J.P.; Burgess, J.G.; and Douglas, A.K. Macharistol, a new cytotoxic cinnamylphenol from the stems of *Machaerium*

- aristulatum*. J. Nat. Prod. 64(2001): 1483–1485.
37. Stadler, M.; Dagne, E.; and Anke, H. Nematicidal Activities of Two Phytoalexins from *Taverniera abyssinica*. Planta Med. 60(1994): 550-552.
38. Chan, S. C.; Chang, Y. S.; Wang, J. P.; Chen, S. C.; and Kuo, S. C.; Three new flavonoids and antiallergic, anti-inflammatory constituents from the heartwood of *Dalbergia odorifera*. Planta. Med. 64(1998): 153-158.
39. Leng, C.; Clarissa, G.; Song, L.; Farnsworth, N.R.; Pezzuto, J.M.; and Kinghorn, A. D. Activity-Guided Isolation of Constituents of *Tephrosia purpurea* with the Potential to Induce the Phase II Enzyme, Quinone Reductase. J. Nat. Prod. 60(1997): 869-862.
40. Konoshima, T.; Takasaki, M.; Kozuka, M.; Tokuda, H.; Nishino, H.; Matsuda, E.; and Nagai, M. Anti-tumor Promoting Activities of Isoflavonoids from *Wistaria brachybotrys*. Biol. Pharm. Bull. 20(1997): 865-868.
41. Taniguchi, C.; Homma, M.; Takano, O.; Hirano, T.; Oka, K.; Aoyagi, Y.; Niitsuma, T.; and Hayashi, T. Pharmacological Effects of Urinary Products obtained after Treatment with Saiboku-To, a Herbal Medicine for Bronchial Asthma, on Type IV Allergic Reaction. Planta Med. 66(2000): 607-611.
42. Zhen-Li, L.; Tanaka, S.; Horigome, H.; Hirano, T.; and Oka, K. Induction of Apoptosis in Human Lung Fibroblasts and Peripheral Lymphocytes in Vitro by shosaiko-to Derived Phenolic Metabolites. Biol. Pharm. Bull. 25(2002): 37-41.
43. Jun-ei, K.; Jun-ichi, F.; Junko, B.; Takashi, T.; Masaki, Y.; and Toshihiro, N. Studies on the constituents of *Pueraria lobata*. III. Isoflavonoids and related compounds in the roots and the volatile stems. Chem. Pharm. Bull. 35(1987): 4846-4850.
44. Nigel, C.; Veitch, P. S.; Sutton, E.; Geoffrey, C.K.; and Helen, I. Six New Isoflavones and a 5-Deoxyflavonol Glycoside from the Leaves of *Ateleia. herbert-smithii*. J. Nat. Prod. 66(2003): 210-216.

45. Sakamoto, Y.; Ohmoto, T.; Nikaido, T.; Koike, K.; Tomimori, T.; Miyaichi, Y.; Shirataki, Y.; and Monache, F.D. On the Relationship between the Chemical Structure and the Cyclic AMP Phosphodiesterase Inhibitory Activity of Flavonoids as Studied by  $^{13}\text{C}$  NMR. Bull. Chem. Soc. Jpn. 62(1989): 2450-2454.
46. Lopes, N.P.; Kato, M.J.; and Yoshida, M. Antifungal constituents from roots of *Virola surinamensis*. Phytochemistry. 51(1999): 29-33.
47. Khan, I.A.; Avery, M.A.; Burnadt, C.L.; Goins, D.K.; Mikell, J.R.; Nash, T.E.; Azadegan, A.; and Walker, L.A. Antigiardial Activity of Isoflavones from *Dalbergia frutescens* Bark. J. Nat. Prod. 63(2000) 1414-1416.
48. Fukai, T.; Marumo, A.; Kaitou, K.; Kanda, T.; Terada, S.; and Nomura, T. Antimicrobial activity of licorice flavonoids against methicillin-resistant *Staphylococcus aureus*. Fitoterapia. 73(2002): 536-539.
49. McMurry, T.B.H.; and Theng, C.Y. The Constitution and Synthesis of Afromosin. J. Chem. Soc. 12(1960): 1491-1498.
50. Kraft, C.; Jenett-Siems, K.; Siems, K.; Solis, P.N.; Gupta, M.P.; Bienzle, U.; and Eich, E. Andinermals A-C, antiplasmodial constituents from *Andira inermis*. Phytochemistry. 58(2001): 769-774.
51. Ingham, J.L.; Keen, N.T.; Mulheim, L.J.; and Lyne, R.L. Inducibly-formed isoflavonoids from leaves of soybean. Phytochemistry. 20(1981): 795-798.
52. Susumu, K.; Toshiro, L.; Ken, Y.; Sakae, Y.; and Michio, T. (+)-Alpha-viniferin, an anti-inflammatory compound from *Caragana chamlagu* root Chem. Pharm. Bull. 38(1990): 432-435.
53. Qi, S.H.; Wu, D.G.; Zhang, S.; and Luo, X.D. Constituents of *Carapa guianensis* Aubl.(Meliaceae). Pharmazie. 59(2004): 488-490.

## **APPENDIX**




Fig. 26  $^1\text{H}$ -NMR spectrum of mixture 1




Fig. 27  $^{13}\text{C}$ -NMR spectrum of mixture 1




Fig. 28  $^1\text{H}$ -NMR spectrum of compound 1




Fig. 29  $^{13}\text{C}$ -NMR spectrum of compound 1




Fig. 30 gHSQC spectrum of compound 1




Fig.31 gHMBC spectrum of compound 1




Fig.32 gCOSY spectrum of compound 1




Fig.33 NOESY spectrum of compound 1




Fig. 34 TOF-MS spectrum of compound 1




Fig.35 UV spectrum of compound 1




Fig. 36  $^1\text{H}$ -NMR spectrum of compound 2




Fig. 37 |  $^{13}\text{C}$ -NMR spectrum of compound 2




Fig. 38 gHSQC spectrum of compound 2




Fig. 39 gHMBC spectrum of compound 2




Fig. 40 gCOSY spectrum of compound 2




Fig. 41 NOESY spectrum of compound 2




Fig. 42 TOF-MS spectrum of compound 2




Fig. 43 | UV spectrum of compound 2




Fig. 44 <sup>1</sup>H-NMR spectrum of compound 3




Fig . 45  $^{13}\text{C}$ -NMR spectrum of compound 3




Fig. 46 gHSQC spectrum of compound 3




Fig. 47 gHMBC spectrum of compound 3




Fig. 48 gCOSY spectrum of compound 3




Fig. 49 NOESY spectrum of compound 3




Fig. 50 TOF-MS spectrum of compound 3




Fig . 51 UV spectrum of compound 3




Fig. 52 <sup>1</sup>H-NMR spectrum of compound 4




Fig. 53  $^{13}\text{C}$ -NMR spectrum of compound 4




Fig. 54 gHSQC spectrum of compound 4




Fig. 55 gHMBC spectrum of compound 4




Fig. 56 gCOSY spectrum of compound 4




Fig. 57 NOESY spectrum of compound 4




Fig. 58 TOF-MS spectrum of compound 4




Fig. 59 UV spectrum of compound 4




Fig. 60 <sup>1</sup>H-NMR spectrum of compound 5




Fig. 62 gHSQC spectrum of compound *S*




Fig. 61  $^{13}\text{C}$ -NMR spectrum of compound 5




Fig. 63 gHMBC spectrum of compound 5




Fig. 64 gCOSY spectrum of compound 5




Fig. 65 TOF-MS spectrum of compound 5




Fig. 66 UV spectrum of compound 5




Fig. 67 <sup>1</sup>H-NMR spectrum of compound 6




Fig. 68  $^{13}\text{C}$ -NMR spectrum of compound 6




Fig. 69 TOF-MS spectrum of compound 6




Fig 70 UV spectrum of compound 6

## BIOGRAPHY

Miss Aim-on Loontaisong was born on September 1, 1979 in Phayao, Thailand. She graduated with a Bachelor's Degree of Science in Biotechnology from Walailak University in 2002, she has been a graduate student studying Biotechnology in Chulalongkorn University. She was supported by a research grant for her Master Degree's thesis from the graduate school, in Chulalongkorn University.