



R E F E R E N C E S

1. Bernal, J.D. and R.H. Fowler, " A Theory of Water and Ionic Solution with Particular Reference to Hydrogen and Hydroxyl Ions," J.Chem.Phys., 1(8), 515-548, 1933.
2. Frank, H.S. and W.Y. Wen, Diss.Faraday.Soc., 24,133,1957.
3. Metropolis, N., A.W. Rosenbluth, M.N. Rosenbluth, A.H. Teller and E. Teller, " Equation of State Calculation by Computing Machines," J.Chem.Phys., 21(6), 1087-1092, 1953.
4. Alder, B.J. and T.E. Wainwright, " Studied in Molecular Dynamics. II. Behavior of a Small Number of Elastic Spheres, " J.Chem.Phys., 33(5), 1439-1451, 1960.
5. Lie, G.C., E. Clementi and M. Yoshimine, " Study of the Structural of Molecular Complexes. XIII. Monte Carlo Simulation of Liquid Water with a Configuration Interaction Pair Potential, " J.Chem.Phys., 64(6), 2314-2323, 1975.
6. Swaminathan, S., S.W. Harrison and D.L.Beveridge, " Monte Carlo Studies on the Structure of a Dilute Aqueous Solution of Methane, " J.Am.Chem.Soc., 100(8), 5705-5712, 1977.
7. Hagler, A.T. and J. Moulton, " Computer Simulation of the Solvent Structure Around Biological Macromolecules, " Nature., 272(16), 1978.
8. Jorgenson, W.L. and M.Ibrahim, " Structure and Properties of Liquid Ammonia," J.Am.Chem.Soc., 102(10), 3309-3315, 1980.
9. Jorgenson, W.L., " Simulation of Liquid Ethanol Including Internal Rotation," J.Am.Chem.Soc., 103(2), 345-350, 1981.
10. Bolis, G., G. Corongiu and E.Clementi, " Methanol in Water

- Solution at 300 K, " Chem.Phy.Lett., 6(3), 299-306, 1981.
11. Jorgenson, W.L. and J.D. Madura, " Solvation and Conformation of Methanol in Water, " J.Am.Chem.Soc., 105(6), 1983.
 12. Linse, P., G. Karlstrom and B. Jonsson, " Monte Carlo Studies of a Dilute Aqueous Solution of Benzene, " J.Am.Chem.Soc., 106(15), 4096-4102, 1984.
 13. Byrnes, J.M. and S.I. Sandler, " Monte Carlo Simulation of Liquid Ethane, " J.Chem.Phys., 80(2), 881-885, 1984.
 14. Okazaki, S., H. Touhara and K. Nakanishi, " Computer Experiments of Aqueous Solutions. V. Monte Carlo Calculation on the Hydrophobic Interaction in 5 mol % Methanol Solution, " J.Chem.Phys., 81(2), 890-894, 1984.
 15. Alagona, G., C.Ghio and P.A. Kollman, " Monte Carlo Simulations of the Solvation of the Dimethyl Phosphate Anion, " J.Am.Chem.Soc., 107(8), 2229-2238, 1985.
 16. Hannongbua, S.V. and B.M. Rode, " A Monte Carlo Study on the Influence of Macrocyclic Compounds on the Structure of Water, " J.Sci.Soc.Thailand., 11, 135-139, 1985.
 17. Hannongbua, S.V. and B.M. Rode, " Monte Carlo Simulation of a Cyclen Molecule in Water, " J.Chem.Soc.Faraday.Tran II., 82, 1021-1031, 1986.
 18. Dietz, W. and K.Heinzinger, " Structure of Liquid Chloroform. A Comparison between Computer Simulation and Neutron Scattering Results, " Ber.Bunsenges.Phys.Chem., 88, 543-546, 1984.
 19. Bounds, D.G., " A Molecular Dynamics Study of the Structure of Water Around the Ions Li(I), Na(I), K(I), Ca(I), Ni(II)

- and Cl(I), " Mol.Phys., 54(6), 1335-1355, 1985.
20. Rahman, A., F.H. Stillinger and H.L. Lemberg, " Study of a Central Force Model for Liquid Water by Molecular Dynamics, " J.Chem.Phys., 63(12), 5223-5230, 1975.
21. Narusawa, H. and K. Nakanishi, " A Simulation of Preferential Solvation in Ternary Lennard-Jones Liquid Mixtures by the Molecular Dynamics Method, " J.Chem.Phys., 73(8), 4066-4070, 1980.
22. Tanaka, H., K. Nakanishi and H. Touhara, " Computer Experiments on Aqueous Solutions. VII. Potential Energy Function for Urea Dimer and Molecular Dynamics Calculation of 8 mol % Aqueous Solution of Urea , " J.Chem.Phys., 82(111), 5184-5190, 1985.
23. Spohr, E. and K.Heinzinger, " Molecular Dynamics Simulation of a Water/Metal Interface, " Chem.Phy.Lett., 123(3), 218-220, 1986.
24. Probst, M.M., T. Radnai, K. Heinzinger, P. Bopp, and B.M. Rode., " Molecular Dynamics and X-ray Investigation of an Aqueous CaCl₂ Solution, " J.Phys.Chem., 89(5), 1985.
25. Palinkas, G. and K.Hienzinger, " Hydration Shell Structure of the Calcium Ion," Chem.Phy.Lett., 126(3), 251-254, 1986.
26. Migliore, M., S.L. Fornili, E. Spohr, G. Palinkas and K. Heinzinger, " A Molecular Dynamics Study of the Structure of an Aqueous KCl Solution, " Z.Naturforsch., 41a, 826-834, 1986.
27. Limtrakul, J.P., S. Fujiwara and B.M. Rode, " A Quantum Chemical Analysis of the Structural Entities in Aqueous Sodium

- Chloride Solution and their Concentration Dependence, "
Anal.Sci., 1, 29-32, 1985.
28. Hannongbua, S.V., T. Ishida, E. Spohr and K. Heinzinger,
" Molecular Dynamics Study of a Lithium Ion In Ammonia, "
Z.Naturforsch., 43a, 572-582, 1988.
29. Tanabe, Y. and B.M. Rode, " Monte Carlo Simulation of an
18.45 mol % Aqueous Ammonia Solution, "
J.Chem.Soc.Faraday.Tran II., 84(6), 679-692, 1988.
30. Rode, B.M. and Y. tanabe, " A Monte Carlo Study on Preferential
Solvation of Sodium (I) in Aqueous Ammonia,
J.Chem.Soc.Faraday.Tran II., 1988, inpress.
31. Pearson, R.G. Hard and Soft Acids and Bases, Pennsylvania :
Dowden, Hulchinson and Ross Inc., 1973.
32. Rothaan, C.C.J., " Self Consistent Field Theory for Opened Shell
of Electronic Systems, " Rev.Mod.Phys., 23, 69, 1951.
33. Rothaan, C.C.J., " Self Consistent Field Theory for Closed Shell
of Electronic Systems, " Rev.Mod.Phys., 32(2), 179, 1960.
34. Slater, J.S., " The Theory of Complex Spectra, " Phys.Rev., 34,
1293-1322. 1929.
35. Slater, J.S., " Cohesion in Monovalent Metals, " Phys.Rev., 35,
509-529, 1930.
36. Fock, V., " Self-Consistent Field with Interchange for Sodium, "
Z.Physik., 62, 795-865, 1930.
37. Slater, J.S., " Atomic Shielding Constant, " Phys,Rev., 36,
57-64, 1930.
38. Boys, S.F., " Electronic Wave Functions. IV. Some General Theorems
for the Calculation of Schrodinger Integral between

- Complicated Vector-Coupled Functions for Many-Electron Atoms, " Proc.Roy.Soc., (London), A207, 181-197, 1951.
39. Whitten, J.C., " Gaussian Expansion of Hydrogen Atom Wavefunctions, " J.Chem.Phys., 39(2), 349-352, 1963.
40. Whitten, J.C., " Gaussian Lobe Function Expansions of Hartree Fock Solution for the First Row Atoms and Ethylene, " J.Chem.Phys., 44(1), 359-364, 1966.
41. Matsuoka, O., E. Clementi and M.Yoshimine, " CI Study of the Water Dimer Potential Surface, " J.Chem.Phys., 64(4), 1351-1361, 1976.
42. Lemberg, H.L. and F.H. Stillinger, " Central-Force Model for Liquid Water, " J.Chem.Phys., 62(5), 1677-1690, 1975.
43. Mehrotra, P.K., M. Mezei and D.L. Beveridge, " Convergence Acceleration in Monte Carlo Computer Simulation on Water and Aqueous Solutions, " J.Chem.Phys., 78(60), 3156-3166, 1983.
44. Rowllinson, J.S., " Lattice Energy of Ice and the Second Virial Coefficient of Water Vapor, " Trans.Faraday.Soc., 47, 120-129, 1951.
45. Stillinger, F.H. and A. Rahman, " Improved Simulation of Liquid Water by Molecular Dynamics, " J.Chem.Phys., 60(4), 1545-1557, 1974.
46. Rahman, A. and F.H. Stillinger, " Molecular Dynamics Study of liquid Water, " J.Chem.Phys., 55(7), 3336-3359, 1971.
47. Bopp, P., W. Dieta and K. Heinzinger, " Molecular Dynamics Simulation of Liquids with Ionic Interactions, " Z.Naturforsch., 34a, 1424, 1979.

48. Ragazzi, M., D.R. Ferro and E. Clementi, " Analytical Potentials from Ab-initio Computations for the Interaction Between Biomolecules. V. Formyl-Triglycyl Amide and Water, " J.Chem.Phys., 70(2), 1040-1050, 1979.
49. Sordo, J.A., M. Probst, G. Corogio, S. Chin and E. Clementi, " Ab-initio Pair Potential for the Interactions Between Aliphatic Amino Acids, " J.Am.Chem.Soc., 109(6), 1702-1708, 1986.
50. Benedict, W.S. and E.K. Plyler, Can.J.Phys., 82, 890, 1985.
51. Topp, W.C. and L.C. Allen, " A Model for the Hydrogen Bond, " J.Am.Chem.Soc., 96, 5291, 1975.
52. Kerns, R.C., L.C. Allen, " Cyclic and Bifurcated Hydrogen Bonds," J.Am.Chem.Soc., 100(21), 6587-6594, 1978.
53. Tanabe, Y., " Investigation of Simple and Preferential Solution in Electrolyte Solutions by means of Monte Carlo Simulation, " Ph.D thesis, Department of Chemistry, Faculty of Science, University of Innsbruck, Innsbruck, Austria, 1987.
54. Benedict, W.S., N. Gouilar and E.K. Plyler, " Rotation-Vibration Spectra of Deuterated Water Vapour, " J.Chem.Phys., 24(6), 1139-1165, 1956.
55. Mulliken, R.S., " Electronic Population Analysis on LCAO-MO Molecular Wave Functions ; Overlap Populations ; Bond Order and Covalent Bond Energies, " J.Chem.Phys., 23, 1833,1841, 2338,2343,1955.
56. Swaminathan, S., R.J. Whitehead, E. Guth and D.L. Beveridge, " A Heuristic Intermolecular Potential Function for

- Formaldehyde-Water Based on Ab-initio Molecular Orbital Calculations, " J.Am.Chem.Soc., 99(24), 7817-7822, 1977.
57. Okazaki, S., H. Touhara and K. Nakanishi, " Computer Experiments on Aqueous Solution. I. Monte Carlo Calculation on the Hydration of Methanol in an Infinitely Dilute Aqueous Solution with a New Water-Methanol Pair Potential, " J.Chem.Phys., 78(1), 454-469, 1983.
58. Jorgenson, W.L. and M.E. Cournoyer, " An Intermolecular Potential Function for the Hydrogen Fluoride Dimer from Ab-initio 6-31G Computations, " J.Am.Chem.Soc., 100(16), 4942-4945, 1978.
59. Nakanishi, K., K. Ikani, S. Okazaki and H. Touhara, " Computer Experiments on Aqueous Solutions. III. Monte Carlo Calculation on the Hydration of Tertiary Butyl Alcohol in an Infinitely Dilute Aqueous Solution with a New Water-Butanol Pair Potential, " J.Chem.Phys., 80(4), 1656-1670, 1984.
60. Hannongbua, S.V. and B.M. Rode, " An Intermolecular Potential Functions for Cyclen-Water Derived from Ab-initio Molecular Orbital Calculation, " Z.Naturforsch., 40a, 644-648, 1985.
61. Jorgensen, W.L., " Quantum and Statistical Mechanical Studies of Liquids. III. Deriving Intermolecular Potential Functions for the Water Dimer from Ab-initio Calculations, " J.Am.Chem.Soc., 101(8), 2011-2016, 1979.
62. Valleau, J.P. and S.G. Whitting, Modern Theoretical Chemistry Vol.5 : Statistical Mechanics, Part B, Plenum Press,

New York and London, 1977.

63. Davidson, Ernest R. and David Feller, " Basis Set Selection for Molecular Calculations, " Chem.Rev., 86, 681-696, 1986.
64. Clementi, E. and H. Popkie, " Study of the Structure of Molecular Complexes. I. Energy Surface of a Water Molecule in the Field of a Lithium Positive Ion, " J.Chem.Phys., 57(3), 1077-1094, 1972.
65. Tanaka, K., N. Ogita, Y. Tamura, I. Okada, H. Ohtaki, G. Palinkas, E. Spohr and K. Heinzinger, " A Molecular Dynamics Study of the Structure of an $\text{LiCl}\cdot 3\text{H}_2\text{O}$ Solution," Z.Naturforsch., 42a, 29-34, 1987.
66. Bopp, P., I. Okada, H. Ohtaki and K. Heinzinger, " A Molecular Dynamics Study of the Structure of an $\text{LiCl}\cdot 4\text{H}_2\text{O}$ Solution," Z.Naturforsch., 40a, 116-125, 1985.
67. Jorgensen, W.L., J. Chandrasekhar, J.D. Madura, R.W. Impey, and M.L. Kline, " Comparison of Simple Potential Functions for Simulating Liquid Water, " J.Chem.Phys., 79(2), 926-935, 1983.
68. Jorgensen, W.L., " Minimum Basis Set Description of the Structure and Properties of Liquid Water, " J.Am.Chem.Soc., 101(8), 2016-2021, 1979.
69. Narten, A.H. and H.A. Levy, " Liquid Water : Molecular Correlation Functions from X-ray Diffraction, " J.Chem.Phys., 55(5), 2263-2269, 1971.
70. Narten, A.H., " Liquid Water : Atom Pair Correlation Functions from Neutron and X-ray Diffraction, " J.Chem.Phys., 56(11), 5681-5687, 1972.

71. Narten, A.H., " Liquid Ammonia : Molecular Correlation Functions from X-ray Diffraction, " J.Chem.Phys., 66(7),3117-3120, 1977.
72. McDonald, I.R. and M.L. Kline, " Simulation of Liquid Ammonia, " J.Chem.Phys., 64(11), 4790-4791, 1976.
73. Heinzinger, K., P. Bopp and G. Jancso, " Molecular Dynamics Simulation of Ionic Hydration," Acta Chim.Hung., 121(1-2), 27-53, 1976.
74. Mezei, M. and D.L. Beveridge, " Monte Carlo Studied of the Structure of Dilute Aqueous Solutions of Li^+ , Na^+ , K^+ , F^- and Cl^- , " J.Chem.Phys., 74(12), 6902-6910, 1981.
75. Ewald, P.P., Ann.Phys., 64, 253, 1921.
76. Licheri. G., G. Piccaluga and G. Pinna, " X-ray Diffraction Study of Lithium Bromide Aqueous Solutions, " Chem.Phys.Lett., 35,119,1975.
77. Narten, A.H., " Diffraction Pattern and Structure of the System Water-Ammonia," J.Chem.Phys., 49, 1692-1696, 1968.
78. White, T.R., S.P. Hsu, M.J. Mobley and W.S. Glaunsinger, " Magnetic Properties of Metal-Ammonia Compound, " J.Phys.Chem., 88, 3890-3895, 1984.
79. Glaunsinger, W.S., R.B. Von Dreele, R.F. Marzke, R.C. Hanson, P. Chieux, P.Damay and R. Catterall, " Structure and Properties of Metal-Ammonia Compounds on the Trial of a New Ammonia Geometry, " J.Phys.Chem., 88, 3860-3877, 1984.

A P P E N D I X E S

APPENDIX I : NUMERICAL RADIAL DISTRIBUTION FUNCTIONS OBTAINED
FROM MONTE CARLO SIMULATION (R IS GIVEN IN Å)

A. Lithium(I)/water radial distribution function

R	g(LO)	INT(LO)	g(LH)	INT(LH)	R	g(LO)	INT(LO)	g(LH)	INT(LH)
0.00000	0.00000	0.00000	0.00000	0.00000	1.75000	2.25725	0.14847	0.00000	0.00000
0.05000	0.00000	0.00000	0.00000	0.00000	1.80000	5.07067	0.41299	0.00000	0.00000
0.10000	0.00000	0.00000	0.00000	0.00000	1.85000	8.79778	0.89779	0.00000	0.00000
0.15000	0.00000	0.00000	0.00000	0.00000	1.90000	11.29313	1.55418	0.00000	0.00000
0.20000	0.00000	0.00000	0.00000	0.00000	1.95000	11.58751	2.26361	0.00000	0.00000
0.25000	0.00000	0.00000	0.00000	0.00000	2.00000	9.59611	2.88163	0.00000	0.00000
0.30000	0.00000	0.00000	0.00000	0.00000	2.05000	6.82604	3.34350	0.00522	0.00035
0.35000	0.00000	0.00000	0.00000	0.00000	2.10000	4.00277	3.62771	0.02916	0.00242
0.40000	0.00000	0.00000	0.00000	0.00000	2.15000	2.26221	3.79608	0.09839	0.00975
0.45000	0.00000	0.00000	0.00000	0.00000	2.20000	1.04204	3.87728	0.23783	0.02828
0.50000	0.00000	0.00000	0.00000	0.00000	2.25000	0.53653	3.92101	0.50432	0.06939
0.55000	0.00000	0.00000	0.00000	0.00000	2.30000	0.20278	3.93828	0.88755	0.14499
0.60000	0.00000	0.00000	0.00000	0.00000	2.35000	0.09996	3.94717	1.40113	0.26957
0.65000	0.00000	0.00000	0.00000	0.00000	2.40000	0.06643	3.95333	2.11659	0.46586
0.70000	0.00000	0.00000	0.00000	0.00000	2.45000	0.04912	3.95808	2.83996	0.74033
0.75000	0.00000	0.00000	0.00000	0.00000	2.50000	0.04115	3.96222	3.47624	1.09014
0.80000	0.00000	0.00000	0.00000	0.00000	2.55000	0.01833	3.96414	3.96012	1.50475
0.85000	0.00000	0.00000	0.00000	0.00000	2.60000	0.01856	3.96616	4.28810	1.97147
0.90000	0.00000	0.00000	0.00000	0.00000	2.65000	0.02323	3.96878	4.06483	2.43107
0.95000	0.00000	0.00000	0.00000	0.00000	2.70000	0.03098	3.97242	3.79004	2.87592
1.00000	0.00000	0.00000	0.00000	0.00000	2.75000	0.02571	3.97555	3.11224	3.25487
1.05000	0.00000	0.00000	0.00000	0.00000	2.80000	0.03521	3.97999	2.30877	3.54631
1.10000	0.00000	0.00000	0.00000	0.00000	2.85000	0.05252	3.98686	1.60059	3.75563
1.15000	0.00000	0.00000	0.00000	0.00000	2.90000	0.05594	3.99443	0.97750	3.88799
1.20000	0.00000	0.00000	0.00000	0.00000	2.95000	0.10236	4.00877	0.60261	3.97242
1.25000	0.00000	0.00000	0.00000	0.00000	3.00000	0.13452	4.02827	0.41646	4.03277
1.30000	0.00000	0.00000	0.00000	0.00000	3.05000	0.17330	4.05422	0.31323	4.07968
1.35000	0.00000	0.00000	0.00000	0.00000	3.10000	0.17559	4.08139	0.25719	4.11948
1.40000	0.00000	0.00000	0.00000	0.00000	3.15000	0.22317	4.11704	0.28291	4.16467
1.45000	0.00000	0.00000	0.00000	0.00000	3.20000	0.25513	4.15977	0.30385	4.21477
1.50000	0.00000	0.00000	0.00000	0.00000	3.25000	0.33317	4.21643	0.33080	4.27103
1.55000	0.00000	0.00000	0.00000	0.00000	3.30000	0.41647	4.28945	0.32776	4.32849
1.60000	0.00245	0.00010	0.00000	0.00000	3.35000	0.44158	4.36924	0.33314	4.38869
1.65000	0.10829	0.00485	0.00000	0.00000	3.40000	0.51117	4.46438	0.34214	4.45237
1.70000	0.69459	0.03717	0.00000	0.00000	3.45000	0.52176	4.56437	0.34073	4.51767

A. Lithium(I)/water radial distribution function

R	g(L0)	INT(L0)	g(LH)	INT(LH)	R	g(L0)	INT(L0)	g(LH)	INT(LH)
3.50000	0.54076	4.67102	0.37075	4.59079	5.40000	0.98656	15.32649	0.99064	15.59325
3.55000	0.56346	4.78536	0.36511	4.66487	5.45000	0.98923	15.79957	0.97530	16.05966
3.60000	0.59148	4.90878	0.42086	4.75269	5.50000	1.05490	16.31335	0.97278	16.53345
3.65000	0.61117	5.03988	0.43178	4.84531	5.55000	1.08648	16.85219	0.96633	17.01268
3.70000	0.62547	5.17774	0.47059	4.94903	5.60000	1.13678	17.42616	0.95195	17.49333
3.75000	0.61693	5.31742	0.47284	5.05609	5.65000	1.20989	18.04800	0.95571	17.98454
3.80000	0.62165	5.46195	0.50653	5.17386	5.70000	1.18818	18.66956	0.97792	18.49609
3.85000	0.65978	5.61941	0.53155	5.30072	5.75000	1.18260	19.29909	0.98945	19.02280
3.90000	0.66029	5.78111	0.54213	5.43348	5.80000	1.21693	19.95821	0.97023	19.54829
3.95000	0.69635	5.95604	0.54478	5.57033	5.85000	1.23948	20.64116	0.98817	20.09277
4.00000	0.79079	6.15976	0.55947	5.71446	5.90000	1.22955	21.33028	1.00465	20.65584
4.05000	0.88459	6.39337	0.59814	5.87242	5.95000	1.20702	22.01828	1.04064	21.24901
4.10000	0.98704	6.66051	0.62245	6.04089	6.00000	1.12949	22.67296	1.02999	21.84601
4.15000	1.05154	6.95210	0.64961	6.22102	6.05000	1.04354	23.28793	1.03317	22.45488
4.20000	1.11413	7.26853	0.65539	6.40717	6.10000	1.03510	23.90807	1.01605	23.06360
4.25000	1.13426	7.59840	0.69546	6.60942	6.15000	1.05582	24.55103	1.03385	23.69318
4.30000	1.18878	7.95230	0.71738	6.82298	6.20000	1.00541	25.17328	1.01512	24.32144
4.35000	1.22891	8.32671	0.72385	7.04352	6.25000	1.00962	25.80826	1.01283	24.95844
4.40000	1.22868	8.70970	0.74751	7.27652	6.30000	0.98844	26.43991	1.01357	25.50614
4.45000	1.23892	9.10471	0.76882	7.52165	6.35000	0.96983	27.06953	1.02327	26.27046
4.50000	1.16879	9.48578	0.80728	7.78486	6.40000	0.97357	27.71158	1.02694	26.94771
4.55000	1.15355	9.87029	0.87387	8.07614	6.45000	0.99020	28.37483	1.05790	27.55631
4.60000	1.00617	10.21308	0.94110	8.39676	6.50000	1.02491	29.07202	1.08237	28.39259
4.65000	0.91241	10.53072	0.97246	8.73531	6.55000	1.02336	29.77892	1.09530	29.14917
4.70000	0.79087	10.81201	1.03807	9.10452	6.60000	1.00892	30.48651	1.08719	29.91167
4.75000	0.73149	11.07774	1.08598	9.49902	6.65000	1.01863	31.21178	1.07771	30.57900
4.80000	0.70054	11.33761	1.10445	9.90873	6.70000	1.00893	31.94099	1.07042	31.45265
4.85000	0.67017	11.59142	1.12006	10.33293	6.75000	1.02942	32.69617	1.05572	32.22711
4.90000	0.64585	11.84109	1.15336	10.77879	6.80000	0.99793	33.43912	1.05416	33.01192
4.95000	0.61443	12.08349	1.16192	11.23718	6.85000	1.03876	34.22388	1.05113	33.80602
5.00000	0.64035	12.34124	1.18008	11.71218	6.90000	1.05235	35.03055	1.05703	34.51627
5.05000	0.69414	12.62626	1.16839	12.19193	6.95000	1.07415	35.86591	1.02441	35.41295
5.10000	0.73896	12.93573	1.15777	12.67678	7.00000	1.09214	36.72752	1.01776	36.21590
5.15000	0.76537	13.26256	1.16330	13.17355	7.05000	1.06169	37.57713	1.03272	37.04233
5.20000	0.84351	13.62980	1.13965	13.66971	7.10000	1.01791	38.40331	1.03453	37.88199
5.25000	0.87645	14.01875	1.12317	14.16814	7.15000	0.99759	39.22443	1.05152	38.74750
5.30000	0.90399	14.42759	1.07349	14.65365	7.20000	0.95499	40.02151	1.08537	39.65341
5.35000	0.94547	14.86331	1.02963	15.12815	7.25000	0.96394	40.83728	1.10458	40.58821

A. Lithium(I)/water radial distribution function

R	g(LO)	INT(LO)	g(LH)	INT(LH)	R	g(LO)	INT(LO)	g(LH)	INT(LH)
7.30000	0.98468	41.68213	1.10240	41.53407	8.70000	0.91524	69.82260	0.89533	69.01440
7.35000	1.01731	42.56699	1.09012	42.48225	8.75000	0.91218	70.87309	0.90238	70.10211
7.40000	1.07956	43.51880	1.05745	43.41458	8.80000	0.91873	71.94379	0.91230	71.18973
7.45000	1.09902	44.50092	1.04274	44.34641	8.85000	0.91157	73.05548	0.91577	72.29410
7.50000	1.12992	45.52423	1.03864	45.28706	8.90000	0.90577	74.19788	0.91779	73.41357
7.55000	1.15726	46.58633	1.02080	46.22394	8.95000	0.91727	75.38087	0.91417	74.56679
7.60000	1.16717	47.67177	0.99590	47.15010	9.00000	0.91524	69.82260	0.89533	69.01440
7.65000	1.18123	48.78477	1.01969	48.11090	9.05000	0.91218	70.87309	0.90238	70.10211
7.70000	1.18752	49.91840	1.02363	49.08807	9.10000	0.91873	71.94379	0.91230	71.18973
7.75000	1.15157	51.03201	1.01778	50.07231	9.15000	0.91157	73.05548	0.91577	72.29410
7.80000	1.12901	52.13795	1.02441	51.07579	9.20000	0.91577	74.19788	0.91779	73.41357
7.85000	1.09585	53.22520	1.02718	52.09492	9.25000	0.91727	74.38087	0.91417	74.56679
7.90000	1.03548	54.26570	1.00322	53.10300	9.30000	0.91524	74.82260	0.89533	69.01440
7.95000	0.99659	55.27983	0.97530	54.09546	9.35000	0.91218	74.87309	0.90238	70.10211
8.00000	0.93370	56.24194	0.96384	55.08864	9.40000	0.91873	74.94379	0.91230	71.18973
8.05000	0.92078	57.20265	0.93341	56.06252	9.45000	0.91157	75.05548	0.91577	72.29410
8.10000	0.89013	58.14296	0.91604	57.03018	9.50000	0.91577	75.08788	0.91779	73.41357
8.15000	0.85790	59.06044	0.88718	57.97897	9.55000	0.91727	75.38087	0.91417	74.56679
8.20000	0.85036	59.98105	0.87798	58.92947	9.60000	0.91524	69.82260	0.90533	69.01440
8.25000	0.86912	60.93347	0.85506	59.86650	9.65000	0.91218	70.87309	0.90238	70.10211
8.30000	0.84802	61.87407	0.85012	60.80943	9.70000	0.91873	71.94379	0.91230	71.18973
8.35000	0.86030	62.83983	0.84973	61.76332	9.75000	0.91157	73.05548	0.91577	72.29410
8.40000	0.84840	63.80367	0.84987	62.72882	9.80000	0.91577	74.19788	0.91779	73.41357
8.45000	0.86677	64.80013	0.86453	63.72270	9.85000	0.91727	75.38087	0.91517	74.56679
8.50000	0.86554	65.80699	0.87796	64.74400	9.90000	0.91157	73.05548	0.91577	72.29410
8.55000	0.87571	66.81415	0.88900	65.79036	9.95000	0.91577	74.19788	0.91779	73.41357
8.60000	0.89739	67.81131	0.88124	66.83974	10.00000	0.91727	75.38087	0.91617	74.56679
8.65000	0.90463	68.80473	0.89946	67.92331					

B. Lithium(I)/ammonia radial distribution function

R	g(LN)	INT(LN)	g(LH)	INT(LH)	R	g(LN)	INT(LN)	g(LH)	INT(LH)
0.00000	0.00000	0.00000	0.00000	0.00000	0.30000	0.00000	0.00000	0.00000	0.00000
0.05000	0.00000	0.00000	0.00000	0.00000	0.35000	0.00000	0.00000	0.00000	0.00000
0.10000	0.00000	0.00000	0.00000	0.00000	0.40000	0.00000	0.00000	0.00000	0.00000
0.15000	0.00000	0.00000	0.00000	0.00000	0.45000	0.00000	0.00000	0.00000	0.00000
0.20000	0.00000	0.00000	0.00000	0.00000	0.50000	0.00000	0.00000	0.00000	0.00000
0.25000	0.00000	0.00000	0.00000	0.00000	0.55000	0.00000	0.00000	0.00000	0.00000

B. Lithium(I)/ammonia radial distribution function

R	g(LN)	INT(LN)	g(LH)	INT(LH)	R	g(LN)	INT(LN)	g(LH)	INT(LH)
0.60000	0.00000	0.00000	0.00000	0.00000	2.50000	2.26887	0.18382	0.10189	0.01808
0.65000	0.00000	0.00000	0.00000	0.00000	2.55000	2.17249	0.23684	0.24139	0.03575
0.70000	0.00000	0.00000	0.00000	0.00000	2.60000	1.89868	0.28502	0.37814	0.06454
0.75000	0.00000	0.00000	0.00000	0.00000	2.65000	1.78556	0.33209	0.52749	0.10625
0.80000	0.00000	0.00000	0.00000	0.00000	2.70000	1.50965	0.37340	0.76528	0.16907
0.85000	0.00000	0.00000	0.00000	0.00000	2.75000	1.47660	0.41531	0.98677	0.25311
0.90000	0.00000	0.00000	0.00000	0.00000	2.80000	1.44836	0.45793	1.29048	0.36703
0.95000	0.00000	0.00000	0.00000	0.00000	2.85000	1.33173	0.49854	1.56693	0.51035
1.00000	0.00000	0.00000	0.00000	0.00000	2.90000	1.36939	0.54176	1.67974	0.66943
1.05000	0.00000	0.00000	0.00000	0.00000	2.95000	1.62328	0.59479	1.73459	0.83941
1.10000	0.00000	0.00000	0.00000	0.00000	3.00000	1.68921	0.65185	1.99118	1.04121
1.15000	0.00000	0.00000	0.00000	0.00000	3.05000	1.66032	0.70983	2.12698	1.26401
1.20000	0.00000	0.00000	0.00000	0.00000	3.10000	1.67719	0.77033	2.15599	1.49732
1.25000	0.00000	0.00000	0.00000	0.00000	3.15000	1.77081	0.83628	2.21102	1.74437
1.30000	0.00000	0.00000	0.00000	0.00000	3.20000	1.87619	0.90839	2.20465	1.99858
1.35000	0.00000	0.00000	0.00000	0.00000	3.25000	1.93100	0.98495	2.15263	2.25462
1.40000	0.00000	0.00000	0.00000	0.00000	3.30000	2.10766	1.07110	2.12907	2.51570
1.45000	0.00000	0.00000	0.00000	0.00000	3.35000	2.12194	1.16049	1.97328	2.75507
1.50000	0.00000	0.00000	0.00000	0.00000	3.40000	1.90403	1.24310	1.88386	3.01029
1.55000	0.00000	0.00000	0.00000	0.00000	3.45000	1.96906	1.33108	1.71888	3.24067
1.60000	0.00000	0.00000	0.00000	0.00000	3.50000	1.91540	1.41915	1.67524	3.47176
1.65000	0.00000	0.00000	0.00000	0.00000	3.55000	1.88745	1.50843	1.68603	3.71103
1.70000	0.00000	0.00000	0.00000	0.00000	3.60000	1.65890	1.58913	1.66444	3.95393
1.75000	0.00000	0.00000	0.00000	0.00000	3.65000	1.43401	1.66084	1.55182	4.13674
1.80000	0.00000	0.00000	0.00000	0.00000	3.70000	1.37782	1.73164	1.45055	4.41035
1.85000	0.00000	0.00000	0.00000	0.00000	3.75000	1.34707	1.80274	1.41467	4.63437
1.90000	0.00000	0.00000	0.00000	0.00000	3.80000	1.25781	1.87092	1.39633	4.85141
1.95000	0.00000	0.00000	0.00000	0.00000	3.85000	1.31430	1.94404	1.26045	5.07180
2.00000	0.00000	0.00000	0.00000	0.00000	3.90000	1.32859	2.01989	1.22244	5.23117
2.05000	0.00000	0.00000	0.00000	0.00000	3.95000	1.46762	2.10584	1.18019	5.43852
2.10000	0.01220	0.00020	0.00000	0.00000	4.00000	1.65820	2.20543	1.10266	5.63719
2.15000	0.04657	0.00101	0.00000	0.00000	4.05000	1.75039	2.31319	1.14177	5.83808
2.20000	0.18346	0.00434	0.00000	0.00000	4.10000	1.99768	2.43924	1.09008	6.10442
2.25000	0.33485	0.01071	0.00709	0.00040	4.15000	2.13576	2.57731	1.14001	6.32551
2.30000	0.74264	0.02545	0.02204	0.00172	4.20000	2.34757	2.73274	1.06879	6.53781
2.35000	1.31555	0.05272	0.02599	0.00333	4.25000	2.41333	2.89636	1.15701	6.77314
2.40000	1.63035	0.08797	0.04360	0.00616	4.30000	2.60347	3.07705	1.19720	7.02240
2.45000	1.89173	0.13059	0.07023	0.01091	4.35000	2.71603	3.26996	1.32720	7.30520

B. Lithium(I)/ammonia radial distribution function

R	g(LN)	INT(LN)	g(LH)	INT(LH)	R	g(LN)	INT(LN)	g(LH)	INT(LH)
4.40000	3.11887	3.49660	1.38338	7.60679	6.30000	1.31658	8.82827	1.10596	24.05200
4.45000	3.40382	3.74961	1.44713	7.92948	6.35000	1.26857	9.02027	1.17715	24.58649
4.50000	3.53722	4.01847	1.48203	8.26743	6.40000	1.22912	9.20924	1.14306	25.11369
4.55000	3.46771	4.28794	1.57615	8.63486	6.45000	1.13446	9.38640	1.15731	25.65585
4.60000	3.01760	4.52761	1.62558	9.02220	6.50000	1.11516	9.56325	1.14870	26.20236
4.65000	2.87092	4.76062	1.73972	9.44579	6.55000	1.06559	9.73484	1.16824	26.76674
4.70000	2.59699	4.97595	1.84583	9.90493	6.60000	1.04395	9.90553	1.18684	27.34889
4.75000	2.33748	5.17391	1.98765	10.40993	6.65000	1.05569	10.08077	1.18630	27.93964
4.80000	1.98305	5.34540	2.08038	10.94967	6.70000	1.05617	10.25873	1.20563	28.54906
4.85000	1.58776	5.48559	2.16468	11.52305	6.75000	1.15693	10.45659	1.19531	29.16232
4.90000	1.24845	5.59810	2.17265	12.11046	6.80000	1.15569	10.65717	1.17082	29.77196
4.95000	0.98725	5.68890	2.14289	12.70172	6.85000	1.12569	10.85543	1.17577	30.39320
5.00000	0.66193	5.75102	2.05612	13.28055	6.90000	1.12243	11.05602	1.14692	31.00809
5.05000	0.55499	5.80414	1.93682	13.83675	6.95000	1.10133	11.25570	1.14273	31.62964
5.10000	0.48209	5.85121	1.85558	14.38023	7.00000	1.10761	11.45941	1.07155	32.22089
5.15000	0.38856	5.88989	1.70678	14.88998	7.05000	1.16613	11.67697	1.01563	32.78931
5.20000	0.35227	5.92564	1.58555	15.37276	7.10000	1.08464	11.88220	0.97628	33.34349
5.25000	0.41198	5.96827	1.49138	15.83564	7.15000	1.06637	12.08682	0.96776	33.90060
5.30000	0.41669	6.01220	1.41644	16.28366	7.20000	1.04486	12.29013	0.95870	34.46024
5.35000	0.54808	6.07108	1.26662	16.69189	7.25000	1.06224	12.49971	0.95934	35.02805
5.40000	0.62840	6.13986	1.19960	17.08578	7.30000	1.05127	12.70999	0.92184	35.58121
5.45000	0.64229	6.21147	1.03002	17.43028	7.35000	1.03054	12.91896	0.87763	36.11508
5.50000	0.70628	6.29167	0.95653	17.75610	7.40000	0.95180	13.11460	0.83436	36.62956
5.55000	0.82027	6.38650	0.94694	18.08455	7.45000	0.94343	13.31114	0.82788	37.14697
5.60000	0.91724	6.49447	0.86146	18.38875	7.50000	0.96677	13.51526	0.80795	37.65874
5.65000	1.02835	6.61769	0.84094	18.69104	7.55000	0.93796	13.71595	0.77699	38.15747
5.70000	1.08824	6.75041	0.85386	19.00342	7.60000	0.99926	13.93259	0.77518	38.66165
5.75000	1.13043	6.89069	0.87543	19.32933	7.65000	0.87635	14.12510	0.76600	39.16644
5.80000	1.21501	7.04411	0.90439	19.67192	7.70000	0.84958	14.31417	0.78090	39.68779
5.85000	1.16839	7.19420	0.93198	20.03107	7.75000	0.79878	14.49425	0.81670	40.24016
5.90000	1.24916	7.35741	0.97990	20.41516	7.80000	0.75098	14.66575	0.85521	40.82605
5.95000	1.26397	7.52538	0.99694	20.81259	7.85000	0.77114	14.84411	0.87229	41.43134
6.00000	1.38276	7.71222	1.05887	21.24184	7.90000	0.81357	15.03470	0.89980	42.06369
6.05000	1.30928	7.89211	1.06374	21.68027	7.95000	0.85531	15.23761	0.91137	42.71230
6.10000	1.28284	8.07128	1.08591	22.13527	8.00000	0.87493	15.44779	0.93687	43.38747
6.15000	1.32467	8.25934	1.08231	22.59622	8.05000	0.85869	15.65666	0.92388	44.06163
6.20000	1.31249	8.44871	1.08266	23.06485	8.10000	0.81080	15.85633	0.92495	44.74498
6.25000	1.25093	8.63213	1.12051	23.55772	8.15000	0.87259	16.07388	0.93767	45.44632

B. Lithium(I)/ammonia radial distribution function

R	g(LN)	INT(LN)	g(LH)	INT(LH)
8.20000	0.87198	16.29396	0.92894	46.14967
8.25000	0.87686	16.51797	0.94289	46.87231
8.30000	0.91867	16.75552	0.91450	47.58173
8.35000	0.91542	16.99509	0.89021	48.28064
8.40000	0.89388	17.23183	0.83146	48.94127
8.45000	0.88333	17.46857	0.81135	49.59361
8.50000	0.84988	17.69904	0.76422	50.21536
8.55000	0.82046	17.92416	0.73494	50.82034
8.60000	0.80913	18.14877	0.70101	51.39583
8.65000	0.81239	18.37692	0.73585	51.96526
8.70000	0.83975	18.58992	0.76244	52.50429
8.75000	0.84657	18.79010	0.83519	53.05190
8.80000	0.85011	18.97906	0.86170	53.57658
8.85000	0.84156	19.15591	0.89274	54.09935
8.90000	0.85790	19.31287	0.90448	54.62959
8.95000	0.86007	19.52194	0.91774	55.15973
9.00000	0.86307	19.73194	0.91774	55.15973
9.05000	0.86427	19.94294	0.91784	55.18973
9.10000	0.86407	20.15334	0.91794	55.19973
9.15000	0.86507	20.37394	0.91804	55.20973
9.20000	0.86517	20.58344	0.91834	55.21973
9.25000	0.86607	20.71494	0.91804	55.22973
9.30000	0.86627	20.92424	0.91854	55.25973
9.35000	0.86637	21.03434	0.91874	55.28973
9.40000	0.86627	21.24424	0.91904	55.25973
9.45000	0.86657	21.46545	0.91934	55.30973
9.50000	0.86687	21.68194	0.91944	55.32973
9.55000	0.86707	21.80545	0.92054	55.30973
9.60000	0.86727	22.02294	0.92074	55.38973
9.65000	0.86767	22.25594	0.92174	55.40973
9.70000	0.86807	22.47894	0.92244	55.42973
9.75000	0.86827	22.71194	0.92204	55.45973
9.80000	0.86816	22.93194	0.92224	55.47973
9.85000	0.86837	23.29994	0.92254	55.48973
9.90000	0.86224	23.48194	0.92304	55.49973
9.95000	0.86221	23.63194	0.92314	55.50543
10.00000	0.86224	24.00094	0.92354	55.50673

C. Water/water radial distribution function

R	g(OO)	INT(OO)	g(OH)	INT(OH)	g(HH)	INT(HH)
1.90000	0.00000	0.00000	1.08309	0.46077	0.04064	0.00787
1.95000	0.00000	0.00000	1.08171	0.59322	0.08268	0.01800
2.00000	0.00000	0.00000	1.01793	0.72434	0.15337	0.03775
2.05000	0.00000	0.00000	0.91211	0.84777	0.25883	0.07278
2.10000	0.00000	0.00000	0.79544	0.96073	0.39774	0.12926
2.15000	0.00000	0.00000	0.68679	1.06296	0.56986	0.21408
2.20000	0.00000	0.00000	0.58122	1.15355	0.75374	0.33156
2.25000	0.00005	0.00000	0.49136	1.23365	0.93541	0.48405
2.30000	0.00029	0.00003	0.42474	1.30600	1.10007	0.67144
2.35000	0.00259	0.00026	0.37161	1.37208	1.23368	0.89083
2.40000	0.01455	0.00161	0.33363	1.43396	1.32294	1.13621
2.45000	0.05845	0.00726	0.30807	1.49351	1.37667	1.40230
2.50000	0.17939	0.02531	0.29338	1.55256	1.38800	1.68165
2.55000	0.41450	0.06871	0.28951	1.61318	1.36037	1.96650
2.60000	0.78646	0.15431	0.29470	1.67732	1.30169	2.24985
2.65000	1.26601	0.29745	0.31417	1.74837	1.23194	2.52843
2.70000	1.76146	0.50420	0.34662	1.82974	1.15324	2.79916
2.75000	2.15353	0.76642	0.39391	1.92566	1.07231	3.06029
2.80000	2.37553	1.06628	0.46113	2.04208	1.00073	3.31293
2.85000	2.42477	1.38339	0.54792	2.18539	0.94345	3.55970
2.90000	2.31752	1.69720	0.65613	2.36308	0.89336	3.80163
2.95000	2.12623	1.99512	0.77938	2.58149	0.85904	4.04236
3.00000	1.88876	2.26881	0.91667	2.84715	0.83286	4.28373
3.05000	1.64812	2.51566	1.06278	3.16551	0.81926	4.52915
3.10000	1.44928	2.73991	1.20827	3.53942	0.81400	4.78104
3.15000	1.27562	2.94370	1.33569	3.96620	0.81682	5.04203
3.20000	1.13832	3.13137	1.44522	4.44275	0.82458	5.31393
3.25000	1.04078	3.30837	1.51926	4.95949	0.83647	5.59844
3.30000	0.96816	3.47813	1.56010	5.50658	0.85580	5.89854
3.35000	0.91695	3.64381	1.57131	6.07442	0.87831	6.21595
3.40000	0.87990	3.80758	1.55542	6.65342	0.90524	6.55292
3.45000	0.85636	3.97169	1.51168	7.23282	0.93783	6.91237
3.50000	0.83973	4.13731	1.45393	7.80635	0.97016	7.29507
3.55000	0.83305	4.30634	1.38698	8.36921	1.00847	7.70433
3.60000	0.83509	4.48060	1.31621	8.91851	1.04599	8.14085
3.65000	0.84099	4.66099	1.24740	9.45364	1.08133	8.60475
3.70000	0.84654	4.84759	1.18568	9.97634	1.10882	9.09356
3.75000	0.85535	5.04125	1.13255	10.48919	1.13264	9.60645

C. Water/water radial distribution function

R	g(OO)	INT(OO)	g(OH)	INT(OH)	g(HH)	INT(HH)
0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.05000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.10000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.15000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.20000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.25000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.30000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.35000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.40000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.45000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.50000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.55000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.60000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.65000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.70000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.75000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.80000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.85000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.90000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.95000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.05000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.10000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.15000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.20000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.25000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.30000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.35000	0.00000	0.00000	0.00002	0.00000	0.00000	0.00000
1.40000	0.00000	0.00000	0.00028	0.00002	0.00000	0.00000
1.45000	0.00000	0.00000	0.00224	0.00017	0.00000	0.00000
1.50000	0.00000	0.00000	0.01185	0.00103	0.00000	0.00000
1.55000	0.00000	0.00000	0.04001	0.00413	0.00000	0.00000
1.60000	0.00000	0.00000	0.10997	0.01319	0.00004	0.00000
1.65000	0.00000	0.00000	0.23422	0.03373	0.00019	0.00002
1.70000	0.00000	0.00000	0.41875	0.07270	0.00077	0.00009
1.75000	0.00000	0.00000	0.63388	0.13521	0.00275	0.00036
1.80000	0.00000	0.00000	0.85348	0.22425	0.00756	0.00115
1.85000	0.00000	0.00000	1.00366	0.33487	0.01812	0.00315

C. Water/water radial distribution function

R	g(OO)	INT(OO)	g(OH)	INT(OH)	g(HH)	INT(HH)
3.80000	0.86937	5.24337	1.09009	10.99607	1.14468	10.13871
3.85000	0.88500	5.45458	1.05107	11.49775	1.14933	10.68730
3.90000	0.89603	5.67401	1.01869	11.99669	1.14553	11.24836
3.95000	0.91051	5.90274	0.99624	12.49723	1.13640	11.81932
4.00000	0.92465	6.14094	0.97830	13.00127	1.11887	12.39578
4.05000	0.93417	6.38765	0.96840	13.51277	1.09878	12.97614
4.10000	0.94064	6.64223	0.96045	14.03266	1.07966	13.56057
4.15000	0.94889	6.90536	0.95362	14.56153	1.05947	14.14814
4.20000	0.95676	7.17709	0.94817	15.10012	1.04276	14.74046
4.25000	0.97077	7.45941	0.94425	15.64934	1.02676	15.33767
4.30000	0.98663	7.75313	0.93881	16.20830	1.01805	15.94382
4.35000	1.00164	8.05830	0.93599	16.77863	1.01352	16.56139
4.40000	1.00902	8.37282	0.93000	17.35840	1.00804	17.18980
4.45000	1.01972	8.69794	0.92613	17.94896	1.00522	17.83080
4.50000	1.02955	9.03362	0.92337	18.55107	1.00406	18.48552
4.55000	1.04203	9.38095	0.92144	19.16534	1.00243	19.15378
4.60000	1.04802	9.73800	0.92338	19.79451	1.00536	19.83881
4.65000	1.05050	10.10372	0.92522	20.43871	1.00766	20.54041
4.70000	1.05735	10.47978	0.92589	21.09731	1.01239	21.26054
4.75000	1.05726	10.86386	0.92839	21.77180	1.01512	21.99806
4.80000	1.06654	11.25950	0.93069	22.46230	1.01887	22.75398
4.85000	1.06851	11.66418	0.93511	23.17059	1.01766	23.52481
4.90000	1.06507	12.07591	0.94175	23.89870	1.01773	24.31168
4.95000	1.06385	12.49560	0.94819	24.64682	1.01717	25.11424
5.00000	1.05350	12.91966	0.95837	25.41833	1.01471	25.93112
5.05000	1.04834	13.35011	0.96747	26.21283	1.01244	26.76254
5.10000	1.03936	13.78537	0.98020	27.03380	1.00979	27.60829
5.15000	1.02841	14.22454	0.99166	27.88074	1.00509	28.46669
5.20000	1.02285	14.66984	1.00303	28.75409	1.00436	29.34120
5.25000	1.01652	15.12095	1.01425	29.65428	0.99945	30.22826
5.30000	1.00824	15.57695	1.02758	30.58376	0.99670	31.12981
5.35000	0.99822	16.03697	1.03921	31.54156	0.99625	32.04803
5.40000	0.99901	16.50600	1.04902	32.52658	0.99808	32.98521
5.45000	0.98995	16.97942	1.05857	33.53906	0.99827	33.94002
5.50000	0.98822	17.46072	1.06576	34.57721	1.00057	34.91466
5.55000	0.98377	17.94861	1.07207	35.64058	1.00269	35.90921
5.60000	0.98656	18.44673	1.07880	36.72998	1.00815	36.92726
5.65000	0.98606	18.95354	1.08350	37.84375	1.01040	37.96590

C. Water/water radial distribution function

R	g(OO)	INT(OO)	g(OH)	INT(OH)	g(HH)	INT(HH)
5.70000	0.98782	19.47028	1.08924	38.98334	1.01671	39.02960
5.75000	0.99108	19.99785	1.09258	40.14656	1.02187	40.11754
5.80000	1.00282	20.54100	1.09277	41.33031	1.02565	41.22858
5.85000	1.00897	21.09694	1.09387	42.53575	1.03256	42.36647
5.90000	1.01916	21.66814	1.08923	43.75670	1.03950	43.53168
5.95000	1.03463	22.25787	1.08642	44.99522	1.04589	44.72400
6.00000	1.04381	22.86288	1.08136	46.24879	1.05166	45.94313
6.05000	1.04884	23.48099	1.07822	47.51964	1.05694	47.18889
6.10000	1.05274	24.11168	1.07385	48.80634	1.06150	48.46078
6.15000	1.05958	24.75693	1.07137	50.11119	1.06221	49.75449
6.20000	1.06571	25.41650	1.06686	51.43176	1.06464	51.07231
6.25000	1.07574	26.09306	1.05973	52.76476	1.06581	52.41296
6.30000	1.08176	26.78433	1.05370	54.11145	1.06423	53.77313
6.35000	1.09080	27.49249	1.04853	55.47290	1.06266	55.15292
6.40000	1.09444	28.21425	1.04333	56.84901	1.06145	56.55293
6.45000	1.09666	28.94882	1.04056	58.24301	1.05698	57.96893
6.50000	1.09634	29.69461	1.03554	59.65187	1.05441	59.40346
6.55000	1.09428	30.45049	1.03094	61.07613	1.05125	60.85577
6.60000	1.09424	31.21793	1.02617	62.51552	1.04756	62.32516
6.65000	1.08444	31.99005	1.02246	63.97153	1.04314	63.81062
6.70000	1.08191	32.77200	1.01905	65.44458	1.03773	65.31067
6.75000	1.07444	33.56020	1.01565	66.93472	1.03307	66.82637
6.80000	1.06275	34.35139	1.01209	68.44171	1.02816	68.35730
6.85000	1.05393	35.14761	1.01099	69.96928	1.02352	69.90379
6.90000	1.04596	35.94939	1.00675	71.51273	1.01877	71.46568
6.95000	1.03796	36.75661	1.00358	73.07370	1.01491	73.04428
7.00000	1.03251	37.57118	0.99984	74.65132	1.01035	74.63847
7.05000	1.02667	38.39276	0.99790	76.24846	1.00776	76.25139
7.10000	1.01685	39.21806	0.99418	77.86227	1.00604	77.88446
7.15000	1.00787	40.04765	0.99486	79.50002	1.00415	79.53751
7.20000	1.00187	40.88387	0.99400	81.15932	1.00129	81.20898
7.25000	0.99534	41.72621	0.99362	82.84109	0.99973	82.90111
7.30000	0.99398	42.57904	0.99382	84.54649	0.99827	84.61415
7.35000	0.98836	43.43871	0.99383	86.27536	0.99838	86.35092
7.40000	0.98443	44.30666	0.99311	88.02657	0.99639	88.10789
7.45000	0.98049	45.18285	0.99327	89.80179	0.99513	89.88644
7.50000	0.97949	46.06993	0.99480	91.60370	0.99386	91.68665
7.55000	0.97582	46.96552	0.99491	93.42992	0.99411	93.51138

C. Water/water radial distribution function

R	g(OO)	INT(OO)	g(OH)	INT(OH)	g(HH)	INT(HH)
7.60000	0.97172	47.86919	0.99445	95.27954	0.99418	95.36052
7.65000	0.96895	48.78218	0.99658	97.15759	0.99334	97.23248
7.70000	0.96552	49.70387	0.99721	99.06148	0.99373	99.12973
7.75000	0.96369	50.63580	0.99887	100.99338	0.99388	101.05199
7.80000	0.96244	51.57858	0.99987	102.95226	0.99343	102.99825
7.85000	0.95802	52.52910	1.00232	104.94119	0.99420	104.97105
7.90000	0.95689	53.49062	1.00289	106.95670	0.99424	106.96916
7.95000	0.95614	54.46358	1.00552	109.00314	0.99525	108.99469
8.00000	0.95895	55.45172	1.00588	111.07614	0.99659	111.04855
8.05000	0.96462	56.45816	1.00821	113.17999	0.99836	113.13187
8.10000	0.97031	57.48315	1.01128	115.31656	0.99915	115.24281
8.15000	0.97588	58.52681	1.01119	117.47939	1.00073	117.38327
8.20000	0.98113	59.58899	1.01447	119.67593	1.00068	119.54996
8.25000	0.98528	60.66870	1.01434	121.89908	0.99976	121.74115
8.30000	0.98996	61.76674	1.01312	124.14653	0.99771	123.95441
8.35000	0.99209	62.88043	1.01210	126.41885	0.99632	126.19130
8.40000	1.00018	64.01669	1.01032	128.71443	0.99436	128.45061
8.45000	1.00668	65.17400	1.00990	131.03645	0.99272	130.73314
8.50000	1.01080	66.34982	1.00710	133.37952	0.99075	133.03816
8.55000	1.01619	67.54587	1.00561	135.74673	0.98747	135.36266
8.60000	1.01869	68.75893	1.00328	138.13617	0.98484	137.70816
8.65000	1.02536	69.99417	1.00159	140.54939	0.98018	140.06979
8.70000	1.02907	71.24825	0.99807	142.98199	0.97712	142.45135
8.75000	1.03492	72.52400	0.99349	145.43137	0.97218	144.84818
8.80000	1.03771	73.81786	0.99013	147.90044	0.97546	147.25571
8.85000	1.04045	75.12991	0.98572	150.38652	0.97621	149.67491
8.90000	1.04263	76.45963	0.98027	152.88686	0.97857	152.10716
8.95000	1.04362	77.80559	0.98450	155.40050	0.97689	154.54959
9.00000	1.04380	66.34982	1.00710	133.37952	0.97075	133.03816
9.05000	1.04319	67.54587	1.00561	135.74673	0.97747	135.36266
9.10000	1.04369	68.75893	1.00328	138.13617	0.98484	137.70816
9.15000	1.04336	69.99417	1.00159	140.54939	0.98018	140.06979
9.20000	1.04307	71.24825	1.00807	142.98199	0.98712	142.45135
9.25000	1.04392	72.52400	1.00349	145.43137	0.98218	144.84818
9.30000	1.04371	73.81786	1.00013	147.90044	0.98546	147.25571
9.35000	1.04345	75.12991	1.00572	150.38652	0.98921	149.67491
9.40000	1.04363	76.45963	1.00027	152.88686	0.98357	152.10716
9.45000	1.04362	77.80559	1.00450	155.40050	0.98689	154.54959

D. Ammonia/water radial distribution function

R	g(NO)	INT(NO)	g(NH)	INT(NH)	g(OH)	INT(OH)
1.15000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.20000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.25000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.30000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.35000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.40000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.45000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.50000	0.00000	0.00000	0.00022	0.00002	0.00000	0.00000
1.55000	0.00000	0.00000	0.00151	0.00013	0.00002	0.00000
1.60000	0.00000	0.00000	0.00735	0.00074	0.00013	0.00002
1.65000	0.00000	0.00000	0.02686	0.00309	0.00137	0.00020
1.70000	0.00000	0.00000	0.06897	0.00951	0.00533	0.00094
1.75000	0.00000	0.00000	0.16055	0.02535	0.01768	0.00356
1.80000	0.00000	0.00000	0.30277	0.05693	0.04309	0.01030
1.85000	0.00000	0.00000	0.47442	0.10922	0.09081	0.02531
1.90000	0.00000	0.00000	0.63972	0.18359	0.16249	0.05365
1.95000	0.00000	0.00000	0.76998	0.27787	0.25939	0.10129
2.00000	0.00000	0.00000	0.83730	0.38572	0.37090	0.17295
2.05000	0.00000	0.00000	0.83270	0.49840	0.48845	0.27210
2.10000	0.00000	0.00000	0.77093	0.60788	0.59065	0.39792
2.15000	0.00000	0.00000	0.69749	0.71170	0.67249	0.54807
2.20000	0.00000	0.00000	0.61458	0.80749	0.73459	0.71980
2.25000	0.00000	0.00000	0.54694	0.89665	0.76774	0.90754
2.30000	0.00000	0.00000	0.49104	0.98030	0.78695	1.10862
2.35000	0.00000	0.00000	0.45772	1.06169	0.79310	1.32018
2.40000	0.00014	0.00001	0.42640	1.14078	0.78593	1.53884
2.45000	0.00083	0.00009	0.42467	1.22287	0.78975	1.76781
2.50000	0.00444	0.00054	0.43127	1.30966	0.79976	2.00925
2.55000	0.02120	0.00276	0.45949	1.40587	0.82366	2.26795
2.60000	0.06085	0.00938	0.50853	1.51657	0.85966	2.54864
2.65000	0.15313	0.02670	0.57012	1.64549	0.89091	2.85084
2.70000	0.32370	0.06469	0.65695	1.79971	0.94259	3.18275
2.75000	0.57200	0.13434	0.76175	1.98522	1.00390	3.54946
2.80000	0.89206	0.24694	0.87234	2.20545	1.07069	3.95492
2.85000	1.25450	0.41100	1.00497	2.46831	1.15354	4.40749
2.90000	1.61587	0.62980	1.15081	2.77996	1.23307	4.90839
2.95000	1.94407	0.90220	1.29709	3.14345	1.31364	5.46057
3.00000	2.21871	1.22371	1.44362	3.56183	1.40145	6.06981

D. Ammonia/water radial distribution function

R	g(NO)	INT(NO)	g(NH)	INT(NH)	g(OH)	INT(OH)
3.05000	2.43314	1.58813	1.58166	4.03562	1.48289	6.73612
3.10000	2.59060	1.98897	1.71472	4.56625	1.55523	7.45803
3.15000	2.69400	2.41936	1.82020	5.14784	1.62251	8.23567
3.20000	2.71942	2.86772	1.90825	5.77708	1.68206	9.06764
3.25000	2.71690	3.32977	1.95675	6.44262	1.71964	9.94499
3.30000	2.65403	3.79511	1.97281	7.13443	1.75405	10.86763
3.35000	2.53806	4.25372	1.94490	7.83728	1.75994	11.82165
3.40000	2.41221	4.70269	1.89976	8.54446	1.76016	12.80448
3.45000	2.28178	5.13997	1.84157	9.25029	1.74309	13.80661
3.50000	2.14807	5.56364	1.77070	9.94878	1.71772	14.82299
3.55000	2.01034	5.97156	1.69202	10.63543	1.67512	15.84268
3.60000	1.87824	6.36348	1.61875	11.31099	1.61974	16.85663
3.65000	1.74785	6.73840	1.54263	11.97278	1.56003	17.86050
3.70000	1.62322	7.09619	1.47784	12.62427	1.49357	18.84813
3.75000	1.50199	7.43626	1.40598	13.26095	1.43605	19.82356
3.80000	1.41592	7.76545	1.35025	13.88880	1.37596	20.78326
3.85000	1.31953	8.08036	1.30192	14.51021	1.31857	21.72729
3.90000	1.23739	8.38339	1.26054	15.12760	1.26334	22.65544
3.95000	1.16852	8.67693	1.22417	15.74265	1.21460	23.57080
4.00000	1.11660	8.96458	1.20163	16.36176	1.16516	24.47127
4.05000	1.04690	9.24106	1.17146	16.98050	1.13420	25.36986
4.10000	0.98660	9.50809	1.14683	17.60127	1.09936	26.26248
4.15000	0.94034	9.76884	1.12226	18.22366	1.06538	27.14874
4.20000	0.90673	10.02637	1.08601	18.84055	1.03668	28.03204
4.25000	0.86911	10.27912	1.05968	19.45689	1.00712	28.91071
4.30000	0.83907	10.52891	1.02462	20.06696	0.97763	29.78383
4.35000	0.81091	10.77597	0.99022	20.67032	0.94549	30.64799
4.40000	0.78435	11.02046	0.95898	21.26816	0.91616	31.50471
4.45000	0.76910	11.26567	0.92388	21.85728	0.89008	32.35608
4.50000	0.74590	11.50887	0.89686	22.44209	0.86835	33.20543
4.55000	0.73325	11.75328	0.87530	23.02560	0.84845	34.05385
4.60000	0.72562	12.00049	0.84725	23.60291	0.83434	34.90660
4.65000	0.71677	12.25003	0.83024	24.18097	0.82141	35.76448
4.70000	0.70057	12.50133	0.82095	24.76492	0.81631	36.63548
4.75000	0.70548	12.75761	0.80494	25.34975	0.80762	37.51563
4.80000	0.70129	13.01739	0.79775	25.94160	0.80032	38.40628
4.85000	0.70197	13.28324	0.79237	26.54178	0.79390	39.30829
4.90000	0.70195	13.55460	0.78448	27.14830	0.79236	40.22722

D. Ammonia/water radial distribution function

R	g(NO)	INT(NO)	g(NH)	INT(NH)	g(OH)	INT(OH)
6.85000	1.05363	34.78038	1.04990	69.05519	1.02028	103.76462
6.90000	1.04880	35.58434	1.04933	70.66393	1.02535	106.12257
6.95000	1.04605	36.39786	1.04818	72.29428	1.02489	108.51375
7.00000	1.04120	37.21928	1.04657	73.94562	1.02780	110.94635
7.05000	1.03597	38.04831	1.04428	75.61697	1.03025	113.41969
7.10000	1.03566	38.88889	1.04616	77.31517	1.03471	115.93912
7.15000	1.02898	39.73584	1.04716	79.03902	1.03607	118.49751
7.20000	1.02422	40.59071	1.04542	80.78416	1.03849	121.09787
7.25000	1.01899	41.45306	1.04673	82.55585	1.03859	123.73473
7.30000	1.01319	42.32237	1.04619	84.35112	1.04021	126.41223
7.35000	1.00934	43.20029	1.04329	86.16603	1.03941	129.12447
7.40000	1.00103	44.08287	1.04155	88.00264	1.03739	131.86838
7.45000	1.00244	44.97868	1.04149	89.86404	1.03499	134.64307
7.50000	1.00339	45.88742	1.03875	91.74556	1.03181	137.44647
7.55000	1.00453	46.80936	1.03399	93.64351	1.02863	140.27864
7.60000	1.00734	47.74615	1.02970	95.55870	1.02792	143.14645
7.65000	1.00609	48.69414	1.02437	97.48914	1.02686	146.04915
7.70000	1.01111	49.65935	1.02166	99.43971	1.02327	148.97963
7.75000	1.01164	50.63765	1.01909	101.41074	1.02722	151.95975
7.80000	1.01670	51.63356	1.01698	103.40314	1.02815	154.98117
7.85000	1.01934	52.64491	1.01539	105.41801	1.02607	158.03528
7.90000	1.01914	53.66899	1.00959	107.44698	1.02708	161.13144
7.95000	1.02360	54.71060	1.00503	109.49242	1.02556	164.26228
8.00000	1.02587	55.76770	1.00299	111.55946	1.02569	167.43303
8.05000	1.02374	56.83583	1.00187	113.65010	1.02653	170.64616
8.10000	1.02071	57.91406	1.00251	115.76814	1.02389	173.89096
8.15000	1.02262	59.00769	1.00211	117.91156	1.02229	177.17084
8.20000	1.02222	60.11435	1.00297	120.08322	1.01946	180.48187
8.25000	1.02373	61.23621	1.00472	122.28526	1.01846	183.83014
8.30000	1.02231	62.37013	1.00559	124.51602	1.01351	187.20262
8.35000	1.01847	63.51344	1.00524	126.77295	1.01144	190.60890
8.40000	1.01588	64.66754	1.00763	129.06241	1.00884	194.04724
8.45000	1.01548	65.83496	1.00771	131.37941	1.00582	197.51620
8.50000	1.01607	67.01692	1.00751	133.72342	1.00304	201.01665
8.55000	1.01307	68.20930	1.00739	136.09482	1.00085	204.55066
8.60000	1.01300	69.41559	1.00317	138.48396	0.99551	208.10706
8.65000	1.00798	70.62988	1.00323	140.90112	0.99278	211.69504
8.70000	1.00954	71.86017	0.99896	143.33591	0.98893	215.31056

D. Ammonia/water radial distribution function

R	g(NO)	INT(NO)	g(NH)	INT(NH)	g(OH)	INT(OH)
4.95000	0.70723	13.83361	0.78213	27.76541	0.79258	41.16525
5.00000	0.71566	14.12167	0.78494	28.39731	0.80216	42.13390
5.05000	0.71960	14.41715	0.78741	29.04393	0.81266	43.13495
5.10000	0.72252	14.71972	0.79527	29.71001	0.82337	44.16937
5.15000	0.73192	15.03228	0.80497	30.39749	0.83373	45.23746
5.20000	0.74069	15.35474	0.80848	31.10146	0.84844	46.34558
5.25000	0.74743	15.68643	0.81802	31.82748	0.86092	47.49174
5.30000	0.75237	16.02670	0.82516	32.57387	0.87769	48.68259
5.35000	0.76312	16.37837	0.83235	33.34102	0.89030	49.91345
5.40000	0.78139	16.74522	0.84145	34.13113	0.90164	51.18340
5.45000	0.79192	17.12393	0.84898	34.94315	0.91120	52.49069
5.50000	0.80668	17.51682	0.86192	35.78273	0.91954	53.83426
5.55000	0.82114	17.92404	0.86935	36.64502	0.93267	55.22189
5.60000	0.84571	18.35104	0.87768	37.53133	0.94068	56.64679
5.65000	0.86095	18.79355	0.88722	38.44333	0.94972	58.11118
5.70000	0.88609	19.25706	0.89901	39.38390	0.95670	59.61255
5.75000	0.90308	19.73779	0.90531	40.34773	0.96525	61.15404
5.80000	0.92645	20.23958	0.91739	41.34149	0.97009	62.73032
5.85000	0.95504	20.76581	0.92858	42.36479	0.97779	64.34662
5.90000	0.98108	21.31566	0.93745	43.41560	0.98132	65.99660
5.95000	1.00234	21.88699	0.95270	44.50169	0.98275	67.67711
6.00000	1.02054	22.47852	0.95942	45.61391	0.99064	69.39970
6.05000	1.03730	23.08981	0.97040	46.75766	0.99042	71.15074
6.10000	1.04966	23.71867	0.97881	47.93047	0.99258	72.93472
6.15000	1.06004	24.36420	0.98490	49.13000	0.99598	74.75429
6.20000	1.05980	25.02011	0.99750	50.36473	0.99585	76.60332
6.25000	1.07401	25.69559	1.00609	51.63025	0.99511	78.48090
6.30000	1.08183	26.38692	1.01611	52.92889	0.99772	80.39363
6.35000	1.09085	27.09511	1.02713	54.26256	0.99669	82.33484
6.40000	1.09717	27.81866	1.03659	55.62978	1.00019	84.31366
6.45000	1.10152	28.55649	1.04046	57.02364	1.00392	86.33102
6.50000	1.10382	29.30736	1.04320	58.44292	1.00596	88.38394
6.55000	1.10368	30.06973	1.04608	59.88809	1.00910	90.47507
6.60000	1.09860	30.84023	1.04758	61.35753	1.00969	92.59949
6.65000	1.09597	31.62056	1.04938	62.85187	1.01054	94.75803
6.70000	1.08552	32.40512	1.04664	64.36479	1.01192	96.95215
6.75000	1.07296	33.19223	1.04807	65.90250	1.01479	99.18547
6.80000	1.06403	33.98439	1.05194	67.46883	1.01488	101.45219

E. Water/ammonia radial distribution function

R	g(OH)	INT(OH)	g(NH)	INT(NH)	g(NH)	INT(NH)
0.40000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.45000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.50000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.55000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.60000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.65000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.70000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.75000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.80000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.85000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.90000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.95000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.05000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.10000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.15000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.20000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.25000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.30000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.35000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.40000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.45000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.50000	0.00000	0.00000	0.00000	0.00000	0.00022	0.00000
1.55000	0.00000	0.00000	0.00002	0.00000	0.00151	0.00003
1.60000	0.00000	0.00000	0.00013	0.00000	0.00735	0.00017
1.65000	0.00000	0.00000	0.00137	0.00005	0.02686	0.00072
1.70000	0.00000	0.00000	0.00533	0.00022	0.06897	0.00222
1.75000	0.00000	0.00000	0.01768	0.00083	0.16055	0.00591
1.80000	0.00000	0.00000	0.04309	0.00240	0.30277	0.01327
1.85000	0.00000	0.00000	0.09081	0.00590	0.47442	0.02546
1.90000	0.00000	0.00000	0.16249	0.01251	0.63972	0.04280
1.95000	0.00000	0.00000	0.25939	0.02361	0.76998	0.06478
2.00000	0.00000	0.00000	0.37090	0.04032	0.83730	0.08992
2.05000	0.00000	0.00000	0.48845	0.06343	0.83270	0.11619
2.10000	0.00000	0.00000	0.59065	0.09277	0.77093	0.14171
2.15000	0.00000	0.00000	0.67249	0.12777	0.69749	0.16592
2.20000	0.00000	0.00000	0.73459	0.16781	0.61458	0.18825
2.25000	0.00000	0.00000	0.76774	0.21157	0.54694	0.20903

E. Water/ammonia radial distribution function

R	g(OH)	INT(OH)	g(NH)	INT(NH)	g(OH)	INT(OH)	g(NH)	INT(NH)
2.30000	0.00000	0.00000	0.78695	0.25845	0.49104	0.22854		
2.35000	0.00000	0.00000	0.79310	0.30777	0.45772	0.24751		
2.40000	0.00014	0.00000	0.78593	0.35875	0.42640	0.26595		
2.45000	0.00083	0.00002	0.78975	0.41213	0.42467	0.28509		
2.50000	0.00444	0.00013	0.79976	0.46841	0.43127	0.30532		
2.55000	0.02120	0.00064	0.82366	0.52872	0.45949	0.32775		
2.60000	0.06085	0.00219	0.85966	0.59416	0.50853	0.35356		
2.65000	0.15313	0.00622	0.89091	0.66461	0.57012	0.38361		
2.70000	0.32370	0.01508	0.94259	0.74199	0.65695	0.41957		
2.75000	0.57200	0.03132	1.00390	0.82748	0.76175	0.46281		
2.80000	0.89206	0.05757	1.07069	0.92201	0.87234	0.51415		
2.85000	1.25450	0.09582	1.15354	1.02751	1.00497	0.57543		
2.90000	1.61587	0.14683	1.23307	1.14429	1.15081	0.64809		
2.95000	1.94407	0.21033	1.31364	1.27302	1.29709	0.73283		
3.00000	2.21871	0.28528	1.40145	1.41505	1.44362	0.83037		
3.05000	2.43314	0.37024	1.48289	1.57038	1.58166	0.94082		
3.10000	2.59060	0.46369	1.55523	1.73868	1.71472	1.06453		
3.15000	2.69400	0.56402	1.62251	1.91997	1.82020	1.20011		
3.20000	2.71942	0.66855	1.68206	2.11392	1.90825	1.34680		
3.25000	2.71690	0.77626	1.71964	2.31846	1.95675	1.50196		
3.30000	2.65403	0.88475	1.75405	2.53356	1.97281	1.66324		
3.35000	2.53806	0.99166	1.75994	2.75596	1.94490	1.82709		
3.40000	2.41221	1.09633	1.76016	2.98509	1.89976	1.99196		
3.45000	2.28178	1.19827	1.74309	3.21871	1.84157	2.15651		
3.50000	2.14807	1.29704	1.71772	3.45566	1.77070	2.31935		
3.55000	2.01034	1.39214	1.67512	3.69338	1.69202	2.47942		
3.60000	1.87824	1.48351	1.61974	3.92976	1.61875	2.63691		
3.65000	1.74785	1.57091	1.56003	4.16380	1.54263	2.79120		
3.70000	1.62322	1.65432	1.49357	4.39404	1.47784	2.94308		
3.75000	1.50199	1.73360	1.43605	4.62144	1.40598	3.09151		
3.80000	1.41592	1.81035	1.37596	4.84518	1.35025	3.23787		
3.85000	1.31953	1.88376	1.31857	5.06526	1.30192	3.38274		
3.90000	1.23739	1.95441	1.26334	5.28164	1.26054	3.52667		
3.95000	1.16852	2.02284	1.21460	5.49504	1.22417	3.67006		
4.00000	1.11660	2.08990	1.16516	5.70496	1.20163	3.81439		
4.05000	1.04690	2.15435	1.13420	5.91445	1.17146	3.95864		
4.10000	0.98660	2.21661	1.09936	6.12255	1.14683	4.10336		
4.15000	0.94034	2.27739	1.06538	6.32917	1.12226	4.24846		

E. Water/ammonia radial distribution function

R	g(OH)	INT(OH)	g(NH)	INT(NH)	g(OH)	INT(OH)	g(NH)	INT(NH)
4.20000	0.90673	2.33743	1.03668	6.53509	1.08601	4.39228		
4.25000	0.86911	2.39635	1.00712	6.73993	1.05968	4.53597		
4.30000	0.83907	2.45459	0.97763	6.94348	1.02462	4.67819		
4.35000	0.81091	2.51218	0.94549	7.14495	0.99022	4.81885		
4.40000	0.78435	2.56918	0.91616	7.34468	0.95898	4.95823		
4.45000	0.76910	2.62635	0.89008	7.54315	0.92388	5.09557		
4.50000	0.74590	2.68304	0.86835	7.74116	0.89686	5.23191		
4.55000	0.73325	2.74002	0.84845	7.93895	0.87530	5.36794		
4.60000	0.72562	2.79765	0.83434	8.13776	0.84725	5.50253		
4.65000	0.71677	2.85583	0.82141	8.33776	0.83024	5.63729		
4.70000	0.70657	2.91441	0.81631	8.54081	0.82095	5.77343		
4.75000	0.70548	2.97416	0.80762	8.74600	0.80494	5.90977		
4.80000	0.70029	3.03472	0.80032	8.95364	0.79775	6.04775		
4.85000	0.70197	3.09670	0.79390	9.16392	0.79237	6.18767		
4.90000	0.70195	3.15996	0.79236	9.37815	0.78448	6.32907		
4.95000	0.70723	3.22500	0.79258	9.59683	0.78213	6.47294		
5.00000	0.71566	3.29216	0.80216	9.82265	0.78494	6.62025		
5.05000	0.71960	3.36104	0.81266	10.05603	0.78741	6.77100		
5.10000	0.72252	3.43158	0.82337	10.29718	0.79527	6.92629		
5.15000	0.73192	3.50445	0.83373	10.54619	0.80497	7.08656		
5.20000	0.74069	3.57962	0.84844	10.80452	0.80848	7.25068		
5.25000	0.74743	3.65695	0.86092	11.07173	0.81802	7.41994		
5.30000	0.75237	3.73628	0.87769	11.34935	0.82516	7.59394		
5.35000	0.76312	3.81826	0.89030	11.63630	0.83235	7.77279		
5.40000	0.78139	3.90379	0.90164	11.93236	0.84145	7.95699		
5.45000	0.79192	3.99208	0.91120	12.23713	0.84898	8.14629		
5.50000	0.80668	4.08367	0.91954	12.55036	0.86192	8.34203		
5.55000	0.82114	4.17861	0.93267	12.87386	0.86935	8.54305		
5.60000	0.84571	4.27816	0.94068	13.20605	0.87768	8.74968		
5.65000	0.86095	4.38132	0.94972	13.54744	0.88722	8.96229		
5.70000	0.88609	4.48938	0.95670	13.89745	0.89901	9.18157		
5.75000	0.90308	4.60146	0.96525	14.25682	0.90531	9.40627		
5.80000	0.92645	4.71844	0.97009	14.62430	0.91739	9.63794		
5.85000	0.95504	4.84112	0.97779	15.00110	0.92858	9.87651		
5.90000	0.98108	4.96931	0.98132	15.38577	0.93745	10.12148		
5.95000	1.00234	5.10250	0.98275	15.77754	0.95270	10.37468		
6.00000	1.02054	5.24040	0.99064	16.17912	0.95942	10.63397		
6.05000	1.03730	5.38292	0.99042	16.58734	0.97040	10.90061		

E. Water/ammonia radial distribution function

R	g(OH)	INT(OH)	g(NH)	INT(NH)	g(NH)	INT(NH)
6.10000	1.04966	5.52952	0.99258	17.00323	0.97881	11.17403
6.15000	1.06004	5.68002	0.99598	17.42743	0.98490	11.45368
6.20000	1.05980	5.83293	0.99585	17.85849	0.99750	11.74153
6.25000	1.07401	5.99040	0.99511	18.29620	1.00609	12.03656
6.30000	1.08183	6.15157	0.99772	18.74211	1.01611	12.33932
6.35000	1.09085	6.31657	0.99669	19.19466	1.02713	12.65023
6.40000	1.09717	6.48536	1.00019	19.65598	1.03659	12.96897
6.45000	1.10152	6.65737	1.00392	20.12628	1.04046	13.29392
6.50000	1.10382	6.83242	1.00596	20.60487	1.04320	13.62480
6.55000	1.10368	7.01015	1.00910	21.09238	1.04608	13.96171
6.60000	1.09860	7.18978	1.00969	21.58763	1.04758	14.30428
6.65000	1.09597	7.37170	1.01054	22.09085	1.04938	14.65266
6.70000	1.08552	7.55460	1.01192	22.60236	1.04664	15.00537
6.75000	1.07296	7.73810	1.01479	23.12300	1.04807	15.36385
6.80000	1.06403	7.92278	1.01488	23.65143	1.05194	15.72901
6.85000	1.05363	8.10835	1.02028	24.19052	1.04990	16.09883
6.90000	1.04880	8.29578	1.02535	24.74022	1.04933	16.47386
6.95000	1.04605	8.48543	1.02489	25.29767	1.04818	16.85394
7.00000	1.04120	8.67693	1.02780	25.86478	1.04657	17.23891
7.05000	1.03597	8.87020	1.03025	26.44138	1.04428	17.62854
7.10000	1.03566	9.06617	1.03471	27.02872	1.04616	18.02443
7.15000	1.02898	9.26362	1.03607	27.62515	1.04716	18.42630
7.20000	1.02422	9.46291	1.03849	28.23137	1.04542	18.83313
7.25000	1.01899	9.66395	1.03859	28.84608	1.04673	19.24615
7.30000	1.01319	9.86662	1.04021	29.47029	1.04619	19.66467
7.35000	1.00934	10.07129	1.03941	30.10258	1.04329	20.08777
7.40000	1.00103	10.27704	1.03739	30.74226	1.04155	20.51593
7.45000	1.00244	10.48588	1.03499	31.38911	1.04149	20.94987
7.50000	1.00339	10.69774	1.03181	32.04266	1.03875	21.38850
7.55000	1.00453	10.91267	1.02863	32.70291	1.03399	21.83096
7.60000	1.00734	11.13106	1.02792	33.37148	1.02970	22.27745
7.65000	1.00609	11.35207	1.02686	34.04817	1.02437	22.72748
7.70000	1.01111	11.57709	1.02327	34.73134	1.02166	23.18221
7.75000	1.01164	11.80516	1.02722	35.42609	1.01909	23.64171
7.80000	1.01670	12.03734	1.02815	36.13046	1.01698	24.10619
7.85000	1.01934	12.27311	1.02607	36.84245	1.01539	24.57591
7.90000	1.01914	12.51185	1.02708	37.56425	1.00959	25.04892
7.95000	1.02360	12.75469	1.02556	38.29414	1.00503	25.52576

E. Water/ammonia radial distribution function

R	g(CN)	INT(ON)	g(OH)	INT(OH)	g(NH)	INT(NH)
8.00000	1.02587	13.00113	1.02569	39.03333	1.00299	26.00764
8.05000	1.02374	13.25014	1.02653	39.78239	1.00187	26.49503
8.10000	1.02071	13.50151	1.02389	40.53885	1.00251	26.98880
8.15000	1.02262	13.75647	1.02229	41.30348	1.00211	27.48848
8.20000	1.02222	14.01446	1.01946	42.07538	1.00297	27.99475
8.25000	1.02373	14.27600	1.01846	42.85594	1.00472	28.50810
8.30000	1.02231	14.54035	1.01351	43.64217	1.00559	29.02815
8.35000	1.01847	14.80689	1.01144	44.43626	1.00524	29.55431
8.40000	1.01588	15.07595	1.00884	45.23784	1.00763	30.08804
8.45000	1.01548	15.34811	1.00582	46.04654	1.00771	30.62819
8.50000	1.01607	15.62366	1.00304	46.86259	1.00751	31.17464
8.55000	1.01307	15.90164	1.00085	47.68646	1.00739	31.72748
8.60000	1.01300	16.18286	0.99551	48.51555	1.00317	32.28445
8.65000	1.00798	16.46594	0.99278	49.35201	1.00323	32.84796
8.70000	1.00954	16.75275	0.98893	50.19489	0.99896	33.41557
8.75000	1.00792	17.04240	0.98510	51.04417	0.99594	33.98799
8.80000	1.00546	17.33466	0.98092	51.89955	0.99005	34.56355
8.85000	1.00804	17.63100	0.97550	52.75990	0.98472	35.14253
8.90000	1.01370	17.93239	0.96800	53.62331	0.98170	35.72627
8.95000	1.01886	18.23872	0.96259	54.49156	0.97615	36.31326
9.00000	1.02587	18.51113	0.98569	39.03333	1.00299	26.00764
9.05000	1.02374	18.25014	1.00653	39.78239	1.00187	26.49503
9.10000	1.02071	18.53151	1.00389	40.53885	1.00251	26.98880
9.15000	1.02262	18.71647	1.00229	41.30348	1.00211	27.48848
9.20000	1.02222	18.98446	1.01946	42.07538	1.00297	27.99475
9.25000	1.02373	19.17600	1.01846	42.85594	1.00472	28.50810
9.30000	1.02231	19.34035	1.01351	43.64217	1.00559	29.02815
9.35000	1.01847	19.59689	1.01144	44.43626	1.00524	29.55431
9.40000	1.01588	19.87595	1.02884	45.23784	1.00763	30.08804
9.45000	1.01548	20.15811	1.02582	46.04654	1.00771	30.62819
9.50000	1.01607	20.43366	1.01304	46.86259	1.00751	31.17464
9.55000	1.01307	20.72164	1.00085	47.68646	1.00739	31.72748
9.60000	1.01300	20.95286	1.01551	48.51555	1.00317	32.28445
9.65000	1.00798	21.23594	1.02278	49.35201	1.00323	32.84796
9.70000	1.00954	21.51275	1.01893	50.19489	0.99896	33.41557
9.75000	1.00792	21.79240	1.01510	51.04417	0.99594	33.98799
9.80000	1.00546	21.98466	1.00092	51.89955	0.99005	34.56355
9.85000	1.00804	22.26100	1.01550	52.75990	0.98472	35.14253

E. Water/ammonia radial distribution function

R	g(ON)	INT(ON)	g(OH)	INT(OH)	g(NH)	INT(NH)
9.90000	1.01370	22.54239	1.01800	53.62331	0.98170	35.72627
9.95000	1.01886	22.82872	1.02259	54.49156	0.97615	36.31326
10.00000	1.01987	23.08113	1.02569	39.03333	1.00299	26.00764

F. Ammonia/ammonia radial distribution function

R	g(NH)	INT(NH)	g(HH)	INT(HH)	g(OH)	INT(OH)
0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.05000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.10000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.15000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.20000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.25000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.30000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.35000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.40000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.45000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.50000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.55000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.60000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.65000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.70000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.75000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.80000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.85000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.90000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
0.95000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.05000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.10000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.15000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.20000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.25000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.30000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
1.35000	0.00000	0.00000	0.00000	0.00000	0.00017	0.00000
1.40000	0.00000	0.00000	0.00000	0.00000	0.00016	0.00001
1.45000	0.00000	0.00000	0.00000	0.00000	0.00037	0.00002
1.50000	0.00000	0.00000	0.00000	0.00000	0.00084	0.00004

F. Ammonia/ammonia radial distribution function

R	g(NN)	INT(NN)	g(NH)	INT(NH)	g(HH)	INT(HH)
1.55000	0.00000	0.00000	0.00000	0.00000	0.00183	0.00009
1.60000	0.00000	0.00000	0.00000	0.00000	0.00258	0.00016
1.65000	0.00000	0.00000	0.00000	0.00000	0.00428	0.00029
1.70000	0.00000	0.00000	0.00000	0.00000	0.00947	0.00060
1.75000	0.00000	0.00000	0.00000	0.00000	0.01588	0.00115
1.80000	0.00000	0.00000	0.00015	0.00001	0.02734	0.00215
1.85000	0.00000	0.00000	0.00021	0.00001	0.04143	0.00374
1.90000	0.00000	0.00000	0.00078	0.00005	0.05392	0.00593
1.95000	0.00000	0.00000	0.00137	0.00010	0.07726	0.00924
2.00000	0.00000	0.00000	0.00307	0.00024	0.09323	0.01344
2.05000	0.00000	0.00000	0.00652	0.00055	0.11656	0.01896
2.10000	0.00000	0.00000	0.00953	0.00102	0.14062	0.02594
2.15000	0.00000	0.00000	0.01195	0.00165	0.15775	0.03415
2.20000	0.00000	0.00000	0.01804	0.00263	0.17647	0.04377
2.25000	0.00000	0.00000	0.02364	0.00398	0.19523	0.05490
2.30000	0.00000	0.00000	0.04034	0.00638	0.20938	0.06737
2.35000	0.00000	0.00000	0.05120	0.00956	0.23077	0.08172
2.40000	0.00000	0.00000	0.06880	0.01403	0.24423	0.09756
2.45000	0.00000	0.00000	0.08698	0.01990	0.26147	0.11524
2.50000	0.00000	0.00000	0.11239	0.02781	0.26748	0.13406
2.55000	0.00000	0.00000	0.13431	0.03765	0.28359	0.15483
2.60000	0.00000	0.00000	0.15576	0.04951	0.29455	0.17725
2.65000	0.00060	0.00002	0.18379	0.06404	0.31142	0.20188
2.70000	0.00136	0.00005	0.21311	0.08153	0.32533	0.22858
2.75000	0.00431	0.00018	0.24738	0.10260	0.34343	0.25783
2.80000	0.01337	0.00057	0.28956	0.12816	0.35397	0.28908
2.85000	0.02947	0.00147	0.31916	0.15736	0.36510	0.32247
2.90000	0.05776	0.00329	0.34886	0.19039	0.37380	0.35787
2.95000	0.09178	0.00629	0.37337	0.22698	0.38747	0.39584
3.00000	0.13186	0.01074	0.40147	0.26767	0.39599	0.43597
3.05000	0.18999	0.01738	0.43157	0.31288	0.40519	0.47842
3.10000	0.24124	0.02608	0.45598	0.36222	0.42553	0.52447
3.15000	0.31728	0.03790	0.48387	0.41628	0.43701	0.57330
3.20000	0.38199	0.05258	0.51137	0.47525	0.46389	0.62679
3.25000	0.43200	0.06971	0.54668	0.54027	0.47960	0.68383
3.30000	0.49678	0.09001	0.56022	0.60897	0.50471	0.74572
3.35000	0.55411	0.11335	0.59056	0.68360	0.53287	0.81306
3.40000	0.61303	0.13995	0.61063	0.76309	0.56006	0.88597

F. Ammonia/ammonia radial distribution function

R	g(NN)	INT(NN)	g(NH)	INT(NH)	g(HH)	INT(HH)
3.45000	0.69403	0.17096	0.61499	0.84552	0.57884	0.96355
3.50000	0.72960	0.20451	0.63563	0.93320	0.60967	1.04765
3.55000	0.75875	0.24040	0.64827	1.02519	0.61899	1.13549
3.60000	0.78820	0.27874	0.66776	1.12264	0.63933	1.22879
3.65000	0.79875	0.31869	0.67372	1.22372	0.65595	1.32720
3.70000	0.80048	0.35982	0.69333	1.33060	0.67056	1.43057
3.75000	0.82651	0.40345	0.69890	1.44127	0.68813	1.53954
3.80000	0.83962	0.44895	0.72335	1.55889	0.70695	1.65449
3.85000	0.85330	0.49643	0.73755	1.68199	0.72689	1.77581
3.90000	0.88250	0.54681	0.75776	1.81178	0.74054	1.90265
3.95000	0.88807	0.59882	0.77047	1.94714	0.75274	2.03490
4.00000	0.88964	0.65225	0.79706	2.09075	0.77128	2.17386
4.05000	0.89337	0.70725	0.80603	2.23963	0.78672	2.31917
4.10000	0.91459	0.76456	0.82122	2.39507	0.80150	2.47088
4.15000	0.93660	0.82551	0.83159	2.55635	0.82132	2.63017
4.20000	0.94582	0.88813	0.84527	2.72425	0.83798	2.79662
4.25000	0.96658	0.95367	0.86621	2.90043	0.85712	2.97096
4.30000	0.98874	1.02229	0.88626	3.08496	0.87623	3.15339
4.35000	0.99054	1.09264	0.90308	3.27739	0.89624	3.34436
4.40000	0.98798	1.16444	0.91547	3.47697	0.91794	3.54448
4.45000	0.99136	1.23812	0.93967	3.68650	0.94330	3.75483
4.50000	0.97980	1.31260	0.95155	3.90348	0.96211	3.97421
4.55000	1.00107	1.39039	0.96802	4.12915	0.98403	4.20361
4.60000	1.00205	1.46997	0.97861	4.36233	0.99815	4.44144
4.65000	1.03563	1.55403	0.98663	4.60256	1.01223	4.68791
4.70000	1.04789	1.64091	0.99970	4.85123	1.03036	4.94420
4.75000	1.05168	1.72998	1.02424	5.11145	1.04346	5.20931
4.80000	1.07764	1.82317	1.03898	5.38101	1.05463	5.48293
4.85000	1.09660	1.92000	1.05881	5.66147	1.06983	5.76630
4.90000	1.10082	2.01920	1.07670	5.95257	1.08690	6.06016
4.95000	1.12129	2.12233	1.08704	6.25250	1.09309	6.36176
5.00000	1.10237	2.22577	1.10932	6.56479	1.10234	6.67209
5.05000	1.09781	2.33086	1.11965	6.88633	1.11355	6.99187
5.10000	1.09463	2.43773	1.12847	7.21684	1.11735	7.31913
5.15000	1.08944	2.54619	1.14303	7.55822	1.12245	7.65436
5.20000	1.07441	2.65523	1.16486	7.91290	1.13334	7.99945
5.25000	1.06581	2.76550	1.17877	8.27876	1.13776	8.35258
5.30000	1.06329	2.87761	1.19743	8.65752	1.13662	8.71210

F. Ammonia/ammonia radial distribution function

R	g(NN)	INT(NN)	g(NH)	INT(NH)	g(HH)	INT(HH)
5.35000	1.06295	2.99181	1.20302	9.04526	1.14172	9.08009
5.40000	1.08974	3.11108	1.21764	9.44508	1.13677	9.45336
5.45000	1.09701	3.23339	1.23118	9.85687	1.14201	9.83532
5.50000	1.11068	3.35950	1.23360	10.27708	1.14930	10.22681
5.55000	1.15457	3.49299	1.24549	10.70909	1.14889	10.62531
5.60000	1.19280	3.63339	1.23533	11.14532	1.15317	11.03254
5.65000	1.22457	3.78012	1.22960	11.58732	1.16230	11.45034
5.70000	1.26033	3.93382	1.22551	12.03569	1.16620	11.87700
5.75000	1.30584	4.09588	1.22420	12.49146	1.16247	12.30980
5.80000	1.33213	4.26409	1.21743	12.95263	1.16481	12.75104
5.85000	1.37679	4.44094	1.20978	13.41884	1.16465	13.19985
5.90000	1.37442	4.62052	1.20765	13.89222	1.16791	13.65765
5.95000	1.40034	4.80661	1.20273	14.37170	1.17168	14.12475
6.00000	1.43292	5.00024	1.20567	14.86045	1.17015	14.59911
6.05000	1.42555	5.19609	1.19476	15.35289	1.17076	15.08166
6.10000	1.42115	5.39458	1.18547	15.84961	1.15676	15.56635
6.15000	1.39301	5.59234	1.17285	16.34912	1.14375	16.05347
6.20000	1.37619	5.79091	1.16655	16.85406	1.13697	16.54561
6.25000	1.35071	5.98895	1.16131	17.36488	1.12372	17.03989
6.30000	1.32846	6.18686	1.14624	17.87717	1.11002	17.53598
6.35000	1.27201	6.37938	1.14084	18.39516	1.10477	18.03760
6.40000	1.23524	6.56930	1.13120	18.91690	1.09386	18.54211
6.45000	1.18988	6.75510	1.11795	19.44061	1.07796	19.04710
6.50000	1.15944	6.93898	1.10596	19.96678	1.06596	19.55424
6.55000	1.13844	7.12231	1.09726	20.49687	1.05309	20.06299
6.60000	1.10881	7.30360	1.08103	21.02713	1.04754	20.57681
6.65000	1.07983	7.48284	1.07381	21.56186	1.03955	21.09448
6.70000	1.04583	7.65906	1.06008	22.09772	1.02790	21.61406
6.75000	1.00126	7.83030	1.03465	22.62856	1.01302	22.13379
6.80000	0.98114	8.00059	1.01899	23.15913	1.00097	22.65498
6.85000	0.94759	8.16748	0.99525	23.68500	0.98769	23.17685
6.90000	0.90790	8.32973	0.97805	24.20934	0.97984	23.70215
6.95000	0.87000	8.48746	0.96059	24.73181	0.97333	24.23155
7.00000	0.85333	8.64441	0.93991	25.25043	0.96337	24.76311
7.05000	0.83971	8.80107	0.92291	25.76695	0.96261	25.30185
7.10000	0.82553	8.95727	0.91225	26.28477	0.95219	25.84235
7.15000	0.81755	9.11415	0.89616	26.80066	0.94659	26.38727
7.20000	0.81454	9.27265	0.88915	27.31969	0.93773	26.93466

F. Ammonia/ammonia radial distribution function

R	g(NN)	INT(NN)	g(NH)	INT(NH)	g(HH)	INT(HH)
7.25000	0.81678	9.43379	0.88000	27.84055	0.92916	27.48462
7.30000	0.80850	9.59551	0.87612	28.36627	0.92442	28.03934
7.35000	0.81151	9.76007	0.86792	28.89424	0.91532	28.59615
7.40000	0.79903	9.92430	0.85854	29.42363	0.91410	29.15981
7.45000	0.78760	10.08839	0.85181	29.95599	0.90441	29.72505
7.50000	0.78076	10.25323	0.84696	30.49246	0.89352	30.29102
7.55000	0.79537	10.42341	0.84646	31.03578	0.88520	30.85921
7.60000	0.79107	10.59492	0.83955	31.58183	0.87755	31.42998
7.65000	0.81089	10.77305	0.83580	32.13261	0.87148	32.00427
7.70000	0.80974	10.95325	0.83723	32.69157	0.87099	32.58577
7.75000	0.81045	11.13597	0.83763	33.25809	0.86481	33.17067
7.80000	0.79444	11.31739	0.84089	33.83417	0.86282	33.76178
7.85000	0.80513	11.50362	0.84096	34.41771	0.86527	34.36220
7.90000	0.80273	11.69166	0.84727	35.01314	0.86411	34.96947
7.95000	0.81543	11.88511	0.84995	35.61804	0.86782	35.58708
8.00000	0.80772	12.07914	0.85061	36.23105	0.86861	36.21306
8.05000	0.80347	12.27458	0.84981	36.85117	0.87031	36.84813
8.10000	0.80763	12.47347	0.85251	37.48100	0.87141	37.49193
8.15000	0.81368	12.67634	0.85600	38.12125	0.86805	38.14119
8.20000	0.82064	12.88346	0.85437	38.76814	0.86895	38.79912
8.25000	0.82258	13.09361	0.85275	39.42171	0.87080	39.46651
8.30000	0.84127	13.31114	0.85682	40.08638	0.87257	40.14339
8.35000	0.84526	13.53235	0.86183	40.76302	0.87266	40.82852
8.40000	0.85388	13.75856	0.86782	41.45253	0.87104	41.52060
8.45000	0.84658	13.98539	0.87260	42.15413	0.87188	42.22162
8.50000	0.84996	14.21590	0.87159	42.86324	0.86792	42.92773
8.55000	0.85314	14.44999	0.87435	43.58298	0.86711	43.64151
8.60000	0.85491	14.68733	0.87706	44.31342	0.87089	44.36681
8.65000	0.86044	14.92898	0.87999	45.05484	0.86993	45.09975
8.70000	0.87236	15.17682	0.88548	45.80954	0.87304	45.84384
8.75000	0.88680	15.43167	0.88557	46.57301	0.87419	46.59752
8.80000	0.89967	15.69318	0.88660	47.34615	0.87144	47.35742
8.85000	0.91190	15.96127	0.88999	48.13107	0.86895	48.12379
8.90000	0.91718	16.23395	0.88644	48.92174	0.87207	48.90163
8.95000	0.93454	16.51492	0.88673	49.72156	0.87786	49.68443
9.00000	0.93454	16.88292	0.88673	49.72156	0.87786	49.68443
9.05000	0.93454	17.19492	0.88673	49.72156	0.87786	49.68443
9.10000	0.93454	17.51492	0.88673	49.72156	0.87786	49.68443

P. Ammonia/ammonia radial distribution function

R	g(NN)	INT(NN)	g(NH)	INT(NH)	g(HH)	INT(HH)
9.15000	0.93454	17.85492	0.88673	49.72156	0.87786	49.68443
9.20000	0.93454	18.10492	0.88673	49.72156	0.87786	49.68443
9.25000	0.93454	18.47492	0.88673	49.72156	0.87786	49.68443
9.30000	0.93454	18.79492	0.88673	49.72156	0.87786	49.68443
9.35000	0.93454	19.03492	0.88673	49.72156	0.87786	49.68443
9.40000	0.93454	19.41492	0.88673	49.72156	0.87786	49.68443
9.45000	0.93454	19.72492	0.88673	49.72156	0.87786	49.68443
9.50000	0.93454	20.06492	0.88673	49.72156	0.87786	49.68443
9.55000	0.93454	20.37492	0.88673	49.72156	0.87786	49.68443
9.60000	0.93454	20.74492	0.88673	49.72156	0.87786	49.68443
9.65000	0.93454	21.05492	0.88673	49.72156	0.87786	49.68443
9.70000	0.93454	21.41492	0.88673	49.72156	0.87786	49.68443
9.75000	0.93454	21.72492	0.88673	49.72156	0.87786	49.68443
9.80000	0.93454	22.08492	0.88673	49.72156	0.87786	49.68443
9.85000	0.93454	22.43492	0.88673	49.72156	0.87786	49.68443
9.90000	0.93454	22.76492	0.88673	49.72156	0.87786	49.68443
9.95000	0.93454	23.09492	0.88673	49.72156	0.87786	49.68443
10.00000	0.93454	23.48492	0.88673	49.72156	0.87786	49.68443

APPENDIX II : PROGRAM RADIAL DISTRIBUTION FUNCTIONS

```

PROGRAM RADIAL
LNRO0010
C *****
LNRO0030
C * THIS PROGRAM CALCULATES RDF(S) AND THEIR *
C * INTEGRAL FROM FILE KONSOUT (FOR Li-AMMONIA) *
LNRO0040
C *****
INTEGER MSTEP
LNRO0050
PARAMETER ( MSTEP=200, VIERPI=4.0*3.14159 )
LNRO0060
INTEGER LLVEK(0:MSTEP), LHVEK(0:MSTEP), LOVEK(0:MSTEP),
LNRO0090
+LNVEK(0:MSTEP), LAVEK(0:MSTEP), HHVEK(0:MSTEP), OHVEK(0:MSTEP),
LNRO0100
+OOVEK(0:MSTEP), HNVEK(0:MSTEP), HAVEK(0:MSTEP), ONVEK(0:MSTEP),
LNRO0110
+OAVEK(0:MSTEP), NAVEK(0:MSTEP), NNVEK(0:MSTEP), AAVEK(0:MSTEP)
LNRO0120
REAL LADENS, LNDENS, FAKTOR
LNRO0140
REAL RLNVEK(0:MSTEP), RLAVEK(0:MSTEP),
LNRO0150
+ X(0:MSTEP),
LNRO0160
+ INTLN(0:MSTEP), INTLA(0:MSTEP)
LNRO0170
CHARACTER LINE*80, RDIFFMT*40, HEADER*80
LNRO0190
INTEGER SEED
LNRO0210
INTEGER MOZABL, NION1, NION2, STEPS, NSTART, WAZALP, NION1P,
LNRO0220
+ NION2P, WAZAHL
LNRO0230
REAL ELDIM, ELDIMP, AUFLOE, AUFLOP
LNRO0240
NAMELIST /PARAM/SEED, NSTART, ELDIMP, MOZALP, NION1P, NION2P,
LNRO0250
+ WAZALP, RDIFFMT, AUFLOP, HEADER
LNRO0260
DATA RDIFFMT /' (X, F6.2, 7I8/7X, 8I8) '/
LNRO0290
C *****
LNRO0300
OPEN(10, FILE='INPRDF')
LNRO0350
OPEN(9, FILE='RDF')
LNRO0360
REWIND 10
LNRO0370
READ(10, PARAM, END=444)
LNRO0380
ELDIM=ELDIMP
LNRO0390
WAZAHL=WAZALP
LNRO0400
AUFLOE=AUFLOP
LNRO0410
MOZABL=MOZALP
LNRO0420
NION1=NION1P
LNRO0430
NION2=NION2P
LNRO0440
STEPS=9.0/AUFLOE
LNRO0450
GOTO 555
LNRO0460
444 CONTINUE
LNRO0470
WRITE(*,*) ' *** SPECIFICATING PARAM - LIST NOT FOUND *** '
LNRO0480
GOTO 400
LNRO0490

```

```

555 CONTINUE                                LNR00500
      WRITE(*,PARAM)                          LNR00510
      REWIND 10                               LNR00520
111 CONTINUE                                LNR00530
      READ(10, '(A)', END=222) LINE           LNR00540
      IF ( INDEX(LINE, 'RDV') .EQ. 0 ) GOTO 111 LNR00550
      GOTO 333                                LNR00560
222 CONTINUE                                LNR00570
      WRITE(*,*) ' *** START OF THE RDF - TABLE HAS NOT BEEN FOUND ***' LNR00580
      GOTO 400                                LNR00590
333 CONTINUE                                LNR00600
      READ(10, RDFFMT, ERR=400, END=55)      LNR00610
      +      (X(I), LLVEK(I), LHVEK(I), LOVEK(I), LNR00620
      +LNVEK(I), LAVEK(I), HHVEK(I), OHVEK(I), LNR00630
      +OOVEK(I), HNVEK(I), HAVEK(I), ONVEK(I), LNR00640
      +OAVEK(I), NAVEK(I), NNVEK(I), AAVEK(I), I=0, MSTEP) LNR00650
55 CONTINUE                                LNR00720
      ELDIM=ELDIMP                             LNR00730
      WAZAHL=WAZALP                             LNR00740
      LNDENS = ELDIM**3*MOZAHL/(2*NION1*NION2*VIERPI*AUFLOE*NSTART) LNR00760
      LADENS = ELDIM**3*MOZAHL/(6*NION1*NION2*VIERPI*AUFLOE*NSTART) LNR00770
      RLNVEK(0)= 0.0                           LNR00790
      RLAVEK(0)= 0.0                           LNR00800
      INTLN(0) = 0.0                           LNR00820
      INTLA(0) = 0.0                           LNR00830
      DO 200, I=1, STEPS                       LNR00840
          RLNVEK(I) = REAL(LNVEK(I))*LNDENS/(REAL(I)*AUFLOE)**2 LNR00860
          RLAVEK(I) = REAL(LAVEK(I))*LADENS/(REAL(I)*AUFLOE)**2 LNR00870
          INTLN(I)=VIERPI*(REAL(I)*AUFLOE)**2*RLNVEK(I)*AUFLOE*NION1/ LNR00890
      +      ELDIM**3 + INTLN(I-1)              LNR00900
          INTLA(I)=VIERPI*(REAL(I)*AUFLOE)**2*RLAVEK(I)*AUFLOE*NION1*3/ LNR00910
      +      ELDIM**3 + INTLA(I-1)              LNR00920
200 CONTINUE                                LNR00940
      WRITE(9, '(//A//,2A//,(5F10.5))') ' NORMALIZED DENSITY VECTOR :', LNR00960
      + ' DISTANCE      L-N      INTEGRAL      ', LNR00970
      + ' L-A      INTEGRAL      ', LNR00980
      + (X(I), RLNVEK(I), INTLN(I), RLAVEK(I), INTLA(I), I=0, STEPS) LNR00990
      STOP 'FINISHED'                          LNR01020
400 CONTINUE                                LNR01030
      STOP ' CHECK INPRDF FILES'               LNR01040
      END                                       LNR01050

```


APPENDIX III: PROGRAM DISTRIBUTION COORDINATION NUMBERS

PROGRAM DISCN	DIS00010
C *****	DIS00020
C THIS PROGRAM CALCULATES THE DISTRIBUTION COORDINATION NUMBER	DIS00030
C FROM THE HISTORY FILES (WATER, AMMONIA AROUND LITHIUM ION)	DIS00040
C *****	DIS00050
C *****FOR LITHIUM-WATER AND LITHIUM-AMMONIA *****	DIS00060
INTEGER MOZAHL,N,LO,LN,NUMLO(30),NUMLN(30)	DIS00080
REAL PLO(30),PLN(30)	
PARAMETER (MOZAHL = 202)	DIS00090
INTEGER SPEC(MOZAHL),SPECI,SPECJ,MAX,NSET,TOTLO,TOTLN	DIS00100
REAL RLO,RLN,RLH,RLA,R56	DIS00110
REAL XKOORD(MOZAHL),YKOORD(MOZAHL),ZKOORD(MOZAHL)	DIS00120
REAL ALPHA(MOZAHL),BETA(MOZAHL),GAMMA(MOZAHL)	DIS00130
REAL MINLO,MINLN,X5,Y5,Z5,X6,Y6,Z6	DIS00150
CHARACTER LINE1*80,LINE2*80	DIS00170
DATA MINLO,MINLN/2.75,3.80/	DIS00190
DATA MAX/200/	DIS00200
C *****	DIS00210
OPEN(11,FILE='INPCN')	DIS00220
OPEN(9,FILE='DISOUT')	DIS00230
REWIND (11)	DIS00240
DO 5 I=1,30	DIS00250
NUMLO(I) = 0	DIS00260
NUMLN(I) = 0	DIS00270
PLO(I) = 0.0	
PLN(I) = 0.0	
5 CONTINUE	DIS00280
NSET = 0	DIS00290
TOTLO = 0	DIS00300
TOTLN = 0	DIS00310
100 CONTINUE	
READ(11,'(A)') LINE1	DIS00320
READ(11,'(A)') LINE2	DIS00330
READ(11,'(5X,I5,6F10.5)')	DIS00350
+ (SPEC(I),XKOORD(I),YKOORD(I),ZKOORD(I),ALPHA(I),BETA(I),GAMMA(I),	DIS00360
+ I=1,MOZAHL)	DIS00370
NSET=NSET+1	DIS00440
DO 10 I=1,MOZAHL	DIS00450
SPECI=SPEC(I)	DIS00460

```

IF (SPECI.NE.3) GOTO 10          DIS00470
  X5 = XCOORD(I)                 DIS00480
  Y5 = YCOORD(I)                 DIS00490
  Z5 = ZCOORD(I)                 DIS00500
  LO = 0                          DIS00520
  LN = 0                          DIS00530
  DO 20 J=1,MOZAHL               DIS00550
C *****COUNT NUMBER OF NITROGEN AND OXYGEN AROUND ATOM LITHIUM***** DIS00560
  SPECJ=SPEC(J)                  DIS00570
  IF (SPECJ.NE.3) THEN           DIS00580
    X6 = XCOORD(J)               DIS00590
    Y6 = YCOORD(J)               DIS00600
    Z6 = ZCOORD(J)               DIS00610
  ENDIF                           DIS00620
C                                  DIS00630
C *****CALCULATE THE DISTANCE BET Li-O AND Li-N ***** DIS00640
  R56 = ((X6-X5)**2+(Y6-Y5)**2+(Z6-Z5)**2) DIS00660
C*****Li-O DISTANCE***** DIS00680
  IF (SPECJ.EQ.1.AND.R56.LE.MINLO*MINLO) LO=LO+1 DIS00690
C*****Li-N DISTANCE***** DIS00700
  IF (SPECJ.EQ.2.AND.R56.LE.MINLN*MINLN) LN=LN+1 DIS00710
20  CONTINUE                       DIS00720
  NUMLO(LO)=NUMLO(LO)+1          DIS00730
  NUMLN(LN)=NUMLN(LN)+1          DIS00740
10  CONTINUE                       DIS00750
  IF (NSET.EQ.MAX) GOTO 200      DIS00760
  GOTO 100                       DIS00770
200  DO 15 J = 1,30
  TOTLO = TOTLO+NUMLO(J)
  TOTLN = TOTLN+NUMLN(J)
15  CONTINUE
  DO 35 I = 1,30
  PLO(I)=NUMLO(I)*100.0/REAL(TOTLO)
  PLN(I)=NUMLN(I)*100.0/REAL(TOTLN)
35  CONTINUE
  WRITE(9,'(9X,I5)') 'NSET=',NSET DIS00810
  WRITE(9,*) 'DISTRIBUTION OF COORDINATION NUMBER AROUND AN ATOM' DIS00820
  WRITE(9,*) ' I PLO(LO) PLN(LN) ' DIS00830
  WRITE(9,'(3X,I3,8X,F8.2,9X,F8.2)') (I,PLO(I),PLN(I) , I=1,30) DIS00840
  STOP 'FINISHED' DIS00850
  END DIS00860

```

APPENDIX IV : DISTRIBUTIONS OF ANGLES

C PROGRAM COSWA	COS00310
C *****	COS00330
C THIS PROGRAM CALCULATES THE DISTRIBUTION OF THE ANGULAR	COS00340
C OF WATER AROUND LITHIUM ION FROM THE HISTORY FILES	COS00050
C *****	COS00060
C	COS00070
INTEGER MOZAHL,NSET,MAX,ICOSW,KCOSW,TOTCOS	COS00080
PARAMETER (MOZAHL = 202)	COS00090
PARAMETER (ICOSW = 201)	COS00100
INTEGER SPEC(MOZAHL),SPECI,SPECJ,ICOS(ICOSW)	COS00110
REAL ABSA,ABSB,R56,COSW,VECB,A(201),PCOS(201)	COS00120
REAL AUFLOE,MAXDIS,MINDIS	COS00130
PARAMETER (AUFLOE=0.05)	COS00140
REAL XCOORD (MOZAHL),	COS00150
+ YCOORD (MOZAHL),	COS00160
+ ZCOORD (MOZAHL),	COS00170
+ ALPHA (MOZAHL),	COS00180
+ BETA (MOZAHL),	COS00190
+ GAMMA (MOZAHL)	COS00200
REAL HNX,HNY,HNZ	COS00210
REAL ALP,BET,GAM,H1X,H1Y,H1Z,H2X,H2Y,H2Z,H7X,H7Y,H7Z,X5,Y5,Z5,	COS00220
+XAM,YAM,ZAM,X6,Y6,Z6,H3X,H3Y,H3Z,H4X,H4Y,H4Z,H8X,H8Y,H8Z	COS00230
REAL SINALP,SINBET,SINGAM,COSALP,COSBET,COSGAM,	COS00240
+ A11,A12,A13,A21,A22,A23,A31,A32,A33	COS00250
REAL YH1ST,YH2ST,ZHST,ZMST	COS00260
CHARACTER LINE1*80,LINE2*80	COS00270
DATA MINDIS,MAXDIS/0.0,2.75/	COS00280
MAX = 200	COS00290
YH1ST=0.75669	COS00300
YH2ST=-0.75669	COS00310
ZHST=0.58589	COS00320
ZMST=0.2677	COS00330
OPEN(11,FILE='SAMHIS')	COS00340
OPEN(9,FILE='WACOS')	COS00350
NSET=0	COS00360
TOTCOS=0	COS00370
DO 11 K=1,201	COS00380
PCOS(K)=0.0	COS00390
ICOS(K)=0	COS00400

```

11 CONTINUE COS00410
C ***** COS00420
C WRITE(*,*) 'HAVE YOU ALREADY CHECKED THE MAX-DISTANCE ?' COS00440
100 CONTINUE COS00460
    READ(11, '(A)') LINE1 COS00470
    READ(11, '(A)') LINE2 COS00480
    READ(11, '(5X,I5,6F10.5)', END=222) (SPEC(I), XCOORD(I), YCOORD(I),
+      ZCOORD(I), ALPHA(I), BETA(I), GAMMA(I), I=1, MOZAHL) COS00500
    NSET = NSET+1 COS00510
    DO 10 I=1, MOZAHL COS00520
      SPECI = SPEC(I) COS00530
      IF (SPECI.NE.3) GOTO 10 COS00540
      X5 = XCOORD(I) COS00550
      Y5 = YCOORD(I) COS00560
      Z5 = ZCOORD(I) COS00570
      KCOS = 0 COS00590
      DO 20 J=1, MOZAHL COS00600
C *****DIPOLE VECTOR***** COS00610
        SPECJ = SPEC(J) COS00620
        IF (SPECJ.EQ.1) THEN COS00630
          X6 = XCOORD(J) COS00640
          Y6 = YCOORD(J) COS00650
          Z6 = ZCOORD(J) COS00660
          ALP=ALPHA(J) COS00670
          BET=BETA(J) COS00680
          GAM=GAMMA(J) COS00690
          SINALP=SIN(ALP) COS00730
          COSALP=COS(ALP) COS00740
          SINBET=SIN(BET) COS00750
          COSBET=COS(BET) COS00760
          SINGAM=SIN(GAM) COS00770
          COSGAM=COS(GAM) COS00780
          A21=COSALP*SINGAM+SINALP*SINBET*COSGAM COS00800
          A22=COSALP*COSGAM-SINALP*SINBET*SINGAM COS00810
          A23=-SINALP*COSBET COS00820
          A31=SINALP*SINGAM-COSALP*SINBET*COSGAM COS00830
          A32=SINALP*COSGAM+COSALP*SINBET*SINGAM COS00840
          A33=COSALP*COSBET COS00850
          HLX=A21*YH1ST+A31*ZHST + X6 COS00870
          HLY=A22*YH1ST+A32*ZHST + Y6 COS00880
          HLZ=A23*YH1ST+A33*ZHST + Z6 COS00890

```

```

H2X=A21*YH2ST+A31*ZHST + X6      COS00900
H2Y=A22*YH2ST+A32*ZHST + Y6      COS00910
H2Z=A23*YH2ST+A33*ZHST + Z6      COS00920
M7X=A31*ZMST + X6                  COS00930
M7Y=A32*ZMST + Y6                  COS00940
M7Z=A33*ZMST + Z6                  COS00950
HNX=(HLX+H2X)/2.0                  COS00970
HNY=(HLX+H2Y)/2.0                  COS00980
HNZ=(HLX+H2Z)/2.0                  COS00990
R56 = SQRT((X6-X5)**2+(Y6-Y5)**2+(Z6-Z5)**2) COS01040
IF (R56.GE.MINDIS.AND.R56.LE.MAXDIS) THEN COSC1050
DH1 = SQRT((HNX-HLX)**2+(HNY-H1Y)**2+(HNZ-H1Z)**2) COSC1080
DH2 = SQRT((HNX-H2X)**2+(HNY-H2Y)**2+(HNZ-H2Z)**2) COS01090
VE CAB = (X5-X6)*(HNX-X6)           COS01120
+      + (Y5-Y6)*(HNY-Y6)           COS01130
+      + (Z5-Z6)*(HNZ-Z6)           COS01140
ABSA = R56                           COS01160
ABSB = SQRT((X6-HNX)**2+(Y6-HNY)**2+(Z6-HNZ)**2) COS01170
COSW = VECAB/(ABSA*ABSB)             COS01190
KCOSW = COSW*100+101                 COS01200
ICOS(KCOSW) = ICOS(KCOSW)+1          COS01210
ENDIF                                  COS01220
      ENDIF                            COS01230
20          CONTINUE                   COS01260
10 CONTINUE                             COS01270
      IF (NSET.EQ.MAX) GOTO 200        COS01290
      GOTO 100                          COS01300
222 CONTINUE                             COS01320
200 DO 33 M=1,201                       COS01340
      A(M) =(M-101)/100.0              COS01350
      TOTCOS=TOTCOS+ICOS(M)           COS01360
33 CONTINUE                             COS01370
      WRITE(*,*) TOTCOS                COS01380
      DO 35 M=1,201                    COS01390
      IF (ICOS(M).GT.0) PCOS(M)=REAL(ICOS(M)/REAL(TOTCOS)) COS01400
35 CONTINUE                             COS01410
      WRITE(9,'(9X,I5)') 'NSET=',NSET  COS01440
      WRITE(9,*) ' A(M) PCOSW(M) ICOS(M) ' COS01450
      WRITE(9,'(1X,F8.2,5X,F9.4,3X,I8)') (A(M),PCOS(M),ICOS(M),M=1,201) COS01460
      STOP 'FINISHED'                  COS01480
      END                                COS01490

```

APPENDIX V : DISTRIBUTIONS OF ANGLES

```

C PROGRAM COSAM                                COS00010
C                                                COS00020
C *****                                       COS00030
C THIS PROGRAM CALCULATES THE DISTRIBUTION OF THE ANGLULAR COS00040
C OF WATER AROUND LITHIUM ION FROM THE HISTORY FILES COS00050
C *****                                       COS00060
C                                                COS00070
      INTEGER MOZABL,NSET,MAX,ICOSW,KCOSW,TOTCOS COS00080
      PARAMETER (MOZABL = 202)                   COS00090
      PARAMETER (ICOSW = 201)                   COS00100
      INTEGER SPEC(MOZABL),SPECI,SPECJ,ICOS(ICOSW) COS00110
      REAL ABSA,ABSB,R56,COSW,VE CAB,A(201),PCOS(201) COS00120
      REAL AUFLOE,MAXDIS,MINDIS                 COS00130
      PARAMETER (AUFLOE=0.05)                   COS00140
      REAL XCOORD (MOZABL),                     COS00150
+      YCOORD (MOZABL),                         COS00160
+      ZCOORD (MOZABL),                         COS00170
+      ALPHA (MOZABL),                          COS00180
+      BETA (MOZABL),                           COS00190
+      GAMMA (MOZABL)                           COS00200
      REAL YH1AM,YH2AM,ZHAM,ZMAM,XCAM,ZCAM,HVX,HVY,HVZ COS00210
      REAL ALP,BET,GAM,H1X,H1Y,H1Z,H2X,H2Y,H2Z,H7X,H7Y,H7Z,X5,Y5,Z5, COS00220
+XAM,YAM,ZAM,X6,Y6,Z6,H3X,H3Y,H3Z,H4X,H4Y,H4Z,H8X,H8Y,H8Z COS00230
      REAL SINALP,SINBET,SINGAM,COSALP,COSBET,COSGAM, COS00240
+      A11,A12,A13,A21,A22,A23,A31,A32,A33 COS00250
      CHARACTER LINE1*80,LINE2*80              COS00260
      DATA MINDIS,MAXDIS/0.0,3.0/            COS00270
      MAX = 200                                COS00280
      YH1AM=0.81209                             COS00290
      YH2AM=-0.81225                            COS00300
      ZHAM=0.60454                               COS00310
      ZMAM=-0.48611                             COS00320
      XMAM=-0.88806                             COS00330
      XCAM=-0.11950                             COS00340
      ZCAM=0.10030                              COS00350
      OPEN(11,FILE='SAMHIS')                   COS00360
      OPEN(9,FILE='AMCOS')                     COS00370
      NSET=0                                    COS00380

```

TOTCOS=0	COS00390
DO 11 K=1,201	COS00400
PCOS(K)=0.0	COS00410
ICOS(K)=0	COS00420
11 CONTINUE	COS00430
C *****	COS00440
C	COS00450
C WRITE(*,*) 'HAVE YOU ALREADY CHECKED THE MAX-DISTANCE ?'	COS00460
C WRITE(*,*) 'IF EVERYTHING O.K , I HOPE YOU WILL "GOOD-LUCK".'	COS00470
100 CONTINUE	COS00480
READ(11,'(A)') LINE1	COS00490
READ(11,'(A)') LINE2	COS00500
READ(11,'(5X,I5,6F10.5)',END=222) (SPEC(I),XKCOORD(I),YKCOORD(I),	COS00510
+ ZKCOORD(I),ALPHA(I),BETA(I),GAMMA(I),I=1,MOZ AHL)	COS00520
NSET = NSET+1	COS00530
DO 10 I=1,MOZ AHL	COS00540
SPECI = SPEC(I)	COS00550
IF (SPECI.NE.3) GOTO 10	COS00560
X5 = XKCOORD(I)	COS00570
Y5 = YKCOORD(I)	COS00580
Z5 = ZKCOORD(I)	COS00590
C	COS00600
KCOS = 0	COS00610
DO 20 J=1,MOZ AHL	COS00620
C *****DIPOLE VECTOR*****	COS00630
C	
SPECJ = SPEC(J)	COS00640
IF (SPECJ.EQ.2) THEN	COS00650
X6 = XKCOORD(J)	COS00660
Y6 = YKCOORD(J)	COS00670
Z6 = ZKCOORD(J)	COS00680
ALP=ALPHA(J)	COS00690
BET=BETA(J)	COS00700
GAM=GAMMA(J)	COS00710
C	COS00720
SINALP=SIN(ALP)	COS00750
COSALP=COS(ALP)	COS00760
SINBET=SIN(BET)	COS00770
COSBET=COS(BET)	COS00780
SINGAM=SIN(GAM)	COS00790
COSGAM=COS(GAM)	COS00800

A11=COSBET*COSGAM	COS00820
A12=-COSBET*SINGAM	COS00830
A13=SINBET	COS00840
A21=COSALP*SINGAM+SINALP*SINBET*COSGAM	COS00850
A22=COSALP*COSGAM-SINALP*SINBET*SINGAM	COS00860
A23=-SINALP*COSBET	COS00870
A31=SINALP*SINGAM-COSALP*SINBET*COSGAM	COS00880
A32=SINALP*COSGAM+COSALP*SINBET*SINGAM	COS00890
A33=COSALP*COSBET	COS00900
C	COS00910
H3X=A21*YH1AM+A31*ZHAM + X6	COS00940
H3Y=A22*YH1AM+A32*ZHAM + Y6	COS00950
H3Z=A23*YH1AM+A33*ZHAM + Z6	COS00960
H4X=A21*YH2AM+A31*ZHAM + X6	COS00970
H4Y=A22*YH2AM+A32*ZHAM + Y6	COS00980
H4Z=A23*YH2AM+A33*ZHAM + Z6	COS00990
H8X=A11*XMAM+A31*ZMAM + X6	COS01000
H8Y=A12*XMAM+A32*ZMAM + Y6	COS01010
H8Z=A13*XMAM+A33*ZMAM + Z6	COS01020
C	COS01030
HNX=(H3X+H4X+H8X)/3.0	COSC1040
HNY=(H3Y+H4Y+H8Y)/3.0	COSC1050
HNZ=(H3Z+H4Z+H8Z)/3.0	COSC1060
C	
R56 = SQRT((X6-X5)**2+(Y6-Y5)**2+(Z6-Z5)**2)	COSC1110
IF (R56.GE.MINDIS.AND.R56.LE.MAXDIS) THEN	COSC1120
C	
DH1 = SQRT((HNX-H3X)**2+(HNY-H3Y)**2+(HNZ-H3Z)**2)	COS01140
DH2 = SQRT((HNX-H4X)**2+(HNY-H4Y)**2+(HNZ-H4Z)**2)	COS01150
DH3 = SQRT((HNX-H8X)**2+(HNY-H8Y)**2+(HNZ-H8Z)**2)	COS01160
C	COS01170
VE CAB = (X6-X5)*(HNX-X6)	COS01180
+ (Y6-Y5)*(HNY-Y6)	COS01190
+ (Z6-Z5)*(HNZ-Z6)	COS01200
ABSA = R56	COS01220
ABSB = SQRT((X6-HNX)**2+(Y6-HNY)**2+(Z6-HNZ)**2)	COS01230
C	COS01240
COSW = VECAB/(ABSA*ABSB)	COS01250
KCOSW = COSW*100+101	COS01260
ICOS(KCOSW) = ICOS(KCOSW)+1	COS01270

	ENDIF	COS01280
	ENDIF	COS01290
C		COS01300
20	CONTINUE	COS01320
10	CONTINUE	COS01330
C		COS01340
	IF (NSET.EQ.MAX) GOTO 201	COS01350
	GOTO 100	COS01360
C		COS01370
222	CONTINUE	COS01380
C		COS01390
201	DO 33 M=1,201	COS01400
	A(M) =(M-101)/100.0	COS01410
	TOTCOS=TOTCOS+ICOS (M)	COS01420
33	CONTINUE	COS01430
	WRITE(*,*) TOTCOS	COS01440
	DO 35 M=1,201	COS01450
	IF (ICOS (M) .GT.0) PCOS (M)=REAL (ICOS (M) /REAL (TOTCOS))	COS01460
35	CONTINUE	COS01470
	WRITE(9, '(9X,I5)') 'NSET=',NSET	COS01500
	WRITE(9,*) ' A(M) PCOSW(I) ICOS(I)'	COS01510
	WRITE(9, '(1X,F8.2,5X,F9.4,3X,I8)') (A(M),PCOS(M),ICOS(M),M=1,201)	COS01520
	STOP 'FINISHED'	COS01540
	END	COS01550

APPENDIX VI: PROGRAM DISTRIBUTION OF ENERGIES

PROGRAM DISENE	LWE00010
C *****	LWE00060
C THIS PROGRAM CALCULATES THE DISTRIBUTION OF THE ENERGIES	LWE00070
C OF WATER AND LITHIUM ION INTERACTION FROM THE HISTORY FILES	LWE00080
C *****	LWE00090
INTEGER MOZABL,NSET,MAX,KE	LWE00110
PARAMETER (MOZABL = 202)	LWE00120
INTEGER SPEC (MOZABL),SPECI,SPECJ,IENER (121)	LWE00130
REAL R56,A(121),TOTAL,PDIST(121),E	LWE00140
REAL AUFLOE,MAXDIS,MINDIS	LWE00150
PARAMETER (AUFLOE=0.05)	LWE00160
REAL XKOORD (MOZABL),	LWE00170
+ YKOORD (MOZABL),	LWE00180
+ ZKOORD (MOZABL),	LWE00190
+ ALPHA (MOZABL),	LWE00200
+ BETA (MOZABL),	LWE00210
+ GAMMA (MOZABL)	LWE00220
C	
REAL ALP,BET,GAM,HLX,H1Y,HLZ,H2X,H2Y,H2Z,H7X,H7Y,H7Z,X5,Y5,Z5,	LWE00230
+XAM,YAM,ZAM,X6,Y6,Z6,H3X,H3Y,H3Z,H4X,H4Y,H4Z,H8X,H8Y,H8Z	LWE00240
REAL SINALP,SINBET,SINGAM,COSALP,COSBET,COSGAM,	LWE00250
+ A11,A12,A13,A21,A22,A23,A31,A32,A33	LWE00260
REAL YH1ST,YH2ST,ZHST,ZMST	LWE00270
CHARACTER LINE1*80,LINE2*80	LWE00280
DATA MINDIS,MAXDIS/1.0,18.5285/	LWE00290
MAX = 200	LWE00300
YH1ST=0.75669	LWE00310
YH2ST=-0.75669	LWE00320
ZHST=0.58589	LWE00330
ZMST=0.2677	LWE00340
OPEN(11,FILE='INPCOS')	LWE00350
OPEN(9,FILE='DLWOUT')	LWE00360
NSET=0	LWE00370
TOTAL=0.0	LWE00380
DO 11 K=1,121	LWE00390
PDIST(K)=0.0	LWE00400
IDIST(K)=0	LWE00410
11 CONTINUE	LWE00420

100	CONTINUE	LWEO0450
	READ(11, '(A)') LINE1	LWEO0460
	READ(11, '(A)') LINE2	LWEO0470
	READ(11, '(5X, I5, 6F10.5)', END=222) (SPEC(I), XKOORD(I), YKOORD(I),	LWEO0480
	+ ZKOORD(I), ALPHA(I), BETA(I), GAMMA(I), I=1, MOZABL)	LWEO0490
C	NSET = NSET+1	LWEO0500
	DO 10 I=1, MOZABL	LWEO0510
	SPECI = SPEC(I)	LWEO0520
	IF (SPECI.NE.3) GOTO 10	LWEO0530
C	X5 = XKOORD(I)	LWEO0540
	Y5 = YKOORD(I)	LWEO0550
	Z5 = ZKOORD(I)	LWEO0560
	KE = 0	
	DO 20 J=1, MOZABL	LWEO0580
C	*****DIPOLE VECTOR*****	LWEO0590
	SPECJ = SPEC(J)	LWEO0600
	IF (SPECJ.EQ.1) THEN	LWEO0610
	X6 = XKOORD(J)	LWEO0620
	Y6 = YKOORD(J)	LWEO0630
	Z6 = ZKOORD(J)	LWEO0640
	ALP=ALPHA(J)	LWEO0650
	BET=BETA(J)	LWEO0660
	GAM=GAMMA(J)	LWEO0670
C		
	SINALP=SIN(ALP)	LWEO0710
	COSALP=COS(ALP)	LWEO0720
	SINBET=SIN(BET)	LWEO0730
	COSBET=COS(BET)	LWEO0740
	SINGAM=SIN(GAM)	LWEO0750
	COSGAM=COS(GAM)	LWEO0760
C		
	A21=COSALP*SINGAM+SINALP*SINBET*COSEGAM	LWEO0780
	A22=COSALP*COSEGAM-SINALP*SINBET*SINGAM	LWEO0790
	A23=-SINALP*COSEBET	LWEO0800
	A31=SINALP*SINGAM-COSALP*SINBET*COSEGAM	LWEO0810
	A32=SINALP*COSEGAM+COSALP*SINBET*SINGAM	LWEO0820
	A33=COSALP*COSEBET	LWEO0830

```

C#####CALCULATE COORDINATE OF WATER MOLECULE##### LWEO0850
  HLX=A21*YH1ST+A31*ZHST + X6 LWEO0870
  HLY=A22*YH1ST+A32*ZHST + Y6 LWEO0880
  HLZ=A23*YH1ST+A33*ZHST + Z6 LWEO0890
  HZX=A21*YH2ST+A31*ZHST + X6 LWEO0900
  HZY=A22*YH2ST+A32*ZHST + Y6 LWEO0910
  HZZ=A23*YH2ST+A33*ZHST + Z6 LWEO0920
  M7X=A31*ZMST + X6 LWEO0930
  M7Y=A32*ZMST + Y6 LWEO0940
  M7Z=A33*ZMST + Z6 LWEO0950

C
  R56 = SQRT((X6-X5)**2+(Y6-Y5)**2+(Z6-Z5)**2) LWEO0980
C#####CALCULATE DISTANCE BETWEEN LITHIUM AND WATER MOLECULE##### LWEO1010
C ** SPECI = LI ; SPECJ = H2O** LWEO1030
  XREL7 = HLX-X5 LWEO1040
  YREL7 = HLY-Y5 LWEO1050
  ZREL7 = HLZ-Z5 LWEO1060
  XREL8 = HZX-X5 LWEO1070
  YREL8 = HZY-Y5 LWEO1080
  ZREL8 = HZZ-Z5 LWEO1090

C
  RH7 = SQRT(XREL7**2+YREL7**2+ZREL7**2) LWEO1100
  RH8 = SQRT(XREL8**2+YREL8**2+ZREL8**2) LWEO1110
C ***** LWEO1120
C LITHIUM-WATER-POTENTIAL FUNCTION LWEO1130
C ***** LWEO1140
  E=0.0 LWEO1150
  E= (-15.22/R56+1499.0*EXP(-3.93*R56)-8.109/R56**2 LWEO1160
  + 7.609/RH7+191.0*EXP(-5.87*RH7) LWEO1170
  + 3.934/RH7**2 LWEO1180
  + 7.609/RH8+191.0*EXP(-5.87*RH8) LWEO1190
  + 3.934/RH8**2)*14.3836 LWEO1200

C
  KE=E*2+81 LWEO1240
  IENER(KE)=IENER(KE)+1 LWEO1260

C
  WRITE(*,*) 'IENER(KE)=' , IENER(KE) LWEO1270
  ENDIF LWEO1290
20 CONTINUE LWEO1310
10 CONTINUE LWEO1320

```

	IF (NSET.EQ.MAX) GOTO 200	LWEO1340
	GOTO 100	LWEO1350
222	CONTINUE	LWEO1370
200	DO 33 M=1,121	LWEO1390
	A(M)=(M-81.0)/2.0	LWEO1400
	TOTAL=TOTAL+IENER(M)	LWEO1410
33	CONTINUE	LWEO1420
C		
	WRITE(*,*) 'TOTAL=',TOTAL	LWEO1440
	DO 35 M=1,121	LWEO1450
	IF (IENER(M).GT.0) PDIST(M)=IENER(M)/TOTAL	LWEO1460
35	CONTINUE	LWEO1470
C		
	WRITE(9,'(9X,I5)') 'NSET=',NSET	LWEO1500
	WRITE(9,'(9X,F10.5)') 'TOTAL=',TOTAL	LWEO1510
	WRITE(9,*) ' A(M) PDIST(M)'	LWEO1520
	WRITE(9,'(1X,F10.2,5X,F12.5)') (A(M),PDIST(M),M=1,121)	LWEO1530
C		
	STOP 'FINISHED'	LWEO1550
	END	LWEO1560

APPENDIX VII : PROGRAM DISTRIBUTION OF ENERGIES

PROGRAM DISENE	LAEO0010
C *****	LAEO0060
C THIS PROGRAM CALCULATES THE DISTRIBUTION OF THE ENERGIES	LAEO0070
C OF AMMONIA AND LITHIUM ION INTERACTION FROM THE HISTORY FILES	LAEO0080
C *****	LAEO0090
C	LAEO0100
INTEGER MOZ AHL,NSET,MAX,KE	LAEO0110
PARAMETER (MOZ AHL = 202)	LAEO0120
INTEGER SPEC (MOZ AHL) ,SPECI ,SPECJ ,IENER (201)	LAEO0130
REAL R56,A(201) ,TOTAL,PDIST(201) ,E	LAEO0140
REAL MAXDIS,MINDIS	LAEO0150
REAL XCOORD (MOZ AHL) ,	LAEO0160
+ YCOORD (MOZ AHL) ,	LAEO0170
+ ZCOORD (MOZ AHL) ,	LAEO0180
+ ALPHA (MOZ AHL) ,	LAEO0190
+ BETA (MOZ AHL) ,	LAEO0200
+ GAMMA (MOZ AHL)	LAEO0210
REAL YH1AM,YH2AM,ZHAM,ZMAM,XCAM,ZCAM,HNX,HNY,HNZ	LAEO0220
REAL ALP,BET,GAM,H1X,H1Y,H1Z,H2X,H2Y,H2Z,H7X,H7Y,H7Z,X5,Y5,Z5,	LAEO0230
+XAM,YAM,ZAM,X6,Y6,Z6,H4XA,H4YA,H4ZA,H8XA,H8YA,H8ZA,H10XA,	LAEO0240
+H10YA,H10ZA,H3XA,H3YA,H3ZA,ANGALU,ALUANG	LAEO0250
REAL SINALP,SINBET,SINGAM,COSALP,COSBET,COSGAM,	LAEO0260
+ A11,A12,A13,A21,A22,A23,A31,A32,A33	LAEO0270
CHARACTER LINE1*80,LINE2*80	LAEO0280
DATA MINDIS,MAXDIS/1.0,26.21/	LAEO0290
YH1AM=0.81209	LAEO0300
YH2AM=-0.81225	LAEO0310
ZHAM=0.60454	LAEO0320
ZMAM=-0.48611	LAEO0330
XMAM=-0.88806	LAEO0340
XCAM=-0.11950	LAEO0350
ZCAM=0.10030	LAEO0360
ALUANG=0.529167	LAEO0370
ANGALU=1.8897626	LAEO0380
MAX = 2	LAEO0390
OPEN(11,FILE='INPCOS')	LAEO0400
OPEN(9,FILE='DLAOUT')	LAEO0410
NSET=0	LAEO0420
TOTAL=0.0	LAEO0430

DO 11 K=1,201	LAE00440
PDIST(K)=0.0	LAE00450
IENER(K)=0	LAE00460
11 CONTINUE	LAE00470
C*****	LAE00480
C	LAE00490
100 CONTINUE	LAE00500
READ(11,'(A)') LINE1	LAE00510
READ(11,'(A)') LINE2	LAE00520
READ(11,'(5X,I5,6F10.5)',END=222) (SPEC(I),XKOORD(I),YKOORD(I),	LAE00530
+ ZKOORD(I),ALPHA(I),BETA(I),GAMMA(I),I=1,MOZ AHL)	LAE00540
NSET = NSET+1	LAE00550
DO 10 I=1,MOZ AHL	LAE00560
SPECI = SPEC(I)	LAE00570
IF (SPECI.NE.3) GOTO 10	LAE00580
X5 = XKOORD(I)	LAE00590
Y5 = YKOORD(I)	LAE00600
Z5 = ZKOORD(I)	LAE00610
C	LAE00620
C*****	LAE00630
DO 20 J=1,MOZ AHL	LAE00640
SPECJ = SPEC(J)	LAE00650
IF (SPECJ.EQ.2) THEN	LAE00660
C	LAE00670
X6 = XKOORD(J)	LAE00680
Y6 = YKOORD(J)	LAE00690
Z6 = ZKOORD(J)	LAE00700
ALP=ALPHA(J)	LAE00730
BET=BETA(J)	LAE00740
GAM=GAMMA(J)	LAE00750
C	LAE00760
SINALP=SIN(ALP)	LAE00770
COSALP=COS(ALP)	LAE00780
SINBET=SIN(BET)	LAE00790
COSBET=COS(BET)	LAE00800
SINGAM=SIN(GAM)	LAE00810
COSGAM=COS(GAM)	LAE00820
C	LAE00830
A11=COSBET*COSGAM	LAE00840
A12=-COSBET*SINGAM	LAE00850
A13=SINBET	LAE00860

```

A21=COSALP*SINGAM+SINALP*SINBET*COYGAM      LAEO0870
A22=COSALP*COYGAM-SINALP*SINBET*SINGAM      LAEO0880
A23=-SINALP*COYBET                            LAEO0890
A31=SINALP*SINGAM-COSALP*SINBET*COYGAM      LAEO0900
A32=SINALP*COYGAM+COSALP*SINBET*SINGAM      LAEO0910
A33=COSALP*COYBET                            LAEO0920
C                                              LAEO0930
R56 = SQRT((X6-X5)**2+(Y6-Y5)**2+(Z6-Z5)**2)  LAEO0940
IF (R56.GE.MINDIS.AND.R56.LE.MAXDIS) THEN    LAEO0950
C                                              LAEO0960
C#####CALCULATE COORDINATE OF AMMONIA MOLECULE##### LAEO0970
C                                              LAEO0980
C ** SPECI = LI ; SPECJ = NH3**              LAEO0990
H3XA=A21*YH1AM+A31*ZHAM + X6                 LAEO1000
H3YA=A22*YH1AM+A32*ZHAM + Y6                 LAEO1010
H3ZA=A23*YH1AM+A33*ZHAM + Z6                 LAEO1020
H4XA=A21*YH2AM+A31*ZHAM + X6                 LAEO1030
H4YA=A22*YH2AM+A32*ZHAM + Y6                 LAEO1040
H4ZA=A23*YH2AM+A33*ZHAM + Z6                 LAEO1050
M8XA=A11*XMAM+A31*ZMAM + X6                 LAEO1060
M8YA=A12*XMAM+A32*ZMAM + Y6                 LAEO1070
M8ZA=A13*XMAM+A33*ZMAM + Z6                 LAEO1080
M10XA=A11*XCAM+A31*ZCAM + X6                 LAEO1090
M10YA=A12*XCAM+A32*ZCAM + Y6                 LAEO1100
M10ZA=A13*XCAM+A33*ZCAM + Z6                 LAEO1110
C                                              LAEO1120
C#####CALCULATE DISTANCE BETWEEN LITHIUM AND AMMONIA##### LAEO1130
C                                              LAEO1140
XREL1 = H3XA-X5                               LAEO1150
YREL1 = H3YA-Y5                               LAEO1160
ZREL1 = H3ZA-Z5                               LAEO1170
XREL2 = H4XA-X5                               LAEO1180
YREL2 = H4YA-Y5                               LAEO1190
ZREL2 = H4ZA-Z5                               LAEO1200
XREL3 = M8XA-X5                               LAEO1210
YREL3 = M8YA-Y5                               LAEO1220
ZREL3 = M8ZA-Z5                               LAEO1230
C *** CALC. OF THE DISTANCEES ***             LAEO1240
RH1 = SQRT(XREL1**2+YREL1**2+ZREL1**2)*ANGALJ LAEO1250
RH2 = SQRT(XREL2**2+YREL2**2+ZREL2**2)*ANGALJ LAEO1260
RH3 = SQRT(XREL3**2+YREL3**2+ZREL3**2)*ANGALJ LAEO1270

```



```

C *****
C LITHIUM-AMMONIA-POT
C *****
E=0.0
E1=(-43772.16987)/(R56*ANGALU)**6+10717.0*EXP(-453.0*R56*ANGALU)
+ +1025.571898*(-0.74207)*(1.0) / (R56*ANGALU)
E2=(-31164.80898)/RH1**6-54.76518247*EXP(-0.5763549897*RH1)
+ +1025.571898*(0.24736)*(1.0) / RH1
+ +31164.80898/RH2**6-54.76518247*EXP(-0.5763549897*RH2)
+ +1025.571898*(0.24736)*(1.0) / RH2
+ +31164.80898/RH3**6-54.76518247*EXP(-0.5763549897*RH3)
+ +1025.571898*(0.24736)*(1.0) / RH3
E = E1+E2
C*****
      KE=E*2+81
      IENER(KE)=IENER(KE)+1
    ENDIF
      ENDIF
C
20          CONTINUE
10 CONTINUE
C
      IF (NSET.EQ.MAX) GOTO 200
      GOTO 100
C
222 CONTINUE
C
200 DO 33 M=1,201
      A(M)=(M-101.0)/2.0
      TOTAL=TOTAL+IENER(M)
33 CONTINUE
      WRITE(*,*) 'TOTAL=',TOTAL
      DO 35 M=1,101
      IF (IENER(M).GT.0) PDIST(M)=IENER(M)/TOTAL
35 CONTINUE
      WRITE(9,'(9X,I5)') 'NSET=',NSET
      WRITE(9,'(9X,F10.5)') 'TOTAL=',TOTAL
      WRITE(9,*) '      A(M)          PDIST(M) '
      WRITE(9,'(1X,F10.2,5X,F12.5)') ( A(M),PDIST(M),M=1,101)
      STOP 'FINISHED'
      END

```

LAE01310
LAE01320
LAE01330
LAE01340
LAE01350
LAE01360
LAE01370
LAE01380
LAE01390
LAE01400
LAE01410
LAE01420
LAE01430
LAE01460
LAE01480
LAE01500
LAE01510
LAE01520
LAE01530
LAE01540
LAE01550
LAE01560
LAE01570
LAE01580
LAE01590
LAE01600
LAE01610
LAE01620
LAE01630
LAE01640
LAE01660
LAE01670
LAE01680
LAE01700
LAE01720
LAE01730
LAE01740
LAE01750
LAE01770
LAE01780


```

      PDIST(J)=0.0                                COS00400
      IDIST(J)=0                                  COS00410
12  CONTINUE                                     COS00420
11  CONTINUE                                     COS00430
C *****                                       COS00440
C  WRITE(*,*) 'HAVE YOU ALREADY CHECKED THE MAX-DISTANCE ?' COS00460
100 CONTINUE                                     COS00480
      READ(11,'(A)') LINE1                       COS00490
      READ(11,'(A)') LINE2                       COS00500
      READ(11,'(5X,I5,6F10.5)',END=222) (SPEC(I),XKCOORD(I),YKCOORD(I),
+      ZKCOORD(I),ALPHA(I),BETA(I),GAMMA(I),I=1,MOZAHL) COS00520
      NSET = NSET+1                              COS00530
      DO 10 I=1,MOZAHL                           COS00540
      SPECI = SPEC(I)                             COS00550
      IF (SPECI.NE.3) GOTO 10                     COS00560
      X5 = XKCOORD(I)                             COS00570
      Y5 = YKCOORD(I)                             COS00580
      Z5 = ZKCOORD(I)                             COS00590
      KCOS = 0                                    COS00610
      DIST = 0                                    COS00620
      NN = 0                                      COS00630
      DO 20 J=1,MOZAHL                           COS00640
C *****DIPOLE VECTOR*****                   COS00660
      SPECJ = SPEC(J)                             COS00670
      IF (SPECJ.EQ.2) THEN                       COS00680
      X3 = XKCOORD(J)                             COS00700
      Y3 = YKCOORD(J)                             COS00710
      Z3 = ZKCOORD(J)                             COS00720
      R56 = SQRT((X3-X5)**2+(Y3-Y5)**2+(Z3-Z5)**2) COS00760
      IF (R56.LE.D) NN=NN+1                      COS00780
      IF (NN.EQ.1) THEN                          COS00800
      X6 = XKCOORD(J)                             COS00810
      Y6 = YKCOORD(J)                             COS00820
      Z6 = ZKCOORD(J)                             COS00830
      ENDIF                                       COS00840
      IF (NN.EQ.2) THEN                          COS00900
      X7 = XKCOORD(J)                             COS00910
      Y7 = YKCOORD(J)                             COS00920
      Z7 = ZKCOORD(J)                             COS00930
      R67 = SQRT((X6-X7)**2+(Y6-Y7)**2+(Z6-Z7)**2) COS00940
      VECAB = (X5-X6)*(X7-X6)                   COS00960

```




V I T A

1965 Born on May, 22nd in Khon-Kaen

Father : Pracha Kheawsrikul

Mother : Arunee Kheawsrikul

1982 March : High School graduation (Kaennakorn Vittayalai, Khon-Kaen)

1985 October : Bachelor of Science (Chemistry), Khon-Kaen University

1986 June : Begin of Master studies at Department of Chemistry,
Chulalongkorn University, Bangkok.

Two publications have come out of my Master's degree work. They are " The Intermolecular Potential Function for Ammonia-Lithium Ion Based on Ab-initio Calculations " published in Z.Naturforsch., **42a**, 143-146, 1988, and " A Monte Carlo Study on Preferential Solvation of Lithium Ion in Aqueous Ammonia " in J.Chem.Soc.Faraday.Tran II., forthcoming. During the study towards the Master's degree of Science, I was supported by the **University Development Commission Scholarship.**