การเขียนโปรแกรมฟอร์แทรนเพื่อผลิตและคำนวณพลังงานการเกิดสารเชิงซ้อน สำหรับการพัฒนาฟังก์ชันศักย์คู่ระหว่างโมเลกุล

นางสาว มนขนก ทองเทพ



วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญาวิทยาศาสตรมหาบัณฑิต สาขาวิชาวิทยาการคณนา ภาควิชาคณิตศาสตร์ คณะวิทยาศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ปีการศึกษา 2544 ISBN 974-03-1142-3 ลิขสิทธิ์ของจุฬาลงกรณ์มหาวิทยาลัย

FORTRAN PROGRAMMING TO GENERATE AND CALCULATE COMPLEXATION ENERGY FOR THE DEVELOPMENT OF INTERMOLECULAR PAIR POTENTIAL FUNCTION

Miss Monchanok Thongthep

A Thesis Submitted in Partial Fulfillment of the Requirements
for the Degree of Master of Science in Computational Science

Department of Mathmatics

Faculty of Science

Chulalongkorn University

Academic Year 2001

ISBN 974-03-1142-3

Thesis Title	FORTRAN PROGRAMMING TO GENERATE AND CALCULATE COMPLEXATION ENERGY FOR THE DEVELOPMENT OF
	INTERMOLECULAR PAIR POTENTIAL FUNCTION
Ву	Miss Monchanok Thongthep
Field of study	Computational Science
Thesis Advisor	Associate Professor Supot Hannongbua, Ph.D.
Acce	pted by the Faculty of Science, Chulalongkorn University in Partial
Fulfillment of the R	equirements for the Master 's Degree
	Deputy Dean for Administrative Affairs of Description of Science
THESIS COMMIT	
	Vuchichen Parante Chairman
	(Associate Professor Vudhichai Parasuk, Ph.D.)
	(Associate Professor Supot Hannonghua, Ph.D.)
	(Associate Professor Supot Hannongbua, Ph.D.)
	(Krung Sinapiromsaran, Ph.D.)

มนชนก ทองเทพ : การเขียนโปรแกรมฟอร์แทรนเพื่อผลิตและคำนวณพลังงานการเกิดสาร เชิงซ้อนสำหรับการพัฒนาฟังก์ชันศักย์คู่ระหว่างโมเลกุล (FORTRAN PROGRAMMING TO GENERATE AND CALCULATE COMPLEXATION ENERGY FOR THE DEVELOPMENT OF INTERMOLECULAR PAIR POTENTIAL FUNCTION). อ.ที่ปรึกษา : รศ.ดร.สุพจน์ หารหนองบัว, 65 หน้า. ISBN 974-03-1142-3.

ในการศึกษานี้ได้เขียนส่วนของโปรแกรมฟอร์แทรนกึ่ง-อัตโนมัติ เพื่อการพัฒนาฟังก์ชัน ศักย์กู่ระหว่างโมเลกุลบนพื้นฐานของการคำนวณเคมีควอนตัม ได้พัฒนาโปรแกรม GENERATE เวอร์ชัน 1.0 ขึ้นเพื่อผลิตโครงแบบของสารเชิงซ้อนและคำนวณพลังงานการเกิดสารเชิงซ้อนที่สอด คล้องกัน การผลิตโครงแบบของสารเชิงซ้อนจะเกี่ยวข้องกับสมมาตรของสองโมเลกุล โปรแกรม คอมพิวเตอร์จะผลิตโครงแบบของสารเชิงซ้อน จำนวนมากที่สุดเท่าที่จะเป็นไปได้ที่ครอบคลุมช่อง ว่างล้อมรอบของทั้งสองโมเลกุล ขั้นตอนถัดไปคือการคำนวณเคมีควอนตัมสำหรับโครงแบบดัง กล่าว การคำนวณทั้งหมดกระทำโดยใช้โปรแกรม Gaussian 98 โดยมีความเป็นไปได้ 2 แบบ คือ แบบที่ใช้และไม่ใช้การแก้ผลของ BSSE ในการศึกษานี้ได้เลือกระบบที่ใช้เพื่อพัฒนาและทดสอบ โปรแกรม 2 ระบบ คือ NH₃-Li⁺และ NH₃-NH₃

ภาควิชา คณิตศาสตร์	ลายมือชื่อนิสิต มนชนก ทุมงะทุพ
สาขาวิชาวิทยาการคณนา	ลายมือชื่ออาจารย์ที่ปรึกษา
ปีการศึกษา2544	ลายมือชื่ออาจารย์ที่ปรึกษาร่วม

4172453723 : MAJOR MATHEMATICS

KEY WORD: PAIR POTENTIAL FUNCTION

MONCHANOK THONGTHEP: FORTRAN PROGRAMMING TO GENERATE AND CALCULATE COMPLEXATION ENERGY FOR THE DEVELOPMENT OF INTERMOLECULAR PAIR POTENTIAL FUNCTION. THESIS ADVISOR: ASSOC. PROF. SUPOT HANNONGBUA, Ph.D., 65 pp. ISBN 974-03-1142-3.

Aim of this work is to write part of the semi-automatic Fortran program to develop the Intermolecular Pair Potential Function by means of quantum chemical calculations. The program GENERATE version 1.0 was developed to generate numerous configurations of the complex and calulate the corresponding complexation energies. Generated configuration of the complex involes symmetry of the two molecules. The program generates as many complex configurations as possible covering the space around each other. Consequently, quantum chemical calculations have been performed for the aforementioned configurations. All calculations were performed using Gaussian 98 program using the following two choices, with and without BSSE corrections. In this study, the NH₃-Li⁺ and NH₃-NH₃ system have been used to develop and test the program.

Department	Mathematics	Student's signature Monchanok Thong	thep
Field of study .	Computational Science	Advisor's signature	
Academic vear	2001	Co-advisor's signature	



I would like to express my deeply felt gratitude to numerous people who have, directly and indirectly, contributed to this thesis. I am thankful to all of them for their encouragement and support, and I would particularly like to thank the following:

Associate Professor Dr. Supot Hannongbua, my dissertation advisor who always clever, gentle and caring. With his guiding, advising, understanding, encouraging and setting me on the right way when I started walking into a black box. I am very obliged to Associate Professor Dr. Vudhichai Parasuk and Dr. Krung Sinapiromsaran for their valuable suggestions as thesis examiners.

Furthermore, I am extremely grateful to the Austrain-Thai Centre (ATC) for Assisted Chemical Education and Research as computer resource supplements and other facilities. Financial supports by Austrian Ministry of Foreign Affairs and Graduate School are also gratefully acknowledged.

At the end, my absolute acknowledgment is dedicated to my parents for their stimulating force and support that make me strong and fight until I finally get a triumph today.

Monchanok Thongthep

CONTENTS

	Pages
ABSTRACT IN THAI	iv
ABSTRACT IN ENGLISH	v
ACKNOWLEDGEMENTS	
LIST OF FIGURES	x
LIST OF TABLES	xii
LIST OF TABLES	XII
CHAPTER 1 INTRODUCTION	1
1.1 Problem Identification	1
1.1.1 Computational Science	1
1.1.2 Pair Potential Function	3
1.1.3 Programming languages	4
1.2 Objectives and Scope of the Research	5
1.3 Expected output	5
CHAPTER 2 LITERATURE REVIEW	6
2.1 Definitions and Approximations	7
2.1.1 Pair interaction approximation	7
2.1.2 The Isotropic Atom-Atom Approximation	9
2.1.3 Contributions to the Intermolecular Potential	10
2.2 Classification of Intermolecular Potentials	11
2.2.1 Model Intermolecular Potentials	11
2.2.2 Empirical Intermolecular Potentials	14
2.2.3 Quantum Mechanical Intermolecular Potentials	16

P	ages
CHAPTER 3 THEORETICAL BACKGROUND	17
3.1 Selection of representative geometries of the pairs	17
3.2 The ab initio calculations	19
3.2.1 Basis Set	19
3.2.2 Basis Set Superposition Error (BSSE)	21
3.3 Fitting of pair interaction energies to a functional form	23
3.4 Improving the quality of the function	24
3.4.1 Testing the quality of the function	24
3.4.2 Search for false minima of the function	25
CHAPTER 4 DETAIL OF CALCULATIONS	27
4.1 Reading initial input file	28
4.2 Selection of representative geometries of the pairs	33
4.3 The <i>ab initio</i> calculations	36
CHAPTER 5 RESULTS AND DISCUSSION	39
5.1 Selection of representative geometries of the pairs	39
5.1.1 Narrow scope of distance (r)	40
5.1.2 Assign scope of θ and φ	42
5.1.3 Specification for the NH ₃ -Li ⁺ system	44
5.2 The <i>ab initio</i> calculations	46
5.3 Application for NH ₃ -NH ₃ system	49

P	ages
REFERENCES	52
APPENDICES	55
APPENDIX I	56 58
CURRICULUM VITAE	58

LIST OF FIGURES

Figu	res	Pages
2.1	(a) the hard-sphere potential, (b) the square-well potential	
	and (c) the soft-sphere potential with repulsion parameter K=1	14
3.1	The procedure for constructing the potential function	
	by means of quantum chemical calculations	18
4.1	The sequence of <i>GENERATE</i> program version 1.0	28
4.2	The initial input file structure	29
4.3	Initial input file for NH ₃ -Li ⁺ system	30
4.4	The flowchart of part 1; Reading initial input file	32
4.5	The flowchart of subroutine Generate_Configuration	35
4.6	The flowchart of subroutine Calculate_energy	37
4.7	The input file for Gaussian 98 program	
	for calculate with BSSE corrections	38
5.1	The output file from subroutine Generate_Configuration that contain	
	the Cartesian coordinates of all configurations of molecule B	40
5.2	Definition of geometries variable (θ,ϕ) for the configuration of	
	ammonia-lithium ion	41
5.3	NH ₃ -Li ⁺ interaction energies calculate without BSSE corrections used	
	basis set d95** ($\theta = 0^{\circ}$ and $\phi = 0^{\circ}$, see Figure 5.2)	44
5.4	The coordinates of all configurations of B and the corresponding	
	interaction energies calculated without BSSE corrections	47
5.5	The coordinates of all configurations of B and the corresponding	
	interaction energies calculated with BSSE corrections	48

Figu	Figures Pages	
5.6	Definition of geometries variable (θ,ϕ) for the configuration	
	of ammonia-ammonia	49
5.7	Definition of geometries of ammonia, its hydrogen atoms were turned	
	α° , β° and γ° around x, y and z axis, respectively	49
A.1	Procedural detail of Main program	56

LIST OF TABLES

Tables	Pages
5.1 Possible trajectories around NH ₃ due to the conditions: $0^{\circ} \le 0 \le 180^{\circ}$,	
$\Delta\theta = 30^{\circ}$ and $0^{\circ} \leq \phi \leq 60^{\circ}$, $\Delta\phi = 30^{\circ}$. 45