

## REFERENCES

- Akbuga, J. , Durmaz, G. Preparation and evaluation of cross-linked chitosan microspheres containing furosemide. Int. J. Pharm. 111 (1994): 217-222.
- Bodmeier, R. , et al. Preparation and evaluation of drug-containing chitosan beads. Drug Dev. Ind. Pharm. 15 (1989): 1475-1494.
- Dumitriu, S. , et al. Bioactive polymer 61. Synthesis and characterization of some retard antibiotics. Colloid Polym. Sci. 267 (1989): 595-599.
- Eiden, C.A. , et al. Interaction of lead and chromium with chitin and chitosan. J. Appl. Polym. Sci. 25 (1980): 1587-1599.
- Furlan, L. , et al. Adsorption of calcium ions by graft copolymer of acrylic acid on biopolymer chitin. Polymer 37 (1996): 843-846.
- Horton, D. , et al. Preparation from chitin of (1→4)-2-amino-2-deoxy- $\beta$ -D-glucopyranuronan and its 2-sulfoamino analog having blood-anticoagulant properties. Carbohydrate Research 29 (1973): 173-179.
- Hirano, S. , et al. Selective *N*-acylation of chitosan. Carbohydrate Research 47 (1976): 315-320.
- Husson, I. , et al. Modelling of drug release from pellets coated with an insoluble polymeric membrane. J. Controlled Release 17 (1991): 163-174.
- Kanke, M. , et al. Application of chitin and chitosan to pharmaceutical preparations. I. Film preparation and *in vitro* evaluation. Chem. Pharm. Bull. 37 (1989): 523-525.

- Knapczyk, J. Chitosan hydrogel as a base for semisolid drug forms. Int. J. Pharm. 93 (1993): 233-237.
- Kurita, K., et al. Studies on chitin X. Homogenous cross-linking of chitosan for enhanced cupric ion adsorption. J. Appl. Polym. Sci. 31 (1986): 1951-1954.
- Lee, P.I. Poly(vinyl alcohol) membrane systems for the controlled release of chlorinated isocyanurates. J. Appl. Polym. Sci. 50 (1993): 941-947.
- Lin, S.Y., et al. Adsorption and desorption of indomethacin on cellulose-like biopolymers: Chitin and Chitosan. Chem. Pharm. Bull. 40 (1992) : 1058-1060.
- Miyazaki, S., et al. Chitosan and sodium alginate based bioadhesive tablets for intraoral drug delivery. Biol. Pharm. Bull. 17 (1994): 745-747.
- Miyazaki, S., et al. The use of chitin and chitosan as drug carriers. Chem. Pharm. Bull. 29 (1981): 3067-3069.
- Ohya, Y., et al. *In vivo* and *in vitro* antitumor activity of CM-chitin immobilized doxorubicins by lysosomal digestible tetrapeptide spacer groups. J. Bioact. Compat. Polym. 10 (July 1995): 223-234.
- Ohya, Y., et al. Synthesis and antitumor activity of 6-O-carboxymethyl chitin fixing 5-fluorouracils through pentamethylene, monomethylene spacer groups *via* amide, ester bonds. Chem. Pharm. Bull. 40 (1992): 559-561.
- Ohya, Y., et al. Synthesis and antitumor activity of  $\alpha$ -1,4-polygalctosamine and *N*-acetyl- $\alpha$ -1,4-polygalctosamine immobilized 5-fluorouracils through hezamethylene spacer groups via urea, urea bonds. J. Controlled Release 17 (1991): 259-266.
- Onishi, H., Machida, Y., Nagai, T. Synthesis and properties of the monoester of 5-fluorouridine with 4-carboxybutyric acid and their conjugates with chitosan. Chem. Pharm. Bull. 43 (1995): 340-343.

- Sawayanagi, Y., et al. Chitosan for sustained-release preparations of water-soluble drugs. Chem. Pharm. Bull. 30 (1982): 4213-4215.
- Sezer, A.D., et al. Controlled release of piroxicam from chitosan beads. Int. J. Pharm. 121 (1985): 113-116.
- Shimizu, Y., et al. Effects of added metal ions on the interaction of chitin and partially deacetylated chitin with an azo dye carrying hydroxyl groups. J. Appl. Polym. Sci. 55 (1995): 255-261.
- Shiraishi, S., et al. Controlled release of indomethacin by chitosan-polyelectrolyte complex: optimization and in vivo/in vitro evaluation. J. Controlled Release 25 (1993): 217-225.
- Simionescu, C., et al. Bioactive polymers XXI. Coupling of chloramphenicol on Biozan R. Colloid & Polymer Sci. 263 (1985): 620-623.
- Simionescu, C., et al. Bioactive polymers XXXIII. Synthesis and evaluation of some pharmacological characteristics of chloramphenicol immobilized Biozan R. Biomaterials 7 (1986): 118-120.
- Thacharodi, D., et al. Collagen-chitosan composite membranes for controlled release of propanolol hydrochloride. Int. J. Pharm. 120 (1995) : 115-118.
- Tokura, S., et al. Selective sulfation of chitin derivatives for biomedical functions. J.M.S.-Pure Appl. Chem. A31 (1994): 1701-1718.
- Uekama, K., et al. In vitro and in vivo evaluation of delayed-release behavior of diltiazem from its *O*-carboxymethyl-*O*-ethyl- $\beta$ -cyclodextrin complex. J. Controlled Release 25 (1993): 99-106.
- Uragami, T., et al. Studies of synthesis and permeabilities of special polymer membranes. LI. Active transport of halogen ions through chitosan membranes. J. Appl. Polym. Sci. 28 (1983): 1361-1370.

Wang, H., et al. Adsorption of bilirubin on the polymeric  $\beta$ -cyclodextrin supported by partially aminated polyacrylamide gel. Reactive and Functional Polymers 32 (1997): 1-7.

Watanabe, K., et al. 6-O-carboxymethyl chitin (CM-chitin) as a drug carrier. Chem. Pharm. Bull. 38 (1990): 506-509.

Yao, K.D., et al. Swelling kinetics and release characteristic of crosslinked chitosan:polyether polymer network (semi-IPN) hydrogels. J. Polym. Sci. Chem. Ed. 32 (1994): 1213-1223.

Yao, K.D., et al. Investigation of pH-sensitive drug delivery system of chitosan/gelatin hybrid polymer network. Polymer International 38 (1995): 77-82.

## CURRICULUM VITAE

**Name :** Surakit Chunharotrit

**Birth Date :** March 7, 1974

**Nationality :** Thai

**University Education :**

1991-1994 Certificate in Analytical Chemistry, Chulalongkorn University

1994-1996 Bachelor's Degree of Science in Chemistry,  
Chulalongkorn University