

## REFERENCES

- Akhava, O. (2008) Chemical durability of metallic copper nanoparticles in silica thin films synthesized by sol–gel. *Journal of Physics D: Applied Physics*, 41, 235407.
- Alfadda, A.A. and Sallam,R.M. (2012) Reactive Oxygen Species in Health and Disease. *Article ID 936486*.
- Ameye, D., Voorspoels, J., Foreman, P., Tsai, J., Richardson, P., Geresh, S., Remona, J.P. (2001) Trypsin inhibition, calcium and zinc ion binding of starch poly(acrylic acid) copolymers and starch / poly(acrylic acid) mixtures for peroral peptide drug delivery, *Journal of Controlled Release* , 75, 357–364.
- Anand, S. C., Kennedy, J. F., Mirafab, M. and Rajendran, S. (2006) Medical textiles and biomaterials for healthcare. *Cambridge* (pp.156- 163), Woodhead Publishing Ltd.
- Bagchi, B. (2012) Antimicrobial efficacy and biocompatibility study of copper nanoparticle adsorbed mullite aggregates. *Materials Science and Engineering C*, 32, 1897–1905.
- Balakrishnan, B. and Jayakrishnan, A. (2005) Self-cross-linking biopolymers as injectable in- situ forming biodegradable scaffolds. *Journal Biomatter*, 26, 3941–3951.
- Balakrishnan, B. and Jayakrishnan, A. (2005) Self-cross-linking biopolymers as injectable in- situ forming biodegradable scaffolds. *Journal Biomatter*, 26, 3941–3951.
- Bloklnina, O., Virolainen, E., & Fagerstedt, K. V. (2003). Antioxidants, oxidative damage and oxygen deprivation stress: A review. *Annals of Botany*, 91, 179–194.
- Božić, M., Gorgieva, S., Kokol, V. (2012) Laccase-mediated functionalization of chitosan by caffeic and gallic acids for modulating antioxidant and antimicrobial properties. *Carbohydrate Polymers*, 87, 2388– 2398.
- Boateng, J.S., Matthews, K.H. and Stevens, H.N. (2008) Wound healing dressings and drug delivery systems: A review. *Journal of Pharmaceutical Science*, 97, 2892–2923.

- Catherline, M., Monique, C., Olivier, V. (2000) The removal of copper (II) and nickel (II) from dilute aqueous solution by a synthetic flocculane: A polarographic study of the complexation with a high molecular weight poly( acrylic acid ) with different pH values, Water Research, 34(2), 455- 462.
- Chang, M., Shi, M. and Forman, H.J. (1992) Exogenous glutathione protects endothelial cells from menadione toxicity. American Journal of Physiol, 262, 637- 643.
- Chen, H., Zhang, M., Qu, Z., & Xie, B. (2008) Antioxidant activities of different fractions of polysaccharide conjugates from green tea (*Camellia sinensis*). Food Chemistry, 106, 559–563.
- Cheong, H. G., Paul, W. S. H., Lai, W.C. (2012) Cross-linker and non-gelling Na<sup>+</sup> effects on multi-functional alginate dressings. Carbohydrate Polymers, 87, 1796– 1802.
- Cui, W., Li, X., Zhou, S., Weng, J. (2005) Investigation on process parameters of electrospinning system through orthogonal experimental design, Journal of Apply Polymer Science, 103, 3105-3112.
- Curcio, M., Puoci, F., Iemma, F., Parisi, O. I., Cirillo, G., Spizzirri, U. G., et al. (2009) Covalent insertion of antioxidant molecules on chitosan by free radical grafting procedure. Journal of Agricultural and Food Chemistry, 57, 5933–5938.
- Datta, K., Sinha, S., and Chatopadhyay, P. (2000) Reactive oxygen species in health and disease. National Medical Journal of India, 13, 304–310.
- Devasagayam, T.P.A., Tilak, J.C., Boloor, K.K., Sane, K. S., Ghaskadbi, S. S. and Lele, R.D. (2004) Free Radicals and Antioxidants in Human Health: Current Status and Future Prospects. Journal of Association of Physicians of India, 52, 796.
- Dhaliwal,A. (2012). Three Dimensional Cell Culture: A Review. Mater Methods, 2, 162.
- Dollwet, H.H.A. and Sorenson, J.R.J. (1985) Historic Uses of Copper Compounds in Medicine. Journal of Trace Element in Medicine and Biology, 2, 80-87.

- Draget, K.I., Skjik-Braek, G., Christensen, B.E., Smidsred, O. (1996) Swelling and partial solubilization of alginic acid gel beads in acidic buffer, Carbohydrate Polymer, 29, 209-215.
- Dumitriu, S. (2002) Polymeric biomaterial. Marcel Dekker Publisher (pp. 23-35), New York.
- Fengwei, S., Yaguang, C., Linping, S., Long, Z., Jianglei, H. (2012) Hydroxylation of phenol catalyzed by different forms of Cu-alginate with hydrogenperoxide as an oxidant Catalysis. Communications, 2, 102–105.
- Gilchrist, T. and Martin, A.M. (1983) Wound treatment with sorbsan-an alginate fibre dressing. Journal Biomatter, 4(4), 317-320.
- Halliwell, B. (1997) Antioxidants and human diseases: A general introduction. Nutritional Reviews, 55, 544–552.
- Hassan, H.M. and Fridovich, I. (1980) Mechanism of the antibiotic action of pyocyanine. Journal of Bacteriology, 141, 156-163.
- Hermann, L. (1879) Allgemeine nervenphysiologie, Handbuch der Physiologie. Lster Theil (pp.1-196), Vogel, Leipzig.
- Hodgkin, A. L. and Huxley, A. F. (1939) Action potentials recorded from inside a nerve fibre. Nature, 144, 710-711.
- Horkay, F., Basser, P.J., Hecht, A.M. and Geissler, E. (2002) Calcium-induced volume transition in polyacrylate hydrogels swollen in physiological salt Solutions Macromolecular Bioscience, 2, 207–213.
- Hui, B., Guojun, S., Yu, Y., Xiaoyan, X., Ying, Z., Zheng, H., Jingru, M., Xiaoxing, L. (2012) Targeting RNA polymerase primary  $\alpha$ 70 as a therapeutic strategy against methicillin-resistant *Staphylococcus aureus* by antisense peptide nucleic acid, Plusone, 7, 32-45
- Inoue, L., Kobatake, Y., and Tasaki, I. (1973) Excitability, instability and phase transitions in squid axon membrane under internal perfusion with dilute salt solutions. Biochimica et Biophysica Acta, 307, 471-477.
- Ji, H.F., Zhang, H.Y. & Shen, L. (2006). Proton dissociation is important to understanding structure–activity relationships of gallic acid antioxidants. Bioorganic & Medicinal Chemistry Letters, 16, 4095–4098.

- Jin, X. and Hsieh, Y. (2005) pH-responsive swelling behavior of poly(vinyl alcohol)/poly (acrylic acid) bi-component fibrous hydrogel membranes. *Polymer*, 46, 5149-5160.
- Jones, V and Harding, K (2001) Moist wound healing. *Chronic Wound Care: A Clinical Source Book for Healthcare Professionals* (pp. 245-252). Wayne, PA.
- Julian, T.N., Radebaugh, G.W. and Wisniewski, S.J. (1983) Permeability characteristics of calcium alginate films. *Journal of Control Release*, 7, 165–169.
- Kehrer, J. P. and Smith, C. V. (1994) Free radicals in biology: Sources, reactivity, and role in the etiology of human diseases. In *Natural antioxidants in human health and disease*. Academic Press (pp. 25–62), New York.
- Kim, B., Park, H., Lee, S.H. and Sigmund, W.M. (2005) Poly (acrylic acid) nanofibers by electrospinning, *Material Letters*, 59, 829-832.
- Koechlin, B. A. (1955) On the chemical composition of the axoplasm of squid giant nerve fibers with particular reference to its ion pattern. *Biophysical Biochemistry Cytology*, 1, 511-529.
- Kokabi, M., Sorousazar, M. and Hassan, Z.M. (2007) PVA-clay nanocomposite hydrogels for wound dressing. *European Polymer Journal*, 43, 773–781.
- Kriwet, B., Kissel, T., (1996) Interactions between bioadhesive poly (acrylic acid) and calcium ions, *International Journal of Pharmaceutics*, 127, 135-145.
- Lang, C.A., Naryshkin,S., Schneider, D.L., Mills, E.l., Lindeman, R.D. (1992) Low blood glutathione levels in healthy aging adults. *The Journal of Laboratory and Clinical Medicine*, 120, 720-725.
- Lee, K.Y., Bouhadir, K.H. and Mooney, D.J. (2000) Degradation behavior of covalently cross-linked Poly (aldehyde guluronate) hydrogels. *Macromolecules*, 33, 97–101.
- Leonard, A. (1986) Chromosome damage in individuals exposed to heavy metals. *Metal Ions in Biological Systems*, 20, 229-235.
- Li, L. and Hsieh, Y. (2005) Ultra-fine polyelectrolyte fibers from electrospinning of poly(acrylic acid). *Polymer*, 46, 5133-5139.
- Li, L. and Hsieh, Y. (2005) Ultra-fine polyelectrolyte hydrogel fibers from poly (acrylic acid) / poly (vinyl alcohol). *Nanotechnology*, 16, 2852-2860.

- Lia, J., Liua, X., Yea, Y., Zhoua, H. and Chen, J. (2011) A simple solution-immersion process for the fabrication of superhydrophobic cupric stearate surface with easy repairable property, *Applied Surface Science*, 258 , 1772–1775.
- Ligia, L. F., Cristiane, X. R., Débora, S. T., Gloria, A. S., Letícia, O. C.& Jose, M. G.(2011) Cytocompatibility of Chitosan and Collagen-Chitosan Scaffolds for Tissue Engineering. *Polymeros*, 21, 1-6.
- Lim E.B. and Kennedy R.A. (1997) Studies on diffusion in alginate gels. II: Effect of acid and subsequent re-exposure to calcium on the diffusion of caffeine and theophylline in alginate gel films. *Pharmaceutical Development and Technology*, 2, 285–292.
- Lin, S.Y., Chen, K.O. and Run-Chu, L. (2001) Design and evaluation of drug-loaded wound dressing having thermostressive, adhesive, absorptive and easy peeling properties. *Journal Biomatter*, 22, 2999–3004.
- Malley, Y.Q., Reszka, K.J., Spitz, D.R., Denning, D.M. and Britigan, B.M. (2004) *Pseudomonas aeruginosa* pyocyanin directly oxidizes glutathione and decreases its levels in airway epithelial cells. *Lung Cellular and Molecular Physiology*, 287, 94-103.
- Martin, R.B. (1986) Bioinorganic chemistry of metal ion toxicity. *Metal Ions in Biological Systems*, 20, 21-28.
- Mary, G., Navin, C. and Sunil, K.B. (2009) Copper Alginate-Cotton Cellulose (CACC) Fibers with Excellent Antibacterial Properties. *Jeff Journal*, 4. 135-143.
- Menaa, B. F., Menaa, Aiolfi-Guimaraes, C. and Sharts, O. (2010) Silica-based nanoporous sol-gel glasses: from bioencapsulation to protein folding studies. *International Journal of Nanotechnology*, 7, 1-45.
- Metuzals, J. (1969) Configuration of a filamentous network in the axoplasm of the squid (*Loligo pealii* L.) giant nerve fiber. *Cell Biology*. 43, 480-505.
- Metuzals, J., and Izzard, C. S. (1969) Spatial patterns of threadlike elements in the axoplasm of the giant nerve fiber of the squid (*Loligo pealii* L.) as disclosed by differential interference microscopy and by electron microscopy.]. *Cell Biology*. 43, 456-479

- Meydani,S.N., Wu, D, Santos,M.S. & Havek,M.G. (1995) Antioxidants and immune response in aged persons:overview of present. American Society for Clinical Nutrition, 62, 1462 -76.
- Mirzan, T.R., Zainuddin, D.D. and Sukirno. (2001) Irradiation of polyvinyl alcohol and polyvinyl pyrrolidone blended hydrogel for wound dressing. Radiation Physical Chemistry, 62, 107–113.
- Muller, M. (2002) Pyocyanin induces oxidative stress in human endothelial cells and modulates the glutathione redox cycle. Free radical biology &medicine, 33, 1527-1533.
- Nikolaos, S. H., Sergios, K. P., Angeliki, G., Evangelos, P. F., Fotios, K.K. and Kostas, S. (2013) Effect of Copper and Copper Alginate treatment on wool fabric study of textile and antibacterial properties. Surface & Coatings Technology, 10, 1016.
- Ochoa, H.V., León, G., Banihani, Q., Field, J.A. and Sierra, A.R. (2011) Toxicity of copper(II) ions to microorganisms in biological wastewater treatment systems. The Science of The Total Environment, 5, 412-413.
- Ong, S., Wu, J., Moochhala, S.M., Tan, M., Lu, J. (2008) Development of a chitosanbased wound dressing with improved hemostatic and antimicrobial properties. Biomaterials. 29, 4323-433.
- Pasanphan, W. and Chirachanchai, S. (2008) Conjugation of gallic acid onto chitosan: An approach for green and water-based antioxidant. Carbohydrate Polymers, 72, 169–177.
- Peppas, N.A. (1987) Hyrogels in medicine and pharmacy. CRC Press (pp. 178-198). Florida: Boca Raton.
- Perelshtein, I., Applerot, G., Perkas, N., Wehrschtz-Sigl, E., Hasmann, A., Guebitz, G., et al. (2009) CuO–cotton nanocomposite: Formation, morphology, and antibacterial activity. Surface Coating and Technology, 204, 54-57.
- Purna, S.K. and Babu, M. (2000) Collagen based dressings: A review. Burns, 26, 54–62.
- Qiao, D., Ke, C., Hu, B., Gan, D., Luo, J., Ye, H., et al. (2009) Antioxidant activities of polysaccharides from hyriopsis cumingi. Carbohydrate Polymers, 78, 199–204.

- Ratner, B. D., Hoffman, D., Schoen, F. J. and Lemons, J. E. (2004) Biomaterial science: An introduction to materials in medicine. Academic Press (pp. 123-134). New York.
- Rosiak, J.M., Rusika-rybus, A. and Pekal, A.W. (1989) Method of manufacturing of hydrogel dressings. U.S. Patent 4 871 490.
- Rosiak, J.M., Ulanski, P., Pajenski, L.A. and Yoshii, K. (1995) Radiation formation of hydrogels for biomedical purpose. Radiation Physical Chemistry, 46, 161-168.
- Satu, A., Kari, A ., Jouni, K., Paivi, K., Annika, S., Petteri P., Kristiina J. (1999) Adsorption of drugs onto a poly(acrylic acid) grafted cation-exchange membrane, European Journal of Pharmaceutical Sciences , 9, 137–143.
- Segal, H.C., Hunt, B.J. and Gilding, D.K. (1998) The effects of alginate and non-alginate wound dressings on blood coagulation and platelet activation. Journal of Biomatter Application, 12, 249-257.
- Shi, D. (2004) Biomaterials and Tissue Engineering. Springer- Verlag (pp. 34- 42). Berlin: Heidelberg.
- Sikareepaisan, P., Ruktanonchai, U. and Supaphol, P. (2011) Preparation and characterization of asiaticoside-loaded alginate films and their potential for use as effectual wound dressings. Carbohydrate Polymer, 83, 1457–1469.
- Singh, B. and Pal, L. (2008) Development of sterculia gum-based wound dressings for use in drug delivery. European Polymer Journal, 44, 3222–3230.
- Smidsroed, O., Glover, R. M. and Whittington, S. G. (1973) Relative extension of alginates having different chemical composition. Carbohydrate Research, 27(1), 107–118.
- Spizzirri, U. G., Iemina, F., Puoci, F., Cirillo, G., Curcio, M., Parisi, O. I., et al. (2009) Synthesis of antioxidant polymers by grafting of gallic acid and catechin on gelatin. Biomacromolecules, 10, 1923–1930.
- Steck, T. L., Fox, C. F. (1972) Membrane proteins. Membrane Molecular Biology (pp. 27-75), Sinauer Associates, Inc., Stamford.
- Takeuchi, T. and Tasaki, I. (1942) Übertragung des Nervenimpulses in der polarisierten Nervenfaser. Gesamte Physiol, 246, 32-43.
- Tasaki, I. (1953) Nervous Transmission. Thomas, Springfield, Illinois.

- Tasaki, I. (1968) Nerve Excitation. A Macromolecular Approach, Springfield, Illinois.
- Tasaki, I. (2002) Spread of discrete structural changes in synthetic polyanionic gel: A model of propagation of a nerve impulse. *Journal of Theory Biology*, 218, 497-505.
- Tasaki, I. (2005) Repetitive abrupt structural changes in polyanionic gels: A comparison with analogous processes in nerve fibers, *Journal of Theory Biology*. 236, 2-11.
- Upadhyaya, M., Ahmed, N., Deka, R., Kakati, D. K. (2012) Studies on Cu<sup>+2</sup> ion doped polyaniline. *Iran Polymer Journal*, 21, 601-607.
- Wang, S., Feng, L. and Jiang, L. (2006) One-step solution-immersion process for the fabrication of stable bionic superhydrophobic surfaces. *Advance Mater.* 18, 767–770.
- Williams, L. W. (1909) The Anatomy of the Common Squid, *Loligo pealii*, Leiden.
- Winter, G.D. (1962) Formation of scab and the rate of epithelialization of superficial wounds in the skin of the domestic pig. *Nature*, 193, 293-294.
- Winterstein, H. (1926) Die Narkose, *Julius Springer*, Berlin.
- Wong, T.W., Chan, L.W., Kho, S.B. and Heng, P.W.S. (2002) Design of controlled-release solid dosage forms of alginate and chitosan using microwave. *Journal of Control Release*, 84, 99-114.
- Yu, H.S., Mi, F.L., Pang, J.C., Jiang, J.C., Ku, T.H., Wu, S.J. et al. (2011) Preparation and characterization of radical and pH-responsive chitosan-gallic acid conjugate drug carriers. *Carbohydrate Polymers*, 84, 794–802
- Zhang, I., Shung, K. K. and Edwards, D. A., (1996) Hydrogels with enhanced mass transfer for transdermal drug delivery. *Journal of Pharmaceutical Sciences*, 85, 1312-1316.
- Zheng, H. (1997) Interaction mechanism in sol–gel transition of alginate solutions by addition of divalent cations. *Carbohydrate Research*, 302 (1–2), 97–101.
- Zuo, X. L., Chen, J. M., Zhou, X., Li, X. Z., Mei, G. Y., Chung, J. E., et al. (2003) Enzymatic synthesis and antioxidant property of gelatin–catechin conjugates. *Biotechnolgy Letter*, 25, 1993–1997.



## CURRICULUM VITAE

**Name:** Ms. Wimonwan Klinkajon

**Date of Birth:** July 14, 1987

**Nationality:** Thai

### University Education:

2005-2009 Bachelor's Degree in chemistry, Faculty of Science, Prince of Songkhla University, Songkhla, Thailand (1st honor)

2009-2013 PhD Degree in Polymer Science, Faculty of Science, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand

**Scholarships:** The Royal Golden Jubilee, Thailand Research Fund

**Thesis Title:** Development of Biomedical Materials for Biomedical Applications

### Publications:

1. Klinkajon, W., Supaphol, P. (2014) Novel copper (II) cross-linked alginate hydrogels and their potential for use as anti-bacterial wound dressings. *Biomedical Material*, 9(4), 11.
2. Meng, L., Klinkajon, W., K-hasuwan, P., Harkin, S., Supaphol, P., Wnek, G. (2014) Electrospun crosslinked poly(acrylic acid fiber constructs: Towards a synthetic model of the cortical layer of nerve. *Polymer International*, 64, 42-48.

### Presentations:

1. Klinkajon, W., Supaphol, P. (2011) Novel copper (II) cross-linked alginate hydrogels and their potential for use as anti-bacterial wound dressings. The 12<sup>th</sup> Pacific Polymer Conference, Jeju, Korea.
2. Klinkajon, W., Supaphol, P. (2012) Novel copper (II) cross-linked alginate hydrogels and their potential for use as anti-bacterial wound dressings. The 33<sup>rd</sup> Thailand Research Fund, Pattaya, Thailand.